THE

ARCHITECTURAL

INCLUDING "BUILDING MONEY"

MAY, 1936

WURSTER HOUSES ... GLASS BLOCK BUILDING ... BEAUTY SHOPS ... APARTMENTS ... STORES


Modern amusement houses demand a modern setting . . .



AND ENDURO supplies the modern setting for theatres both old and new—inside and outside—under the skilful hand of a far-seeing architect—a man who knows that beauty attracts the pleasure seeker's dollar.

Republic ENDURO Stainless Steel furnishes many points of interest in the Bromley Theatre, Philadelphia. The ticket booth is ornamented with strips of ENDURO, as is also the decoration at the top, made by cutting sheets and forming them into shape. Poster frames are made of this silvery-white metal, while, inside, the stainless drinking fountain presents a lustrous beauty spot sanitary and easy to clean, too.

Architects can specify Republic ENDURO for any type of work in buildings large or small with every assurance that it can be fabricated satisfactorily—for decorative work, bank fixtures, casements, columns, doors, hardware, partitions, screens, signs and any sort of sheet metal application. We will gladly refer you to the nearest fabricator equipped to do the type of work you desire from our list of over 300 reputable companies that have proved their ability to produce architectural work of ENDURO. Consult Sweet's, or write us for complete information on ENDURO.







GENERAL OFFICES ···· CLEVELAND, OHIO ALLOY STEEL DIVISION ··· MASSILLON, OHIO

When writing Republic Steel Corporation for further information, please address Department A. F.

MAY 1936

FOUR HOUSES IN CALIFORNIA	35
William Wilson Wurster and notable for their freedom from pr conceived concepts of style and pattern, their fine use materials, and their adaptability to special conditions—interin and exterior photographs, floor plans, and construction outline	e- of or
STORE BUILDING IN LOUISVILLE, KY. A three-shop, single-story store building conceived as a gian show case and executed in restrained Modern style—total co- including fixtures \$38,000.	403
BEAUTY SALONS Architecture's contribution to a \$116,795,000 business—three examples of the architect-designed beauty salon—interior phote graphs, floor plans, construction outline, and data sheet on speci- problems and equipment.	
OWENS-ILLINOIS RESEARCH BUILDING Walker and Weeks design an all glass industrial building demon strating interior and exterior use of the glass block—photograph construction outline, and full notes on the air conditionin system.	s,
THINGS TO COME H. G. Wells and London Films project architecture into th year 2036.	e 420
CHELSEA LANE APARTMENTS A new three-story Manhattan apartment block featuring sun an air, small living units, low rent—interior-exterior photograph floor plans, construction outline.	422
STAR ELECTRIC BUILDING Design for sales promotion effectively carried out in commercia remodeling for a Newark, N. J., electrical store.	426
BUILDING MONEY How the AIA's Housing Committee hopes to ally the potent AB, in a drive for better design, plan, and construction in small, sin gle-family houses (430) How to build single-family house for the lowest income groups—an FHA paper solution (432) Portfolio number three in the Remodeling For Profit series—thre commercial buildings and a funeral chapel (433) What Floo rebuilding means—a survey of the general situation with close ups in Hartford and Pittsburgh (437) What happened t profits when Philadelphia tried to improve its row house tech nique (438) Pre-financing—a Cleveland idea to help liquidat property—what it is, how it works (440) How the Genera Discount Corporation plans to permeate five Great Lake State with 80% FHA loans (442) Charts on building costs, rents and the flow of mortgage money (444) When new construc- tion starts, repossessed houses sell—a New Orleans report (38). Contractors on two coasts set up new schemes for local co- operation (39).	s d d e e l s
DEPARTMENTS (in front advertising section)	
THE MONTH IN BUILDING A quick summary of front-page building news.	3
LETTERS Winter Construction Architect Allen and His Prefabricate Client"Possibility of A Science of Architecture," Alden B. Dow	9
FORUM OF EVENTS Better basements stir public interest Allied advertising More news on the Fairs MIT inaugurates a new laboratory technique for its school of architecture Competitions an Awards.	45
PRODUCTS AND PRACTICE A new and detailed study in contemporary domestic ranges	41
BOOKS	

25 Ralph Adams Cram writes of a glamorous past and an alarming future . . . A new book on English country homes in an inexpen-sive edition . . . A check list of construction, materials, and equipment.

Editor, Howard Myers; Managing Editor, Ruth Goodhue; Associates, George Nelson, A. C. Shire, Ernest Born, Cameron Mackenzie, Max Forester, Paul Grotz, Madelaine Kroll. THE ARCHITECTURAL FORUM is published monthly by Time Inc., Henry R. Luce, President; Robert L. Johnson, Roy E. Larsen, Vice Presidents; Charles L. Stillman, Tresurer; W. W. Commons, Secre-tars, Publication Office, 160 Maple Street, Jersey City, N. J. Exceutive, Editorial and Advertising Offices, 135 East 42nd Street, New York. Business Manager, Sheldon R. Luce. Advertising Manager, George P. Shutt. Circulation Manager, Robert W. Chasteney, Jr. Subscription Office, 350 East 22nd Street, Chicago, Illinois. Address all editorial correspondence to 135 East 42nd Street, New York. Yearly Subscription, Payable in Advance, U. S. and Possessions, Canada, Cuba, Mexico, South America, 44.00. Elsewhere 85.00. Single issues, including Reference Numbers, \$1.00. All Copies Mailed Flat. Copyright, 1936, Time Inc.

VOLUME LXIV NUMBER FIVE

MASONITE

Distressed by the enormous amount of wood wasted in sawmills, W. H. Mason decided to do something about it. Then . . . an accident gave the world a brand-new building material.

IN LAUREL, Mississippi, the huge trashburner of Wausau Southern Lumber Company was devouring hundreds of tons of "tasty" wooden chips. This roaring furnace never needed to worry about its next meal. Part of every tree would always have to be thrown away... unless some use could be made of the odd shape, odd-length pieces that were left over after squared timber and boards had been cut.

In a workshed nearby, a man who had for seventeen years been associated with Thomas A. Edison was trying to cheat the trash-burner of its lavish feast. If he could discover a way to reduce that waste to fiber, without destroying the lignin which nature uses to hold them together, he could make them into a particularly efficient insulating board. Or perhaps a hard, dense board.

In 1924 he thought of exploding the chips under steam pressure. So he made a gun by drilling a hole in a steel shaft . . . filled it with chips . . . added a little water . . . sealed the end of the gun with a tapered steel plug. Blow torches were applied to the outside of the gun until he assumed that the pressure inside was about 600 pounds per square inch. Then the plug was jarred with an iron bar. Out it came—with such velocity that it could never be found and with it thousands of fine wood fibers.

Mr. Mason used his knowledge of paper making to mix up a wet lap of fiber and water. He tried pressing it into a flat mass, which might be baked hard in an oven. But this attempt proved unsuccessful.

In a nearby paper mill, Mr. Mason obtained use of a small letter press, which was equipped with steam-heated platens to determine the moisture content of pulp samples. He thought a board might be produced by pressing the wet lap between the hot platens. And then came the accident!

During one of his experiments the inventor decided to go out for lunch and, as he thought, turned off the steam. But when he returned he discovered that the steam valve had been open for the two hours he had been away. He opened the press and, to his astonishment, found that the layer of wet lap had been pressed into a grainless board of iron-like hardness. This was the first piece of Genuine MASONITE PRESDWOOD ever made.

By June of 1926, the Mason Fibre Company was ready for operation. The gun and all its unique mechanisms had been perfected. Presses, consisting of twentyone steam-heated platens on one side and a wire screen on the other, had been built. Temperatures and pressures had been determined for all types of wood. And four products had been developed from the same wet lap, each distinct as to weight, density and purpose, but all of them possessing new and valuable characteristics.

Because nothing more than the natural lignin of the wood, softened by steam and rehardened under pressure, is required to hold the millions of fibers together, Genuine Masonite Products contain no glue or artificial binder to be affected by moisture or excessive dryness. For the same reason it is possible to cut the boards into any size or shape without dulling the finest tools.

The flat-bed presses used to manufacture Masonite Products, combined with the fact that the fibers are felted together at all angles, produce boards which show no tendency to warp out of shape due to atmospheric changes. Nor will they chip, split, splinter, or crack.

TODAY Genuine Masonite Products are finding their way into every known business and industry, providing sturdy, light-weight materials which cut costs and give years of hard service.

Genuine MASONITE STRUCTURAL IN-SULATION offers the home owner, architect and builder an efficient insulating board which possesses exceptionally high tensile strength and a natural beauty that makes it ideal for exposed wall and ceiling surfaces. It is also used for lining of farm buildings, as a "cushion bed" for heavy machinery, and thousands of other purposes.

Genuine MASONITE DE LUXE QUARTRBOARD is harder and denser, yet it allows the same interesting wall and ceiling effects, serves as many uses and, like STRUCTURAL INSULATION, can be beveled or grooved with modern designs.

GENUINE MASONITE TEMPERED PRESDWOOD is the ideal hard board for home, office, store and industrial use. It has a marble-smooth surface, which can be varnished, painted or enameled with any standard applications. But its beautiful warm-brown color is so appealing to the eye that it needs no decoration to produce expensive-looking effects at a fraction of the usual cost.

Genuine MASONITE TEMPRTILE is a hard board similar to TEMPERED PRESD-WOOD, grooved to provide tile-like surfaces for bathrooms, kitchens, stores and shops. It can be enameled in any desired color schemes, and can also be purchased from many wall-tile firms with finish already applied.

In Laurel, Mississippi, near the site where once stood the hungry trash-burner, now stands the modern plant of the Masonite Corporation—producing Genuine Masonite Products at the rate of 300,000,000 square feet per year. The products are sold by lumber dealers everywhere. Masonite Engineering Laboratories are equipped to offer assistance to architects in solving construction problems... and reducing costs.

Free samples and literature will be sent upon written request addressed to Masonite Corporation, 111 West Washington Street, Chicago, Illinois.

THE ARCHITECTURAL FORUM
Published monthly by Time Inc., Henry R. Luce, President. Publication Office, 160 Maple Street, Jersey City, N. J. Yearly Subscription: U. S. A., Insular Possessions, Canada and Cuba, \$4.00. Foreign Countries in the Postal Union, \$6.00. Single issues, including Reference Numbers, \$1.00. Entered as Second Class Matter at the Post Office at Jersey City, N. J., under the Act of March S, 1879. Additional entry at New York, N. Y. Copyright, 1936, Time Inc. Spiral Binding U. S. Pat, Nos. 1516932 and 1942026. Other Patents Pending.

THE MONTH IN BUILDING

VOLUME. A new five-year high mark in the dollar value of projects filed for building permits was set last month, as adjusted Department of Labor figures revealed new records in every classification. The March total outdid the twin peaks of approximately \$87,000,000 in August and October, 1935, by over \$20,000,000 (see chart, p. 444). Residential building broke its February post-boom record by 19 per cent; non-residential building outscaled its PWA-boosted peak in May, 1932, by 2.8 per cent; remodeling passed its post-boom high of last August by 10 per cent.

Looking to Dodge figures on contracts awarded, observers found actual construction in March up 40 per cent from February. This figure largely reflected the slack in February, when snows kept actual construction down 30 per cent from January, while permits were off but 1.4 per cent. Only district failing to register a gain was New England, where mid-March flood conditions were held responsible. The Dodge Corp. recorded actual volume in the first quarter of 1936 at \$545,871,300, as compared with \$297,761,600 for the same period of 1935.

Quick with its geographical collation of data for 215 cities, Dun & Bradstreet found anticipated work high in each of the areas affected by the floods, showed the Mountain States, that dark horse region which made the greatest gains in 1935, still leading the pack:

Change Over 1935

New England States+142.6
Middle Atlantic States + 37.7
South Atlantic States +102.7
East Central States +119.9
South Central States +124.6
West Central States + 25.3
Mountain States
Pacific States
These reports were by all odds the b

These reports were by all odds the best that recovering Building had heard since its cataclysmic drop in 1930.

WAGNER'S TERMS. Coolly impervious to the squabble which has failed to net the Administration a housing program worthy of its backing has walked a lone figure, strange in his sure-headed solitude. Two years ago as Franklin Delano Roosevelt's popular emergency emissary, New York's chunky, energetic Senator Robert Ferdinand Wagner, made more than Recovery history when he wrote into the National Recovery Act provisions for an altogether new type of Government activity: U. S. low-rent housing.

Certain of his purpose after two years of blundersome progress under these provisions, and undaunted by the fact that subsequent New Deal housing barks have proved more seaworthy, this doughty Senator last month put before Congress his second bill for public, low rent housing, a measure broadly aspiring to the title, U. S. Housing Act of 1936. It called, in brief, for the formation of a permanent U. S. Housing Authority to replace and perpetuate the housing activities of the expiring Federal Emergency Administration of Public Works.

Although the bill provided for the early assumption of low-rent housing by local agencies, it gave the Authority almost every power PWA now has, including the right to continue a demonstration program indefinitely. Over half of the possible \$1,000,000,000 made available to the Authority would come not from public coffers, but from public bond issues. A total of \$326,000,000 in direct appropriations and \$550,000,000 from bonds would be obtainable in annual takes over four years. In addition, the Authority would be empowered to borrow up to \$100,000,000 from the Reconstruction Finance Corp.

Grants up to 45 per cent of project-cost to local housing authorities would be supplemented by loans making up the remainder. Loans up to 85 per cent of project-cost with 60-year repayment privileges would be made available to limited dividend corporations. Interest on both types of loans would be no less than the going rate on Government bonds. These stipulations, together with one providing for payment by the Authority of a fee in lieu of local taxes, meet the principal objections raised by the Comptroller General to housing procedure under the NIRA.

"There can be no sustained prosperity until the building industry gets going . . . We must develop profitable areas for the operation of new capital. To accelerate this trend is the purpose of the legislation which I am introducing." Despite this forceful introduction by Senator Wagner, his \$1,000,000,000 order was quickly steered into the Committee on Education and Labor, whence it may never emerge this session.

EARNINGS. By last month most building supply companies had completed the job of issuing their earnings reports for 1935. Without serious exception, these continued to reveal an upward trend. An accompanying rise in stock prices brought Standard Statistics' index for twelve building stocks to 132 per cent of 1926 (see p. 444). Those companies most interested in home construction remained the most consistent ground-gainers.

Following is a collation of 1935 reports,

which are in addition to those published by The Forum in March:

D = deficit

	1935	1934
Aluminum Co. of America	\$9,571,206	\$6,466,149
American Laundry Machinery (commercial and institutional laundry equipment)	186,623D	687,024D
American Radiator & Standard Sanitary	2,798,860	1,455,227
American Rolling Mill	4,310,129	966,566
Art Metal Construction (office equipment)	259,147	71,970D
Bridgeport Brass	726,617	576,636
Briggs Manufacturing	9,266,200	5,121,625
Brunswick-Balke-Collender	49,057	346,065D
Philip Carey Mfg	216,861D	146,740
Certain-teed Products	259,977	851,563D
Crane	1,147,651	1,021,543
Eagle-Picher Lead	583,620	153,192D
Gladding, McBean	159,269D	326,948D
Hobart Mfg	175,729	666,591
Johns-Manville	2,164,858	749,803
National Gypsum	532,462	321,540
National Lumber & Creosoting.	873D	5,127D
Otis Elevator	1,110,997	1,603,317D
Pittsburgh Plate Glass	11,398,739	5,763,694
Pratt & Lambert (varnishes, enamels, lacquer)	336,399	207,852
Revere Copper & Brass	425,555	1,011,101
Reynolds Metals	1,419,267	1,642,461
*Richmond Radiator	180,377D	298,446D
Ruud Manufacturing	33,573	33,019D
Schlage Lock	30,992	47,395D
Scovill Manufacturing	1,057,285	730,576
Simmons (bedding)	1,291,023	948,563D
U. S. Radiator	394,895D	464,481D
Yale & Towne	477,665	59,889

*Before depreciation of plants and equipment.

PUBLIC WORKS. Regular as a semaphore's response to a passing train is the hand which Building extends when Congress periodically considers renewing public works. In a pamphlet which began, "The prospects for additional funds are very dubious," and ended "Each and every one of your organizations should ... impress them [Congressmen] with . . . the necessity of further PWA appropriations," the Construction League last month petitioned member associations to report whether they saw further use for additional funds in their respective fields.

Secretary Ickes had gone before Congress month before with a request for an additional \$700,000,000, despite the President's known desire to cut down on heavytype expenditures. With this money he said he could finance a total of \$1,500,-000,000 of projects which are completely approved. Having put but \$327,000,000 to work out of last year's \$4,880,000,000 Works Relief Appropriation, the PWA has in progress at present a total of \$778,-000,000, which will reach a peak in mid-July, and thereafter sharply decline.

Angling after funds for housing, Secretary Ickes stated that "Industries producing building materials are receiving more orders to go into PWA slum clearance and low rent housing projects than they received from all private residential construction in the 257 leading cities of the country in 1934." Observers found the statement hardly fair, however, in view of the fact that residential building was at its lowest ebb in recent times in 1934. Further facts were marshalled by New York's Representative Alfred Beiter in presenting the case in Congress. "I am a firm believer in the PWA plan," said he. "It is effective immediately, and when the depression is over all of the public dollars expended will be paying dividends .

Building observers had no doubt of the efficacy of the PWA plan as a bridge for depressions, but wondered whether it was not time to call a halt on depression talk when obviously the depression in Building was over.

HOME POESY. That ubiquitous new name in Building, the Reynolds Corp., whose "Home With the Silver Lining" is fast becoming an historical marketing achievement, held a press fest last month which was not of the usual character. As simple as Eskimo pie, it was the idea of aggressive Richard S. Reynolds, whose rise to fame was via this be-tinfoiled sweet. And it captured large columns of newspaper space by proposing the revival of ballads about The Home.

There was talk about the practical results achieved from "Moon Over Miami," and "Hawaiian Moonlight," by the localities involved, and some reciting of specially prepared poesy by Building Man Reynolds, but the affair was mainly an occasion for realization that an ambitious plan was at last in action, some of the headaches of its conception put behind.

Between 30 and 35 Reynolds houses are under construction throughout the country in a scheme involving sale of every material which goes into a house for the first time by a single company. Features: Reynolds "Metalumber," Reynolds metal foil insulation, Reynolds air conditioning. There are even Reynolds mortgages. The system, however, involves no control over the design or selling of the house. Salient Reynolds arguments: "Furnishing all materials, Reynolds is not interested in getting as much of the builder's money as possible for one product . . . Architect, Builder, Dealer are the backbone of the Reynolds system."

BUTLER ON REALTY. Thrice forced by encroaching business to move from place to place in Manhattan, Columbia University is, in the words of its president, "one of the largest, if not the largest" municipal taxpayer in New York. Total value of its property runs to \$86,-595,000. Columbia has been the nub of cultural New York throughout its history,

and its two original sites received the best of business tenants in its moves.

Each move was made with the thought that the district entered would surely remain a residential one. The site in downtown New York has been invaded by financial buildings, and upon the uptown site stands Rockefeller Center. Last month in a book of Columbiana issued by the University, its grizzled President Nicholas Murray Butler brought these facts to public attention with the assertion that the University's realty "represents the most secure investment of the endowment of a great institution of public service."

In still another capacity 74-year-old



Columbia University's Butler

President Butler is a figure in New York realty. Super-busy in University affairs, he still keeps nine stenographers in action, gets away only for occasional golf and for directors meetings at the New York Life Insurance Co. There he has occasion to decide upon the real estate problems which are facing New York Life as in every other lending institution. There, too, he lunches occasionally with fellow-director Herbert Hoover. That his comment on the stability of Columbia realty may have been timed to back up Trustee Hoover's current attempts to secure permission for investment in real estate by Stanford University (ARCH. FORUM, April, 1936, p. 4) was a tasty morsel for speculation.

U. S. SECOND MORTGAGES.

Cap to a windy season of Washington housing palaver (see p. 3) was a plan put forth last month by the normally ultraconservative Chairman John H. Fahey, of the Home Loan Bank Board, involving U. S. second mortgages. The plan did little else than split still deeper the already wide cleft between the Federal Housing Administration and FHLB.

In brief, it called for the utilization of about \$300,000,000 of unused HOLC bor-

rowing power to make second mortgage loans on low-priced homes. These would run to 30 per cent of property value, matching first mortgages of 60 per cent. The Government would collect only interest, at 5 per cent, and none of the principal on these mortgages during the life of the first mortgage. Theory was that they would bridge the gap between first mortgage money and the extremely small equity money which moderate-income families can supply.

Chairman Fahey's proposal was obviously based on the probability that such financing would bring more business to the members of his Home Loan Bank System, would produce more work for HOLC. In addition, he argued that under it the Government would be able to keep better tabs on its stake than in providing jobs indefinitely for WPA workers on the one hand, while pledging itself for an indeterminate mortgage insurance loss on the other.

Siding with Fahey in his plan, which would abnegate the FHA's whole purpose, were RFC's Jesse Jones and expiring PWA's Secretary Ickes. Ickes' attitude was explained as more a result of his general dislike for FHA than of any deepseated preference for the Fahey plan. Few others made so bold, however, as to expect anything important of a plan involving both further Government expenditures and a resuscitation of the unpopular second mortgage.

HORIZON. Set for completion by May 1 was the largest apartment to be air conditioned on record-the 22-story apartment house at 400 Park Avenue in Manhattan, Hardly like the usual mortgagee in deciding to spend so much, but nevertheless an unwilling owner was the air conditioner: the New York Central Railroad, which took over the property last year when it could no longer pay rent for the Central's air rights. Delco-Frigidaire got the job . . . Flood expenditures in the New England and East South Central States were expected to total \$200,000,000 before the year's end (see p. 437) ... The House of Representatives turned thumbs down on a \$275,000 appropriation to finance research by the newly instituted Construction Economics Division of the Department of Commerce. The programframers vainly pointed out that the Bureau of Agricultural Economics spends \$6,700,-000 annually, urged a comparative pittance for the second largest industry. But the Senate may reinstall the provision . . . The American Institute of Architects offered to cooperate with the American Bankers Association in working out a procedure for bettering small house design and construction. A.I.A. Housing Committeeman Richmond H. Shreve addressed the invitation to A.B.A.'s President Robert V. Fleming, in answer to a recent A.B.A. survey pointing little banker-appreciation of the need for good design, plan, building (see p. 430).

MAY · 1936

in

K & M Asbestos and Magnesia Products: rigid quality-

control, from raw material to the finished product;

est

asbestos

For more than 60 years, Keasbey & Mattison Company has pioneered in the development of insulation and building materials. There are these basic reasons for the advantages of

Asbestos Pipe Insulation in sections

KEASBEY & MATTISON


COMPANY AMBLER, PENNA.

Asbestos Insulation in sheets and blocks

Asbestos Insulating Cements

Asbestos Packings and Gaskets

The K & M representative who calls on you is trained to work with the profession.





This International Harvester Company building at Fort Wayne, Indiana, is protected by 109,000 square feet of Barrett Roofs, bonded against repair and maintenance expense for 20 years. Owner: International Harvester Company, Chicago, Illinois. Gen'l Cont.: Indiana Engineering and Contracting Company, Ft. Wayne. Rfg. Con't.: Knickerbocker Roofing and Paving Company, Chicago.

(Above) Close-up of a Barrett Steep Roof Pitch installation showing the firmly embedded gravel wearing surface, characteristic of Barrett Coal-tar Pitch and Felt Roof.



in ROOFING since SPECIFICATION ROOF

FOR years, the roofing industry has sought a roof for steep roof buildings that would match in performance builtup roofs of coal-tar pitch, felt and gravel on flat roof decks.

Barrett Steep Roof Pitch, a new and revolutionary building product, now provides a complete solution. Here is a product that combines with unusual stability all the unmatched waterproofing and weatherproofing characteristics of coaltar pitch. The development of this product broadens the field for built-up roofs to include many types of buildings hitherto denied the advantages of this type of roof construction.


Barrett Steep Roof Pitch is the result of

years of painstaking research and experiment, and ranks in importance with the famous Barrett Specification Roof, the practice of bonding roofs, the Barrett Approved Roofer organization and other developments that have distinguished Barrett's 82 years of leadership in roofing.

Field and laboratory tests under extreme conditions show that Barrett Steep Roof Pitch possesses unequalled resilience and self-healing qualities, will not slide or "bleed" at the highest temperatures to which roofs are subjected, will withstand intense cold without cracking or loss of bond, it holds gravel or slag firmly in place, and possesses the body, bond and waterproofness which have made coal-tar

pitch the world's outstanding roofing value. Steep roofs of Barrett Steep Roof Pitch and Barrett Specification Felt with a firesafe gravel or slag wearing surface applied according to Barrett Specifications by Barrett Approved Roofers are bonded by the United States Fidelity and Guaranty Company against repair and maintenance expense for 20 years,

For complete information consult with your local Barrett Approved Roofer, or with us. Detailed specifications are published in Sweet's, and are available for distribution.



Let's talk about AIR CONDITIONING

THE planning of an air conditioning system is not, in itself, a particularly technical job. It is concerned with the distribution of air, in and out of rooms, or buildings. This passing of air through ducts has been quite well understood for some time.

One element was lacking

The idea sometimes implied that air conditioning is a mystery may go back to the days when it was an unsolved idea. For a long period the notion of controlling the heat and moisture content of air within buildings had attracted thoughtful attention. The chief difficulty lay in the absence of a safe, economical refrigerant. Since summer air conditioning is basically cooling and dehumidifying, this lack of a suitable cooling medium was serious.


To advance the application of electric refrigeration for use in air conditioning, General Motors sponsored a search for a new and better refrigerant. After thousands of experiments the searchers discovered a new liquid. They called it FREON. So brilliantly has FREON met every hoped-for requirement that the whole air conditioning industry adopted it almost overnight. Not until the perfection of FREON did air conditioning, for business places and homes, become really practicable. And with this discovery, the last mystery faded from the air conditioning picture.

★

Refrigeration is the basis

Summer air conditioning basically is cooling and dehumidifying. The accepted method is by electric refrigeration. Obviously, then, the factors which determine the effectiveness and economy of an air conditioning system go back to the manufacturer of the refrigeration equipment used. Consider his experience in the design, manufacture and application of this equipment. Delco-Frigidaire, through its General Motors background, represents such experience to the greatest degree of any organization in the field.

We welcome opportunities to confer with architects. On such occasions we strive not to beat the drum of sales talk. Rather we offer such suggestions as have come out of our long experience in the fundamentals that have made air conditioning possible.



See Sweet's Catalogs File (Section 26/7) for details on our air conditioning equipment. Write our headquarters at Dayton, Ohio, or telephone our New York office at BRyant 9-0452

DELCO-FRIGIDAIRE CONDITIONING CORPORATION AUTOMATIC HEATING DAYTON, OHIO AIR CONDITIONING PRODUCTS OF GENERAL MOTORS

LETTERS

Winter Building

Forum:

... As a fee architect with the Federal Housing Administration I know there are many houses under consideration for spring building. I look for a jam or crowding in order to get the work of building under way and the owners who get started early will not be troubled with getting good workmen and materials.

It is my humble opinion that if more stress were laid upon the subject of winter building, that there would be many more houses under construction now. It can be done and should be done, and the owner, craftsmen, material dealers and all others would be greatly benefited thereby.

The chart of construction volume would be more of a straight line instead of the highs in the summer months and lows of the winter months, with the general loss of purchasing power and loss of trade . . . GUY N. CRAWFORD

Minneapolis, Minn.

The Prefabricated Pfuture

Forum:

We have been having some interesting discussions down at my club, the Market Avenue Architectural and Asthma Association. The club is a veritable Mecca for bon vivants; our imported French chef, Monsieur Butch Fiddlebaum, has the knack of turning out dishes with an Old World charm. His fried mush with Thousand Island dressing, for instance, has aroused wide discussion accompanied by acute gastric disturbances. When rallied on his culinary prowess, M. Butch always replies modestly in his quaint Provencal patois, "Utsnay to you umpchays."

Last night after dinner we were discussing, as architects will, modern trends in architecture—"Is indoor plumbing here to stay?" and "Corbusier and Calvinism" and "Who was that lady I seen—" no, come to think of it, that was the night BEFORE last. Finally one of our most gifted members, Dr. F. X. W. Barnsmeller, who is possibly the country's leading authority on Steamboat Gothic, cleared his throat and asserted that what this country needs is a good prefabricated house. "What this country needs," he insisted,

"What this country needs," he insisted, stirring his coffee with his stogie in the traditional Beaux Arts manner, "is a good prefabricated house."

"What this country needs, besides a good five-cent nickel, is a prefabricated client," I contradicted.

"It ought to be as obvious as a \$2 toupee," I continued, "that it would be a far, far better thing for the profession, as I have nicknamed we architects, to have prefabricated clients available than to have any quantity of prefabricated houses lurking around the rolling mills, ready to spring into a box car as soon as a person's back is turned. What good does it do an architect to know that for \$1,196.75 he can buy a prefabricated house f.o.b. Nelson's Switching, Md., complete with four rooms, windows running around corners like a man pursued by bill-collectors, and air conditioning? Where would an architect get \$1,196.75?"

"Let's not be gruesome," suggested a listener. "But speaking of air conditioning reminds me that when I was a boy, a woodshed and a couple of shingles was all the heir conditioning apparatus MY father needed. But go on with this description of your prefabricated client."

"Imagine how much pleasanter would be the life of the architect if, when business was slack, he could call up the factory and say, 'Have six prefabricated clients, all wound up and raring to go, at my office at 8:30 tomorrow morning.'"

"Pooh, pooh," interjected Dr. Barnsmeller, "what would these prefabricated clients of yours be made out of?"

"Naturally the ideal prefabricated client would be made out of money, you fool."

"Young man, you are standing on the brink of an abscess," warned the Doctor. "But I disregard your language as beneath my attention. Where, I repeat, would you get the money to make the prefabricated clients of yours out of?"

"No gentleman ever ends a sentence with a preposition, or with a proposition either," objected Horatio Rancid, another one of our leading members. He generally leads a singleton after bidding six spades vulnerable. "Nevertheless, the Doctor's point is well taken. Where are you going to get the money with which to manufacture and equip prefabricated clients? It will take no mean quantity, as I assume that the P.F.C. will have money dripping out of all pockets?"

"You have touched upon the only point that I have not yet satisfactorily solved," I admitted. "However, I believe that by a slight alteration in the Townsend Plan we can overcome this trifling defect. My idea is that instead of promising \$200 a month to everyone past 60, the thing to do is to guarantee \$60 a month to everyone past 200. If the good continue to die young, obviously the only ones who will collect the \$60 will be architects. Besides, any architect who has lived through the last five years should have no difficulty whatever in living through the next 150. The immense savings thus made would leave ample funds with which to inaugurate the Prefabricated Client Administration, complete with vouchers, senatorial investigations and editorials in the Hearst papers. The idea is stupendous."

"It's colossal, in a small way," agreed the Doctor, as the party broke up in confusion as the waiter approached with the check.

ROGER ALLEN

Grand Rapids, Mich.

So True It Hurts Forum:

... Some time ago in a letter to your magazine, I suggested that as a professional magazine you should encourage constructive discussions among architects relative to this profession. At that time you labeled this suggestion "fearless business" or something of the kind. It may be, but isn't it necessary? I am sure that there are many who would be glad to contribute to such discussions and I can not think of anything that would be more constructive for the architectural profession, because it would bind the various schools of thought together in arguments and a battle would result that at least would show some life and in the end something would be accomplished once and for all and architects might then become a unified body.

I realize that in general architects do not want to be a unified body. They cling to the idea that individuality is their greatest asset and that that could not exist if the profession were unified. It seems we are like the medical profession about a hundred years ago. Its basis was constructed upon personal feeling with almost no exact knowledge. We all have our own ideas of what is right and wrong with only romance for a basis, and since that never strikes two people alike, no two of us ever agree and the knowing client says: "Well, my guess must be as good as theirs, so why have an architect?" This is so true it hurts. With romance the basis, the client usually has a clearer picture of what he wants than any other person could possibly have and in such cases the architect most in demand is the best mindreader. Surely this does not add respect to our profession. Along with this, magazines are helping the way down. They have done their best to make architects out of every home builder. We cannot blame them because they must keep up interest in some way. But when any profession attains a reputation within reach of the public for the price of a magazine, there is something wrong.

We dodge the issue again under the heading of "building money." All the money in the world cannot create a market if there is nothing to buy. It is true there is a great demand for cheap housing but as long as that exists almost anything will sell and architects will have little to say about it. As I see it, architects are going to have a very small part of this new building money unless they seek a new standard above the ability of the speculative builder who is his own architect. . . .

That is what I am doing here in Midland. I realize that there are a few clinging to the ideals of their grandfathers and even more to the idea of being their own architect, but there are more and more who see the possibility of a science of architecture, and in that lies the future of this profession. . . .

Midland, Mich.

ALDEN B. DOW

See Our Catalogue in Sweet's





MACBETH ARFLOUGLOBES

In tune with the trend toward streamlining and combining the very finest features of modern illumination, this globe of famous "Monax" Glass

demands serious consideration. It provides (1) more efficient lighting as proved by photometric tests (2) famous Macbeth "Chip-proof" rim which strengthens the glass and eliminates sharp edges (3) completely enclosed, flush-type opening which greatly reduces dust accumulation. Here is a Globe of simple grace and beauty in



harmony with modern decoration yet free from all garishness that would clash with more conservative interiors . . . Write us for complete information on this new globe . . . today.

MACBETH-EVANS GLASS COMPANY CHARLEROI • PENNSYLVANIA



Art Museum of the J. B. Speed Memo-rial, Louisville, Ky., protected with a Genasco Standard Trinidad Built-up Roof since 1926. Arthur Loomis, Archi-tect; Wm. A. Netherland, Associate-Netherland & Hawkins, successors. National Roofing & Supply Company, Louisville, Roofing Contractor. Specification: - A roof that will endure with the building

... and it was fitting that in 1926 a Genasco Standard Trinidad Built-up Roof was specified for the J. B. Speed Memorial, Louisville, Ky.

Today, ten years after its application, the Genasco Standard Trinidad Built-up Roof, is giving the same protection to the J. B. Speed Memorial as it did during its first year, and in all parts of the United States for more than a generation Genasco Standard Trinidad Built-up Roofings have given maximum protection to institutional, industrial, commercial and public buildings. For a Genasco Standard Trinidad Asphalt Roof is constructed with thoroughly saturated long-fibred all-rag felts and waterproofed with Trinidad Lake Roofing Asphalt. This roofing asphalt is made from native Trinidad Lake Asphalt-nature's own product

-famous for its waterproofing and weatherresisting qualities.

When you specify a Genasco Standard Trinidad Built-up Roof you can count on a roof that will "last with your building." Against two of a roofing's worst enemies-sun and water-you have in Trinidad Lake Roofing Asphalt a natural waterproofer, and a natural product inherently resistant against the destructive action of the actinic or ultra-violet rays of the sun.

We would like to send you a copy of our illustrated booklet "For Your Roof," showing many types of buildings in all sections of the country, where Genasco Standard Trinidad Built-up Roofs have been applied. Just fill out the coupon below.



Art Museum of the J. B. Speed Memo-




THE BARBER ASPHALT COMPANY PHILADELPHIA New York Chicago



St. Louis

The Barber Asphalt Company AF.5 1600 Arch Street Philadelphia, Pa. Please send me a copy of your illustrated book "For Your Roof" which carries illustrations of many prominent buildings in all parts of the country protected with Genasco Standard Trinidad Built-up Roofing. Name ... Address



This is the house that Jackson will build.

PROBLEM

- B These are the floor plans for the house that Jackson will build.
- C This is the household that will live in the house that Jackson will build.

What should be the telephone arrangements for the house that Jackson will build?


- Built-in conduit to prevent exposed wiring and provide protection against certain types of service interruption.
 - An outlet in the living-room for all the family.
 - An outlet in the kitchen for household business.
- G An outlet in the master bedroom for protection at night and convenience all the time.
 - An outlet for portable telephone in the guest-room—to serve guest or invalid.

An outlet for portable telephone in basement recreation room to save running upstairs.

This is a suggested approach to a typical problem. Trained telephone engineers will help you custom-tailor efficient, economical

conduit layouts for any of your projects. Just call the Business Office of your local telephone company and ask for "Architects' and Builders' Service."





• Regardless of size, type or location, Carrier not only is at your service, but Carrier can adequately serve you. For Carrier engineers have designed air conditioning systems to fit every need. Each job is individually engineered—worked out in cooperation with your own engineering staff. Carrier engineering service is available in principal cities throughout the country. That's why we say "If it's air conditioning a cell Carrier." As difference at the location of the country.

AIR CONDITIONING

conditioning—call Carrier." And if you want to know in advance whether it will pay you to condition a certain type of office building, send for the Carrier Econograph. It will tell you. No charge. Address: Carrier Engineering Corp., 850 Frelinghuysen Ave., Newark, N. J.

It pays to have





The luminous glow of the orange and red translucent bar panels on this striking counter make it one of the most unusual bars in the country. It is the last word in modern construction, with Formica tops with bright metal inlays on the edges, and translucent Formica panels illuminated with neon tubes behind them . . . This is a counter idea that is bound to be more widely used . . . The bar is in the Pavillon Caprice of the Netherland Plaza in Cincinnati. It was designed by Lessman, Inc., New York, and installed by C. Loth, Inc., of Cincinnati . . . If you have modernizing to do, investigate Formica.

> THE FORMICA INSULATION COMPANY 4658 Spring Grove Avenue • Cincinnati, Ohio

FORMICA

FOR FURNITURE & FIXTURES

\$

23

3

FORUM OF EVENTS

MUTINY IN THE BASEMENT "THEY'RE SO cute," gurgled a pretty visi-



ABOVE: A "before" cellar—typical of 36 basements confronting contestants in the American Radiator "Cellar Reborn" competition. BELOW: Six suggested solutions for six different cellars. Cost for renovating and furnishing—but exclusive of new heating equipment—ranging from \$240 to \$424.


1.	Playroom (est.)	Cost:	\$240
2.	Sports room		\$250
3.	Hobby room (aquarium)		\$424
4.	Gymnasium		\$356
5.	Utility room (cannery)		\$303
6.	Study		\$365


I HEY'RE so cute," gurgled a pretty visitor to the exhibition of miniature basements sponsored recently by The New York School of Fine and Applied Arts and the American Radiator Company on the roof of Rockefeller Center's Maison Français. Cute only in the sense of petiteness, the 36 models graphically demonstrated how gloomy, dingy cellars could be "reborn" into cheerful, livable rooms at very little cost, were so enthusiastically received by the public that the exhibition was continued an extra week before being packed for an extensive tour of leading U. S. cities. First stop: Philadelphia.


The work of students at the School of Fine and Applied Arts, the miniatures were suggested improvements for actual cellars in the New York area, visited and inspected by the sponsors. Each model was shown with a photograph of the basement from which it was derived. No liberties were allowed with necessary columns or supports but otherwise the sky was the limit. Not including the cost of new heating equipment—necessary to eliminate huge pipe and furnace areas—the rebirths showed what could be accomplished for as little as \$170 to a top of \$400. Depending upon the size of the house and the type of system desired, total costs could run anywhere from \$1,000 up.

Germinating from 36 different brains, the results are gratifyingly diverse. Under such group headings as rumpus rooms, hobby rooms, sports rooms, utility rooms, study rooms and playrooms, the observer finds sufficient individuality to satisfy even the most fastidious critic. For example, under sports rooms there are five ingenious solutions: 1) a boxing ring; 2) a shooting gallery; 3) a small gymnasium, complete with parallel bars, chest weights, rowing machine and punching bags; 4) a bowling alley; and 5) a pool table. Under hobbies: a room devoted to Indian relics, another for tropical fish, a third for film developing and a fourth for showing marionettes, complete with a small stage.

Meticulously carried out with infinite patience and better than average crafts-(Continued on page 56)









6.

Dria Duryea Photos

5.



for many U.S. GOVERNMENT BUILDINGS... in Washington and elsewhere –

Time-tested apparatus, controlling Heating . . . Ventilating . . . Air' Conditioning.

In the U. S. Treasury Department Building, eleven air conditioning systems, serving basement to third floor inclusive, are Johnson controlled . . . Similarly, at the Department of Justice, nine central-plant systems which condition the entire building are equipped with Johnson thermostats, valves, and dampers . . . Room temperatures in the Archives Building are regulated precisely by 225 Johnson room thermostats operating more than 300 Johnson radiator valves. Here, too, the eight air conditioning systems are watched over by Johnson apparatus.

These are only three examples of many Johnson installations in U. S. Government Buildings in Wash-



U. S. TREASURY DEPARTMENT BUILDING Recent Air Conditioning Installations designed by Mechanical Engineering Section, Office of Supervising Architect.



U. S. DEPARTMENT OF JUSTICE Zantzinger, Borie and Medary, architects, Philadelphia, Pa



James Russell Pope, architect; Clyde R. Place. consulting engineer, New York City.


ington, not to mention a variety of Johnson-controlled governmental buildings elsewhere . . . Post Offices, Court Houses, Office Buildings, Appraisers' Stores . . . new and old. Many of them are equipped with Johnson Zone Control systems, commanded by the Johnson "Duo-Stat," the automatic control engineer who never sleeps but sits with one hand on the radiator, the other outdoors and his foot on the throttle of the heating system.

Whatever the temperature and humidity control problem . . . heating, cooling, ventilating, humidifying, dehumidifying . . . Johnson apparatus is the answer.



HERSHEY CHOOSES LINOTILE

Linotile floors brighten Visitors' Room of Hershey Chocolate Corp., Hershey, Pa. Colors are Oyster, Travertine, and Light and Dark Walnut, in 30" x 36" tiles. Walls and pilasters are Armstrong's Pine and Walnut Linowall. Sound-absorbing ceiling is Armstrong's Corkoustic. More than 32,000 sq. fl. of Linotile; 45,000 sq. fl. of Corkoustic; and over 1.000 sq. yds. of Linowall were used in this building.



Linotile floors like this HELP YOUR CLIENTS RENT AND SELL

YOUR clients will find it easier to rent and sell when their stores and offices have the eye-appeal that richly colored, handlaid floors of Armstrong's Linotile bring to this room in the Hershey Chocolate Corporation's new windowless office building.

Linotile is an exceptionally durable resilient tile. Inexpensive to install and easy to maintain by occasional washing and waxing, it never requires costly refinishing. Colors run through the full thickness of each tile, so that scuffing feet and scraping furniture cannot wear away their freshness and beauty.


When you remodel or build, Armstrong's Architectural Service Bureau can give you unbiased, moneysaving suggestions because Armstrong offers the only complete line of resilient floors: Linotile, Accotile, Cork Tile, Rubber Tile, and Linoleum. Write now for "Individuality in Handlaid Floors." Armstrong

Cork Products Co., 1304 State St., Lancaster, Pa.



EVERY TYPE OF BATHING for every type of home

In Residences... Neo-Angle furnishes the latest note in smartness. This unusual bathroom design was obtained by using the corner Neo-Angle. Glass brick in the wall back of the bath provides extra daylight.



In Apartments ... Neo-Angle is a real space-saver. The use of Neo-Angle Baths in this New York apartment building resulted in the saving of 4 feet of outside wall space, architects say.

tandard Sanitary Mfg. Co.

BURGH, PA. Division of AMERICAN RADIATOR & STANDARD SANITARY CORPORATION

Standard neo-angle bath

• The "Standard" Neo-Angle Bath has captured the imagination of America. In large homes where beauty is a major consideration, it furnishes the newest note in smartness. In small homes and apartments where space is at a premium, it's a necessity. It's different, it's practical, it has added safety. And because of its compact size and attractive design, no other bath in the world is so adaptable for unusual bathroom planning and different types of buildings – for new buildings or for modernizing old ones.

Prestige and profits follow when you use the "Standard" Neo-Angle Bath in new homes or in modernizing old ones. It's only four feet square, yet it provides a full-size, roomy bathing compartment, convenient seats in two opposite corners, and an ideal shower bath. In every way, the "Standard" Neo-Angle is the bath of the future for all homes of today. For complete information, consult your "Standard" catalogue or write today for literature.



THE · ARCHITECTURAL · FORUM

PICK OUT any paint requirement you wish-and this is what you'll find: The flat paint to use is the one made by combining Dutch Boy White-Lead with Dutch Boy Lead Mixing Oil!

Is durability a major consideration? Here is that exception among flat paints - one that is used outdoors as well as in.

Its extensive use on concrete, stucco and brick exteriors is the best possible proof of its great dura-bility. It takes all the punishment the elements can give, defying the weather year after year.

That sort of service outside gives you some idea of how it behaves inside-how it withstands wear and repeated washing. Also, it can be washed completely clean even after being ink-stained, pencil-marked, grease-smudged or defaced with shoe-blacking and mercurochrome.

You will find, too, that a

LEAD NATIONAL COMPANY 111 Broadway, New York; 116 Oak St., Buffalo; 900 W. 18th St., Chicago; 659 Freeman Ave., Cincinnati; 820 W. Superior Ave., Cleveland; 722 Chestnut St., St. Louis; 2240 24th St., San Francisco; National-Boston Lead Co., 800 Albany St., Boston; National Lead & Oil Co. of Penna., 316 Fourth Ave., Pittsburgh; John T. Lewis & Bros. Co., Widener Building, Philadelphia. ing: It stops suction and hides fire-cracks; and its high coverage of 800 square feet per gallon, added to its quick mixing and easy spreading, makes it low in first cost while its long wear and easy cleanability make it low in cost per year.

DURABILITY

HIGH COVERAGE

white-lead and lead mixing oil fin-

ish has the richness, solidity and

depth characteristic of lead paints.

It is a finish beautiful enough for

proved flat paint are the follow-


Other advantages of this im-

the finest interiors.

a Flat Paint that has

VERYTHING you look for!

BEAUTY



WASHABILITY

SEALING POWER

LOW COST

• Expose a room to the weather? Ridiculous - everything in it would be ruined. That is, almost everything. One thing wouldn't be harmed at all the beautiful Dutch Boy White-Lead and Lead Mixing Oil finish on the walls. This remarkable durable flat paint is just as much at home outdoors as in.

ИТСН В WHITE-LEAD & LEAD MIXING OIL



Today, the demand of the home owner is to receive the maximum in comfort and efficiency for the money he spends. Gimco Rock Wool House Insulation meets these demands by giving far more comfort through reduced inside temperatures in summer and even temperatures in winter with lower fuel costs.

Architects, builders, and home owners everywhere specify this superior, comfort giving insulation.

Write for file 37-b for complete details of the insulation that has pioneered home comfort.

GENERAL INSULATING & MFG. CO., Alexandria, Ind. WORLD'S LARGEST EXCLUSIVE MANUFACTURERS of ROCK WOOL PRODUCTS

There is no substitute for Confidence

ELECTRICAL



CONDUCTORS

Business is a matter of confidence.... Your client builds upon confidence.... You build upon your client's confidence.... The Safecote stamp is a mark of confidence.... No product is more jealously guarded, none more rigidly

inspected.... Its greatest asset—the user's confidence—earned by outstanding performance and guarded by the eighteen leading wire manufacturers, would be impaired by the smallest flaw.... Specify Safecote—the wire that has no substitute.

SAFECOTE PERFORMANCE SPECIFICATIONS AVAILABLE UPON REQUEST

GEORGE C. RICHARDS • LICENSORS' AGENT • 155 EAST 44TH STREET • NEW YORK CITY

GIVE YOUR MONUMENTAL BUILDING A MONUMENTAL ROOF ... **Monel Metal**

Choose your metals ... for 26 Years ... or for 300!

The Monel Metal roof on the Pennsylvania Station in New York City was laid when the station was builtback in 1910. The only part of the roof which was not originally Monel Metal was the skylight frames. Worn through by corrosion and erosion, these frames are being replacedwith Monel Metal.

The same corrosion from damp, grime, and fume-laden air . . . the same erosion from the scouring of water packed with cinders . . . which wore away the skylight frames, made



Workmen recently replacing worn-out skylight frames on the roof of the Pennsylvania Station, in New York, with Monel Metal. See what weathering did to the old frames in the foreground.

no impression on the Monel Metal roof. Engineers estimate its probable life as at least three hundred years.

Next time you plan a roof for any institution . . . get the figures on Monel Metal. You want buildings of your design to stand up and command respect generations from now. Give them roofs that endure for generations . . . roofs of Monel Metal.

The same toughness, the same resistance to corrosion and immunity to wear that Monel Metal displays on the roof of the Pennsylvania Station give it a much wider usefulness. Wherever in any structure you must be sure of quality that endures, ask yourself, "What about Monel Metal?" Even in the small cottage, you'll find a place for it as sink and cabinet units for the kitchen, and hot water tank in the cellar.

The far-sighted way to find the actual cost of this longlived metal is to divide the original cost by the number of years it serves. Judged by this method, Monel Metal is by all odds the most economical investment.

And even the first cost is less than you think. Write today for complete details.

THE INTERNATIONAL NICKEL COMPANY, INC. NEW YORK, N. Y. 67 WALL STREET



Monel Metal is a registered trade-mark applied to an al-loy containing approximately two-thirds Nickel and one-third copper. Monel Metal is mined, smelted, refined, rolled and marketed solely by International Nickel.

GRADES EACH AS TRUE AS A PLUMB LINE

MADE IN EAGLE "Chemi-Sealed" TURQUOISE 2H

Precision Grading FROM 17 SEPARATE LEAD FORMULAS

By brilliantly improved methods, Eagle has developed in TURQUOISE Drawing pencils 17 grades as accurately spaced and permanently uniform as the markings on your slide rule. Precise accuracy of grading is achieved by scientifically adjusting the proportions of graphite and clay in 17 basiclead mixtures. Each formula is separately blended, checked and adjusted for the slightest variations in raw materials by thorough laboratory control.

Because of the inherent exactness of this 17-formula method, we are never required to change the grading of a lead by varying the hardness of the wax with which it is impregnated. The result is 17 different grades, each as true as a plumb line — and "Chemi-Sealed" construction keeps them true indefinitely.

Stronger Points FROM "CHEMI-SEALED" CONSTRUCTION

By the "Chemi-Sealed" process (U. S. Pat. Nos. 1,854,905 and 1,892,508), the wood fibres at the core of the pencil are locked with a resinous binder into a rigid, non-splitting sheath for the lead. Then the waxed leads are coated with an impervious film which permits lead and wood to be glued so solidly that their combined strength gives points that will never break in normal use.

Smoother, too

The graphite in TURQUOISE leads is ground so fine it actually floats in air, and the finished leads are wax-impregnated until every particle has a film of lubricant to glide on. In TURQUOISE alone, this smoothness is permanently sealed in the lead by the impervious coating of the "Chemi-Sealed" process.

"Chemi-Sealed

EAGLE PENCIL COMPANY 703 East 13th St., New York Manufacturers of quality pencils, including the famous MIKADO and VERITHIN, since 1856?

EAGLE=

WRITE FOR FREE SAMPLE in any grade, giving your supplier's name and address and mentioning this publication.

REFRIGERATION

On the 58th floor of the RCA Building

Francis Y. Joannes, Architect Jaros, Baum & Bolles, Consulting Engrs.

In addition, I-R Units assure their owners: absence of vibration; capacity unimpaired by wear; self-regulation of power input with load; and unusual overload capacity.

WATER	15	THE	ONLY REFRIGERAT	ING M	EDIUN
Birmingham Boston Butfalo Butte Chicago Cleveland Dallas	Denver Detroit Duluth El Paso Houston Knozville	Ing	ersoll-Rand	Los Angeles Newark New York Philadelphia Picher Pittsburgh	Salt Lake City San Francisco Scranton Seattle St. Louis Tulsa Washington

Offices on four floors, 750 feet above the street in the R.C.A. Building, New York City, are cooled with the aid of water chilled by a 180-ton Ingersoll-Rand Centrifugal Water-Vapor Refrigerating Unit which is beginning its

Using water as the only refrigerating medium, this unit represents the ultimate in safety to the thousands of people

in this modern sky-scraper office building. It assures free-

dom from restrictive ordinances covering the use and storage

of chemical refrigerants. Leakage, storage and replacement

of refrigerant are forever eliminated.

24

third season.

Mr. Cram writes of a glamorous past and an alarming

future . . . A new book on English country homes in an inexpensive edition A check list of construction, materials, and equipment.

MY LIFE IN ARCHITECTURE, by Ralph Adams Cram. Boston: Little, Brown, and Company. 325 pp., 29 illustrations. 6½ x 9½. \$3.50.




It is the story of a long and active life that Ralph Adams Cram has written. As the record of a period of profound and disturbing change in American architecture and its effect on a man of broad culture it is an excellent book, and whether or not one agrees with Mr. Cram's point of view it is ably presented and vigorously defended. Beginning his professional career in Boston after journalistic and other interludes he came under the influence of Richardson. McKim, Mead, and White, and other leading spirits of the

rather excited '80s. Ruskin continued his education and Venice provided the discovery that there was no "pure architecture," that styles innumerable existed side by side in this lovely city, even in the same building, and that the result, curiously enough, was satisfactory. This discovery made a lasting impression upon him and he records that from this point on he no longer followed the strictly archæological approach but mixed his styles as he saw fit. That this conscious imitation of what had originally been a natural process had no validity since it lacked all relation to architectural realities was not apparent to Mr. Cram nor to many of his contemporaries.

Today, at the age of 72, Mr. Cram observes what is happening in the world, and views most of it with alarm-particularly the architecture. So while the book dwells at considerable length on matters other than architectural, it is essentially a passionate plea to return to the ways of a past uncomplicated by plumbing, steel framing, and complicated apparatus. It is a losing fight, and the book's very vehemence indicates that perhaps Mr. Cram realizes it. None of the younger men today are particularly interested in Gothic or any other style for that matter, being much too busy trying to work out an architecture which, for the first time in over a hundred years, is based on sound building. This must seem like a depressing state of affairs to a man who has been a confirmed Gothicist most of his life, and to whom Gothic is the inevitable expression of Catholicism regardless of what the prevailing building techniques happen to be at any given time. There is still a large group of men in this country who persist in looking backward to find our architectural future, and Mr. Cram as their spokesman has presented their case forcibly. The book expresses clearly that remarkable confusion of architectural criteria and purely literary notions whose result has been the lowest level, esthetically speaking, to which the art of building has ever fallen. In Venice, to take as an example Mr. Cram's great inspiration, you may find three palaces side by side, each done at a different time, each having a definite relation to its own time. The result is three "styles" existing in perfect harmony. That someone can happen along several centuries later and find in this perfectly natural situation an excuse for repeating this process at one fell swoop is easy to understand but hard to condone.


Take as an illustration Mr. Cram's own description of the designing of the first buildings for Rice Institute in Texas. (Continued on page 86)



CATHEDRAL OF ST. JOHN THE DIVINE-NEW YORK



PROPOSED PARLIAMENT BUILDINGS-TOKYO



PRINCETON UNIVERSITY CHAPEL

WHEN THE HEAT BLOWS Does Insulation really INSULATE?



Laboratory tests of insulation eff ficiency are useful in their place ficiency final test of any insulation but the final it will do on the job. erries is what it will do one of a start advertisement is one of a start dealing with important "job" facts about insulation.

> Your clients buy insulation as a *permanent* investment. But we all know

that insulation cannot give lasting protection if, as time goes on, it leaves loopholes for the wind to blow through.

There are two reasons why Balsam-Wool is windproof. First, it is sealed in a covering which wind cannot penetrate. Second, it is firmly *fastened* in place. It cannot settle as do fill types of insulation. It tucks into every crack and crevice, and remains in place regardless of movement of framing members.


Balsam-Wool is also waterproof—condensation within the walls of a structure cannot rob it of its efficiency. In addition, it is verminproof and non-combustible. Available in three thicknesses, it allows you to specify the economical amount of insulation for any structure. Complete

facts, for your file, are yours for the asking. Write us for the whole story!



WOOD CONVERSION COMPANY Room 147, First National Bank Building St. Paul, Minnesota





BUILDING

MONEY

ALUMINATINA ALUMINA ALUMINATINA ALUMINATIN

• Even before your houses are completed, weather starts its unending process of destruction. Good paint is essential, and the better the paint you specify the better the building money is protected and the less maintenance will cost.

When your painter applies Aluminum Primer, millions of tiny Aluminum flakes by "leafing" form a continuous coat of metal protection which seals the surface against rapid moisture changes, retards harmful swelling and shrinking of the wood and effectively blocks the destructive action of the sun's rays. Your client's investment is safeguarded when your painter uses Alcoa Albron and a quality vehicle for wood surfaces.

ALCOA ALBRON paste and powder for UMINUM PAIN ALBRON




New Robertson System Focuses Attention on FLOORS

THE Robertson System of floor construction lifts FLOORS to a new position of importance in modern building practice.

The Robertson System speeds up building erection from 25% to 30% It eliminates temporary plank flooring, wooden floor forms, the delays incident to pouring and setting concrete. And it provides, once laid, a safe solid platform where other trades may go to work at once ... where materials can be stacked for convenient use.

The Robertson System thus assures the building owner quicker occupancy of his building ... valuable extra weeks or months of revenue.

In addition, the Robertson Floor insures the continuing electrical adequacy of the buildings you design . . .



because it is, in itself, a comprehensive system of protected wire raceways, capable of carrying more wiring than any building could ever need. This floor permits electrical changes or additions in your client's building to be made quickly and inexpensively as new electrical needs arise, for it is 100% electrically available.

Give FLOORS the consideration they deserve . . . whether designing office buildings, factories or residences. Find out what the Robertson System has to offer by writing for our free brochure "New Life for Buildings," and our special technical bulletin. H. H. Robertson Co., 2004 Grant Building, Pittsburgh, Pa.

DRFKIZON STEEL FLOOR SYSTEM

New AMERICAN RADIATOR **CONDITIONING SYSTEMS** r automatic Oil Heating

FUNCTIONS OF AMERICAN RADIATOR CONDITIONING SYSTEMS

- HUMIDIFICATION ... Restores proper moisture content to indoor air.
- AIR CIRCULATION ... Maintains stimulating, refreshing air motion. 2.
- AIR CLEANING ... Filters dust, soot, pollen, etc., out of air in house.
- 4. VENTILATION ... Brings in and distributes fresh air without drafts.
- 5. RADIATOR HEATING ... \n in-dependent heat source in each room.
- 6. CONTROLLED HEAT DISTRI-BUTION ... Assures warmth in every room of the house.
- YEAR-'ROUND DOMESTIC HOT WATER

Mechanical summer cooling and dehumidification may be added if desired

ARCO OIL FURNACE No.11 For Small Homes

Novel design of combustion chamber and new fin type flue passages assure maximum efficiency. Year 'round domestic hot water supply built in. Extended jacket completely conceals burner and all accessories.

conditioning new-and betteris the fact that heating operates independently of the other functions of air conditioning. The conditioning unit ventilates the home with fresh air that has been filtered, humidified and tempered, even when the heating is off.

Heating is accomplished by a perfected radiator system. It uses the new Arco Oil Furnace No. 11 designed for the small home ... new radiators which may be entirely concealed ... new accessories for controlled heat distribution. Year 'round domestic hot water completes the system.

American Radiator Conditioning Systems are priced for today's market, for homes in every price range. There are systems for oil, coal or gas; completely automatic or manually operated.

А conditioned air - humidified, filtered, cir-


B modern, sun-like radi-ant heat in each room. C a source of controlled warmth for equal comfort everywhere. D built in year-'round domestic hot water sup-

culated.

ply.

These conditioning systems have definite sales advantages for the houses in which they are installed. National advertising in newspapers, magazines and on the air is assuring public demand and acceptance. They will be a feature of new and remodelled homes in 1936.

AMERICAN RADIATOR COMPANY DIVISION OF AMERICAN RADIATOR & STANDARD SANITARY CORPORATION 40 West 40th Street, New York, N. Y.



WHAT makes this new kind of air

A Steel

a secure investment as well as a better place to live

T^{HE} public today is interested in security for the money put into a home in addition to obtaining an attractive place to live. A frame of steel —Bethlehem Steel Studs for exterior walls and interior bearing walls, and Bethlehem Open-Web Joists for floor construction—goes far to provide this security.

This construction is fire-safe, it stalls off obsolescence and reduces upkeep. With a steel frame you never have the disfiguring cracks, the doors out of alignment, resulting from shrinkage and warpage of the frame. A house built in this way can never be undermined by termite attack, is vermin-proof and practically sound-proof. It is, in every respect, a solid, substantial, enduring structure, worthy of what is to the average person the major investment of a lifetime. A further consideration is that air-conditioning can be installed at minimum expense even after the house is completed.

The extra security for the investment, safety against fire and other improvements resulting from the use of Bethlehem Open-Web Joists and Studs are obtained at little added cost. These steel structural members are rapidly winning the favor of architects and builders. They are easy to erect and are adaptable to any style of architecture, imposing no restrictions of any kind whatsoever on design.

Frame Home

Bethlehem Open-Web Steel Joists

These joists may be used either alone in floor or roof construction or in combination with the Bethlehem Steel Stud to form a complete steel frame. Floor structures of Bethlehem Open-Web Steel Joists, with concrete floor and plaster ceiling, are fire-safe, shrink-proof and immune to damage by termites.

The Bethlehem Steel Stud

The newly developed Bethlehem Steel Stud is of major importance to designers and builders of modern homes—and of other light occupancy structures as well. The Bethlehem Steel Stud is a light-weight open-web member which is particularly well suited to use in the exterior walls and interior bearing walls of homes. Although only recently introduced, the Bethlehem Steel Stud is the result of much experiment and many years of experience in the design and manufacture of steel building products. The Bethlehem Steel Stud is well adapted for use with Bethlehem Open-Web Joists, to which it may be welded to form a complete steel frame.

A Complete Line of Steel Products for Building

You can specify all of your steel materials from this one source. In addition to the structural members mentioned, Bethlehem makes the following:

Wide Flange Sections—Light Sections—Beth-Cu-Loy Galvanized Sheets—Bethlehem Steel Pipe —Bolts and Nuts, Rivets—Steel Door Frames— Kalmantrim—Metal Lath—Bethlehem Insulating Wool—Reinforcing Bars—Steel H-Piling— Steel Sheet Piling.

BETHLEHEM STEEL COMPANY, General Offices: Bethlehem, Pa. District Offices: Albany, Atlanta, Baltimore, Boston, Bridgeport, Buffalo, Chicago, Cincinnati, Cleveland, Dallas, Detroit, Honolulu, Houston, Indianapolis, Kansas City, Los Angeles, Milwaukee, New York, Philadelphia, Pittsburgh, Portland, Ore., Salt Lake City, San Antonio, San Francisco, St. Louis, St. Paul, Seattle, Syracuse, Washington, Wilkes-Barre, York. Export Distributor: Bethlehem Steel Export Corporation, New York.



STOPS HEAT BUT NOT LIGHT

Glass—a building material tested and proved for centuries—now comes into its own as structural walls and partitions. Glass—but in a form that lends itself to attractive designs, practical shapes and almost limitless architectural possibilities. Glass masonry that retards heat flow—keeps heat inside in winter and outside in summer. Glass that admits floods of light, perfectly diffused. The building material that men of vision are thinking about, talking about and including in their plans. Insulux Glass Masonry answers many problems of design, air conditioning and lighting. Owens-Illinois has prepared an attractive brochure which presents the story of Insulux Glass Masonry in detailed form. You will want to keep this on file for frequent reference. May we send it to you. OWENS-ILLINOIS GLASS COMPANY Structural Materials Division, Muncie, Indiana.

OWENS-ILLINOIS lass Masonry

People <u>do</u> live in Glass Houses!



In the two views shown here of the handsome interior of the just-completed all glass building of the Owens-Illinois Glass Co., Toledo, Ohio, you will note the emphasis to modernity given by its AZROCK floors. In top picture, Industrial Tile, mahogany plain and textured is the AZROCK installation; at right, AZROCK is Textured Plank, mahogany.





Cellini, Michael Angelo and all those wonder workers of the Renaissance were swift to cast off outworn traditions and brilliant in creating new. But even they never dreamed of a great building made of glass, such as has been built by the Owens-Illinois Glass Co!

Their artisan minds, however, would be quick to recognize the significant fact that in the creation of this modern building marvel, the builders turned to AZROCK for floors in harmonious keeping with their achievement.

AZROCK recommends itself to the professionally alert because this modern mastic tile has so many superior advantages. It is subtly resilient, for reducing noise and increasing comfort. It is fire-resistant, moisture proof, long lived, exceptionally beautiful and surprisingly economical. Write for detailed literature.


UVALDE ROCK ASPHALT COMPANY, San Antonio, Texas.

Without obligation, please send me more information about

AZROCK Carpet Tile - AZROCK Industrial Tile AZROCK Textured Plank. (Check your preference)

Name.

Address



ONE MATERIAL HOLDS THE KEYS TO FIVE BUILDING PROBLEMS

Celotex lessens the details of architectural supervision and centralizes responsibility, because it offers in one material a scope of service, otherwise obtainable only from several varying materials.

In Celotex, the architect has found a basic building material whose permanent protective values add, not only to the integrity of the building he plans, but saves his client money because it does the whole job at one material cost-and no extra insulation cost.

Celotex insulating Lath is an ideal plaster base-Celotex insulating Sheathing makes stronger, tighter walls-and Celotex Decorative Planks and Tiles harmonize with any interior decorative scheme.


In all these applications, Celotex insulation and noise-absorbing values are constant benefits that add to the comfort of living. The Ferox Process (patented) by which all Celotex Cane Fibre Products are treated, make them proof against the attacks of Termites (white ants) and Dry Rot as long as the building shall last.

Celotex offers the full cooperation of its engineering staff to architects. For further information, write us.

THE CELOTEX CORPORATION Chicago, Illinois 919 N. Michigan Avenue




Celotex as Plaster Base builds as it insulates



Celotex as Sheathing insulates as it builds

HOUSES IN CALIFORNIA

The facts of Mr. Wurster's career are few and unspectacular. He was born in Stockton, California, about 40 years ago. After completing the course in architecture at the University of California without especially distinguishing himself, he went to Honolulu and the Philippines. His first work in America was in the San Francisco office of John Reid. A year later he moved to Sacramento where he worked for Charles Dean, chiefly on buildings for a water supply project. Following a year—1922—in Europe, he entered the office of Delano and Aldrich and then, in 1924, returned to California. He did not open his own office until 1926, and only then on the strength of a commission which failed to materialize until much later. His practice has been almost entirely residential.



QUOTING MR. WURSTER -

"In these years we have heard so much about getting architectural work that I long ago wearied of this point of view and decided that I would attempt to work hard on what I had—let the rest go hang.

"Have never believed in proselyting, so feel I have no mission to put over any given expression on any client. I like to work on direct, honest solutions, avoiding exotic materials, using indigenous things so that there is no affectation and the best is obtained for the money.

"Always to do a thing from the positive side-never do so-called modern merely to be against what has been-to have sloping roofs if it comes naturally and there be no need of use-to have decks where it seems desirable.

"To make the outside garden easily accessible-to have appropriate materials-keeping the tempo sympathetic with the life and with the size-and expenditure.

"Being proud of things-remembering constantly that the personal victory is nothing-the result everything-it is of no importance who furnished the idea, the main thing being that it is there.

"Never obtain a decision from an owner based on aught else than the thing under discussion. It is all too easy to drive clients into the need of asserting themselves. Be flexible in mindnothing is impossible, at least as far as giving it consideration. Some crazy ideas may have a germ of truth or beauty or greatness . . ." One way to look at contemporary American architecture is to single out an individual whose work reveals some of the major influences which are shaping the trend. The Architectural Forum selected the four houses presented in this portfolio not primarily as interesting case studies in plan and design, but because, in addition to their own intrinsic merit, they are representative of a man who is himself representative of a native spirit. The significance of these houses does not lie in the fact that they might be imitated with varying success in Bangor or Louisville. They show that there are still creative forces in America constantly forming its architecture, building livable, clean, simple houses, depending neither on old nor international styles, and representing not compromise, but growth.

With today's small house so often teetering between an expression of machine fabrication and timid repetition of safe precedents, it is good to come upon a man for whom residential architecture is essentially a problem of sound building, a man whose indifference to style is as sincere as it is apparent.

Many find William Wurster's work queer because it lacks those familiar patterns which label. He once shocked San Francisco with a hillside house whose facade overlooking the bay was all glass. But no cubbyhole will contain his houses. His next looked as if it had been designed by a master carpenter. His sympathies are definitely modern, but flow in no rigid groove; wood, brick, tile, double-hung wood windows—these fit into the picture quite as reasonably as glass brick, plastics, and air conditioning.

As a result his houses not only have a remarkable range of expression, but by virtue of their adaptability to special conditions, possess a strong local character which can today be found in the work of few men. HOUSE FOR MR. AND MRS. DONALD GREGORY, SANTA GRUZ MOUNTAINS






LIVING ROOM TERRACE

Since the owner's town house is built on a steep slope, with many levels, he wanted this week-end and vacation house placed on one floor and kept as simple as possible to provide a complete change from city living. This requirement conditioned the architect's solution. He has used bare walls of redwood to furnish the required minimum of shelter, has depended entirely on the garden for decoration. It will be noticed that even the window trim in the living room has been reduced to a thin flat strip and plaster eliminated from the interiors. The attractive floor is of common hollow tile blocks whose use substantially reduced the cost. Much of the charm is due to practices that are possible only in a favorable climate: the vertical siding without battens, the open passages connecting the various room groups, and the doors which open directly on the ground level. These features not only furthered the client's expressed ends, but also had the advantage of reducing transportation costs for materials and eliminating highly specialized trades from the job. But the simplicity of the composition can be deceptive; close examination shows that the group and its details are the result of careful study. The view of the covered passage is an excellent example of the fine quality of design that can be achieved by intelligent use of the simplest materials.



NG ROOM



The plan shows really two houses, an arrangement made possible by the equable climate. Living and guest rooms are in one section, bedrooms in the other, with children's rooms between parents and servants for maximum security. Open air living is emphasized by terraces, sleeping porches, and by the loose plan composition. Since a closed garage is unnecessary, only a light shelter was provided. The garden has been kept simple so that the services of a gardener are unnecessary. A sun deck is located over the owners' room, reached by a folding ladder through a trap door in the ceiling.

ROUP





HOUSE FOR MRS. GEORGE B. ROBBINS, HILLSBORDUGH, SAN MATED COUNTY




ENTRANCE FROM AUTOMOBILE COURT

Characteristic of this house is its freedom in plan and exterior from conformity to preconceived ideas of style and pattern. The site dictated the location of the various plan units, the living room at one end of the lot and the main entrance at the other. The reasons for this can be seen in the plan on page 385. The large trees at the south cast a shadow which, combined with a view of the Burlingame golf course, determined the situation of the living room. And the shade of these trees also placed the entrance court at the southwest corner. This apparent disadvantage in plan was met not with a conventional compromise, but by the introduction of a glazed gallery which sacrifices





nothing in space relationship and which, on the exterior, is the dominating feature of the house. Again, the main part of the house was located on the west to protect the living terrace from the west wind, which is fairly cold even in summer. The entire plan will stand up under the most critical inspection. In its ingenious and unusual features it exhibits careful study and a determination to place the elements in their proper positions on the site and in relationship to each other without regard for familiar layout schemes. This technique demands courage in applying as its sole criterion a test of self-sufficiency—does the plan work, work practically and with esthetic satisfaction? When,




```
GLAZED ENTRANCE GALLERY
```



GARDEN AND TERRACE

as here, this attitude is carried over into exterior treatment, it produces harmony so that one almost forgets that the house has a plan. To this distinctly creative spirit the architect has added a fine appreciation for good materials, simply handled. There is here only one piece of decoration, the broadly handled lattice pattern which appears in the detail of the entrance and again in the long glazed gallery. The economy with which an effect of dignity and richness has been obtained is noteworthy. In the gallery, for example, the side wall is nothing but plain boards laid up horizontally, and the china knobs on the doors, as inexpensive hardware as can be found, add to the very pleasing appearance of this long hall. The glass doors are detailed with restraint and delicacy, and the subdued pattern of





VING ROOM

NING ROOM BAY WINDOW

to, Berton Crandall


the floor picks up the regular rhythm of the doors and lattice. The various elements of the plan are well articulated, living room, gallery, and bedrooms being clearly expressed by the exterior. There is a knowing handling of masses, fenestration, and shadows that effectively obviates any possible coldness. Not of least importance, the garden, developed in association with Lockwood de Forest, Jr., has been so closely knit to the house that it is impossible to think of one without the other.




REAR VIEW

That the architect considers this one of the best houses that has ever come out of his office is most revealing. Seen from the rear, the house is no more than a barn with a view and were it not for the sureness and undeniable sophistication apparent in the design it might be taken for a carpenter's creation. Certainly there is nothing "architectural" about it in the academic sense, nor is there any of the labored picturesqueness so frequently considered an indispensable element in the rustic dwelling. The entrance is placed at the back of the house to preserve the view side for the use of the family and the large sliding doors in the upper living room have a magnificent command of the great sweep of coast below. They are protected in bad weather by a sharply overhanging porch roof. Situated at a considerable height above the water, the steep slope at this point made it possible for the house to have two stories on the lower side. This available





LOWER FLOOR



PLAN

The plan is well designed for its hillside purpose, with all important rooms on the side with a view. There is only one bedroom, but the living room can accommodate a number of guests, with a dressing room and bath adjacent. The plan is so laid out that the first sight greeting the visitor on entrance into the living room is not the room itself, but the magnificent view, framed by the large door opening. No separate service stair is provided, as the very informal type of living imposed none.




FRONT VIEW

space on the ground floor led to the development of what is called the "Kitchen Cave," a room conveniently arranged for cooking and dining as well as general recreation purposes, and allowing the serving of meals out of doors with the porch floor above as shelter from the sun. This layout adds much to the living facilities of the small house—flexibility and separation of diverse activities.

In its appointments the house is modest, even primitive. There is no electric light or mechanical equipment and the heating apparatus is rudimentary. There is nothing in the plan or external handling which belies the functions of the house as a retreat from the complexities of urban life. Its downright honesty of purpose is plain spoken. There is nothing which could not be built conveniently by local labor: plain posts, brick chimney, board siding; even the sliding and hinged doors present no problem outside the experience of the country workman. Only the basic conception and its resulting expression indicate the presence of a cultured and sensitive mind. The Voss house looks easy, and only the absence of similar houses shows that it is not. To find its equal one must go back to the early wood architecture of Japan and Scandinavia.



ITCHEN CAVE



LIVING ROOM


HOUSE FOR MR. AND MRS. FREDERIC BENNER, BERKELEY



ENTRANCE COURT

THOMAS D. CHURCH, LANDSCAPE ARCHITECT

 \mathbf{T} o the large number of hillside sites in and around San Francisco much of the pleasant informality of its residences can be attributed, and long experience in building on the sides of hills has developed great skill in their use. The plot on which this house was built is located in a wooded cañon in Berkeley, and the ground was studied for a considerable time before the architect adopted his final solution. The plan originally called for a brown shingle house, but as the project developed, the advantage of a light color in the surroundings of dark green bay trees became apparent. As the house now stands it is a most successful blend of modern




FIRST FLOOR

The entire first floor level is set down about a dozen steps from the garage level. The living room can be entered from the garage, through a door concealed in the paneling, from the garden walk, or from the main hall. This room with the study and the dining room have a view to the west, being sufficiently above the surrounding trees to overlook the bay. Focal point of the composition is the sun porch, equally accessible from the living and service quarters. The guest room has complete privacy.



SECOND FLOOR

Main rooms face south, with a nurse's room conveniently placed in relation to children's rooms and service quarters. The sleeping porch, a common feature of houses in this climate, is accessible from any of the bedrooms. The main rooms open off a long terrace which leads to a sun deck. The pressing room, an excellent innovation in a house of this size, provides suitable space for linens, sewing, etc., and is well separated from the kitchen.



FROM ABOVE




ENTRANCE, GARDEN AND SUN PORCH

motives and earlier California precedent, and is perhaps the best example of the designer's indifference to any style as such. During the preliminary stages of study he insisted that, regardless of how the house finally turned out, nothing was to be rejected simply because it had precedent, nor were new forms to be tried just because they were new forms. The sincerity of this approach is apparent in the photographs of the completed building. A conventional sloping roof covers the main body of the house because the presence of other houses higher up on the hill made its use as a sun deck inadvisable. An exterior that in other respects is certainly Modern has none of the coldness of the International Style; nor have the usual tricks been resorted to in an attempt to establish modernity. The architect's skill in handling masses is again demonstrated. The deep shadows created by the overhanging eaves and balconies are extremely pleasing. A sparing use of whitewashed brick in the lower story creates a variation



VING ROOM WING




SECOND FLOOR BALCONY




SUN PORCH-OPEN


in texture, echoed by the brick sidewalk that skirts the house on the garden side. Thomas D. Church, who did the landscaping, worked with a restraint equal to the architect's. A flat lawn provides an ideal setting, and the brick pavement is a sufficient transition from house to lawn, with flowers and other planting kept in small well-defined areas. There are no fussy borders, nor is there any need for them. The house and its garden present an excellent example of coordination between architect and landscape architect.


The house reaches a brilliant climax in the sun porch. Facing almost due south, it becomes a sun trap in the colder months, with glass doors that admit a maximum of light. In good weather the doors can be folded back, fitting into a pocket in the brick wall, creating an open porch whose pleasant light quality is complemented by the bright yellow ceiling and matching upholstery. In plan the room has been located so that it is not only easily accessible from the main hall, but meals can be served in it directly from the kitchen.




UN PORCH-INTERIOR-CLOSED







WEST TERRACE AND STAIRS



It was not a sudden inspiration: its development can be traced from similar features in other houses (Voss house, page 390) and is the result of painstaking effort to interpret in the most direct manner possible the living requirements of clients. On the west side there is a fine view of San Francisco Bay and the Golden Gate, so glass, in large undivided sheets, was freely used. Both dining room and living room open onto a terrace and balcony which are treated with less formality than the garden side of the house. On the lower level are located a playroom for the children, laundry, and storage room. Again, to see simple means used to an end witness the humble lally columns, unadorned save for a few coats of paint. What could be better? What more refreshing?

	GREGORY RESIDENCE	ROBBINS RESIDENCE	VOSS RESIDENCE	BENNER RESIDENCE
FOUNDATION WALLS AND PIERS CELLAR FLOOR WATERPROOFING	concrete none none	reenforced concrete concrete 1 coat No. 4 Dehydra- line, A. C. Horn Co	concrete brick none	reenforced concrete part wood, part concrete hot coating
FRAME CONSTRUCTION	Douglas fir redwood	No. 2 Douglas fir redwood	No. 2 Douglas fir redwood	No. 1 and 2 Douglas fir redwood
EXTERIOR SURFACE	1 x 12 in. rough red- wood, placed vertically	cement plaster with portions of $\frac{3}{4} \times 6$ in. redwood siding	1 x 12 in. rough red- wood	second hand common brick on "Steeltex," Johns-Man- ville Corp.
ROOF	Split redwood shakes (on sheathing) 6 x 36, 11½ to weather	clear cedar shingles (on shingle lath) 5 in 2 in., 4½ in. to weather	redwood shakes (on sheathing) 26 in., 8 in. to weather	Cotswold shingle tile (on sheathing) Gladding, McBean & Co.
DECKS	prepared roofing, slate	tar and gravel	none	Composition roofing, Masti- pave, Paraffine Co.
SHEET METAL WORK GUTTERS FLASHING	redwood with lead strips at joints galvanized iron	galvanized iron galvanized iron	redwood galvanized iron	galvanized iron copper galvanized iron
LEADERS WINDOWS	galvanized iron	galvanized iron	none	
	sugar pine sash, fir frames	sugar pine sash, fir frames. Steel sash by Soulé Steel Co.	double hung and slid- ing windows, redwood sash, fir frames	steel sash weatherstripped, Soulé Steel Co.
GLASS	single strength, quality A, Libbey-Owens-Ford Glass Co.	single strength, qual- ity A, Libbey-Owens- Ford Glass Co.	single strength	large windows, ¼ in. plate glass, balance single and double strength, quality A, all by Pittsburgh Plate Glass Co.
SCREENS	galvanized wire mesh in redwood frames	16 mesh bronze screens in redwood frames	redwood frames	roller type, Arthur Metal Products Co., San Francisco, Calif.
INSULATION	none	none	none	Celotex insulating lath
LATH AND PLASTER	none	fir lath, hard wall plas- ter, Standard finish plaster	none	hard wall plaster on insulated lath, sand and smooth white finish.
INTERIOR WOODWORK	Douglas fir	plain select oak ∯ ₁₆ x 2 in.	No. 2 Douglas fir, ¾ x 6 in. redwood	plain select oak, t.&g. Doug- las fir under linoleum redwood and Douglas fir
CABINETS	Douglas fir cedar, kitchen and pantry—sugar pine	Douglas fir Douglas fir	Douglas fir	redwood and Douglas fir
DOORS	redwood, some Doug- las fir boarding	sugar pine, Douglas fir frames	redwood with Douglas fir frames	redwood and sugar pine
HARDWARE	P. & F. Corbin	P. & F. Corbin	sliding doors, hangers and tracks, Richards- Wilcox Mfg. Co.	P. & F. Corbin and Stanley Co. folding partition in sun room, Richards-Wilcox Mfg. Co.
PAINTING, EXTERIOR WALLS ROOF	whitewash untreated lead and oil	lead and oil 1 coat graphite and oil, National Lead Co. lead and oil, rims oil stain	untreated untreated	none none
SASH			untreated	1 coat white lead and linseed oil, Dutch Boy white lead, National Lead Co.
PAINTING, INTERIOR FLOORS TRIM, DOORS AND	filled and waxed 2 coats lead and oil	stained and waxed 2 coats lead and oil, 1 coat enamel, Fuller Co.	unfinished 2 coats white lead and oil	filled, stained and waxed 2 coats lead and oil
SASH WALLS	2 coats cold water paint, Fuller Co. Kitch- en and bath—2 coats lead and oil	2 coats cold water paint. Kitchen and bath—2 coats lead and oil, 1 coat enamel.	2 coats white lead and oil	2 coats lead and oil and 1 coat enamel. Some walls—2 coats cold water paint all by Fuller Co.
WIRING	rigid galvanized con- duit where exposed, rest knob and tube.	rigid galvanized metal conduit	no electricity	supply in rigid conduit, Steel & Tubes Inc., balance, knob and tube
SWITCHES	toggle type, Hart & Hegeman	toggle type, Hart & Hegeman		G-series, Hart & Hegeman
FIXTURES	porcelain receptacles only	made to order, Boyd Fixture Co.	and the second second	made to order, Phoenix Day Co.
PLUMBING KITCHEN: SINK	enameled iron, Stand- ard Sanitary Mfg. Co. corner type, Standard Sanitary Mfg. Co. syphon action with jet, Standard Sani- tary Mfg. Co. cement steel	enameled iron, Stand- ard Sanitary Mfg. Co. Neo-Classic, Standard Sanitary Mfg. Co. Devoro, Standard San- itary Mfg. Co.		double compartment, one- piece, Dalcross, Kohler Co. enameled iron, Kohler Co.
BATH: TUB TOILET				one-piece, Kahler Co.
FLOOR		vitreous ceramic tile Spellerized steel, Na- tional Tube Co.		tile cold water—genuine galva- nized wrought iron, A. M. Byers Co. Hot water—copper.
HEATING	Wesix electric unit heaters	2 units of gas fired hot air furnaces, Aladdin Heating Corp., Oak- land, Calif.	only fireplace	2 units of gas fired hot air furnaces, main furnace equipped with blower, filter and provision for humidifier, Aladdin Heating Corp., Oak- land, Calif. Wesix electric unit heaters in bathrooms.

STORE BUILDING IN LOUISVILLE, KENTUCKY


WISCHMEYER AND ARRASMITH, ARCHITECTS



Any American business street will testify that it is not customary practice for store owners to get together with the expressed intention of putting up a building whose unified appearance would be an asset to its surroundings. If it did no more than quietly point out the complete futility of this peculiarly obnoxious form of rugged individualism, this building which houses two local chain stores and a small shop could be considered a success. As it stands it is an excellent solution of a commonly disregarded problem, fulfilling its purpose effectively and without pretense. It is to be regretted that the druggist did not take the architect's cue and omit the ugly and superfluous signs at the top of each show window. Everybody knows you can get Coca-Cola, cigars, and prescriptions in a drug store, and plain signs similar to those on the side elevation would have conveyed all necessary information, to say nothing of making possible something better than the usual banal drug store front. The site is







an island of irregular shape, created by the intersection of three streets. Located in the heart of a rather large suburban community, and a transfer point for car and bus lines, it is a natural shopping center. The building was conceived as a gigantic show case and the absence of extraneous detail reenforces the idea. Glass walls surround the shops on all sides, allowing an uninterrupted view of the interiors; external piers have been eliminated by the use of cantilevers. The parapet wall, placed over the interior columns, permits the effective use of free-standing block letter signs. To obtain a wall surface of maximum lightness porcelain enamel on steel pans was employed, applied directly over an inch of cement plaster on metal lath.

Both drug and grocery stores are fitted for the most part with stock equipment of a pleasingly simple character. The grocery interior is particularly successful. It is clean, light, and all merchandise is placed at a convenient height. The usual high shelves have been entirely omitted in favor of large windows, a decided improvement.


The cost of the building, exclusive of fixtures, was \$33,000. There are about 12,000 sq. ft. at \$2.58. Cubage is 195,000 at 17 cents. Air conditioning and fixtures ran approximately \$5,000 in excess of this figure, making total final cost around 19 cents a cubic foot.



GROCERY STORE



DRUG STORE



CONSTRUCTION OUTLINE

BASEMENT

construction, Walls and floors-concrete Schickli Contracting Co.

STRUCTURAL STEEL FRAME

Steel, Carnegie Steel Co., fabricated and erected by Snead Architectural Iron Works, 2 coats of aluminum paint, Peaslee-Gaulbert Paint & Varnish Co. FLOORS

Asphalt tile, applied directly to concrete floor slab with mastic, Armstrong Cork Products Co. Floor of drug store and entrance vestibules are of terrazzo, Keno Rosa Co.

SHEET METAL Flashing of set-back in exterior wall and roof deck over show windows, 16 oz. soft roll copper, Philip Fink & Sons. ROOF

Ten year bonded built-up asphalt applied over 1/2 in. Celotex insulation on wood deck, Philip Carey Co.

EXTERIOR AND INTERIOR WALLS

All exterior walls porcelain enamel applied over cement plaster base on high rib lath, wired direct to structural steel frame. The porcelain enamel manufactured and installed by Porcelain Metals Corp. Interior partitions are brick between main stores with stud partitions for interior sub-divisions.

GLASS

Plate glass, Louisville Plate Glass Co., glazing metal by Brasco Mfg. Co. PLASTER WORK

All plaster work on laths, 3 coats; on masonry walls, 2 coats, Red Top, U. S. Gypsum Co. INSULATION

4 in. rockwool over entire ceiling in attic

space, Atlas Plaster & Supply Co. Rockwool by U. S. Gypsum Co.

PAINTING

All walls and ceilings given 3 coats lead and oil, stippled finish and starch, Peaslee-Gaulbert Paint & Varnish Co.

ORNAMENTAL METAL

Metal bands on exterior stainless steel, Pyra-mid Metals Co., Chicago, III. Metal letters on parapet executed in alumilite and enameled sheet metal, Newman Bronze Co., Cincinnati, Ohio.

INTERIOR FINISH

Walls plastered, rear walls in grocery store covered with mirrors above porcelain enamel wainscot. Ceiling-braced zinc, Wheeling Corrugating Co., Wheeling, W. Va.

FIXTURES

American walnut, soda fountain finished in metal and cafolite, fixtures by Winebrenner Fixture Co., fountain accessories, Russ Soda Fountain Co., Cleveland, Ohio, steam table by Standard Furnace & Range Co. Grocery store fixtures-porcelain enamel. HARDWARE

White metal satin, Sargent. LIGHTING FIXTURES

Show window lights, Holophane Co., parapet sign lighting, General Electric Co. ELECTRIC WORK

Conduit, wire and switches, General Electric Co., panel boards, Frank Adam Electric Co., St. Louis, Mo. PLUMBING FIXTURES

Standard Sanitary Mfg. Co., water heater, Hoffman Gas & Electric Heater Co.

HEATING Unit gas heaters of the Pittsburgh Unit Heating Co.

AIR CONDITIONING

Drug store is equipped with duct system and fan for future air conditioning. Grocery store has two 42 in. exhaust fans in attic penthouses, which give an entire change of air approximately every three to four minutes.

BEAUTY SALONS



Hedrich-Blessing

Beauty business is big business. Last year a large percentage of the U. S. female population poured \$116,795,000 into the cash registers of over 42,000 shops. Add to this the huge volume of sales of cosmetics, lotions, creams and other preparations; add the fabulous array of enormously complex apparatus without which no up-to-date salon can function; add the furniture, wall and floor coverings, air conditioning apparatus, lighting fixtures, etc., and you have a major industry. Today's beauty shop, in the face of stiffening competition on all sides, is having its face lifted. The esthetic problem COCHRANE'S BEAUTY SALON, CHICAGO, ILLINOIS, HOLABIRD AND ROOT, ARCHITECTS




MAIN WORK SPACE




RECEPTION ROOM

of the beauty salon is twofold: it must have a atmosphere of smartness, and it must provide suitable background for a large amount of m chinery. The solution demanded is a clean ar direct one, with none of the frills that supposed constitute the feminine touch. The first sho illustrated is a good example of the modern a proach. Well-designed furniture and simple su faces have produced a smart and well-organize interior. Venetian blinds, dark green rubber floor pale gray wood, and yellow upholstery supp all the decoration that is needed. An effect quiet luxury has been obtained in the receptie room by wood veneer walls, a green velvet ca pet, and a few comfortable chairs.



BOOTH



CONSTRUCTION OUTLINE

INTERIOR PARTITIONS

Hollow tile partitions around all pipe shafts, closets, toilet, kitchen, facial rooms and offices, Carroll Construction Co. Wood partitions, 7 ft., enclosing six booths, U. G. Johnson & Sons Co.

METAL FURRING AND LATHING

Suspended ceiling expanded metal lath. Corner beads all bullnose corner type, Knapp Bros. Mfg. Co.

PLASTER

All plaster work on metal lath 3 coats, on tile partitions 2 coats. Keene's cement plaster in toilet room. Lime, bond plaster, neat plaster, plaster of Paris, U. S. Gypsum Co.

PAINTING

Walls and ceilings-painted 3 coats of lead and oil, starched and stippled. Kitchen walls, ceilings and trim—enamel paint. All trim throughout—enamel paint. Facial rooms-lead and oil paint on walls and ceilings. Paint material by Pratt & Lambert.

DOORS

Entrance door-wrought iron with painted finish. All other doors-wood wth Harewood veneer, U. G. Johnson Co.

HARDWARE

All hardware solid nickel chromium plated, Sargent Co.

INTERIOR FINISH

Wood booths canvased and finished with Harewood veneer, on outside Smith veneers. Inside of booths finished with Formica, Formica Co. Plaster walls in work space. Reception room-finished with Harewood veneer bleached, stained to match Harewood doors and trim and finished with 3 coats of Pratt & Lambert's lacquer. Shampoo counters in booths-Catalin, Catalin Corp. of America. Outside shampoo counters-topped with Belgian black marble, cabinets and compartments below finished in Harewood. Mirrors and all glass-Pittsburgh Plate Glass Co. Furniture-Garland Furniture Co.

FLOORS

Cement finished floors covered with rubber tile and base in work space, booths, facial rooms, kitchen and office, W. H. Salisbury Co. Toilet, asphalt tile floor and base. Reception room carpet, American Rug & Carpet Co.

FIXTURES

Counters, display cases and reception desk. Harewood.

KITCHEN EQUIPMENT

Kitchen cabinets hollow metal baked on enamel finish, solid nickel chromium plated hardware, Monel metal sink.

VENETIAN BLINDS

Venetian blinds on all windows, Western Venetian Blind Co.

ELECTRICAL WORK

All electrical work connected to main building system. Electrical work furnished by J. Livingston & Co.

ELECTRICAL FIXTURES

All indirect lighting troughs furnished by the Belson Mfg. Co. Fixtures in toilet, kitchen, office, boothsfurnished by Cooper-McGurk-Stewart, Inc.

PLUMBING

All shampoo basins Monel metal, all trimmings chromium plated, W. H. Clow Co. Plumbing system connected to building plumbing system.


HEATING AND VENTILATING

Heating and ventilating systems connected to main building systems.


AIR CONDITIONING

Air conditioning unit installed in ceiling by Kelvinator Corp. on direct contract with owner. All spaces in shop are air conditioned.

BEAUTY SALON FOR THE J. W. ROBINSON CO., LOS ANGELES, CALIF., WILLIAM RICHARDS, ARCHITECT



HAIR DRESSING ROOM





MANICURE TABLES

A salon for a large department store, designed to accommodate many more people at a time than the preceding example. While the insistence on detail consisting chiefly of parallel lines is perhaps to strong, the general composition is most effective. When there is a repetition of a unit pattern, suc as the booths shown in the lower illustration, the result is usually better decoration than any applie ornament could possibly be. To give unity to the various rooms one of the devices adopted was conventionalized leaf insert in the rubber flooring All equipment was designed and arranged for maximum ease in use and cleaning.

Dick Whittington Photos

BEAUTY SALON FOR VOLK BROS. CO., DALLAS, TEXAS, H. M. GREENE, LA ROCHE AND DAHL, ARCHITECTS








Hayes Photos

Another department store beauty salon, filled with metal furniture of stock design, represents an attempt to do over a portion of the store at the smallest expense and consequently lacks something of the consistency of the other shops illustrated. As in the majority of establishments of this kind attention has been given not only to the planning of the various services, but to the sale of preparations whose sale forms a considerable source of revenue. Here a large showcase is placed directly opposite the appointment desk. The color scheme is pale mauve-pink for the walls, with accents of terra cotta and chrome.

DATA SHEET, BEAUTY SALONS



WALLS

Should be washable; enameled metal, wood veneer, washable paint or paper.

BASEBOARDS.

Eliminate hair and dust catching moldings; a coved metal or composition base is good. In lieu of this a 5 to 18 in. clearance space may be left below the booth partitions. FLOORS

Terrazzo, linoleum or rubber tile for work spaces.

LIGHTING

Comparatively few beauty shops have natural light. The problem is to have sufficient light without its being irritating. Indirect whereever possible. Diffused type when located in ceiling of booth is satisfactory.

VENTILATION

Air conditioning or some form of blower system advisable to counteract heat of driers, etc. Air circulation space above and below the booth partitions frequently provided. Some booths have double hung metal walls which may be lowered to allow freer circulation.

PLUMBING

All basins and water outlets must be well trapped and all traps easily accessible for frequent cleanings where possible. Extra precaution should be taken with drains to prevent clogging of trap with hair, pins, etc. Thermostatic control of shampoo water and central soap dispensing system sometimes used.

BOOTHS

Size 6 x 7 ft. to 7 x 9 ft. Partitions should be

at least 5 ft. high, higher if possible. Either curtains or doors may be used. If door is used it should have a grille at eye level so that the manager may observe the progress of the treatment or see if booth is occupied, etc., without disturbing the client. Built-in wash basin very frequently has cover and is used as work space. Cabinets are provided for combs, lotions, etc. Built-in hampers for soiled linen. The booth for facial massage is usually 7×9 ft. to accommodate the facial chair extended to full length. Partitions of facial massage booths are, as a rule, built to the floor for privacy.

CHAIRS

Standard chairs are of wood or metal with leather upholstery and adjustable back. The head rest may be replaced by drain board for shampooing. The barber or dental type of chair, on which an hydraulic lift is provided, has a foot rest and back which incline simultaneously to provide a comfortable angle for either massage or shampoo. Chair extended averages 5 ft. 6 in. The chair revolves on a stationary base.

stationary base. Chair for facial massage, equipped with movable leg rest, reclining back and adjustable head rest. Minimum length extended 5 ft. 6 in. Seat approximately 18 in. from floor. Comfortable, grease-proof upholstery. Used without the leg rest and with the back erect, this chair may be used for ordinary purposes. Other versions of this chair closely resemble the chaise-longue and are devoted exclusively to the massage. They are bulky and only used when space is not at a premium.

LOTION CABINET

Mounted on casters, provided with sliding split top giving operator access to cream and lotions used in facial massage. Has several drawers and towel cabinet. MANICURE TABLE

There are many types of manicure tables. The stationary type will function as a utility table as well, having a number of drawers and a cabinet. Average size: height 30 in., width 20 in., length 40 in. Usually of enameled sheet metal with chrome finish.

The movable manicure table, which is practical for use in the booth, has a top which may be raised or lowered. Usually provided with a goose neck lamp attached to table. Legs and base, chrome finish. Rubber trim casters. Top 8 x 12 in. Larger movable type not adjustable as to height, contains sterilizing cabinet; height 29 in., width 11 in., length 16 in. Plastic tops are frequently used.

In the larger shops, manicure tables are very often a part of the reception room equipment. Built-in tables are attached to the wall at one end and supported at the other by chrome-finished legs. MACHINERY

If space permits, a battery of driers is usually installed along one wall of the hair dressing salon so as not to tie up the customer traffic in the booths. However, movable driers may


be attached in any location. Base averages about 28 in. Permanent wave machinery is of movable type, size of the machine governing base. All models are bulky, would occupy about 6 sq.

THE · ARCHITECTURAL · FORUM

ft. of floor area.


OWENS-ILLINOIS RESEARCH BUILDING TOLEDO, OHIO


WALKER AND WEEKS, ARCHITECTS



All photos, Hedrich-Blessing

In spite of the fact that windowless buildings have been possible for a number of years, there is no great likelihood that this type of building would have been accepted had it not been for the advent of glass blocks. Introduced in Europe some years ago and used in moderate amounts in Holland, Belgium, and other countries, its recent rapid development in the U.S. may be attributed in part to the equally recent advances in air conditioning and to the technical merit of the domestic product. Combining certain advantages of the window with those of the insulated masonry wall, this new architectural medium is one of the most promising that has appeared in many years, and in addition









possesses stimulating decorative possibilities, particularly for night effects. To demonstrate their product, the Owens-Illinois Company constructed this research laboratory with interior and exterior walls of glass block. Even the spandrels are of this material, backed with green sheets to give color variation on the exterior. Used for interior partitions glass block is especially suitable, as it transmits a considerable amount of light to inside rooms and corridors. Its weight is another favorable factor: the 80,000 blocks used weigh only 150 tons, much less than other types of masonry. Other uses of glass in the building are for acoustical ceilings, roof insulation, and for filters in the air conditioning system. The building houses five separate laboratories, mainly devoted to the development of new applications of glass in the packaging industry as well as testing of container closure machinery and foods packaged in glass containers.

OWENS-ILLINOIS RESEARCH BUILDING









ACOUSTICAL CEILINGS

The ceilings in the building are made of a newly developed glass wool which is held in place by a decorative wire mesh. The material is divided into square panels by small wood members, and these strips as well as the mesh have been painted silver. In addition to its acoustical properties the ceiling forms an excellent reflecting and diffusing surface with which to use indirect lighting fixtures. In the work room section a plain metal lath (see illustration at right) was used under the wool instead of wire mesh; this simpler method was possible because direct lighting is used throughout the area.





SECOND FLOOR



FIRST FLOOR

CONSTRUCTION OUTLINE

EXCAVATION FOR FOOTINGS AND PIT First floor on grade. Pit 8 x 12 ft., 8 ft. deep, for vacuum

pump, steam supply, gas and water meters.

STRUCTURAL STEEL

Steel, Bethlehem Steel Co. Shop coat, Detroit Graphite Co.: field coat, aluminum paint.

FLOORS

First floor-concrete slab on grade 140 x 100 ft. Finish floors. Office portion-terrazzo, art mosaic. Model shop floor-wood block, Jennison-Wright. Model design and print shop—Azrock tile, Uvalde Rock Asphalt Co. Second floor—140 x 40 ft. 6 in. wood floor on structural steel. Finish floor—Azrock tile.

ROOFING AND SHEET METAL

Barrett Co. built up roof, Fred Christen & Sons. Gutters on rear, all flashing and parapet caps, Toncan metal, Republic Steel Corp.

EXTERIOR WALLS

Insulux glass building blocks, 5 x 8 in., 4 in. thick, No. 101 face, Owens-Illinois Glass Co. Main entrance and steps-St. Cloud, Minn., granite. INTERIOR WALLS

Insulux glass building blocks, 6 x 6 in., 4 in. thick in a variety of face patterns, Owens-Illinois Glass Co. Partitions around stairway and toilet rooms, U. S. Gypsum Co. Pyrobar, 3 coats plaster.

METAL FURRING AND ACOUSTICAL CEILINGS Suspended ceilings in corridor and toilet rooms, expanded metal lath, U. S. Gypsum Co., 3 coats plaster. All other ceiling areas—glass wool acoustic treatment, Owens-Illinois Glass Co., 4 in. batts of spun glass wool, compressed to 2 in. thick in 16 in. square panels, mounted in wood frames, 9 panels to 48 in. square frame. Erected or 2 x 2 in. wood stripping. Exposed surface, special woven wire cloth, W. S. Tyler Co. PAINTING

On plaster, 2 coats Stream-lite, A. C. Horn. On woodwork, 3 coats lead and oil, Pittsburgh Plate Glass Co. On acoustic ceiling, 2 coats lead and oil, sprayed on wire cloth before erection. Finish coat brushed on in place. Exposed ducts and piping, 2 coats aluminum paint. DOORS

Main entrance-one pair balanced doors, Ellison Bronze Inc. Rear and side-steel doors, aluminum finish. Co... Sliding door 8 x 8 ft., Kalamein door, aluminum finish. Interior doors and trim, office section and corridors-metal doors and trim, glass and solid panels, Dahlstrom Metallic Door Co. Shop portion and intercommunicating-5 panel wood doors.

ORNAMENTAL METAL

Pierced symbolic panel over main entrance-cast aluminum, Ellison Bronze Co., Inc. Stair rails-extruded aluminum. Metal newels and wrought iron spindles, metal risers and terrazzo treads.

AIR CONDITIONING

Steam purchased. Deep well for cooling. Air conditioning system, Clarage Fan Co. Automatic control, Johnson Service Co. Building divided into seven zones, with each office individually controlled, and booster coil in each supply duct to these offices. Grilles, Tuttle & Bailey. Duct work, A. H. Lumm.

ELECTRICAL WORK

Underfloor system, Russell & Stoll. Panels, Trumbull Electric Co. Metal base for conduits, Dahlstrom Metallic Door Co. Installation, Romanoff Electric Co.

LIGHTING FIXTURES

All fixtures by Ted Donoher Lighting Studio, Inc. Lobby and executive offices, Westinghouse Magnalux Units. Equipment and demonstration room and model shop— Superlume Reflector Units, Day-Brite Reflector Co. Model design, Phoenix Magia Glass Units. Corridors-Perfectite fixtures with Silvaglo glassware, Gleason-Tiebout Glass Co. Other spaces--metal dome reflectors, Benjamin Electric Mfg. Co.

PLUMBING Fixtures-Standard Sanitary Mfg. Co. Installaton-Wm G. Coyle.

SPRINKLERS


Automatic Sprinkler Co. of America. Hose reels-W. D Allen Co.

HARDWARE

P. & F. Corbin, Bostwick-Braun Hardware Co.

DEEP WALL

Ten inches diameter, 560 ft. deep. Pump-Cook turbing 200 gallons per minute, installation, King & Sons.



Notes Based on Data Supplied by Clarage Fan Company

The installation of an air conditioning system to serve the research laboratory involved the consideration of a number of problems not generally encountered. For the construction of this building, glass blocks, partially evacuated to retard the transmission of heat, were used throughout. As no windows are employed, infiltration of air is entirely eliminated and all air required for ventilation purposes is introduced through the air conditioning system. In this manner, dirt which may ordinarily enter is eliminated from the fresh air supply prior to its introduction to the conditioned spaces. For this particular installation a large amount of fresh air was required, the volume being greater than the combined volumes of all exhaust systems, in order to maintain a slight positive pressure in the building.

The system is of the central station type. Division of the building into seven zones, exclusive of the five private offices, was found necessary to compensate for fluctuations in the demands due to changes in sun exposure. wind velocity and direction, occupancy, etc. Temperature conditions are maintained independently in each of the seven zones both summer and winter by means of a zone thermostat located in such a position as to be affected by an average zone condition. The air conditioning equipment consists of a Clarage Unicoil Unit, complete with coils, eliminator plates, humidifying sprays, casing and drip pan. As the medium employed for cooling and dehumidifying is cold well water, the type of coil used for cooling can also be employed with steam or hot water for heating. For this installation one bank of the coils is arranged with steam supply for tempering or heating the air under periods of winter operation. A bank of Owens-Illinois Company's "Dustop" filters are located ahead of the conditioning unit to remove all dirt and dust from the recirculated as well as the fresh air. The supply fan which is of the multi-blade type is driven by means of constant speed motor. With the variations in the volume of air demanded by the various zones a balance of the system is maintained by means of a static pressure regulator which provides a constant discharge pressure in the supply duct by actuating a Clarage Vortex Control located in the fan inlet.

The five private offices are supplied by a separate fan which under periods of winter operation is arranged to deliver a mixture of conditioned air and filtered fresh air at a temperature of 68 to 70°F. to the duct system. The reheating effect required is provided by five booster heaters located in the branch ducts adjacent to the grilles which supply the five private office spaces. For periods of summer operation thermostats in the private office spaces control volume dampers, varying the volume of air supplied in accordance with the temperature demands of each respective space.

The system was designed to maintain a 83° dry bulb and 50% relative humidity during periods of summer operation. The above conditions are based on a maximum outside design condition of 95° dry bulb and 78° wet bulb and requires the use of 175 gal. per min. of cold water at a temperature of 53° Fahr. The estimated sensible heat cooling load of the building on the basis of the design conditions is 509,000 B.T.U. per hour. In addition to the transmission and sun effect losses this load includes heat generated by 25 $\frac{140}{2}$ HP motors, 140 occupants, and two blueprint machines.

For winter operation the system is designed to maintain an inside temperature of 70° Fahr. dry bulb with an outside design condition of minus 10° Fahr. The estimated heat losses on the basis of the design conditions amount to 791,500 B. T. U. per hour. The steam consumption under design conditions varies with the volume of fresh air taken, amounting to approximately 2,000 pounds per hour with the maximum volume of fresh air, to 1,400 lbs. per hour with the minimum of 5,000 cu. ft. per minute outside air.

On the basis of the estimated requirements a main supply fan was selected to deliver a maximum of 26,000 cu. ft. per minute, with a maximum of 12,000 cu. ft. per minute of outside fresh air. As the system resistance is approximately $1\frac{1}{2}$ " the brake horsepower is 8.7. However, as the volume of conditioned air required is reduced by the Vortex Control the horsepower consumption of the motor is lowered. Such an arrangement effects an operating economy over the use of a slip ring motor or the ordinary louver type volume dampers. The fan for the private office system is of the Multiblade, single inlet, single width type and delivers a capacity of 1300 cu. ft. per minute. This unit is driven by means of a $\frac{1}{2}$ HP motor.

A complete system of pneumatic temperature and humidity control is provided consisting of:

Summer-winter room thermostats located in each of the seven zones and the five private offices, operating volume dampers controlling the volume of air delivered to each of these spaces. These thermostats are so arranged that the switchover from summer to winter, or from winter to summer operation is accomplished at the main control switch panel in the equipment room by varying the main line air pressure.

An insertion type thermostat located in the main supply duct to the private offices actuates two automatic dampers, proportioning the mixture of fresh and conditioned air to maintain a set air delivery temperature. For summer operation this thermostat is inactive and the entire volume taken is conditioned air.

The static pressure regulator previously mentioned controls the volume of air handled by the main supply fan in accordance with the requirements of the seven zones.


A two-point insertion thermostat located ahead of the conditioning unit actuates the automatic fresh and return air dampers permitting the taking of outside air over and above the minimum volume when outside conditions are favorable.


The insertion type humidistat located on the return air duct regulates the relative humidity maintained under periods of winter operation by varying the tempered water supply to the humidifying sprays in the conditioning unit.


An electro-pneumatic switch, interconnected with the main supply fan motor circuit, controls one section of the fresh air damper in order to provide at all times sufficient outside air for ventilation purposes.


Compressed air for actuating the control equipment is supplied by an electric air compressor equipped with storage tank. The different air pressures required are secured by the use of three pressure reducing valves.

THINGS TO COME










W ar and the common cold are absent from Mr. Wells' cinematic vision of the future, a sterilized Utopia whose underground cities, undisturbed by sun, rain, heat, or cold, represent Man's final break with his natural environment. Deep in sunless caverns a new society, clad in garments containing complete radio telephone systems, inhabits windowless buildings, strolls along avenues from which automobiles are conspicuously absent, and stands on broad flights of anachronistic steps. Communication seems to be largely by means of suspended railways, and elevators, mysteriously rising and descending in mammoth tubes of glass, give access to the different levels. The use of glass, or something resembling it, is extensive. Even furniture is made of it, with the exception of some very hand-some plywood chairs which can be bought in England today. The sets, for the most part small-scale models, are marvels of craftsmanship. The architecture owes much to the vivid word pictures of Mr. Wells, more to the work of men like the Brothers Luckhardt and Miës van der Rohe, but most of all to the imaginative brilliance of the younger group of architects whose efforts during the past half dozen years are already changing the face of England.

CHELSEA LANE APARTMENTS, NEW YORK CITY




ENTRANCE

INTERIOR COURT

FOR MCPHERSON, INC.

JOSEPH MARTINE, ARCHITECT





LIVING ROOM

Little that is suggestive of inspired design meets the eye in this unpretentious group of low apartments. The over-rough plaster, the fenestration, and the rather dry treatment of the court are all familiar features of a type of apartment house that is by no means uncommon. Nevertheless this development is one of the most commendable bits of private enterprise that has recently appeared in New York. To the resident of a small city it may seem hard to believe that sun and air are at such a premium that a group like this is in any way unusual, but such is the case. The use of shallow building units and the absence of projecting wings have resulted in an open space creating a living condition as favorable as it is uncommon. The building of similar groups to produce a series of "internal suburbs" would do much to reclaim the blighted areas of our larger cities. The property for this development was leased for 21 years from one of the New York hospitals, with a clause allowing the lease to be broken after 1940 upon payment of a fixed sum, should a favorable occasion for selling present itself. The apartments are small, being occupied for the most part by young couples, the wives as well as husbands being employed. The octagonal structure in the court is for a watchman and contains a switchboard. Packages are also delivered here since most of the tenants are out during the day. Rooms rent for about \$25 per room per month, and cost about \$1,500 to build. The total cost, including demolition of a hospital on the premises, was approximately \$370,000.

CHELSEA LANE APARTMENTS



BEDROOM





BATH



PLAN

All apartments are two rooms deep, the arrangement for which the New York City block was originally designed. The great majority of apart-ments have ample light and cross ventilation. Plumbing is concentrated by the placing of kitchens and baths. The average apartment con-sists of a living room, bedroom, bath, small kitchen, and foyer.





SECOND AND THIRD FLOORS

ONSTRUCTION OUTLINE

TRUCTURE

tructural steel frame, Grand Iron Works, Inc. LOOR ARCHES

oncrete with wire mesh reenforcing, Barnaby oncrete Corp.

OOFING

arrett specification.

HEET METAL

opper flashing at roof and bulkheads, Chase rass & Copper Co.

ETAL WINDOWS

enestra steel windows-casement type. Detroit eel Products Co. Wooden sash, double hung, Entenman & Son.

LASTER WORK

xterior walls-3 coats Portland Cement stucco, ac-Stone Stucco Co., Inc., application by Gagno-Indelicato, Inc., with Atlantic Gypsum aster. Interior-plaster on lath and masonry, 3 ats. Red Top wire reenforced insulated lath, S. Gypsum Co., installation by Kingston Lath-

ing Co., Cornerite and rail beads, Youngstown Pressed Steel Co. TILE WORK

Bathrooms-tile floors and tile wainscot, Cambridge-Wheatley Co., Cincinnati, Ohio, installation by Henry Miles & Sons. FLOORING

Beech, Sam E. Barr, Inc., Newark, N. J., stained with one coat of Minwax, polished with H. F. Staples & Co., Inc., Medford, Mass., hot process machines. DOORS

Fireproof doors, Williamsburgh Fireproof Sash & Door Corp.

HARDWARE Norwalk Lock Co.

PAINTING

Entrance and foyer halls-wallpapered with a Colonial pressed paper, Prager Co., Inc., Worces-ter, Mass. Interior—sidewalls either stippled or wallpapered with Ar-Be-Tex, painted woodwork, Colonial Paint Co.

ELECTRICAL WORK

Bells, transformers and inter-communicating telephone, Auth Electric Specialty Co., installa-tion by H. H. Schwartz, Inc.

LIGHTING FIXTURES

Fixtures-Standard Lighting Fixture Co., Inc. PLUMBING

Brass pipe, American Tube Co. Hot water tank, Maxweld Corp. Brass flushometers, Coyne & De-lany Co. Bathroom fixtures, Crane Co., installation by Lipsky & Rosenthal, Inc. HEATING

One-pipe gravity return steam with two Titusville Iron Works boilers and two Whitty Mfg. Co. stokers, Cash Draft Control, Johns-Manville pipe insulation. Radiator airvalves-Russell No. 12, W. A. Russell Mfg. Co., New Britain, Conn. Radiator supply valves—Detroit No. 72, Detroit Lubricating Co., installation by Willner Heating Co., Inc. Radiators, American Radiator Co. INCINERATORS

Pyroneel, installed by J. C. Rochester & Co., Inc.

STAR ELECTRIC BUILDING, NEWARK, N. J. B. SUMNER GRUZEI ARCHITEC







John Franke Photo:


The superiority, from a merchandising point of view, of the new building over the old quarters of the Star Electrical Supply Co. is well shown by the photographs. The exterior of a building of this nature may be legitimately considered as an advertisement of its merchandise, and the architect, with this in mind, attempted to incorporate as many features as possible that suggested the use of electricity. This idea is expressed with particular force at night when the entire facade becomes a flat sign, with a design consisting of neon lettering, a clock, and brightly illuminated glass brick windows. The show windows have been arranged to accommodate the various types of equipment for sale, with a very high window on the corner for the display of large chandeliers, and a mezzanine for refrigeraors, washing machines, and similar apparatus. The umbled and confusing displays are at considerable variance with the bold directness of the building tself, but the practice of cramming all surplus stock n the show windows is apparently of too long tanding in the trade to be corrected overnight. The building is blue in color, with a finish of large erra cotta blocks, and blue is repeated in a darker hade around the windows.



STAR ELECTRIC BUILDING, NEWARK, N. J.



SALES ROOM



OUTLINE CONSTRUCTION

STRUCTURAL STEEL

Structural steel framing with wood Joists. Fireproofing with cement plaster on metal lath.

MASONRY AND STEEL

Exterior-16 x 24 x 4 in. machine finished terra cotta block, powder blue in color, darker blue trim at windows and coping, Federal Seaboard Terra Cotta Corp. Clay and sand lime brick for backing up of exterior terra cotta walls, 4 in. hollow tile in partition separating store from store front.

SHOW WINDOWS AND SASH

Metal sash for show windows is Kawneer Enduro stainless steel sash, also in show window doors which have Corbin cylinder lock with piano hinges. Aluminum sash on second and third floor windows.

GLASS AND GLAZING

Show window plate glass 1/4 in. thick, Newark Glass Co., glass by Pittsburgh Plate Glass Co.

STRUCTURAL GLASS AND MARBLE WORK

The glass brick on the second and third floors is the Corning Steuben vacuum glass brick 1134 x 1134 x 4 in. with circular corner pieces No. 2205A. Each Joint of glass brick has a $\frac{1}{2} \times 1$ in. steel bar horizontally. The corner column is faced with Corning Steuben Glass panel No. 2064, 12 x 12 x 1 in.

The bulkheads and piers on the first floor are faced with 2 in. black marble, also entire wall separating store from store front, Alberene Stone Corporation of Virginia.

METAL LATH AND FURRING

Ceilings suspended by steel hangers, purlins, cross furring members and lath, corner beads of metal rail type.

PLASTER

Plaster work on metal lath is 3 coats, on masonry walls 2 coats.

TERRAZZO

The terrazzo floor in the vestibule is dark blue with in. white metal strips. Numerals are of red 1/4 terrazzo outlined with white metal strips.

CORNICE

Cornice over show windows of Enduro stainless steel furnished by Republic Steel Corp. and fabricated by New Jersey Claude Neon Corp.

METAL SIGN AND NEON TUBE DISPLAY

Cornices, letters and words "Star Electric" and "Electrical Equipment" are stainless steel with a 2 in. porcelain enamel channel letter on face of "Star Electric," which are 7 ft. in height. The enamel color is burnt orange. The words "Star Elec-trical Supply Co." are cut 2 in. into the terra cotta face and are in ultramarine blue enameled terra cotta. The clock hands, hour markings and the star and its background are all in porcelain enamel steel with a stainless steel disc hiding the mechanism of the hands. All neon lighting is executed by New Jersey Claude Neon Corp.

INTERIOR FINISHES

The ceilings in the show windows are Formica in a light orange color and that in the vestibule of a dark red. The entrance doors are red Morocco Formica. Tables have black Formica bases and Formica counters, Formica Insulation Co. The ceiling below mezzanine is walnut, the balustrade is faced with Oriental walnut. Display cases are paneled with Oriental walnut or Brazilian rosewood. The base continuing throughout the store and the ceiling scribe molding are made of solid ebonized maple. The staircase has a solid railing of walnut with handrails of ebonized maple. Counters and wall cases of veneered woods by Charnin Architectural Woodwork Co. Wood furnished by U.S. Plywood Co. Gold mirrors on side and rear walls, Semon Bache & Co.

LIGHTING FIXTURES

All stock fixtures furnished by Star Electrical Supply Co.

GENERAL CONTRACTOR: George Seigler Co.

BUILDING MONEY

A monthly section devoted to reporting the news and activities of building finance, real estate, management and construction

CONTENTS

The American Institute of Architects Invites Commercial Bankers to a Parley on Small House Procedure	430
A House to Meet Minimum Requirements at a Minimum Cost Devel- oped by FHA	432
Remodeling for Profit : Portfolio No. 3	433
A \$200,000,000 Job in the East's Flood Wake	437
A New Version of the Philadelphia Row House	438
General Discount Corp., 80 Per Cent Lender in Five States	440
"Prefinancing": a Cleveland Scheme for Facilitating Sales, Upping Loans	442
Charts : Building Volume in a Record Rise; Costs; Rents; Foreclosures; Stocks	444
A Model House Campaign Speeds Property Sales for New Orleans' Homesteads	38
Codes Tried Again by General Contractors	39



Man of the Month RICHMOND HAROLD SHREVE, A. I. A. (see Page 430)

George Nelson

COMMERCIAL BANKS TRY THEIR WINGS

on home mortgages as the American Institute of Architects

offers protection through Housing Chairman Shreve.

THE argument whether commercial banks belong in the mortgage lending business continues with fervor but in a somewhat more academic vein in the face of the fact that they are undeniably in it. The extent to which this is so is surprising when two recent statistics are put together. During the last seven months of 1935, 31 per cent of all U. S. small house construction was financed by FHA-insured mortgages. And of the latter 69.7 was written by commercial banks and trust companies.

Noting this, *Banking*, the official organ of the American Bankers Association, surveyed the country's banks last month to see how bankers were handling this unfamiliar activity, what they were doing to improve construction standards. The results were vastly illuminating. On the average, the nation's bankers were found unusually interested in promoting building revival in their respective communities, only moderately active in safeguarding standards of construction (see chart).

The importance of this revelation was not to be discounted by any interpretation of commercial bank lending as a temporary proposition. The banks have not stepped over from Title I character lending to Title II mortgage lending because of their friendship for FHA. They have done so, fundamentally, as a result of a change in the character of their business. Commercial lending opportunities have been declining for many years, and it is through mortgages that the average bank perhaps can best recoup its profits. The Banking Act of 1935 was taking cognizance of this fact when it provided for mortgage discounting by the Federal Reserve.

Reaction. It was perhaps because of their pivotal position in the industry that a group of architects was last month first to appreciate this situation, and to act constructively thereon. This enlightened motive, and the further circumstance that architecture has a housing leader keen on every chance to further a fast-expanding small house program, were responsible for an invitation to the A.B.A.

Inviter was the American Institute of Architects' busy housing committee chairman, Richmond Harold Shreve, whose Manhattan firm of Shreve, Lamb & Harmon designed the Empire State Building. In 1934, impelled by the awful argument of slums, he entered as a public service into low rent housing work. Since then, as the U. S. housing problem has become more accurately defined in terms of singlefamily homes, he has deftly turned his committee's attention from urban, multifamily housing to the more universal one of small houses.

For months Committeeman Shreve has been fighting against professional reticence to promote among the country's architects a small house "clinic" which lenders have welcomed as the key to safeguarded small house lending (ARCH. FORUM, March, 1936, p. 206). This plan, allowing for fee reductions in group action, was worked out in close cooperation with that most experienced group of small house lenders, the building and loan associations. Its promotion locally has been hindered by backwardness both on the part of architects and building and loans. Nevertheless, the Federal Home Loan Bank Board, representing the associations, reported six of these bureaus under way last month in as many cities.

Quite as clear, however, as was this plan's ability to work under practical

I. MINIMUM STANDARDS. Are the banks in your community, collectively or individually, taking an active part in the improvement of building standards?

2. JERRY BUILDING. Is there any effort at cooperation between financial institutions on the one hand and architects, builders and material dealers, on the other, to prevent the return of speculation and Jerry building?

3. CREDIT DATA. Do the banks have any provision for the exchange of mortgage credit information?


4. AMORTIZED MORTGAGES. Are the banks in your community offering an amortized mortgage plan?

5. SOUND INFORMATION. Do the banks have access to adequate information on population trends, vacancies, appraisals, delinquencies and other points that may have an important bearing on the soundness of mortgages?

Banker Attitude Toward Building Charted

circumstances, were its limitations in application to one specific class of lender. Partly because last month's A.B.A. disclosures gave fresh impetus to his convictions and partly, it was suspected, with the hope of gaining for his home clinic plan a broader base, Committeeman Shreve put his reactions and a concrete suggestion in a letter to A.B.A.'s President Robert V. Fleming, which was widely circulated in the Press. Gist of it was that in view of the results of the survey, discussions in joint committee between the A.I.A. and A.B.A. might well be held to bring about the kind of cooperation serving best the interests of building, banker and architect alike.

Bid. Acknowledging and complimenting the commercial banks of the country upon the "most significant part which they have played in the present revival of home construction," Committeeman Shreve implied that the only basis upon which such cooperation would continue to profit them



was one promising a steady production of houses from year to year. Underlying this, he said, was the necessity for producing well-conceived houses whose values would last, a fact implicit in present mortgage lending plans.

"Your member banks have taken a great step," he wrote, "in conducting this new mortgage business on an amortized basis, insuring a steady return of funds loaned. The fact shown in your recent survey that 75 per cent of all banks are now using the amortized mortgage must be gratifying, as it allows for continued reinvestment of these funds in new building. You, as well as those who design and erect houses, are undoubtedly interested in such a steady building program as this would permit.

"Hand in hand with amortization, however, must go the assurance that the house as a product will last its appointed time. In this respect, too, your survey carries a significant message."

Architect Shreve declared he saw the need of some means which would offer lending institutions "direct and personal assurance that the homes on which they lend are built to fit the needs of the family, and of a quality which will minimize upkeep costs and protect resale values."

"Some lending institutions have satisfied themselves in this regard by the requirement that the builder have an architect," Mr. Shreve suggested. "Others have in addition adopted minimum construction standards against which every plan submitted is checked. In still other cases, architects have been retained on a salaried basis by lending institutions for inspection and supervision."

Terming the matter one which "obviously calls for discussion," he declared his committee would "count it a pleasure if at some time in the near future a general discussion of this whole topic could be held with representatives of your organization."

Significance. So direct a move by the staid old American Institute of Architects proved somewhat surprising to the industry last month. But most observers were pleased to see this body take the lead in housing, without an impetus from a Government which for the nonce has grown peculiarly sterile of housing ideas.

While the clinic plan would not be the only topic for discussion between the A.I.A. and A.B.A., it would be the main one. Committeeman Shreve could happily report last month that only seven of the A.I.A.'s 66 chapters were opposed to the plan. Thirty of these have already approved the plan and twelve have organized bureaus (see box). Other topics ripe for discussion: the advantages of lending from plans and specifications; architectural inspection by fee or salary; formulation of minimum construction standards for various sections of the country.

Most serious of all questions was whether the banks would contend that they were

STATUS OF THE A.I.A.'S CLINIC PLAN

The small house "clinic" plan sponsored by the Committee on Housing of the American Institute of Architects had won the pre-convention support of 30 of the Institute's chapters by the middle of last month. Its status with the chapters:

Reported but no action	Approved but not organized	Approved and organized	Undecided but not opposed	No report	Opposed
CINCINNATI DETROIT MADISON MAINE SANTA BARBARA	BOSTON CENTRAL NEW YORK COLORADO EASTERN OHIO FLORIDA CENTRAL FLORIDA CENTRAL FLORIDA SOUTH GEORGIA GRAND RAPIDS INDIANA LOUISIANA MISSISSIPPI MONTANA NEBRASKA NO. LOUISIANA OREGON PITTSBURGH SAN DIEGO SO. PENNSYLVANIA TOLEDO UTAH W. TEXAS	ALABAMA BALTIMORE BUFFALO CENTRAL ILLINOIS CLEVELAND COLUMBUS DELAWARE KENTUCKY MINNESOTA NEW YORK WASHINGTON, D. C. WISCONSIN	NEW JERSEY RHODE ISLAND SO. GEORGIA SO. TEXAS WASHINGTON (STATE)	ALBANY ARKANSAS CONNECTICUT IOWA KANSAS CITY KANSAS NO. CAROLINA NO. TEXAS NORTHWESTERN PENNSYLVANIA OKLAHOMA SCRANTON SO. CAROLINA ST. LOUIS TENNESSEE VIRGINIA W. VIRGINIA	CHICAGO DAYTON HAWAII NORTHERN CALIFORNIA PHILA. SOUTHERN CALIFORNIA ST. PAUL

receiving adequate protection from the FHA. They have in large part relied on the local offices of FHA for discovery of prospective borrowers, and the appraisal of property, the borrower's credit and his plans. Commitments to lend to operative builders have been general, the checking of plans by the banks in many cases purely cursory. It is thought that the FHA's lifting of foreclosure fears has been the cause of this.

The architects were expected to argue that income from loans, which will always be above that from FHA foreclosure debentures, would be assured when architectural service has fitted homes to local needs, and local supervision had made certain the house was built in the manner intended under the loan. They also had the broader argument that welldesigned homes make for better communities, in which stable values will allow continued investment opportunities.

It was hoped that the inauguration of discussions between the two organizations would also lead to banker alignment with local chapters of the U. S. Construction League, with which the A.I.A. is affiliated. Much could be done toward solving vital problems like that of a controlled building program, were such cooperation obtained.

Shreve. When the American Institute of Architects sits in annual session at Williamsburg, Va., first week this month, chief topic will be the development of a small house program. As indicated by the attitude of several of the chapters, some opposition exists to the plan already put into action. But this opposition, mainly resting on the point of fee reduction, was not general enough to signify a split. Split there

might have been, however, but for the expert handling of this delicate question by Housing Committee Chairman Shreve. He goes to the convention a popular, wellsupported leader of its housing deliberations.

The command of a high professional reputation and his rare ability to pursue an idea to a practical end have made Architect Shreve one of the most looked-to men in Building today. His rise from a professorship at Cornell, through the famed architectural office of Carrere & Hastings in New York, to head of its successor office, Shreve, Lamb & Harmon, is but one phase of his accomplishment. This phase culminated spectacularly in the designing by Shreve, Lamb & Harmon of many a Manhattan skyscraper. Besides the Empire State, for which the firm is most famed. Shreve, Lamb & Harmon designed 500 Fifth Avenue, 60 stories: the Lefcourt National Building, 40 stories; the Insurance Company of North America Building, 25 stories.

Already apparent in the direction of his organization and in his dealings with big clients was Architect Shreve's other propensity to practicalness. Unlike most architects in New York, he is an active member of the Real Estate Board, and also has for years been active in the New York Building Congress. His sensible approach to problems involving more than designing ability was well demonstrated when in 1934 he assumed the chairmanship of the Slum Clearance Committee of New York, successfully pulled tangible results from relief workers in New York's housing program. His switch from skyscraper design to housing is again demonstrating his versatility as an organizer.

MINIMUM HOUSES BY FHA

cost only \$1,300 to \$2,500 to build, yet provide every essential service for the average family.

In an effort to show how adequate housing, stripped of frills, yet practically planned and equipped, can be produced at relatively low cost, the Federal Housing Administration has produced five notably simple plans for houses of from \$1,300 to \$2,500 in price. Last month FHA gave newshawks a look at these houses prior to their publication in a bulletin titled "Principles of Planning Small Dwellings."


Costs were based upon neither trick con-

struction methods nor large scale production. In all cases estimates were made for construction in the Washington, D. C., territory. Prices would vary slightly with construction costs in other localities. The variations given occur because of the type of foundation used; in each of the plans below, the top price permits the construction of a basement.

Standard lengths of lumber are used, and the windows are stock sizes. A single

plumbing stack serves both the kitchens and the baths. Usual plumbing fixtures and hot-air heating are included, but no provision is made for refrigerators. The interior walls are of wallboard, and while the exteriors are designed for lumber, the houses may be of brick, cinder block, stucco, or stone as desired.


Designed for families of three or four persons, two of the houses are one-story and three are two-story. All are easily convertible into semi-detached units. The houses can be built anywhere, but locations in the outlying sections of cities and towns where land is cheap and where sewer and water connections are available are recommended. Because of the high cost of providing adequate sanitation, the savings effected by erecting the houses upon very cheap rural lots would be lost.



A Residential Relic into Modern, Glass Brick Offices



BEFORE



.....\$ 1,577.51

FIRST FLOOR

AFTER

KITCHET PANTS DOG R



Elizabeth R. Hibbs Photos

The banker's traditional aloofness toward modern architecture is disappearing. And the reason is plain: it is economical. Philadelphia's Western Savings Fund Society secured remarkable results in this instance for the \$11,000 spent. Its front re-shored in glass brick and its interior completely remodeled, an old Broad Street mansion which the bank had acquired now houses the offices of the American Federation of Hosiery Workers. When the budget ran too low to provide for the removal of its ancient mansard roof, Architect Oscar G. Stonorov added a note of humor by veiling it with an ivy trellis. Mortgage at foreclosure, \$12,000; taxes, \$694; rents before remodeling, none. Cost of

Lumber and nails		487.04
Hardware		169.53
Masonry		1,049.78
Demolition		228.75
Electric work		416.94
Heating and plumbing		1,734.52
Hardwood floors		255.00
Plastering		1,027.99
Residence casements		372.00
Glass		208.75
Roofing		419.10
Tile		59.84
Painting		665.00
Ornamental iron		421.87
Linoleum		129.00
Structural glass		400.00
Millwork		193.66
Lintels		28.00
Grading		28.00
Window cleaning		16.00
Insurance		86.77
Misc. expenses, permit, etc.		61.27
Total, excluding architect's	-	61.27

COSTS


Carpentry

fee\$10,036.32

MAY · 1936 · BUILDING · MONEY

remodeling, \$11,787; rent after remodeling, \$2,100.

SECOND FLOOR




THIRD FLOOR



433

A Trim Store Replaces Old Flats in a Leasing Coup




In this complete transfiguration the Philadelphia Saving Fund Society sagely recognized the possibilities of the former old flats (right) as a home for a large commercial tenant, then followed out Architect Edmund B. Gilchrist's plan to provide the necessary space and a pleasing facade of brick and green Vitrolite. It thus upped income from a 4.7 per cent deficit to a 4.6 per cent net yield, secured a thoroughly salable building. Assessed value before remodeling, \$30,000; carrying charges, \$866; rents before remodeling, none. Cost of remodeling, \$9,585; rent after remodeling, \$2,300.

COSTS

Demolition																				. 9	150.00
Excavation	2	ir	d		51	to	r	16		n	n	a	s	0	n	r	y				700.00
Brickwork							-														1,000.00
Concrete an																					400.00
Cast stone																					100.00
Carpentry,	It	ir	nł) e	r		a	n	d		n	ni	iI	h	N	0	rl	k			1,885.00
Hardware																					100.00
Stairwork																					350.00
Structural			el																		700.00
Plastering																					350.00

Metal ceil	ing									÷	÷		*	.\$	200.00
Electrical	wor	k.												*	600.00
Glazing .															850.00
Plumbing	and	hea	ati	ng	g .									. 1	,200.00
Painting															475.00
Roofing an	nd sl	neet	n	ie	ta	1	٧	VC	r	k					100.00
Tile work															50.00
Sprinkler															375.00
														-	
Total													÷	. \$9	,585.00

SECOND AND THIRD FLOOR




NEW WALL EZZOLD WALL LITIBREMOVED SCALE INFEET 0 5 10 15 STORE RAMP



A New Deal for the Merchant Who Lives Upstairs







Architect Gilchrist and the Philadelphia Saving Fund Society used the same technique here as in their furniture store (see opposite page). Keeping to simple lines and good proportions netted them an excellent result at a cost of \$3,800. This expenditure changed a deficit of 3.1 per cent to a yield of 4.8. Improvements by the neighboring buildings forced the job's extension to the building line. The brick is glazed black and the white material separating the windows is Transite. Mortgage at foreclosure, \$5,000; carrying charges, \$209; rent before remodeling, none. Cost of remodeling, \$3,821; rent after remodeling, \$780.

COSTS

Metal windows\$	107.00
Electrical work	116.27
Plastering	190.00
Glazing	135.00
Roofing	66.50
Painting	290.00
Plumbing and heating	617.00
Brickwork	666.00
Cast stone	25.00

Linoleum an	d	n	n	DI	n	ot	til	e		•				•	•	•	. 1	ş		53	3.0	00
Tilework	• •											•								24	1.5	50
Millwork					• •								•			•			2	53	3.0	00
Structural st	ee	1		•																60	0.0	00
Hardware .																				63	3.5	50
Carpenter w	or	k																1	,1	5	5.0	00
Total	. ,										•	,		•		•	. 1					77

An Undertaker's Establishment from an Outmoded House






United Photo Shop


The undertaking business, like every other, must rest on profit. The John A. Beck Co. of Bloomington, Ill., profited on its capital investment in this \$48,896 plant by building it upon the timbers of a large old Bloomington residence. The cost includes an elevator, air conditioning, architect's fee, walks and drives, landscaping. By using the old foundation walls, some of the floor construction, half of the exterior walls and all of the roof construction, Architect Edgar E. Lundeen saved the company 14 per cent of the cost of building anew.

BEFORE









	<u>M</u>
	DISPLAY RM.
-	DICK DUCT SPACE
	DR: K

2ND FLOOR



ENTRANCE HALL



FAMILY ROOM

Oberkoetter Pho

A \$200,000,000 REPAIR BILL

is left in the wake of the East's March floods. Notes on the damage in Hartford and Pittsburgh.

IN mid-April, month after waters rose and fell in perhaps the worst general flood that the Northeast section of the U. S. has ever experienced, reconstruction had only started on what was probably a \$200,-000,000 job for building. Observers in the industry thus placed probable building repairs at somewhat less than half the original estimate of \$500,000,000 in total damages of every kind. It was figured that actual building damage had equaled easily half of whatever damage was done, but that reductions were in order for two specific reasons.

First, doubt existed that actual damages, especially to building, had equaled estimates made at the flood's height. A Georgia tornado intervened last month, whose damage was quick and precise; it clipped down 3,200 homes and left no doubt behind as to their destruction. Floods, on the other hand, may have appeared more destructive to building than they were in actuality.

In addition, observers were not willing to admit that repairs would equal actual damages, particularly in southern Pennsylvania where an inactive mining industry has reduced both incomes and populations.

A survey by THE ARCHITECTURAL FORUM in Hartford and Pittsburgh, the two largest centers affected, found figures scarce on contemplated repairs. Particularly in Pittsburgh, where damage was spread out over a large area, estimating proved difficult; Pittsburgh's newspapers gave up their surveys. In both cities large industries balked at giving out figures, fearing to excite stockholders.

Hartford. The Open Shop Building Council estimated that repair work would last until June 1, would total \$1,500,000, a million of which would be expended for materials. Roughly 5,000 buildings were flooded, 2,000 of which were homes.

A breakdown of the figures for repairs to residential and commercial property showed residence damage outtopping commercial, \$650,000 to \$400,000. The residential estimate was made on the basis of a \$330 average figure for repair loans being made. It included 50 demolitions at \$600 per building and 600 cases of structural repairs, mostly to chimneys and foundations, at \$200, in addition to general expenditures for redecoration, cleaning, plastering, repairs to lighting, heating and plumbing. The commercial figure included the expenditure of \$100 per building in Hartford's foreign quarter, and \$100,000 in all, in its main business section.

The housing problem diminished in acuteness as the number of shelterless persons, once at a peak of 20,000, dropped to 300. Business mopped up, replaced plate glass in great quantities, painted, restocked. New fixtures and store-fronts were out of the question, however, for the type of small business man struck in Hartford.

Active in supplying credit was the Hartford Clearinghouse Association, with \$300,-000 subscribed for character lending by individuals willing to take a 33 per cent loss on principal.

Close-Ups: The Hotel Bond (Hartford's largest) ferried guests to and from the railroad station. The guests embarked and landed half way up the stairs to the mezzanine in the hotel lobby ... A large manufacturer of dental supplies successfully calked the flood out of his basement by sealing the windows with dental wax, was later foiled by overflowing toilets.

Pittsburgh. While at one point Pittsburgh's Chamber of Commerce set the damage at from \$100,000,000 to \$150,000,000, observers were not even inclined to guess last month at damage figures, let alone repairs. The City Planning Commission counted 6,519 flooded homes in Pittsburgh proper; 79,044 throughout Allegheny County. However, it was impossible to draw an estimate of residential damage done, or of repair work contemplated, with these as the only basis.

Largest commercial expenditures were being made by department stores, hotels and theaters in the Golden Triangle district. Office buildings for the most part escaped serious expenditures, aside from pumping and cleaning costs. A partial list of big damage toll:

Horne, Rosenbaum and

McCreery stores	\$2,500,000
Roosevelt Hotel	58,000
Mayfair Hotel	25,000
Keystone Hotel	60,000
Fort Pitt Hotel	50,000
Loew's Penn Theater	300,000
Stanley Theater	250,000
Alvin Theater	200,000
Barry Theater	25,000

Homeless refugees numbered 1,000 last month, representing a drop from approximately 72,000. Several hundred persons were being accommodated in shelters provided by city authorities. Others were temporarily doubled up. Few material ill effects remained in Pittsburgh business streets. Small merchants were reopening their doors with surprising rapidity. Walls were still too wet to repaint, but business went ahead apace.

RFC was surprised when out of 250 applications for small loans none was from industrial plants, but all from small butcher and baker fry, which could not satisfy it with collateral. Forthwith it withdrew from Pittsburgh.

Close-Ups: Electricians were greatest in demand, cabinet makers next, plasterers next, painters last. Plasterers and painters expect sustained business for months to come. . . Perhaps Pittsburgh's busiest building manager during the flood was popular young Francis McIlhenny Stiffler, a one-time newshawk who for four months has been manager of the Henry C. Phipps properties in the Golden Triangle. Six Phipps buildings were in the path of the flood . . . Architects Janssen & Cocken were the only architects known to have secured a job as a result of the flood—a new interior for the Joseph Horne store.



Muck in Home and Store



Wide World

NEW ROW HOUSES FOR OLD

A demonstration in row-scourged Philadelphia that better row housing can be built, at no sacrifice to economy.

FOR decades, Philadelphia has prided itself upon its pre-eminence as a city of owned-homes, yet sanctioned the scourge which makes it such: its horrendous row houses. For it is upon the simple economy of the party wall that the city's home preeminence was built. Yet a way out of this ignoble situation appeared last month, as a lending institution, a builder and an architect in Philadelphia forcibly demonstrated that houses immeasurably better than the old monstrosities could be built without a sacrifice either to row house economy or legitimate profit.

This demonstration resulted from a unique collaboration between Colonial Title Co., a Pennsylvania Co. subsidiary, and a veteran builder of row houses named George H. Weinrott. It was through a semipromotional organization conceived by Builder Weinrott that the houses were finally built. Inspired by the National Housing Act after five years of idleness, short, expostulative Builder Weinrott had organized among builder and lending friends a Better Housing Institute to promote Title I lending. Before the FHA assumed its own local promotional work, this agency rendered able public service.

Under Title II, Builder Weinrott, in league with Colonial Title Co., a BHI collaborator from the first, saw his chance to do another promotion job of a semipublic character. With Colonial Title's William M. West he worked out the details for an unusual new row house development, to demonstrate to other builders what could be done under FHA. Immediate problem was to stem an interest loss of \$756 and a tax loss of \$650 on a pre-crash investment of \$12,600 in a North Philadelphia tract by Colonial Title.

Securing FHA approval, BHI tackled its Title II experiment in cooperation with Colonial Title with a vim. Enlisting the aid of Fleisher & Stephens, Architects, it registered its greatest coup by building its houses 30 ft. wide instead of the usual 16. To many a buyer this extra frontage alone would have doubled these homes in value. In addition, the houses were held to a restrained design, staggered pleasantly. A plan incomparably better than the traditional row house plan was evolved.

Sixteen houses in all were built at a cost of \$84,470, to sell at \$5,400 each. When sales lagged, the sponsors decided to rent them for a period of time rather than to sell them. They are currently 100 per cent rented at \$50 apiece, or \$6.25 per room per month. Return to BHI is \$6 a month per house, or \$1,152 annually, after payment of \$44 upon the Colonial Title mortgage. And Philadelphia builders have good reason to believe that there is ample profit in a better product.






Twice as many persons as necessary were crowded into houses easily twice as bad in the typical old Philadelphia row house job (right). There was no light, except at front and back (see typical floor plan, right). Below, Better Housing Institute's neat job in plan and interior photographs.



KFST- KITCHEN ROOM DINING BOOM FIRST FLOOR



SECOND FLOOR



FIRST FLOOR



What paint will best protect this HOME-TO-BE?

111

National Survey* shows that 68% of leading architects specify PURE WHITE LEAD in Oil for exterior painting

*Impartial survey made by Forest Products "Better Paint Committee"

ADDED RESPONSIBILITY

Architects know that their job isn't finished when a house leaves the drawing board. It's up to you to make sure that quality materials go into its building. Eagle Pure White Lead in Oil has proved in test after test that it's the longest-wearing, most economical paint an architect can specify.

LEAL

EAD

L

NO CRACKING . NO SCALING

New, experimental paints have flooded the market during the past few years. But Pure White Lead in Oil is still first choice of architects. Eagle Pure White Lead has proved over 90 years that it gives maximum protection against paint failures — cracking, scaling, excessive chalking.

COMPANY, CINCINNATI, OHIO



CHOICE OF GOOD PAINTERS SINCE 1843

CONTRACTORS

There's no argument with building contractors when the paint you specify is Eagle Pure White Lead in Oil. Contractors know from long experience that white lead gives a longerwearing, more satisfactory job. It's the paint they prefer to use.

LEAD

THE

EAGLE - PICHER


ADVANCE FINANCING

is undertaken as a business producer by a Cleveland lender.

A UNIQUE plan to stimulate the sale of existing houses and to increase profitable lending was put to work last month by Cleveland's Forest City Federal Savings and Loan Association. Called prefinancing, it involved the making of advance commitments upon houses listed for sale.


In a bid to local realtors, Forest City offered to make a free appraisal at the invitation of any owner or his agent, and thereupon to issue a certificate stating just what it would lend in the event of sale (see cut). Qualification under Federal Housing Administration regulations and the association's credit rules are the only requirements to be made of buyers. Owners and realtors armed with such certificates, stating concisely the source and terms of credit, will naturally have an effective selling weapon. Prevention of loan shopping and the elimination of attempts at over-optimistic financing were listed as general advantages of the plan.

Prefinancing was evolved by Forest



Forest City's Prefinancing Certificate

City's keen-minded president, Carlton Schultz, Cleveland realtor nationally known for his professional contributions particularly in the field of building management. The form of his certificate is copyrighted; not so the general scheme, which any lending institution might well adopt.



There are Customers waiting

THAT'S FRONT PAGE NEWS! The Nu-Bidet is a thoroughly modernized Sitz Bath . . . and more. It has four distinct uses:

Sitz Bath for personal hygiene and treatment of rectal disorders.

Spray for same purpose and for feminine hygiene. Attachment for douche and enema entirely eliminating the old rubber bag method.

The Nu-Bidet is a complete unit of toilet seat, bidet and lid. It replaces the regular toilet seat and lid; is equipped with hot and cold water; completely installed on any standard toilet in two hours.

The Nu-Bidet is as necessary to personal hygiene as a tooth-brush or the bathroom itself. It is an excellent and extremely smart bathroom accessory both for new building and remodelling jobs. The roster of the finest homes, hotels and hospitals which have ordered the Nu-Bidet, is a cross-section of the "Who's Who of America."

The Nu-Bidet is as new as the latest edition of your newspaper and contains just as much news, from a human interest standpoint. It will give you the reputation of offering the best of the new things first.

To this you may add the advantage of sponsoring a totally non-competitive accessory, at a moderate price, which converts the ordinary bathroom into one that is thoroughly hygienic.

Return the coupon right now while you are thinking about it and full information will be sent. No obligation.

	RK AVE., NEW YORK, N. Y. ation regarding the Nu-Bidet.
Name	F
Address	
City and State	



LEENSAN **CORPORATION · 341 Park Avenue · New York**

T'S NE

It's NON-COMPETITIVE...



Triangular insignia of the Young Men's Christian Association, representing "Spirit, Mind and Body."

THREE YMCA BUILDINGS Reduce heating costs

Webster Heating Modernization Cuts Fuel Bills Without Impairing Heating Comfort

CINCINNATI "Y" SAVES \$1,486

Cincinnati, O.—Three large Young Men's Christian Association buildings report sharp reductions in heating expense as the result of Webster Heating Modernization Programs completed within the last few years.

In downtown Cincinnati, the Association building saved 357 tons of coal within two years after the new heating system was installed. This is a cash saving of \$1,486.

In neighboring Columbus, and in Minneapolis, Y. M. C. A. Buildings have achieved similar heating economies, without sacrificing heating comfort, by installing the Webster Moderator System of Steam Heating.

of Steam Heating. During the first two years in the Columbus "Y," the Webster Moderator System reduced coal consumption 395 tons. This is a cash saving of \$1,294. Savings in this case, as at Cincinnati, are based on the difference between current coal bills and past average coal bills over a two or three-year period.

Cafeterias, auditoriums, class and club rooms, handball courts, garages, swimming pools, gymnasiums—every heating need of Association buildings is adequately met in these three installations. The distribution of steam is balanced so that all radiators heat evenly and rapidly.

The savings in heating expense are now available to these three Associations for carrying out a well-rounded program of Y. M. C. A. activities.

Marshall Murray, chief engineer and building superintendent of the Columbus Y. M. C. A., expresses complete satisfaction with the performance of the Webster Moderator System.

"The building has been comfortably heated at all times," Mr. Murray said. "There are no cold corner rooms. The warm-up period has been considerably shortened and even during the severest weather the system has met every demand made upon it."

80% FUNDS FOR 5 STATES

is the goal of General Discount Corp., new Detroit lender.


FANWISE out of Detroit last month a newcomer among lending institutions was rapidly extending its lending radius to include the States of Michigan, Wisconsin, Illinois, Indiana and Ohio. With the rather unimaginative name of General Discount Corp. but colorfully sponsored by a former aide of Henry Ford, it planned to establish a source of 80 per cent mortgage money in every town and hamlet of the region.

Already one of Detroit's biggest FHA lenders, General Discount but recently received its FHA approval, has secured loans by dint of aggressive tie-up work with Detroit realty offices. Spurring its expansion is its hope of whopping business as correspondent and dealer under the newly conceived First Home Plan scheme to issue certificates against FHA mortgages (ARCH. FORUM, April, 1936, p. 378). Disclaiming this as its sole inspiration, however, the company by last month had established sixteen outposts throughout its five-State territory, and was hunting more.

General Discount Corp. was pieced together out of two old automobile and mortgage finance companies, Republic Finance Co. of Indiana and Federal Discount Corp. of Michigan, in 1932. In 1933, when Frank L. Klingensmith, former vice-president and treasurer of the Ford Motor Co., became its head, its automobile loans were segregated under a separate company. While the latter reentered automobile finance, General Discount sat tight, nursing a \$2,000,000 foreclosed realty account.

Decision to resume lending was made late last year. Into the expanding company President Klingensmith drew many an employe from the local office of FHA. Dewey Bullock, a wizard on Governmentin-mortgages, he put in active charge of mortgage lending. The company's home office, in Detroit's tall Barlum Tower, is managed by F. Phillip Sadowski. Its only branch office is in Milwaukee, under H. M. Wade, former Associate State Director of FHA for Wisconsin. To the number of correspondents throughout the company's territory there will be no limit.

In a row over policy, Frank Klingensmith quit the Ford Motor Co. in 1922, after sixteen years of service as its head financial man. During these years of great growth for the company he was Mr. Ford's closest adviser, is highly respected and admired in Detroit. A man of 58, he lives quietly with his wife and three children in exclusive Bloomfield Hills, enjoying golf and his acquaintances. In General Discount Corp. he undertakes his first big business venture since his association with the Fords.



(a) promise of improved income: Wall-Tex has won popular acceptance nationally and is appreciated by the better class of prospects and tenants who take pride in good decoration and are willing to pay extra for it.




(b) promise of attracting purchaser: The original freshness of Wall-Tex patterns and colorings can be renewed, season after season, simply by washing with soap and water. Wall-Tex decoration is lasting, ending the recurring expense of frequent redecoration.

Above: Wall-Texed room. Below: Unretouched photo of Wall-Tex being washed with soap and water.



(c) preservation of structure: Wall-Tex strengthens plaster, prevents plaster cracks, hides them even if they do occur—and protects against gouging and scarring of walls.

Below: Unretouched photo of plaster crack that would be concealed by Wall-Tex.



Write for A.I.A. File Folder No. 28-C-1, including a representative group of Wall-Tex swatches. Address Architectural Dept., attention of L. Lalendorf.

COLUMBUS COATED FABRICS CORPORATION COLUMBUS, OHIO

For quick reference, consult Sweet's Architectural Catalog 15/48.

If you are interested in heating new buildings, or in improved heating service and lower heating cost in your present building, address

WARREN WEBSTER & CO., Camden, N. J. Pioneers of the Vacuum System of Steam Heating Branches in 60 principal U. S. Cities — Estab. 1888

"ELECTROLUX ASSURES LONG SERVICE AT LOW COST" **Building owners report**



Read the experience of Mr. Louis Levinepresident of Twin City Development Co., Inc. -with Electrolux during past 7½ years

BEHIND the choice of Electrolux for more and more apartments and homes every year lies a record of performance—of lasting efficiency -that is important to any refrigerator buyer.

This record is based on the experience of builders and owners who have been equipping their properties with this modern gas refrigerator since 1927, when it was first introduced. They report that even their earliest Electrolux Refrigeratorsnow 7, 8 and 9 years old-continue to give the same dependable, lowcost service they did when new!

Tenants, too, are enthusiastic about the gas refrigerator because of its continued low running cost and

permanent silence. The long-life, money-saving advantages of Electrolux are the re-

sult of a different, simpler refrigerating method. A tiny gas flame takes the place of all moving parts . . . circulates the simple refrigerant without noise, force or wear.

Talk to any user about Electrolux! Or see your local gas company. Get all the facts before choosing your next refrigerators! Servel, Inc. Electrolux Refrigerator Sales. Evansville, Ind.

New Air Cooled ELECTROLUX THE SERVEL Gas Refrigerator


TWIN CITY DEVELOPMENT CO., INC. 1334 FORTY EIGHTH STREET BROOKLYN, N. Y.

March 4, 1936

Kings County Lighting Company 8740 Fourth Avenue Brooklyn, N. Y. We have always found that it is good business to place the welfare of our tenants first in the choice of equipment for our buildings. We believe that our spartments reflect this attitude. And this was one of the big considerations in our choice of our first Flectrolux Refrigerators seven and a half years ago for our 19 Apertments at 801 - 72mid Street. Dear Sirst IN APERIMENTS BU OUL - YING DURBON The silence and low cost to run of the satisfaction of were two features which we knew would add to the satisfaction of our tenants. Furthermore, it seemed to us that a refrigerator with an moving parts should offer a very sinism. In addition, we had the with a resulting small cost of maintenance. In should we over need it, assurance of your Company's dependence service should we over need it. On every point, the performance of the Gas Berligerstor has justified its choice. Tenant have had continued low operating cost with our lb Electrolux installed more than seven years ago. These refrigerators continue to be as efficient and ellent as men we put them in. And you know what low maintenance we have enjoyed during these years. Since our first purchase of Electrolux, we have installed Since our first purchase of Electrolux, we have installed to nevery building we have built. Today, se have a total of 255 as Refrigerators in our six spartment buildings, and I can heartily ecommend this refrigerator to any builder or owner. it in

LL HP

TWIN CITY DEVEROPMENT CO P. D.C. Louis Levine, President





AN EXCEPTIONAL STORY FOR THE HOME OWNER

THE immediate enthusiasm of oil burner dealers, heating contractors, builders and architects alike, for the "super-safe" feature of the new Master Kraft Oil Burner is a gratifying indication that it fills a long-felt but hitherto unexpressed want. Responsible for this "super-safety" is the Master Kraft BORK-ONTROL, an exclusive Harvey-Whipple device, which affords positive protection against the infrequent hazards of transformer failure, ignition interruption, etc. Seldom needed, its presence is a reassurance to the owner, and a talking point that makes selling easy, especially in view of the other remarkable features of the Master Kraft burner. The popularity of this burner is attested by the rapid increase in sales, 1935 sales being 68% ahead of 1934, and 1934 being 34% ahead of 1933. Master Kraft is truly the coming name in oil heating.

Write today for details and technical data on the Master Kraft line of oil heating equipment and air conditioning.


HARVEY-WHIPPLE INCORPORATED


563 Emery Street Springfield, Mass.



PERMITS HIT RECORD HEIGHTS

All building types gain in March. Rents up with costs steady; foreclosures off. Stocks at 132 per cent of normal.





12


10*** 1933


praci 48 SI

compiled by Ronal Board

1934

1935






14**

200

100

1936

Here's an acoustical material that



decorates

Armstrong's Corkoustic provides an attractive interior finish for any type of building

N^{OW} you can decorate and correct acoustics with one material . . . Armstrong's Corkoustic.

Armstrong's Corkoustic is made of sound-absorbing cork particles and has a pleasing texture resembling travertine. It is furnished in individual tiles of white, ivory or buff—also special colors to order. Tiles are easy to apply and may be washed or repainted without destroying their acoustical properties. And in addition to high soundabsorption (61% at 512 cycles), Corkoustic has insulating qualities of special value in air conditioned areas. It has high light-reflection properties and is fire-retardant too.

It will pay you to investigate Armstrong's Corkoustic for your next acoustical job. For more complete information, see Sweet's or write, on your letterhead, to Armstrong Cork Products Company, Building Materials Division, 1203 State Street, Lancaster, Pa.



Close-up of an Armstrong's Corkoustic Tile. Note its distinctive texture.

18,000 sq. ft. of Armstrong's Corkoustic in Louisville Memorial Auditorium, Louisville, Ky. Architect: E. T. Hutchings reports that Corkoustic "easily improves hearing conditions," Acoustical consultants: Prof. F. R. Watson and Dr. Paul E. Sabine, General Contractor: H. G. Whittenberg.

Armstrong's CORKOUSTIC



Moncrief Systems give the architect practical air conditioning for residences at a moderate price. In winter, they heat, humidify, circulate and filter the air. In summer a cooling effect is produced through air circulation and ventilation.

Moncrief Air Conditioning Systems have amply proved their high efficiency and extraordinary economy of operation in every section of the country. Thirty-nine years' experience in residential heating equipment is a pledge of the reliability of Moncrief Systems.

FOR COAL, GAS OR OIL

Moncrief Air Conditioners are built in three different types—to burn coal, gas or oil. Each is specially designed to secure the greatest efficiency from the fuel it uses. The coal system may be hand or stoker fired, the gas and oil systems are fully automatic —requiring no attention whatever. You will, of course, want all the information on the three types of Moncrief Air Conditioners. Send for folder—arranged with data sheets—for your files.

The Henry Furnace & Foundry Co. 3485 E. 49th St. Cleveland, Ohio



LENDER-BUILT HOMES

help rejuvenate the New Orleans small house market.

S TRONG in New Orleans are its homestead associations, which are the counterpart of the building and loan associations of other communities. These institutions did approximately 80 per cent of all pre-depression home financing in that pleasant southern city. As a result, they were struck hard in the crash. A brand of cooperation elsewhere unequaled between building and loans has proved the only remedy for their plight.

Through a ten-year-old trade organization, the New Orleans Homestead Clearinghouse Association, the city's 53 homesteads decided to advertise their foreclosed property cooperatively, and \$25,000,000 of residential realty was thus moved off their hands in 1935. As 1936 approached, the same method was considered as a means for disposing of some \$6,000,000 worth of unimproved property also held by the associations.*

To Clearinghouse President Curtis F. Scott's proposals in this regard some of the associations were extremely cool. There hadn't been a dozen site sales in a month, said they. There was still an abundance of homes on the market. Any effort to start new home building, they argued, would surely retard their attempts to clear their portfolios of existing structures. But President Scott kept hammering in the face of these objections until a substantial group of the homesteads had agreed to support his plan.

Keystone of the Clearinghouse campaign was the plan of a dozen cooperating associations to erect model houses, in the \$3,000 to \$5,000 class, on vacant homesites. In addition, three contests were devised to keep the public interested. One called for house designs by housewives; another for designs by architects and architectural students; a third for essays by school children. Employing the newspaper, the radio, and even a float in the Mardi Gras, the associations stirred up widespread interest in their project.

The program approximately one-third over last month, President Scott found that the associations' sales of homesites had reached 700, or about five times their total in 1935. Meanwhile, sales of repossessed houses, receiving impetus instead of setback, had increased 50 per cent over the preceding quarter. Also largely to be attributed to the program was the fact that New Orleans home building in the first three months of 1936 exceeded by 50 per cent the total for the whole of 1935.

*Ownership of vacant property is peculiar to Louisiana associations; in most other States lending was not allowed on land alone.



THIS school has 45 classrooms plus gymnasium, auditorium, cafeteria, etc. It accommodates some 1200 students. The classroom section is wholly and exclusively controlled as to temperatures by a Dunham Differential Vacuum Heating System. This means that 100% of the heating surface is controlled. The classroom section is divided into two zones, average temperature control of each zone is secured by four thermostats.

There are 168 radiators (17.491 sq. ft. direct radiation) for the classrooms, with 60 radiators and 11 Unit Heaters in the balance of the building. Total radiation load approximates 20,000 sq. ft.

Since a Differential System will give you a low operating cost and a low maintenance cost, is it not logical for you to install this sub-atmospheric steam system in properties you are planning and would it not be wise to investigate the possibility of modernizing existing inefficient heating systems in buildings under your control? In many cases this may be done without disturbing existing boilers, radiation and piping.

C. A. DUNHAM CO. 450 E. Ohio Street, Chicago

Over eighty branch and local sales offices in the United States, Canada and the United Kingdom bring Dunham Heating Service as close to you as your telephone. Consult your telephone directory for the address of our office in your city.

A RETURN TO CODES

is incited by general contractors in scattered localities.

WITH the NRA in a cocked hat, business as a whole was jubilant. But in building, some excuse existed for dismay. For in certain localities where competition is keen and labor conditions trigger-edged, the Construction Code was a real boon. Particularly benefited was the general contractor, whose key position in the building production line makes his welfare a matter of prime importance to the industry.

Here and there small groups of contractors have lately banded together to receive again the benefits first tasted under NRA. Impetus was given this movement when last January the Associated General Contractors, convened in Miami, picked recodification as its major objective in 1936. However, in this drive the association's 3,000 members were merely circularized, not marshalled under any kind of uniform procedure.

As a result, minor Construction Codes have mushroomed everywhere in wide variety. The character of each organization has largely been determined by the local conditions faced. Exemplifying this is the Seattle Construction Council, recently instigated by Seattle's general contractors, and now with fourteen divisions for cooperating trades. Its growth undoubtedly resulted from the necessity for treating with Seattle's notably well-organized labor groups.

Most of the new organizations, however, remained primarily contractor groups. Typical was the line of action being taken in Westchester County, N. Y., where 500 general contractors have allied themselves as the Westchester Construction Employers League. This group has equipped itself with rules of fair trade and with simple machinery for labor adjudication. Seven representatives of a labor group sit on a board of fourteen. A set of bid depository rules has won the approval of the Westchester Society of Architects. And the possibility is cherished by the sponsors that other branches of the industry will decide to cooperate later.

The advantages of pure cooperation to meet local conditions, minus the red tape of the old system, were apparently many as the AGC reported last month that "at least 25" agencies like Seattle's and Miami's had been formed.

¶ Issued in the Federal Housing Administration's Technical Bulletin No. 3 last month was a specimen short-form contract which should go far to facilitate small house work. Besides listing articles of agreement and general conditions, the pamphlet contained instructions for specification writing and sample working drawings.



RECEPTION ROOM. "WGN" STUDIOS, an addition to The Tribune Tower, Chicago . . . John M. Howells, Hood & Fouilhoux – associated architects, Leo J. Weissenborn-Chicago associate,

First . . the 'WGN' Reception Room, then . . all corridors in the Studios"

Robert Carson, designer, Hood & Fouilhoux, says: "We wanted the richness of wood in this modern interior. Pale wood was needed as it was to be used as a reflecting surface to light the room. The treatment of curved corners of the room, the stair and the curve of the lighting cove was accomplished more simply and economically with Flexwood than would have been possible with wood in any other form.

"To reduce the variation in grain to a minimum, Oak Flexwood was bleached, then given a coat of colorless lacquer, making a continuous wall of very pale oak. Decorative bands are a series of oak moldings.

"When the room was finished, our clients were so well pleased that plans were changed and the same Flexwood treatment used for corridors throughout the Studios."

Flexwood is genuine wood veneer mounted on cloth. Flexwood, because it is wood, takes any wood finish. Please write for complete data on this modern way of wood panelling.



UNITED STATES PLYWOOD CO., INC., 103 PARK AVENUE, NEW YORK Manufacturers of Flexwood, Plywood, Armorphy, and kindred products

Kelvinator has the answer to Air Conditioning

With equipment that fits remodeling or new construction needs EXACTLY

• As an architect we believe that three things are paramount in your mind regarding any air conditioning installation.

First, you must have equipment which is absolutely dependable. Second, you want to keep first cost as low as possible. Third, you want minimum operation cost.

With Kelvinator you are sure of all three.

You know Kelvinator's dependability—the result of over 21 years of experience in the temperature control field. The completeness of Kelvinator line enables you to specify the exact amount of equipment the job requires—no more. This means low first cost. And the outstanding efficiency of Kelvinator equipment cuts operation and maintenance cost to a minimum.

Complete information or dependable engineering and value surveys are quickly available. Merely get in touch with your nearest Kelvinator representative who will gladly work with you in your office or in the field, or write to Kelvinator Corporation, Detroit, Michigan. Factories also in London, Ontario, and London, England.



BACKED BY 21 YEARS EXPERIENCE IN THE TEMPERATURE CONTROL FIELD


PRODUCTS AND PRACTICE

DOMESTIC RANGES

The kitchen range is one of the most important items of house or apartment equipment. Modernization work, as well as new construction, calls for the installation of new kitchen ranges. The several kinds of fuel available, their varying cost in different localities, the many types of ranges and their essential parts, and the conflicting claims of manufacturers, make selection difficult.

NOTE: Since gas and electricity are by far the most commonly used fuels in urban localities, most of the following material is devoted to ranges using those heat sources.

SHAPES AND SIZES OF RANGES



CABINET. The top, at same level as other kitchen work surfaces, has three or four burners or heating elements and some non-heated space for standing cooking utensils. Below are an oven and broiler, sometimes combined in one compartment, utility drawers, and sometimes a warming cabinet; often has a flat cover concealing the heating elements to give work space for other purposes. The low oven in this type is more convenient for short than for tall cooks. Fits in well with straight line kitchen set up. Compact small size for kitchenettes.

CONSOLE. The cooking top is largely taken up by three or four burners or heating elements. The oven and broiler, separate or combined, are at the side. Utility drawers may be below the cooking top; the oven being higher is readily accessible. The high legs leave available space under the stove.

HIGH OVEN. This space saving type sets on cabinet or refrigerator; oven and broiler are usually combined. The oven is very high for short people.

LARGE SIZES. For large households. Cooking top has six or more burners or heating elements. There may be two ovens and a separate broiler with shelf or a warming chamber above cooking top.

THE ELECTRIC RANGE



OPEN TYPE



NCLOSED TYPE



ENCASED TYPE



ENCASED TYPE

SURFACE HEATING UNITS

The heating element in almost all cases is a coiled high-grade nickel chromium alloy wire. Two or three such coils are used in each unit, so switched that one, two, or three of them may be turned on at once giving low, medium, or high heat. The coils may continue to spiral out from the center so that the coil nearest the center gives a hot spot for low heat, or they may be arranged in parallel spirals so that the heat is uniformly distributed, even when low. Insulation is usually placed directly under the heating unit. Cooking tops will usually have three or four heating units. One unit may operate on a higher wattage than the other, giving off a greater amount of heat for larger amounts of food.

Cooking utensils for economical and rapid heating should have flat bottoms large enough to cover the entire heating unit, and the utensil bottoms should be black or dull rather than bright.

OPEN TYPE. The coiled wire is laid in spiral or star shaped grooves in a ceramic disc. This is the cheapest but least durable unit since the heating element is unprotected and subject to mechanical injury. Food spilling over chars and can be brushed off.

ENCLOSED OR EMBEDDED TYPE. The coiled wire is spiraled in a frame or ceramic disc and covered over with a metal plate which is heated by the hot wire.

ENCASED TYPE. The wire, surrounded by a dielectric material, which prevents short circuiting but conducts heat, is placed in metal tubes or in concentric discs. The tubular encased type is the most efficient heating unit.

DOMESTIC RANGES








COAL AND ELECTRIC RANGE COMBINED

THE GAS RANGE



ROUND BURNER AND AUTOMATIC LIGHTER



MUSHROOM BURNER

THE OVEN AND BROILER

HEATING ELEMENTS. Consist mostly of the coiled nickel chromium alloy wire supported by refractory porcelain insulators on a rectangular steel bridge work. The metal encased heating element is also used. Usually two elements are placed in the oven, one on the top and one on the bottom; this arrangement insures even heat distribution.

INSULATION. Since the purpose of a burner is to heat the food and not the kitchen, ovens and broilers should be well insulated on all sides and on the door, and the door should fit tightly. Insulating materials, such as mineral wool or magnesia, should be 1 to 2 inches thick. Reflective insulation or bright oven linings, with dead air spaces, are effective and permit rapid heating; however, it is difficult to keep oven linings bright.

THERMOSTAT CONTROL. The new thermostat regulators give accurate oven temperature control with only slight variations caused by the fact that electric controls work on a snap-on and off action of the current and not on a gradual reduction of wattage in-put. They insure maximum economy of oven operation.

An oven indicator light is often used; it tells when the oven has reached the temperature at which the thermostat has been set.

AUTOMATIC TIME CONTROL. Thermostatic control in connection with an electric clock working on alternating current only (when A.C. is not available a hand-wound clock can be employed) makes the operation of the oven automatic. At predetermined times the current is turned on and off. This automatic control can also be extended to a surface unit or to an appliance plug but so far only to one at a time.

WELL COOKER

Optional and on some ranges standard equipment. A low wattage, highly insulated container (approximately 12 in. deep and of 8 in. diameter) placed beside the surface units. This economy cooker works on two or three speeds, approximately 600 watts on high and 100 watts on low. Besides being used for foods which require long time and low heat, it can also be used for baking and roasting.

BURNER TYPES

DRILL FORT STAR BURNER. Made of cast iron about 5 in. in diameter. The large burning surface permits heat to escape around the sides of the cooking utensil. The holes, being in the top and unprotected, are easily clogged by overflowing food. The oldest type of burner and still used on cheap models.

SMALL ROUND BURNER. Made in several metals—cast iron, often enameled, aluminum alloy; about $2\frac{1}{2}$ to 3 in. in diameter. Holes, round or square, on the top or sides are around the periphery with a few in the center. Distributes heat evenly and efficiently.

TOWER OR MUSHROOM BURNER. Four small mushroom-like burners grouped around the center. The openings are under the mushroomlike caps and the flame emerges from around the sides of the caps, which protect the openings from dirt and overflowing food.

AERATION BOWL. Modern type burners have a bowl below the burners which deflects all heat upwards and controls the amount of air necessary for proper combustion.

SMOOTH TOP. The burner is dropped lower and covered over with heavy metal rings or discs flush with the cooking top. Heats slower, less efficiently.

GRILL OR GRID TOP. Burner is dropped to permit grill or grid to run over entire burner. Lower burner often results in lowered efficiency.

Note: Burners intended for city gas will not burn most bottled gases efficiently or satisfactorily. On some burners competent adjustment will make the burner effective with the other type of gas.

42







AUTOMATIC LIGHTER

PUSH BUTTON TYPE. A small pilot light, always burning in center of cooking top, throws out a flame to each burner on pressing a button which increases the gas feed.

FULL AUTOMATIC. The pilot light in the center of the cooking top is connected to each burner by a small pipe or channel. When the gas is turned on in the burner, it enters the pipe or channel, ignites, and flashes back to the burner.

THE OVEN AND BROILER

OVEN TEMPERATURE REGULATOR. A thermostat, which can be set for the desired temperature, raises or lowers the gas flame with changes in oven temperature. The temperature dial is often combined with a table showing the proper oven temperature for various foods. Regulators are valuable for uniform baking and oven cooking and save time, effort, and fuel.

AUTOMATIC OVEN CONTROL. A clock device combined with an automatic safety lighter turns gas on or off at pre-set time. Very useful where constant attention cannot be given to cooking.

VENT FLUE. To carry off the continuously in-flowing air necessary for combustion, every oven is provided with a vent. This may be connected to a flue to carry off the heated air, which contains water and possibly fat vapor, and so keep the kitchen cooler and cleaner, but the flue is not necessary for safety.

INSULATION. Same as for electric stoves, but gas range ovens, generally, are not so well insulated as electric ovens.

GAS SAVERS

Many of these devices bring about the production of deadly carbon monoxide gas. The National Bureau of Standards states, "Although many of these devices have been tested at the Bureau . . . there have been only a few which saved any gas at all. Even in the few cases in which there has been a small saving, it has been accomplished at the expense of safety."

FIRELESS COOKER

An insulated chamber which comes down over the utensil after the gas is turned off, or into which the utensil is placed, permits cooking to continue slowly without further gas consumption.

A. G. A. LABEL

The American Gas Association places its seal of approval on all gas appliances which it finds to be safe, economical in performance, and reasonably durable. Its standards are not excessive and the label will be found on nearly all worth while gas ranges regardless of price.

COMPARATIVE OPERATING COSTS — GAS AND ELECTRICITY

The costs of cooking by gas and by electricity may be compared in two ways: 1) by estimating the cost for the expected amount of cooking for any given period for each type of range at the prevailing local rates; 2) by calculating the rate for one service which would give a cooking cost equivalent to the known rate for the other service. It is not to be expected that an exact comparison can be made in either way; there are too many uncertain quantities from which the calculations must be made family size, tastes, income, methods of cooking, efficiency of the particular range and the care with which it is operated.

However, comparative estimates of costs can be made which will be accurate enough for ordinary purposes. Table 4 lists a number of tests which have been made to determine comparable gas and electric consumptions. In these tests, identical cooking operations were carried out on both types of ranges.

In estimating family gas or electric consumption, the

energy in-put, or B.t.u. consumption, shown in Tables 1 and 2 will be helpful.

Electric ranges produce 3413 B.t.u. per kilowatt hour; hence, the estimated or determined B.t.u. consumption for any particular family cooking on an electric stove divided by 3413 will give the number of kilowatt hours of electricity used.

Manufactured gas produces about 530 B.t.u. per cubic foot, natural gas, about 1080 B.t.u., and mixed gas, which is used in many cities, may be anywhere between these figures. To figure gas consumption in cubic feet, divide the gas B.t.u. consumption by the number of B.t.u. per cubic foot of the particular gas used.

Tables 1 and 2 give the monthly costs of gas and electric cooking at various rates as calculated by the American Gas Association from the data obtained in their 1934 tests.

To determine equivalent gas and electric rates, a figure representing the ratio of gas to electric energy consumed

DOMESTIC RANGES

for equivalent cooking operations is used as a base. Equivalent rates can be easily read directly from Chart 1. The dotted line shows the gas rate equivalent to $1\frac{1}{2}$ cents electricity for manufactured (532 B.t.u.) and natural (1,000 B.t.u.) gas. This graph is based on an energy ratio of 2.077, which is the ratio determined by the American Gas Association from a week's cooking for a family of moderate income. It will be noted that this figure is almost exactly the same as the average energy ratio of all the tests listed in Table 4. The electric range manufacturers claim, however, that an energy ratio as high as 2.68 can be obtained when the fullest advantages of electric cooking are taken. This figure is based on a recent test made at a mid-western university.

The equivalent rates for any energy ratio can be cal-culated from the following formula: $3.413 \times G \times k$ B.t.u. per cu. ft. = E

- G = Gas rate in dollars per thousand cubic feet
- E = Electric rate in cents per kilowatt hour
- k = Energy ratio of electricity to gas consumption.

Bottled gas is sold in liquid form, bottled under pressure in steel cylinders. It becomes a gas at atmospheric pressure and ordinary temperatures. Most bottled gases are either propane or mixtures of propane and other gases; some are pentane. Propane is completely odorless and should have a distinctive odor added to it so that escaping gas can be detected. Bottled gas is sold by the pound, has a content of about 21,600 B.t.u. per pound, and the average family consumption will be from 30 to 40 pounds per month when burned in stoves designed for its use.

TABLE 3. SUMMARY OF ENERGY DATA FROM A.G.A. 1934 TESTS

						C	ommodity
Item	Scope of Tests	of En Utilizin Ov	ergy	Average Consum Each T Range	ned for Type of	Energy Ratio: Gas to Elec- tricity	Unit Ratio: Thermst to Kilow. Hrs.tt
		Elec.	Gas	Elec.	Gas	therty	main
2-2n	Wk's. Mer d Wk's. Me amilies of		61	134,706	279,83	1 2.077	0.0709
	mited Incon	ne)24	32	90.045	162,03	0 1.799	0.0614
3-Fo 4-1st	od for Infa Wk's. Mer us Food for	nt 0	0	73,320	128,59	7 1.754	0.0598
5-2n	ant	nus 40	53	208,026	408,42	8 1.963	0.0669

290,627 1.779 0.0607 *Approximate †A therm is 100,000 B.T.U. ††Kilowatt hour equals 3413 B.T.U.

The lower energy ratio of gas to electricity for items 2 to 5 is due to the lower percentage of oven use in the latter menus. It was found that oven operations showed an energy ratio of 2.624 as compared with a ratio of 1.532 for the cooking tops.




TABLE 1. MONTHLY COST OF COOKING (Based on Item 1, Table 3) GAS

Heatin	10		Cost-	Dollars P	er M Cub	ic Feet			
Value		1	1.75	1.40	1.20	1.00	0.80	0.60	0.4
			Cost pe	er Month-	-Dollars				
1200			.1.63	1.31	1.12	0.93	0.75	0.56	0.3
1050			1.86	1.49	1.28	1.07	0.85	0.64	0.43
900		1111	.2.18	1.74	1.49	1.24	0.99	0.75	0.5
750			2.61	2.09	1.79	1.49	1.19	0.89	0.6
525			.3.73	2.98	2.56	2.13	1.70	1.28	0.8
ELECI	RICITY	(
				Cost-	-Cts. per	Kw. Hr.			
				6	5	4	3	2	1

7.89

6.31

4.74

3.16

1.5

Cost per	r Monti	h-Do	llars	9.47

TABLE 2. MONTHLY COST OF COOKING (Based on Item 2, Table 3) GAS

1117 M.								_
Heatin	na	Cost-	Dollars P	er M Cubi	c Feet			
Value		1.75	1.40	1.20	1.00	0.80	0.60	0.4
		Cost p	er Month	-Dollars				
1200		0.95	0.76	0.65	0.54	0.43	0.32	0.2
1050		1.08	0.86	0.74	0.62	0.49	0.37	0.2
900		1.26	1.01	0.86	0.72	0.58	0.43	0.2
750			1.21	1.04	0.86	0.69	0.52	0.3
525		2.16	1.72	1.48	1.23	0.99	0.74	0.4
ELECT	RICITY						-2.11	
-	1.1		Cost-	-Cts. per	Kw. Hr.			
			6	5	4	3	2	1
Cost	ner Mont	h-Dollars	6.33	5.28	4.22	3.17	2.11	1.0


TABLE 4. SUMMARY OF RESULTS SECURED DURING VARIOUS INVESTIGATIONS OF COOKING BY GAS AND BY ELECTRICITY

Source	Date of Tests	Nature of Tests	Consumpti Electricity		Energy Ratio Gas to Electric
Ohio State University	1917	18 Meals for 6	19,448	56,000	2.88
Unio State University	1917	Baking 4 Loaves Bread	3,412	10,000	2.93
Stevens P't Normal School	1919	9 Meals for 5	. 111,000	161,100	1.45
Appliance Research Lab.	1924	Baking Oven	6,355	18,600	2.93
Appliance nesearen aust	1924	Broiling-Top Burners	. 1,742	1,925	1.11
Large Middle West Gas Co.	1924	Full Meal for 6	14,500	27,100	1.87
Large Eastern Gas Co.	1927	Cooking Meals	24,500	60,100	2.45
Large Eastern Gas Co.	1927	Light Meals for 1 Month	486,000	840,000	1.73
Large Lastern sas at	1927	Heavy Meals for 1 Month		1,330,000	2.40
University of Washington	1928	Week's Meals for 5	137,100	288,200	2.10 1.37
Mfgr. Gas & Electric Ranges	1929	Top-Raising 5 lbs. Water 150°F		2,200	2.37
inight and a second second	1929	Oven-Preheating Oven 500°F	1,949	4,620 13,585	1.88
Purdue University	1930	Meal for 5-6 Distilled Water to Boil. Pt. for 1 hr.	7,245	15,000	1.75
I HI HHH HITTETTE	1930	Distilled Water to Boil. Pt. for 1 hr.	8,575	18,020	2.93
Western Reserve University	1930	8 Oven Cooked Meals		339,500	2.44
Large Eastern Power Co.	1930	1 Week's Meals for 6		335.584	2.16
American Gas Assoc. Lab.	1931	1 Week's Meals for 5		135,260	1.84
Good Housekeeping Inst.	1933	1 Week's Meals for 3	110 000	163,425	1.40
THE REPORT OF TH	1933	1 Week's Meals for 5	100 100	239,450	1.72
	1933	1 Week's Meals for 7		353,900	2.46
American Stove Company	1934	1 Week's Meals for 4-5	101 800	279,831	2.077
American Gas Association	1934	1st Week's Menu for 4		162,030	1.799
	1934	2nd Week's Menu for 4		128,597	1.754
12	1934	1 Week's Food for Infant	. 10,010		
Total Consumption for All Tests			2,450,270	4,984,027	2.035

Total Consumption for All Tests Weighted Average Energy Ratio for All Tests

Above tables taken from American Gas Association Bulletin No. 6 entitled Investigation of Domestic Cooking by Gas and by Electricity.

FOR HEATING LINES COPPER TUBES are "the last word"



COPPER TUBES lead to greater efficiency in hot water heating systems...give longer and more reliable service. Permanently smooth inside surfaces reduce resistance to the flow...especially in forced circulation systems. And hot water conveyed through copper tubes loses only about one-half as much heat as when black iron is used. Faster flow and reduced heat losses mean quicker circulation; the maximum amount of heat is delivered to radiators in the least possible time.

The cost? Assembled with solder-type fittings,* the cost of a copper tube installation is scarcely any more than that of rustable material. Anaconda Copper Tubes and a complete range of Anaconda Solder-Type Fittings...trade-marked for easy identification...are hydraulically tested to insure soundness, and are produced to the close tolerances necessary for tight and strong soldered joints.


Where standard-size, rigid pipe is required, Anaconda Brass Pipe has long been the standard of quality. Two scientifically-determined alloys are carried in stock by leading supply houses... Anaconda 67 Brass Pipe for normally corrosive conditions, and Anaconda 85 Red-Brass for highly corrosive conditions.

*Where temperature range does not exceed 180°F., soft solder made of 95% tin and 5% antimony is recommended. "Sil-Fos" brazing is suggested for higher temperature.

THE AMERICAN BRASS COMPANY

General Offices: Waterbury, Connecticut Offices and Agencies in Principal Cities

ANACONDA COPPER & BRASS



'INCOR' PAID 3 TO 1 AT SUFFOLK DOWNS

Forty thousand people saw the first race at Suffolk Downs, East Boston, last July 10. Ten weeks before, the track site had been a barren waste, a public dump. Once again the 'impossible' was accomplished. To illustrate: Work on 'the world's largest race-track grandstand'—8,000 cu. yds. of concrete—started May 24, was completed June 21. With ordinary cement, forms would have remained in place six days, requiring purchase of lumber for the entire job. By using 'Incor' 24-Hour Cement, forms were stripped in two days, re-used again and again. That meant 62½% fewer forms. Result, a \$10,000 saving—more than three times 'Incor's added cost.

'Incor'* is a better Portland cement—it attains service strength in one-fifth the usual time. But it goes much deeper than mere time-saving—for 'Incor' saves money, by eliminating dead-time waiting for ordinary concrete to harden. This basic principle applies wherever concrete is used—suggesting that contractors be encouraged to estimate under form-removal specifications which take full advantage of 'Incor's earlier service strength. Made and sold by producers of Lone Star Cement, subsidiaries of International Cement Corporation, New York; also sold by other cement manufacturers. *Reg. U. S. Pat. Off.

'INCOR' 24-HOUR CEMENT

PRODUCTS AND PRACTICE

(Continued from page 44)

TWO COAL RANGES



HEATERANGE. The Jeddo Highland Heaterange, to all appearances a coal burning cooking stove, is also a warm air furnace from which, by the usual arrangement of ducts, blower, and humidifier, warm humidified air is circulated throughout the house. As with other furnaces, a water back and storage tank provide for the supply of domestic hot water.

All this is accomplished within the space and in the guise of an attractive coal burning range. It is well insulated and tests indicate that it utilizes for its various purposes about 68 per cent of the heat and fuel which it consumes.

The Heaterange, combining a cooking stove, forced warm air heating plant, and water heater, costs \$250, including the blower but exclusive of delivery and installation charges, and duct work.




AGA STOVE. AGA in this case are not the initials of the American Gas Association, known as A.G.A., but is the name of a Swedish stove distributed here by the American Gas Accumulator Co. Whereas the average coal range operating intermittently has an efficiency of 10 to 25 per cent, it is claimed that this scientifically designed stove utilizes about 80 out of

very 100 heating units which it consumes, and will burn for wenty-four hours on a bucket of coal. Tests showed that he actual coal consumption under ordinary operating condiions was not over 8 to 10 pounds of chestnut anthracite per lay. Burning steadily twenty-four hours a day for a year, he coal consumption would be less than 134 tons.

The AGA stove is exceptionally well insulated, even the ooking top having insulated covers to prevent the loss of eat when not in use. The draft is regulated by a thermostat o that very little fuel is burned except when needed. Special evices make refueling, ash removal, and even relighting easy nd clean operations.

he cooking top has a hot plate for fast cooking and another or simmering. The fast plate heats more rapidly than the rge burner of a gas stove. There are two ovens, one a fast ven and the other kept below the boiling point of water. rom a 10 gallon water compartment within the stove, water st ready to boil can be drawn off for cooking and other tchen purposes.

(Continued on page 48)



POLHEMUS & COFFIN, NEW YORK CITY, ARCHITECTS

A majority of the leading residential architects of America have used Fenestra Steel Casements in houses designed in the English style. To traditional beauty these windows add modern convenience. The Fenestra Bronze-Mesh Screen and the Fenestra Air Conditioning Window, either of which is quickly attached on the inside, make the Fenestra Casement a complete window for all-year service. Fenestra also offers a Steel Casing which materially reduces installation cost. For detailed information on Fenestra equipment, write Detroit Steel Products Co., 2252 East Grand Boulevard, Detroit, Michigan.






Wherever a WATERFILM boiler has been installed it has proven itself by results. These boilers have saved as much as 50 per cent on fuel costs, which is marvelous performance.

Before placing a heating installation in your specifications, also compare other WATERFILM facts, which are as follows: A FLASH BOILER STABILIZED HEATS QUICKLY COOLS SLOWLY IS OF WELDED STEEL CONSTRUCTION BUILT ESPECIALLY FOR AUTOMATIC FIRING SIMPLE AND INEXPENSIVE TO INSTALL

The jacket is both serviceable and good looking.

Write today for full information regarding WATERFILM boilers

WATERFILM BOILERS, INC. 154 OGDEN AVENUE, JERSEY CITY, N. J.



PRODUCTS AND PRACTICE


(Continued from page 47)

The cost of the domestic size is \$350, installed. This cost includes a complete set of cooking utensils which are designed to enable the AGA stove to work at its maximum efficiency. There is also a large size for hotels, restaurant use, and large households, which burns about one-half of a ton of coal per month.

KEROSENE STOVES



Gravity feed kerosene stoves are made in several types: the long chimney wick type, the short chimney wick type, the wickless type, and the asbestos lighting ring types. The long chimney wick type heats quicker and responds more quickly when the flame is turned higher or lower but consumes more fuel than the other types. The wickless and lighting ring types present a greater fire hazard and are more apt to smoke and smell, but they are the most economical in fuel consumption. The average family consumption of kerosene for cooking may be around 13 gallons per month. For the modern kitchen, kerosene stoves are enclosed in attractive cabinets. The illustration above shows the long chimney type.



PRIMUS stoves, made in Sweden, are so well known throughout the world that the tradename has become identified with the type, a wickless stove burning kerosene under pressure. While the original Primus was a small portable, simple, one burner affair with a "roarer" burner and is still so made for camp and expeditionary use, Primus also makes a regular domestic range with an oven and warming chamber below the cooking top, and with a silent type burner. By an ingenious arrangement, only one burner is needed for this entire range. The illustration shows a two burner portable for kitchen or camp use.

In order to start pressure kerosene stoves, it is necessary (Continued on page 50)

For greater sales appeal **C. H. REIS SPECIFIES SEALEX LINOLEUM in 100 low-cost homes**





Every unit of new Lylewood Hills development of \$6,500 homes will feature Sealex Floors in kitchens and baths, announces Charles H. Reis



Colorful Sealex Veltone Floors, with feature strips in contrasting colors, "style up" kitchens and baths in Reis homes.

FOR nine years, Mr. Charles H. Reis has been using Sealex Linoleum in every house constructed by his company. Experience has proved to him that Sealex gives a residence plus sales appeal. Naturally, he specified Sealex for his newest development of \$6,500 homes at Tenafly, N. J.

Declares Mr. Reis: "We have found this material gives us the utmost satisfaction from the standpoint of durability, ease of maintenance, and attractive . . . colors and patterns."

This is just another proof of the fact that, in individual units or developments of 300 houses,

the architect and builder of moderately-priced homes can speed sales by specifying Sealex Linoleum.

There are Sealex patterns available that will help sell your prospects not only on kitchens and baths, but on other areas, such as halls, sunporches and game rooms. Even more attractive results can be obtained, as many builders are finding, by installing Sealex Wall-Covering as well.

Let our engineers consult with you on Sealex Floors and Walls for any type of residence. Write: CONGOLEUM-NAIRN INC., KEARNY, N. J.






No weak spots for corrosion to attack—the Bethanized wire can be wrapped around its own diameter without breaking or flaking its corrosion-defying zinc coat.

HERE are the quick facts. Unlike other chain link wire, the zinc coating on Bethanized wire is chemically pure free from any vulnerable iron content. It is smooth and uniform—free from rough or thin spots. And it is extremely ductile—not hard, brittle and flaky. Twist the wire, bend it double, wrap it around itself—you just can't break the zinc coating and expose the steel core to corrosion.

Think what that means. An Anchor Fence of Bethanized wire is a fence with no flaws in its pure zinc armor —no cracks or crevices through which corrosion can creep in. Because Bethanize wire can "stand the wrap," these Anchor Fences stand up for many years beyond the lifetime of any other chain link fence—even in industrial atmospheres that are heavy with soot, salt, sulphur and other corroding agents. And now there's no premium no extra cost—for Bethanized wire.

Send the coupon for the free book of facts about these better looking, longer lasting Anchor Fences—and about Anchor's nationwide sales and erecting service. Clip and mail the coupon now.



PRODUCTS AND PRACTICE

(Continued from page 48)

to pre-heat the burner. This is usually done by burning a small amount of alcohol in a little cup just below the burner. These stoves burn with a blue, smokeless, hot flame which consumes only about one-third of a pint of kerosene per hour. Primus stoves come in various portable models for yachts, camps, tourists' trips, and polar expeditions. They are also made to operate with gasoline.

SCHOOLROOM LIGHTING

To demonstrate both good and bad schoolroom lighting a typical classroom has been set up at the General Electric Institute. When the classroom is lighted by daylight from the windows, it is found, as might be expected, that the light intensity decreases as one goes away from the windows and also, as would be expected, the intensity of the light changes during the day, decreasing in the afternoon. In order to maintain a nearly uniform light intensity in all parts of the room during all hours of the day, a lighting arrangement with flexible controls has been installed. An "electric eye" turns the lights on or off, depending on the amount of natural light present in a room at any time, thus maintaining a minimum level of illumination for safe seeing. The lighting fixtures are arranged for variable intensities so that not only may failing daylight be supplemented by a necessary amount of artificial lighting, but those parts of the room which receive lesser amounts of natural light will receive greater amounts of artificial illumination. At night, all fixtures can be used with an equal intensity and, with daylight strong enough to make any artificial light unnecessary, the "electric eye" automatically turns off all lights. With this arrangement, lighting is kept at a nearly uniform level of the proper intensity and artificial light is never used unnecessarily.

Artificial lighting in this demonstration room is provided by two rows of pendent ceiling fixtures with three units in each row. Each fixture of the semi-indirect type contains a 200-300-500 watt Three-Light lamp. These lamps permit considerable flexibility in lighting intensity and, by means of a special transformer, a light output equivalent to that of a 750 watt lamp is obtainable from each of the units. This will permit more than 50 foot-candles of artificial illumination at the desk tops.

Supplementing this are eight blackboard lighting units recessed at the ceiling about 2 ft. from the wall. Employing two 150 watt clear lamps behind prismatic glass plates, these units spray the blackboards with an even distribution of light.

SOUND ISOLATION

In a hospital, where quiet hastens convalescence and often prolongs life, sound sources must be isolated. If this can be effected with economy it is apt to be done; if not, it is too often neglected. The designers of the Washington County Hospital, Hagerstown, Md., of which Charles F. Neergaard was the Hospital Consultant, appreciating this problem, looked for a partition that would be satisfactory as a sound isolator, which would not require undue sacrifice of floor space and would not have excessive weight or cost. Not finding a partition which met these requirements to their satisfaction, they designed and had tested another.

This partition was made of Thermax partition blocks 20×32 in. and 3 in. thick laid up in gypsum mortar, following the usual method of masonry partition work. On this Thermax wall were nailed lapped sheets of Sisalkraft made of five laminations of tough paper and asphalt. On the paper covered side of the Thermax blocks there was then nailed Thermax insulating board 20×64 in. *(Continued on page 52)*

ISSATISFIED-CHENT!

Discontent caused by a system that doesn't keep water always ready, always hot, always plentiful-runs from inconvenienced babes to irritated bill-payers.

Today, the modern, automatic gas water heater offers architects the most practical type of system from the standpoints of both service and economy.

Continuous, trouble-free operation is completely assured. The owner never has to look at the heater—never has to wait for hot water. Automatic gas-fired heaters deliver hot water day and night and they deliver it at low cost.

New advancements in construction, insulation, thermostatic control and burners have greatly improved heat utilization, raised efficiency, lowered operating costs and modernized appearance.

Secure the comparative costs of operating various types of water heating systems by writing this Association. The figures are from tests by unbiased authorities. They can be applied to local rates for all types of fuels.


They definitely prove that automatic gas water heaters are the most practical heaters to recommend. Write them into your specifications.

OMATIC GAS WATER HEATER MANUFACTURER MEMBERS

LAWSON MANUFACTURING COMPANY LOVEKIN WATER HEATER COMPANY J. W MOORE VALVE CORPORATION THE PITTSBURG WATER HEATER CORPORATION RUUD MANUFACTURING COMPANY SANDS MANUFACTURING COMPANY SURFACE COMBUSTION CORPORATION UNITED AMERICAN BOSCH CORPORATION WELSBACH COMPANY WHITEHEAD METAL PRODUCTS COMPANY CTURING COMPANY

hank you Mr. Architect!

GAS WATER HEATER DIVISION, 60 East 42nd Street, New York



PRODUCTS AND PRACTICE

(Continued from page 50)

and 1 in. thick in such a way as to insure broken joints in both directions. This wall was then plastered on both sides with two coats of brown plaster and a white finish coat. This finished partition weighs 19 lbs. per sq. ft. and is 5 in. thick. A full size partition was constructed and tested at the Bureau of Standards. The test showed an average transmission loss over nine frequencies of 47.4 decibels. In the Bureau's official report, the following general observation is made: "The average transmission loss for this panel is 47.4 decibels, which is approximately the same as that for a six or eight inch load bearing clay tile partition plastered on both sides." A six inch load bearing clay tile partition, plastered, weighs 42 lbs. per sq. ft. and is seven inches thick, finished.

In the following tabulation are given comparative sound transmission values and approximate costs obtaining in large metropolitan areas for the five types of sound isolating partitions.

A	В	C	D	E	F
	Lbs./sq. ft.	\$/sq. ft.	\$/sq. ft.	\$/sq. ft.	Average
1	19	.30	.12	.42	47.4
2	42	.33	.14	.47	47.0
3	28	.22	.14	.36	44.0
4	34	.37	.14	.51	39.0
5	21	.17	.14	.31	30.0

A Partition number.

- B Weight of core including plaster.
- Cost of core erected but not plastered. Includes material, C labor, overhead and profit.
- Cost of brown and finished plaster. Includes material, D labor, overhead and profit.
- Total cost. E
- F Decibel reduction.

Partition No. 1 3 in. Thermax block wall laid in mortar, Sisalkraft and 1 in. Thermax board attached to it, and plastered $\frac{1}{2}$ in. both sides with gypsum plaster. Authority: Bureau of Standards test over nine frequencies.

Partition No. 2 6 in. Hollow Clay Tile wall, 6 cell load bearing tile laid in mortar, plastered 5/8 in. both sides with gypsum plaster.

Authority: Bureau of Standards test over five frequencies.

Partition No. 3 4 in. Hollow Clay Tile wall, 3 cell partition tile laid in mortar, plastered 5% in. both sides with gypsum plaster.

Authority: Bureau of Standards test over five frequencies.

Partition No. 4 Two 3 in. Gypsum block walls laid in mortar with 1 in. Flax-li-num between, plastered 5% in. both sides with gypsum mortar.

Authority: Prof. F. R. Osborn.

Partition No. 5 3 in. Gypsum block wall laid in mortar, plastered 5% in. both sides with gypsum plaster.


Authority: Prof. V. O. Knutsen. Test over five frequencies.

501. CASEMENT WINDOW HINGES

Wood casement windows may now have extension hinges, a type common on steel casements. These hinges hold the sash 4 in. away from the frame when the window is opened. This permits easier access for cleaning the outside of the window from the inside of the room and is particularly convenient for reaching fixed lights at the side of the operating sash.

Ventilation is increased by the use of extension hinges as, when the window is open, it acts as a baffle for breezes, deflecting the air into the room from either side of the window.

Such extension hinges are made by the Casement Hardware Co. in the loose pin type with bronze bushings.



They Agree on Sonneborn Quality

Leading architects, plant superintendents, builders, and painters, throughout the country, have recommended products made by SONNEBORN because they have used them successfully for years in homes, schools, and industrial buildings.

Over a quarter of a century of scientific research by competent laboratory technicians, keeping abreast of the times with every new development in the building field, have made SONNEBORN'S Waterproofing, Damproofing, and Paint Products the most reliable on the market.

This successful record of the proved efficiency of these products is your best assurance of satisfaction.

Write for literature of SONNEBORN'S tested products.

SONNEBORN'S **TESTED PRODUCTS**

- LAPIDOLITH The guaranteed method of securing dust-proof concrete floors. LIGNOPHOL
- LIGNOPHOL A scientific penetrating preservative and finish for wood floors. HYDROCIDE COLORLESS For exterior waterproofing of masonry walls. KAUKIT Non-shrinking waterproof caulking com-pound. CEMCOAT

- Non-shrinking waterproof caulking com-pound. CEMCOAT Light reflecting enamel for interiors, also waterproof coating for exteriors and floors, is outstandingly superior for masonry surfaces. HYDROCIDE WATERPROOFING AND DAMPROOFING Integral admixtures, foundation and plasterbond coatings. PAINT SPECIALTIES Acid and alkaline resisting and tech-nical paints.

L. SONNEBORN SONS, INC. 88 Lexington Ave., New York City





Your selling job is THROUGH...

Millions of people, including home owners and would-be home owners, are well aware of the outstanding advantages of the T/N water closet. Through a well balanced schedule of advertising in leading magazines and newspapers, and with a direct mail program, thousands of home-minded families are being sold each month on the features which emphasize the superiority of the T/N water closet. In short, the T/N acceptance has

become unanimous. Every one is demanding an up-to-date bathroom, and the T/N with its countless features* is the most modern water closet you can possibly offer your client. And priced so that you can include it in the most modest of your home plans. There's no selling job, when you specify T/N.



T/N ONE-PIECE WATER CLOSET

W. A. CASE & SON MANUFACTURING COMPANY Founded 1853 Dept. E-56, 31 Main Street, Buffalo, N.Y.

Please send me complete descriptive literature and helpful data on the T/N One-Piece Water Closet, both for REMODELING and NEW HOMES.

MANUFACTURERS' PUBLICATIONS

Among the manufacturers' publications recently received of interest to the architectural profession were the following:

502. OIL BURNER

Bethlehem Foundry & Machine Co.—a booklet describing the new Bethlehem Doe Oil Burner.

503. SOIL PIPE FITTINGS

The Cast Iron Soil Pipe Assn.—American Standards on Cast Iron Soil Pipe and Fittings—reference data on nomenclature and dimensions of cast iron soil pipe fittings.

504. VENTILATING APPLIANCES

The Allen Corp.—a catalogue of their roof ventilators and exhaust fans, with some useful tables on air velocities, moisture, and mensuration.

505. AUTOMATIC CONTROLS

Minneapolis-Honeywell Regulator Co.—"Automatic Heating and Air Conditioning" describes the function performed by their automatic controls in heating and air conditioning work.

506. The Johnson Service Co.—"Johnson Zone Control Systems" sets forth the advantages of zone control and tells how the "Duo-Stat" zone control is applied to a heating system.

PAINT

507. Medusa Products Co.—"How to Paint Concrete, Stucco, Masonry and Other Surfaces" describes the use of Medusa paints for these purposes.

508. The New Jersey Zinc Co.—"Improving Paint Service on Wood with Special Priming" is a manual on better paint practice. The results of tests of various paints on different kinds of wood are illustrated and interesting paint theories are set forth.

509. ROLLING GRILLES

Cornell Iron Works—a booklet illustrating installations of steel, bronze, and aluminum rolling grilles with detail drawings and specifications.

510. JOHNS-MANVILLE CORPORATION

"40 Points You Should Consider in Building Your New Home" makes suggestions on financing, recommends the use of competent architect and reliable builder, illustrates popular architectural styles, and gives points on foundation and framing methods and interior planning. The manual then goes on to describe the "Triple Insulated House," to explain the use of Johns-Manville products in building a house. "101 Practical Suggestions for Home Improvements" illustrates and explains the use of Johns-Manville products throughout the house.

REQUEST FOR DATA

To obtain any of the publications reviewed on these pages, indicate the number and send coupon to THE ARCHITECTURAL FORUM, 135 East 42nd St., New York

	•																																									
• •		•			•			•	•	•				•		•		•	•	• •	•	•		•	•	•	•	• •			•	•		•	;		•		•	•	•	,
													÷																										×			
NA	I	M	E													•	•																					*			i.	
STI	R	El	EJ	C	A	1	DI	DI	RJ	E	35	3							•															*								
Cr	r	Y	A	N	11	D	5	51	r/	11	FF	2				*									-																	
P	le	a	se	(h	ie	ci	k	k	ie	re		if		eı	19	a	g	ed	l	in		A	rc	h	it	ec	ti	u	a	l	P	re	ic	ti	ic	e		1	C]	



against the greatest scourge in the building industry today

Jusist ON THIS SEAL OF PROTECTION

Many years of research, experiment and tests have gone into developing this outstanding treatment, now being applied to Insulite products during manufacture in such a way that every fiber has this important and permanent protection against attack by termites, rot and fungi.

SAFE! No ingredient is used in the Termilite process that is harmful to human or animal life...safe to handle and use. Does not affect the appearance of Insulite. No added cost!

LOOK FOR THE SEAL. Look for this seal of protection. It appears on bundles of Insulite, whether the product be Building Board, Sheathing, Lok-Joint Lath, Tile, Plank or Roof Insulation. It is a permanent safeguard against damage to all buildings THE SAFE PERMANENT TREATMENT AGAINST TERMITES, ROT, FUNGI

PROTECTED BY

THE

MILITE PROCESS

by termites, rot and fungi. The Insulite Company, Dept. AF36, Minneapolis, Minn.

(Build Right with Insulite)



IN EVERY ADVERTISEMENT TO PROSPECTIVE BUILDERS OR MODERNIZERS WE SAY: "IT WILL PAY YOU TO SEE AN ARCHITECT WHEN YOU BUILD OR REMODEL"

Serving the Halls of the **United States Capitol**

at Washington



AERDFIN FAN SYSTEM HEATING AND COOLING SURFACE

THE nation's capitol city boasts many installations of Aerofin standardized lightweight heating and cooling surface. No finer tribute to the country's premier fan system surface can be paid than to have it keep company with the nation's own capitol.

Aerofin's outstanding record of performance leads inevitably to its choice by leading architects, engineers and contractors. Such experienced professional technicians are exacting in their requirements—and Aerofin never disappoints them. Whether the job is large or small—for heating or cooling or for both, there is an Aerofin unit exactly fitted to your need.

A complete line of equipment for heating and cooling is at your service. The home office in Newark or any of our branch offices will gladly send complete descriptive literature or render prompt personal and efficient technical co-operation. Simply write to the address below.



FORUM OF EVENTS

(Continued from page 15)

manship, the inch scale models are the product of 29 girls, 7 boys. The most amazing feature of the whole exhibition was the fact that girls sired the more masculine rooms, the shooting gallery, boxing ring, gymnasium, etc., while the young men went in more for the more homely pursuits of vegetable and fruit canning, and laundry layouts.

Unobtrusively in every cellar is a complete, up-to-date miniature heating unit, complete with copper piping, cast to scale especially for the models and set up under engineering supervision by professional model makers for the American Radiator Co. In this way, visitors could see exactly how the reborn cellar would look when completed, even to tees, valves, elbows and other accessories.

BROADWAY AQUARIUM

H ERDED over on the west side of Times Square by a squad of 40 policemen, a ruly crowd listened patiently to several fanfares by four girl trumpeters draped in fleecy gold gowns, gasped politely as jovial little Albert E. Gans, co-father of the Great White Way, gently pushed a button that brought to light the latest and largest of Broadway's spectaculars. Designed for the manufacturers of Wrigley's chewing gum by pretty, 25-year-old Dorothy Shepard, famed Californian interior decorator, the sign shows vividly stylized, multicolored tropical fish floating all the way from 44th to 45th



WRIGLEY'S WIGGLIES

Street, towers ten stories over the unfinished two-story theater building that is being built to replace the late Oscar Hammerstein's architectural abortion. In the center is a huge package of Wrigley's Spearmint Gum atop which is perched the traditional Spearman who actually grins over a yard wide as he busily points out old familiar slogans interspersed with such new ones as "keeps the taste in tune" and "steadies the nerves."

Modestly termed the largest spectacular (electric sign) in the world, it is narrower than the Bayer sign in Leverkusen, near Dusseldorf, falls far short of André Citroyen's well known electrotechnics on the Eiffel Tower in Paris. Even in New York its crown is threatened by the huge electric tower, topped off by a star, being erected by Schenley Products Co. on the roof of the new Rialto Theater at 7th Avenue and 42nd Street and which will blaze forth sometime late this month.

Unlike other signs that abound the Stem however, the new Wrigley tapestry is keyed in a leisurely tempo, soothes rather than startles the observer. The fish, magnified hundreds of times, are artistic adaptations in both form and color of authentic South Sea fauna. As they rhythmically burp large white bubbles, they seemingly swim through space, the illusion being created by vertical flickerings in their scales and a running motion in the waves. Only in the rolling of the eyes and the jerking of the arms of the merry little Spearman does the neon mural revert to the quick-flashing (Continued on page 58)

When Delivered-



ISALKRAFT is the reenforced building paper. When used under prepared roofing, under flooring and over sheathing in the sidewalls, it is the "unseen, tough membrane" that wraps up what is perhaps the most valuable purchase of a man's lifetime. It delivers a home that will be windproof, waterproof and more comfortable under all weather conditions for the next 10, 20, 30 years or more.

SISALKRAFT is strong, tough and durable. The contractor handles it quickly without rips, tears or punctures. There will be no holes to allow the infiltration of dust, air or rain. Every home deserves to be wrapped up in Sisalkraft—when delivered. SISALKRAFT deserves to be written into all of your plans and specifications.

SISALKRAFT IS ECONOMY! It costs about \$1.10 to cover a space of 100 square feet. What a very small percentage of the total building cost for such true protection!



SISALKRAFT is stocked by lumber dealers everywhere.

Write us for self-demonstrating samples, specifications and AIA Files.



Company "more then a building paper" 205 West Wacker Drive Chicago, Illinois New York San Francis

San Francisco



Mural-tone'd interiors REDUCE LIGHT BILLS

We'LL SAVE mention of how you can cut painting costs 25% until we tell you why MURAL-TONE white wall paint cannot yellow.

It is the perfected combination of lithopone and real pigments in a casein vehicle. Neither time, nor light, nor fumes can affect the whiteness of lithopone. This is an established fact.

MURAL-TONE comes in thick, paste form. One gallon thinned with water yields one and two-thirds gallons of paint. It takes more thinner—and covers more surface. One gallon will cover as much as a thousand sq. feet.


One coat covers and hides. Ideal for new construction or for repainting almost every type of wall surface.

SEND FOR FREE SAMPLE

Test MURAL-TONE yourself. It will be better than pages of advertising. See how it hides — how far it goes — how easy it is to use.

It is offered by a company whose reputation for quality goes back to 1894. We have always believed that results speak louder than claims. Where shall we send your sample? And what color would you like?

Please address THE MURALO COMPANY, INC. (Founded 1894), 574 Richmond Terrace, Staten Island, N. Y. Branches —Atlanta—Boston—Chicago —San Francisco.



FORUM OF EVENTS

(Continued from page 56)

type and ruffle its calm. To accomplish this animation, intricate flashing mechanisms rivaling the ingenuity of stagelighting devices are spread all over the steel network. The flashing mechanism consists of 21 pieces of apparatus, all working in unison but none synchronized with another. The connected electrical load is equivalent to 940 horsepower and the annual wattage consumed is sufficient to operate every radio in the U.S. for a two-hour period.

The predominant colors are ultramarine blue and sea green. In lesser degree appear vermilion, orange, yellow, metallic green and white. Developed especially for the sign by General Electric, they are achieved through frosted or capped bulbs and variously colored neon. In all, the sign boasts 1,084 ft. of neon tubing, 29,508 lamps; burns enough electricity to serve a town of 10,000 inhabitants. Using approximately \$4,000 worth of electricity a month, the annual cost of operation will exceed \$150,000, will take nearly a week's sale of gum to make the sign break even.


Anchored to the roof by means of steel legs braced 30 ft. apart, the 110 ton sign is constructed to withstand winds of even hurricane strength. The building itself, of steel and concrete, was possibly inspired by plans submitted in the open competition conducted by THE ARCHITECTURAL FORUM (Feb., 1934, p. 158-9).

FAIR FLASHES

DALLAS, TEXAS: "The architecture of most of the buildings at A Century of Progress was modern and functional," said recently George L. Dahl, chief Centennial architect. "That of San Diego is a mixture of Spanish and California Colonial—simple walls with Spanish ornamentation. The Centennial buildings will be primarily functional . . . Our architecture is contemporary, however, rather than ultramodern."

FORT WORTH, TEXAS: Biggest news was the appointment of Producer Billy (Jumbo) Rose to general manager of the Texas Frontier Exposition at a reputed salary of \$1,000 a day. No less important was the news that Albert Johnson, Broadway's famed designer, has been given 150 acres on which to exercise his violent art and produce a frontier town that will combine the best features of Deadwood, Virginia City and San Francisco of '49. The town will boast an outdoor cabaret with 5,000 seats, a one-ring circus, a monster zoo, a shooting gallery for 500 marksmen, and a Texas cemetery of 100 years ago, to remind visitors of the violent ends of their ancestors. Super-showman Rose's appointment was directly due to a civic feud between Dallas and Fort Worth. Disgruntled that their sister city should be chosen as the site for the Texas Centenary, Fort Worth's city fathers decided to take steps to put Dallas in her place. If the Dallas celebration was to be cultural and refined, Fort Worth would offer a combination rodeo, Coney Island, circus and Mardi Gras. To find a man who would carry out their rowdy desires, the city fathers unanimously agreed on Billy Rose. Said he last month, from under a brand new 10-gallon hat: "I'm going to have a Texas pageant, to be called 'The Fall of the Alamo,' 'The Battle of San Jacinto,' or some such Texas name. I'll have 2,000 Indians and 1,000 cowboys in that number, and guess who wins?"

CLEVELAND, OHIO: Construction last month was humming along the banks of Lake Erie. From the headquarters of the Great Lakes Exposition came these additional announcements: To be chief of construction: Albert N. Gonsior, graduate of Engineering School of the University of Illinois and superintendent of construction at the Chicago Century of Progress. His assistants: (technical) M. G. Laigle; (others) (Continued on page 60)



SPEED AND LOW COST . . . often requisite . . . can be achieved without sacrifice of beauty, fire-safety, or rigid strength when it comes to subdivision of large areas into livable quarters by use of Steelcrete Metal Lath and accessories—the ideal base for plastered walls and ceilings. In that notable project, Hillside Apartments, two-inch solid partitions for 1416 apartments (5,278 rooms) were constructed quickly and efficiently with Bar-X-Lath. This outstanding Steelcrete plastering base is a diamond mesh expanded metal lath, to each sheet of which is welded four pairs of No. 11 rods spaced on 7" centers to reinforce the large flat sheets for ideal rigidity. In specifying Steelcrete Steel or COP-R-LOY Lath—whether it be Bar-X-Lath or other Steelcrete types—you have definite assurance of your own and your client's satisfaction in the finished results. May we send you descriptive literature?

THE CONSOLIDATED EXPANDED METAL COMPANIES WHEELING, WEST VIRGINIA Branch Offices and Warehouses: New York Chicago Cleveland Pittsburgh Philadelphia Boston Buffalo Houston Atlanta Export Office: 330 West 42nd St., New York, N.Y.



The jewel-like qualities of Patrician point the way to the new and practical in household hardware.

Plastic knob material, framed in its natural metal finishes, offers a touch of color that attracts and *pleases.* Its rich black or ivory are at home in all surroundings; while delicate pastel tints, mahogany, and Chinese red are available to complete the decorative motif where needed.

The material will not tarnish or fade, and is impervious to the effects of perspiration.

May we suggest Sweet's Architectural Catalogs for details? Patrician is available in a complete dependable line of sectional and pendant trim.



HARDWARE Exclusively by LOCKWOOD HARDWARE MFG. CO. DIVISION OF INDEPENDENT FITCHBURG, MASS.

FORUM OF EVENTS

(Continued from page 58)

Charles Smallwood and H. E. Hempel. The following appointments were announced: Director of Works, R. C. Frisbee; architect in charge, Anthony Thormin; head designer, Carl Guenther; chief engineer, (electrical) A. H. Heidenrich. Building awards: Hall of Progress, to Walker & Weeks, architects; Transportation Building to Antonio di Nardo, architect; Horticultural Building to Warner & Mitchell, architects. The producer of "Parade of the Years" will be Edward Hungerford; the designer of the sets, Richard Rychtarik.

The general purpose of the Exposition: To present an accurate picture of the commerce, industry and culture of the Great Lakes Region, dramatized as is possible only through the presentation of a big show. It is estimated that over 4,000,000 people will attend before the October 4 closing. Of the new structures erected for the Exposition, only the Horticultural Building will remain as a permanent feature after the close of the show.

JOHANNESBURG, SOUTH AFRICA: All parts of the British Empire are cooperating with Joburg to make the exhibition a great success. India is building a reproduction of the Taj Mahal. The Port of London will erect a large reproduction of their London headquarters. In a "Court of the Provinces" each African region and city of importance will have its own individual exhibit in a garden court. The site will cover more than 100 acres.

PARIS, FRANCE: Opening date for the Paris International Exposition of 1937 has been set for May 16. The show will continue for six months, close in late November. Called the "Exposition of Arts and Crafts in Modern Life," the Fair will present works of new inspiration, executed by craftsmen, artists and creators in their individual fields of decorative arts and modern industry. The announced desire of the Exposition is to combine beauty with utility. As far as France is concerned, the Fair will try to emphasize the present trend of French decorative art. At least two permanent buildings will evolve from the show: a new Trocadéro that will commemorate the capture of the Fort du Trocadéro in the Bay of Cadiz by the Duc d'Angoulême in 1823, and a group of buildings to be called Museums of Modern Art. A feature of the Fair will be the wine festival held in conjunction with the showing of the wares of 700 French wine merchants.

SAN FRANCISCO, CALIFORNIA: San Francisco's hat is in the ring. With the largest bridge in the world to dedicate, San Francisco will take that opportunity to play hostess to the world with another International Exposition. The date is still tentative but the year is 1939. To be promoted by some of the same men that were responsible for the financial success of the 1915 show, the 1939 Fair is expected to: 1) be a "show of surpassing beauty;" 2) be of enormous benefit to local business; and 3) draw an estimated attendance of at least 10,000,000 people.

NEW YORK CITY: Last month perhaps ended the Fair to end Fairs. Under the leadership of President McAneny, the board of directors voted to drop all preparations until "adequate appropriation by public authorities has been made." The vote was unanimous.

ALSO RAN: Not complete by any means, these briefs have made no attempt to cover the small industrial fairs which will occupy the larger part of the present calendar year even though 1936 will probably usher in more international, (Continued on page 62)

spring the year round-



Get the complete story of Norge Home Appliances for apartment or home installation. There are distinct advantages in standardizing on Norge equipment—apart from the exceptionally high quality of the products themselves.



ROLLATOR REFRIGERATION (DOMESTIC AND COMMERCIAL) • GAS AND ELECTRIC RANGES • WASHERS AND IRONERS • WHIRLATOR OIL BURNERS FINE-AIR FURNACES • AIR CONDITIONING • CIRCULATOR ROOM HEATERS

WITH A NORGE FINE-AIR CONDITIONING FURNACE UNIT

In the home of today—and certainly the home of tomorrow—more is expected of a heating plant than heat. Properly conditioned air is not a future desire, it is a present demand.

For the home selling for from \$5,000 to \$50,000 Norge offers the *complete* solution to the problem of air conditioning. The Norge Fine-Air Conditioning Furnace Unit warms, filters, humidifies, circulates the air in every room in the house, provides plenty of hot water. It may be used to circulate filtered air in Summer. Its heating efficiency is over 80% as compared with 20% to 45% in the old-fashioned heating plant which does nothing but provide heat.

The more you study the Norge Fine-Air Furnace, from the standpoint of engineering and construction, the stronger will be your conviction that it is truly the Winter air-conditioning system of the future. And it may easily be supplemented with Norge cooling equipment if lower Summer temperatures are desired than are effected by the forced circulation of air.

For more complete information about Norge heating and air conditioning, get in touch with the Norge distributor in your vicinity or write direct to us.

NORGE HEATING AND CONDITIONING DIVISION Borg-Warner Corporation, Detroit, Michigan WARREN NORGE CO. Inc. Apartment and Builders Sales Division, 315 Fourth Avenue New York City, Tel. STuyvesant 9-5000





meets them all

Does it atomize at *low pressure*, insuring quiet and complete combustion and long life?

Has it projected flame burning in mid-air away from the burner, with all mechanism outside the combustion chamber away from the heat?

Has it diffusor to insure, with any oil, a perfect blending of oil and air, producing a steady, unwavering flame? Has it positively operated automatic safety shut-off valve?

Will it burn the economical, heavier, low-priced fuel oils?
Has it metering pump feeding unvarying quantity of oil regardless of viscosity or temperature?

7 Is the manufacturer financially responsible specializing exclusively in temperature control devices?

To simplify the evaluation of an oil burner we have listed above the seven features which contribute the most towards economy, long life and carefree service. Due to exclusive patented features Williams Oil-O-Matic is the only oil burner which meets all seven requirements.

Add to this the fact that Oil-O-Matic has a record of 200,000 installations . . . that it is made by the world's largest specialists in temperature control . . . that for 17 years it has been the world's fastest selling oil burner. No wonder so many architects specify Williams Oil-O-Matic!

Oil-O-Matic is built in five different sizes. It can be quickly installed in any furnace or boiler; steam, vapor, hot water or hot air. For new construction it is provided in complete boiler-burner and furnace-burner units. For useful data for your files, mail the Architect's coupon below.



FORUM OF EVENTS

(Continued from page 60)

national, state and local fairs and expositions than any other period in history. Already exhausted are: Trade Fair, Leipzig; International Fair, Lyons; Sample Fair, Praha; International Fair, Vienna; Spring Fair, Utrecht; Spring Samples Fair, Cologne; Spring Fair, Haarlem; Spring Fair, Frankfort; Swiss Industrial Fair, Basle; Spring Fair, Nantes; International Fair, Lille; etc.

IN PROSPECT: Oriental Fair, Damascus (May); Levant Fair, Tel Aviv (May); Iowa State Fair, Des Moines (August); California State Fair, Sacramento (September); Mid-South Fair, Memphis, Tennessee (September); Brockton Fair, Massachusetts (September); Virginia State Fair, Richmond (October); Louisiana State Fair, Shreveport (October); etc., etc.

BROCKWAY LIBRARY

"I T SHOULD be a matter of rejoicing . . . that this collection of books is to be kept intact . . . and made available for the use of future architectural generations," said Harold L. Butler, Dean of Syracuse University's College of the Fine Arts, on the occasion, last month, of the acquisition of the library of the late Albert L. Brockway, founder and first head of the University's department of architecture.

Begun while Brockway was a student at l'École des Beaux Arts, the collection includes many valuable volumes on European schools of architecture, civic planning, industrial design, furniture, garden art, sculpture and painting. Among the outstanding features are a second edition of Palladio (Venice, 1786), an 1825 edition of Vitruvius, a Liège edition of Edifices de Rome, and an original edition of Owen Jones. Another invaluable part of the library is the collection of photographs of some 200 English, French and Italian buildings—together with complete details of construction.

M.I.T. HOMEWORK

To BRING to architecture the same laboratory method of instruction that has made the science and engineering departments renowned, the Massachusetts Institute of Technology this year inaugurated a new type of course for first and second year students in the school of architecture. In brief, it provides not only instruction in house design, but practical experience in construction and sale.

The problem this year was to build a house to fit the requirements of an average family whose special desires as to number of rooms, economy and conveniences were set forth in a letter such as any prospective client might write a professional architect. The winning design, by Thomas Akin, Jr., '38, of New Bedford, was a seven-room Colonial house. The site: a piece of land owned by the Institute in Wellesley, Mass.

The next step will be to make working drawings from which contractors can build the house next Fall. For this purpose, first and second year men are being divided into competing squads, each headed by a captain. The best set of drawings will be chosen by a jury for the actual construction. During building, the students will participate in writing specifications, selecting contractors and supervising building from excavation to final coat of paint.

When completed, the sale of the house will not only give the students experience in the legal and financial angles of property transfer, but the money received will be used to defray costs of designing and building another house the following year.

(Continued on page 64)

One fact worth remembering about RUBBER FLOORS



MAKE THIS TEST — burning matches, cigars and cigarettes neither char no stain Goodyear Rubber Flooring

Beautiful, quiet, permanent - Goodyear Rubber Tile floor in main lounge, Masonic Temple, Columbus, Ohio - Architect: Richards, McCarty & Bulford

FLOORING is the most difficult of all rubber products to compound. Surface qualities - color, flexibility, resilience-are important to the architect. But far more so is the manufacturing skill and integrity that insures their permanence without excessive maintenance cost.

That is why Goodyear Rubber Flooring has been specified in so many of the nation's finest public buildings and homes-records prove it wears longest! A product of the world's largest rubber company, its composition embodies all Goodyear's wide experience in compounding rubber goods to withstand severest conditions of wear, abrasion, temperature, weathering, etc.-factors which appreciably shorten the life of ordinary flooring. Remember that when your floor plans call for rubber. If you want a floor whose beauty will still do you credit years hence; that will not become stained, indented nor ingrained with dirt; that will not be scarred or marred by burning cigarettes or matches-look to the greatest name in rubber.

Now made in two types Goodyear Rubber Tile-laid in individual blocks of WINGFOOT any size, shape or color GOOD YEAR

in any desired pattern or mosaic - the finest floor money can buy. Goodyear Wingfoot

ONE FLOORING

that meets every specification DURABILITY - withstands heaviest URABILITY setthstands heaviest traffic for years without appreciable impervious to dirt; CLEANLINESS — impercious kept spotless with damp mop. CLEANLINESS wear.

FIRE - AND STAIN-PROOF - not marred by alcohol, inks, most acids, cigar stubs, etc. QUIET-its resiliency minimizes QUICI — its resiltency minimizes noise and gives maximum comfort underfoot. BEAUTY-wide choice of rich neo-BEAUTY wide choice of rich neo-and three-tone permanent colors har-monising with any decorative scheme. See Sweet's 1936 Architectural Cata see Sweet's 1930 Arennectural Cate-logue for complete specification data

Sheet Rubber Flooring - at lower cost-made and laid in continuous

lengths like linoleum and adaptable to more than 100,000 different designs. For full particulars, write Goodyear. Akron, Ohio, or Los Angeles, California.



FLOORING

FORUM OF EVENTS

(Continued from page 62)

PERSONALS

BERNARD H. PRACK and ARTHUR E. PRACK announce the formation of a partnership for the general practice of architecture with offices at 517 Martin Building, N. S. Pittsburgh, Pa. The firm name will be: Prack & Prack, Registered Architects.

Paul Schweikher and Theodore Warren Lamb (winners of Grand Prize, General Electric competition) announce the opening of an office at 161 East Erie St., Chicago, for the general practice of architecture and industrial design.

Peter Copeland, New York architect and industrial designer, has been appointed consulting architect for the Marizon-Rosenberg Co. With headquarters at 225 West 34th St., the company represents 175 stores all over the country.

Robert E. Bourke and George Havens have been admitted to partnership in the firm of Mundie & Jensen, architects, with offices at 39 South LaSalle St., Chicago. The firm name now: Mundie, Jensen, Bourke & Havens.

Bertrand Goldberg announces the opening of an architectural office at 1755 East 55th St., Chicago.

William Ginsberg, New York architect, was cited recently by the Washington Board of Trade for "architectural merit" in his Washington Daily News Building.

The firm of Coggins & Hedlander, architects, has removed its offices to the Chateau Lafayette, Boston Post Road, Greenwich, Conn. Their former address: Stanwich Road, Greenwich.

COMPETITIONS

The Burnham

Slenderized Ra-diator is no deeper than the

length of your fore-finger. Fits under windows

between stud

ding. Is 40% smaller than old tube-type radiators. Heats

40% quicker. Glad to tell you exactly why it does.

APPLICATIONS for the Kate Neal Kinley Memorial Fellowship (\$1,000) should reach the Committee not later than June 1, 1936. Application blanks and instructions from Dean Rexford Newcomb, College of Fine and Applied Arts, University of Illinois.

The George G. Booth Traveling Fellowship in Architecture is open to any graduate of the University of Michigan who has not reached the age of thirty by June 22, the date on which the competition will be conducted. Further information, write Director Emil Lorch, College of Architecture, University of Michigan, Ann Arbor.

The College of Architecture, University of Michigan, will again hold summer classes this year. Opening June 29, the school will conduct seven weeks' courses in architectural drawing, undergraduate and graduate architectural design, elements of office practice and outdoor painting and sketching.

AWARDS

AMERICAN ACADEMY IN ROME announcements:

Awarded: Rome Prizes in classical studies to Walter F. Snyder (Swarthmore; Yale) of Merchantville, N. J., and to Miss Susan M. Savage (Bryn Mawr; U. of P.) of Audubon, N. J.

Survivors (preliminary competition in architecture):

Richard Ayers, Jefferson, Georgia (Yale).

James W. Breed, Philadelphia, Pa. (U. of P.; Cornell). John J. Brust, Milwaukee, Wis. (Notre Dame; Catholic U.).

Joseph P. Ceruti, Cleveland, Ohio (Cleveland School of Architecture; Princeton).

Vernon F. Duckett, Washington, D. C. (Catholic U.).

James M. Hunter, Urbana, Ill. (undergraduate, University of Illinois).

Joseph V. Keyes, Manchester, N. H. (U. of P.).

George N. Lykos, Boston, Mass. (M. I. T.).

S. Thomas Stathes, Washington, D. C. (Catholic U.). (Continued on page 66)

The Burnham Panel Front is made of pressed steel. It screws directly to the wall. Fits flush with base-board. Panel on either side is re-movable to reach the control valve. Made in various standard heights and lengths.

Two Kinds of Heat From the One RADIATOR

As you know so well, in spite of their have always been two disadvantages to enclosing radiators:

FIRST-You get only convected heat. You lose the distinct advantage of radiant heat.

SECOND-The pull of the cool air across the floor to supply the enclosed radiator, is often uncomfortable. This is especially true with automatic controlled heat, such as oil and gas, with its intermittent onand-offs.


The problem therefore, is to overcome floor drafts and secure the combined advantage of both the radiant and convected heat.

That is fully accomplished by recessing the Burnham Slenderized Radiator and using the Burnham Panel Front. The large open-ing in the panel exposes the radiator, which is so good looking it gives a grille effect. From it comes an abundance of radiant heat. From the grille above comes the convected heat, flowing at a higher velocity, causing a rapid circulation.

The reflected radiant rays heat the lower part. The two come together giving not only a quicker heating result, but one free from objectionable drafts. It insures a gently comfortable heat at all parts of the room. You get the two kinds of heat from the one radiator. Send for booklet giving full particulars.

Burnham Boiler Corporation

Zanesville, Ohio Irvington, N.Y. Representatives in All Principal Cities of the U.S. and Canada Main lobby with Telechron skeleton clock in view. Note the weather signal lights directly below the clock, to inform all persons inside the building regarding outdoor weather conditions.



This ultra-modern, windowless office building, operated entirely on artificial weather, is equipped with the best clock system — a Telechron MDMR (manual dual motor reset), consisting of 26 office clocks, a 54"x44" outdoor clock mounted above the panel of the Chocolate Avenue (south) side of the building, and central control.

Architect, D. Paul Witmer; Engineer, A. Bowman Snavely; General Contractor, Hershey Lumber Products; Electrical Contractor, Hershey Chocolate Corporation.

THE MOST MODERN TIME FOR THE MOST MODERN BUILDINGS

MODERN plants require modern timekeeping equipment. One of the most interesting developments in modern architecture is the new Hershey Chocolate Corporation Office Building, at Hershey, Pennsylvania. Completely modern in function and design, it is operated entirely on artificial weather, lighting, and Telechron time.

Accurate, silent, dependable Telechron time service makes every type of building, new or modernized, more efficient. Actual installations vary from one to thousands of Telechron clocks—operating as a unit, and controlled from a central point.

Important in the consideration of a Telechron clock system is its economy. The initial cost is low . . . operating and maintenance charges are negligible.

We would be pleased to send one of our representatives to discuss your projects with you. Address the Warren Telechron Company, 756 Main Street, Ashland, Massachusetts.

lechron

SELF-STARTING SYNCHRONOUS ELECTRIC CLOCKS

No Danger of Scalding if you Install **POWERS** SHOWER MIXERS



No "shots" of icy cold or scalding hot water

• Use this time saving economical mixer to provide thermostatic control for both shower and tub bath. To fill tub with water at any certain temper-

0

WEA

BATHS

ature simply close shut-off valve to shower and open valve to tub. Then turn handle of mixer to supply water at the temperature desired.

Write for Bulletin No. 258 which gives details of this and many other types of Powers safety water mixing valves for all kinds of shower baths.

The Powers Regulator Co.... Offices in 44 Cities, see your phone directory ... 45 years of Automatic Temperature and Humidity Control.

• Mail to The Powers Regulator Co., 2720 Greenview Ave., Chicago, Ill. Please send me Bulletin No. 258. Am interested in safety water mixing valves for
Individual Shower Baths
Group Showers Zone Showers. AF Name

Address

FORUM OF EVENTS

(Continued from page 64)

AWARDS cont.

Max O. Urbahn, Milwaukee, Wis. (University of Illinois; Yale).

Survivors (preliminary competition in landscape architecture):

Harold E. Atkinson, Cleveland, Ohio (Cornell).

Robert S. Kitchen, Dayton, Ohio (Cornell).

Joseph W. Langran, Grand Prairie, Tex. (U. of P.).

DEATHS




CHARLES A. COOLIDGE. F.A.I.A., 77, architect; suddenly, in Locust Valley, Long Island, April 1.

Charles Allerton Coolidge was born in Boston, Mass., in 1858. He prepared at Mr. John P. Hopkinson's Private Classical School for Harvard, where he was graduated in 1881, studied as a special student of architecture at Massachusetts Institute of Technology for a year, then resided in Chicago from 1892 to 1900. In these nineteen years following his graduation from Harvard, he was associated with the architectural firms of Ware & Van Brunt, H. H. Richardson, and Shepley, Rutan & Coolidge, which was formed in 1886.

Returning to Boston and his home in Jamaica Plain at the turn of the century, he was with the last-named firm until it was dissolved in 1914 to be succeeded by Coolidge & Shattuck. This partnership lasted until 1924 when he became connected with the firm of which he was the senior partner at his death, Coolidge, Shepley, Bulfinch & Abbott. Until 1930, he was also senior partner of Coolidge & Hodgdon of Chicago.

In 1916 he was sent to China by the Rockefeller Foundation to prepare for the building of a hospital and medical school at both Peiping and Shanghai. He was in Europe in 1884, 1889 and 1900 on business trips, and when working on Leland Stanford University, he made six trips to the Pacific coast in one year. He was also architect for the University of Kentucky, the University of Chicago, and Vanderbilt University at Nashville, Tenn.

Among other works of first importance that he designed are the Rockefeller Institute in New York City, the new Harvard Medical School, the Art Institute and Public Library, Chicago, the Sprague Music Building at Yale, the John Nicholas Brown Library at Brown University, buildings for the University of Nebraska and the Medical School for Western Reserve University. He was also consulting architect (Continued on page 68)





Harold Mueller, president, L. J. Mueller Furnace Company, Milwaukee, Wisconsin, goes over the new Mueller line of heating and air conditioning equipment with Mr. A. L. McKinstry.

PLAIN TALK BY HAROLD MUELLER

WHEN I was a little fellow running around my grandfather's furnace shop, he used to tell me, "My boy, if you build an honest product and sell it honestly, you'll never have to worry about keeping customers. Even if you have to charge a little more for good workmanship, your customers will remember quality long after they forget price."

That was a good policy 79 years ago and it's good today. It's like the constitution—a little old-fashioned, perhaps, but still reliable.

Fundamentals don't change even though ideas and living standards do. In the seventy-nine years my family has been in the heating business a lot of changes have taken place. In the last ten years alone, ideas about home heating have done a complete about face.

Homes built according to 1936 standards will completely outmode those of 1926. One major change is the public's opinion about heating. Today the call is for automatic heat and air conditioning.

Alert homebuilders are aware

that modern heating and air conditioning systems are far ahead of the old-fashioned heating plants they have supplanted.



Air-Conditioning Oil Furnace. We are proud of this modern, compact unit which represents the first complete departure from conventional furnace design in a direct-fired forced air heating and air conditioning plant. During the last ten years our engineers have pioneered automatic heating and air conditioning. Today we are ready with a complete line of Climator equipment, Gas Era Furnaces and Boilers, the great new Air Conditioning Oil Furnace –all newly styled and attractively priced. Be sure to get all the facts about this new equipment—and of course we still continue to produce the standard line of Mueller coalfired furnaces, registers and fittings.

Be ready for a big year in 1936. Our engineers will gladly cooperate with you.

IS MUELLER-MILWAUKEE



Many a Siren Has Put a Steam System on the Rocks...

NO, we don't want to sell you a mermaid—but thereby hangs a tale. The siren in this case is not a steam whistle, nor yet a bewitching damsel—but the lure of *low-cost steam transmission*. In their anxiety to save on *first* cost, some owners and utilities are putting in, or have put in, underground lines on which the construction, drainage, and type of insulation leave little chance for the permanent economical conveyance of steam.

Ric-wiL Conduit, the correctly engineered system, will keep your steam lines tight, dry, and 90% (or more) efficient. It is made in a variety of weights and designs in both Tile and Cast Iron, to secure maximum results on *any* problem of underground steam transmission for heat or power. A choice of insulations, including the famous Ric-wiL waterproof asbestos Dry-paC. Ric-wiL Systems are complete, including installation instructions and engineering service drawings—and supervision on the job if desired. Write today for Catalog 36.

The Ric-wiL Co., Union Trust Bldg., Cleveland, Ohio New York San Francisco Chicago Agents in principal cities



FORUM OF EVENTS

(Continued from page 66)

for the buildings of Constantinople College in Turkey.

His most recent works include the new Harvard Houses, the new dormitories in Harvard Yard, the new Fogg Art Museum, the Collis P. Huntington Memorial Hospital, the Lakeside Hospital in Cleveland, the New York Hospital-Cornell Medical School group in New York City and the new dormitories for the Harvard Medical School.

Harvard invented a new honorary degree for him when it wished to honor its distinguished alumnus in 1906, and he became the first recipient of the degree of Doctor of Arts. John Singer Sargent was the only other man to receive this degree. He was also honored with the decoration of Chevalier of the Legion of Honor of France in his official position as American architect to the Paris Exposition in 1899.

Photographing ancient headstones so that they might be preserved was one of his hobbies. He had privately printed and distributed a monograph, "Gravestones in Boston and Vicinity." The original was given to Harvard's library.

In his undergraduate days at Harvard, he was one of the original members of the editorial board which founded the Harvard Lampoon, the first comic periodical successfully produced at any college. In 1926, he joined five other prominent Harvard alumni in deploring the November, 1926 (Princeton game), number of the Lampoon that was so instrumental in causing the famous athletic break between the two institutions.

Among the offices Mr. Coolidge held were:

Member, American Academy of Arts and Sciences; director, American Institute of Architects; president, Boston Society of Architects; trustee, Art Institute, Chicago; trustee, American Academy in Rome; chairman of the mayor's committee on memorials to soldiers and marines in Boston; park commissioner, Boston; director and clerk of the Home for the Aged Men, Boston; director, Bunker Hill Monument Association; president, Vincent Memorial Hospital, Boston; vestryman of Trinity Church, Boston; president, Massachusetts Society of the Cincinnati; governor of the Massachusetts Society of Mayflower Descendants; life member of the Corporation of Marine Biological Laboratory, Woods Hole; overseer, Harvard University; president, Harvard Alumni Association and member, U. S. Commission of Fine Arts.

ALFRED J. S. HOLTON, architect, 58; after a four months' illness, in Brooklyn, N. Y., April 6.

Alfred J. S. Holton was born in Belleville, Ontario, in 1878. Educated there, he came to this country in 1897, settled in Brooklyn. Long associated with the architectural firm of Clinton & Russell, he was taken into the firm as a partner in 1904. In 1926, Clinton & Russell merged with the newly formed firm of Holton & George, and he became the senior member of the combined Clinton, Russell, Holton & George. Among his many designs are the Whitehall Building, the National Board of Fire Underwriters Building, the New Amsterdam Casualty Building and the Astor Hotel.

During the war, he served with the Housing Division in Washington, held a commission of Major in the Officers' Reserve Corps.

EDWARD H. HOYT, F.A.I.A., 68; after a lingering illness, in Brighton, Mass., March 20.

Edward H. Hoyt was born in Ossipee, N. H., in 1868. Educated in the Boston schools, he received his architectural training in the offices of Peabody & Stearns, Cabot & Chandler and Wheelwright & Haven, later becoming a partner in the latter firm which then became Haven & Hoyt and Associates. Among his many designs are the Boston Opera House, the Boston Conservatory of Music, various buildings of the Massachusetts General Hospital, the Faulkner Hospital and a number of school buildings in and about Boston.

Announcing The IRON FIREMAN



Coal now the finest and most economical form of automatic-heating



Coal Flow in a hot water boiler. Equally well adapted to steam or vapor-vacuum boilers and warm air furnaces

Iron Fireman brings you this latest coal firing convenience DOES AWAY WITH COAL HANDLING

IN A YEAR when home building is showing a definite increase; when architects, builders and their clients are thinking definitely of automatic home heating, Iron Fireman is happy indeed to present its new Coal Flow model.

With the development of this advanced automatic burner, coal goes completely modern and automatic. As the name implies, coal flows from bin to fire. From the time that the coal is put into the bin until it is transformed into useful heat in the furnace or boiler, it is an invisible, self-serving fuel.

Like all Iron Fireman burners, the Coal Flow uses inexpensive sizes of coal. The burner achieves combustion efficiencies fully as high as liquid or vapor fuels. This high heating efficiency

combined with low fuel cost enables an Iron Fireman burner to cut fuel bills from 15% to 50% over handfiring, and from 25% to 75%

NOW ON DEMONSTRATION

over other types of automatic heating.

Coal Flow models are available to fit practically every type of heating plant and basement arrangement. The distance the coal is conveyed and the location and size of the bin can be varied greatly. This wide flexibility makes possible installations that are specially designed to fit the most diverse individual requirements.

Iron Fireman prices are the lowest in history. A Coal Flow model may be purchased for as little as \$10.72 a month, with a small down payment; standard hopper models for as little as \$8.97 a month.

We suggest that you write for complete descriptive information, or

get in touch with your local Iron Fireman dealer. Iron Fireman Manufacturing Company, Portland, Oregon; Cleveland, Ohio; Toronto, Canada. Dealers everywhere.

AT IRON FIREMAN DEALERS

An Iron Fireman for every firing job



FLOW TUBE CAN BE INSTALLED BELOW FLOOR LEVEL

There is an Iron Fireman for every firing job; for firing every type of coal-bituminous, anthracite, ligniteand for firing practically every kind of furnace and boiler from a small residential warm air furnace up to industrial boilers developing 500 horsepower. Illustrated literature will gladly be sent to you free upon request.

FULLY AUTOMATIC HEAT

-	
	IRON FIREMAN MANUFACTURING CO.
1	3016 W. 106th Street, Cleveland, Ohio.
	Gentlemen: Please send full particulars about the Iron Fireman Coal Flow for:
	Residence Large Heating Plant Power Boiler

SEND FOR FREE LITERATURE

Name

Address

MAY · 1936

Never before a value like this! SILVURN


models

PLAIN GLOBE

DECORATED GLOBE

A

ALUMINUM GLOBE




300-500 WATT · 750-1000 WATT

Silvurn brings an entirely new standard of value to the field of low cost lighting modernization.

Here's a smart, modern indirect luminaire fashioned from the best quality aluminum and specially designed to combine high efficiency with modern diffuse illumination. On the inside, the aluminum reflecting surfaces are sealed and protected by Alzak, a new process that simplifies cleaning, lowers maintenance cost, and assures lasting economy. On the outside, the lustrous satin-finish of the basin is set off by soft light reflected over it by the attractive enclosing globe.

Meet the modern lighting needs of stores, shops and offices by specifying Silvurn. For complete details of low cost and specifications see your Westinghouse Distributor, or write Westinghouse Electric & Mfg. Co., Lighting Division, Edgewater Park, Cleveland, Ohio.



The new SUNBEAM AIR CONDITIONING UNIT for oil, gas or coal



R CONDITIONING D

THERE is no mystery about residential air condi-Lioning. Its functions have been clearly defined. Let Sunbeam Air Conditioning be your measure of what residential air conditioning should do. It heats in winter, cools in summer; humidifies, filters and circulates the air. Equipment for mechanical cooling can be added at any time. Without it, you can promise relief from summer heat through circulation and ventilation with cool, night air.

The Sunbeam Air Conditioning Unit, handsome in appearance, is installed in the basement. Through wall baseboard grilles in each room, it delivers a plentiful supply of clean, conditioned air. There are models for oil, gas and coal . . . sizes for every home . . . completely automatic . . . reasonably priced.

Your new homes should have the benefits of "Custom Made Climate." It's a necessity for modern residential construction. But be sure you install practical air con-

THE FOX FURNACE CO., ELYRIA, OHIO

ditioning. Fifty years of experience in air treatmentplus successful performance in many large homes for the past five years-assures the dependability of Sunbeam equipment. Sunbeam engineers will be glad to design your air conditioning layouts from your building plans, The service is free. Mail the coupon today for complete information and specifications.






DIVISION OF AMERICAN Radiator & Standard Sanitary Corporation






FOX FURNACE CO., ELYRIA, OHIO. Send me literature and specifications on Sunbeam . . and details on your free

A-5





Listen to the Music You Love, superbly rendered by the Pittsburgh Symphony Orchestra and distinguished guest artists every Thursday at 8:00 P. M., E. S. T., over NBC Blue Network and associated stations.



PITTCO STORE FRONT PRODUCTS

YOU will make certain that the store fronts you design will look as well in reality as they do on paper if you use Pittco Store Front Products to execute them. These products . . . glass, metal and paint . . . are of the best quality obtainable. They help you transform an old front into a modern, sales-building, revenue-producing front. They allow you full scope for original and effective treatments. And they assure client satisfaction of the highest order.

The new Pittsburgh Time Payment Plan, which makes it easy for merchant or property owner to finance the purchase of a new Pittco Store Front, also includes provision for an architect's fee. So many pro-spects in your community will be remodeling their stores ... and calling you in to help. When they do, tell them the advantages of Pittco Store Front Products. And meanwhile, we invite you to clip the coupon below and have your name entered on our architect's list to receive our "Design of the Month" service. Each month, our staff of store front experts, maintained to cooperate with architects on problems of construction and product application, prepare a style suggestion on some type of front. We would like to send these "Designs of the Month" to you.

Pittsburgh Plate 2189A Grant Bui	Glass Company, Iding, Pittsburgh, Pa.
will receive your	name on your list of architects who store front "Design of the Month" rly each month during 1936,
Name	
Street	
City	State

WHY G-E BRANCH-CIRCUIT CIRCUIT BREAKERS ARE THE HEART OF MODERN WIRING SYSTEMS

You are designing today's home for comfortable and convenient living. Wisely, you consider a modern wiring system of vital importance. Now, General Electric introduces a new circuit protecting device, which is designed for standard outlet box mounting, that aids you in functional design of homes, apartments, and other buildings.

nu

881

These new Branch-circuit Circuit Breakers fit in well with modern trends. Your clients will appreciate the livability that they add to the homes you design. These devices apply the successful principles of protection and control, long used for industrial equipment. They can be furnished in capacities of 15, 20, 25 or 30 amperes; single-pole, 125 volts A-c. or D-c.

You will be most interested in the convenience that their use offers your clients. Because they have the neat outward appearance of flush Tumbler Switches, they can be placed in living rooms, kitchens, bedrooms — and their appearance is similar to that of the neat appearing Tumbler Switches.

When a short circuit or overload occurs, service in that particular circuit is resumed after the trouble has been removed, by simply flipping the breaker. They can be placed in accessible spots about the house near the circuit that they protect. Thus, inconvenient changing of fuses in branch circuits is eliminated. Home owners will appreciate this step-saving feature which is another aid to good housekeeping.

As well as convenience, mark these additional advantages of using G-E Branch-circuit Circuit Breakers:

They offer safe and positive protection. Factory calibration and sealing practically eliminates tampering. They insure positive short circuit and accurate overload protection for branch circuits.

They may be used as master switches to control the circuits that they protect.

These breakers are designed for all conventional wiring systems and are specified in the new G-E Radial Wiring System.

They have satisfactorily passed all tests of, and are listed by, the Underwriters' Laboratories, Inc.

For further information on their convenience - appearance - safety and control, refer to "Sweet's Architectural Catalog" and "American Architect Time-Saver Specifications", or write Section CDW-915, Appliance and Merchandise Department, General Electric Company, Bridgeport, Connecticut.



WIRING DEVICES

APPLIANCE AND MERCHANDISE DEPARTMENT, GENERAL ELECTRIC COMPANY, BRIDGEPORT, CONN.

WELL NOW! ... THAT IS INTERESTING!

■ surprised to learn that there were decided, right then and there, to in-so many different applications of corporate USS Stainless for this USS Stainless Steel. He had always purpose in his present specifications, thought of it in connection with thrust an increasing demand upon The advent of Stainless Steels has pandrels, perforated sections for thrust an increasing demand upon thrust and the condition the condition thrust and the condition thrust and the condition thrust and the condition thrust and the condition the condi spandrels, perforated sections for thrust an increasing demand upon ornamental sections, sheets for re-becimped store fronts and similar builder for a knowledge of the designed store fronts and similar builder for a knowledge of the the section of the section of the section of the section of the section of the the sec unought of it in connection with The advent of Stamless Steels has spandrels, perforated sections for thrust an increasing demand upon ornamental sections, sheets for reactive architect, the engineer and the designed store fronts and similar builder for a knowledge of the applications. It had accound his at fabricating characteristics and the applications. It had escaped his at-tention that one of the large uses is application of these non-correction applications. It had escaped his at- radricating characteristics, and the tention that one of the large uses is application of these non-corrosive UNITED STATES STEEI

74

THIS gentleman was pleasantly surprised to learn that there were many different applications of corporate USS Stainless for this for your copy.




Air conditioning for the home is now available in its most effective and satisfactory form—with radiator heating! Installing the new Hoffman Air Conditioner with a Hoffman Controlled Heat System provides all the essentials of true winter air conditioning—correct heating, humidification, air cleaning and air circulation. Functioning of the conditioning unit is entirely independent of the heating system, a feature which permits separate or com-

bined operation. Only in the radiator heated system is this dual control possible. The diagram shows how easily the compact Hoffman Air Conditioner is installed, requiring a minimum of space and duct work. Hoffman Controlled Heat, a two-pipe vapor-vacuum system, delivers to any room as much or as little heat as desired by merely adjusting the lever of the Hoffman Modulating Valve installed on the radiator. Operation is exceedingly economical because fuel consumption is only in proportion to the demands for heat. The Hoffman Air Conditioner can be as easily installed in homes heated with simple one-pipe steam. It is sold everywhere by leading wholesalers of Heating and Plumbing Equipment.

HOFFMAN	SPECIALTY CO., Inc.
	N SPECIALTY CO., INC. AF-5, Waterbury, Conn.
Send at once c Hoffman Air Cor Heat.	omplete information on the New aditioner and Hoffman Controlled
Name	
Address	
City	State


Made by the makers of Hoffman Vonting Valves, Supply Valves, Traps and Hoffman-Economy Pumps.



SOMETHING LARGER THAN SIZE

CONCEPT is without dimension. It is exactly as large as it is true. A concept may be as great, and as lasting, in minuscule as in monument * There is reason to suspect that the future will measure our modern architectural concepts by the intelligence of our use of today's materials, rather than by the artisanship of our adaptation of the massy materials of the ancients to modern building *Alcoa Aluminum is of today and for the future ***** Which is to say that its infinite variety of appearance gives full expression to the modern tempo, and that its durability and nobility are certain hostage to the future. The structural sufficiency and versatility of Alcoa Aluminum goes without saying * We forego actually labelling the building illustrated in order to stress the obvious fact that its real distinction is distinction. Aluminum Company of America, 2166 Gulf Building, Pittsburgh, Pennsylvania.





ELEVATOR passengers *feel* slow and jerky elevator motion and jiggly starts and stops. They *feel* the discomfort of crowded cars and long, nerve-upsetting waits at the landings. Poor elevator service just can't be hidden behind a coat of paint—unless passengers can be deprived of this sense of *feel*. The better plan is to modernize.

If you wish to "go easy" in order to accommodate your budget, modernize *one step at a time*. But (and this is important), put the vitally essential changes first on the list—the changes that will mean the most in better service. And then proceed step by step and pay for each step when it is completed. This will give you partial modernization at once and eventually complete modernization *without financial burden*.

We shall be glad to go over your elevators and lay out this plan in logical steps. This will *not* cost you a red cent, and it will give you a picture of your elevators as they are today and as they will be should you decide to modernize. Start the ball rolling by talking it over with the local Otis representative next time he drops in to see you.





The striking beauty of enclosures and grille designs of the new Modine Convector now keeps pace with mechanical excellence. For the first time the architect has complete freedom in adapting to his own uses the almost unlimited variations available in Modine grille design combinations.

The architect can now devise his own grille at no additional cost by using combinations of the four elementary grille designs. These represent four widely divergent decorative motifs, ranging

from the traditional to the modern. They may be combined in innumerable arrangements to create intermediate motifs suited to the individual requirements of any room ... harmonizing enclosure and grille with any style or period of the interior appointments of even the finest home. This complete flexibility of grille design is exclusive with Modine, being fully covered by patent applications.

Modine grilles are die castings not integral with the convector front. Being non-


corrosive, their beauty of design may be still further enhanced by exceptionally attractive plating ... at slight additional cost ... to match the decorative scheme of the rooms or the period of their furnishings, and the character of the grille design itself. Grille patterns are available with such handsomely appropriate finishes as 24-carat gold, bright brass, antique silver, statuary bronze, and chrome. New catalog gives complete details and specifications write for it.

MODINE COMPANY FACTURI 1228 17th Street . Racine, Wisconsin

HEATING, COOLING AND AIR CONDITIONING EQUIPMENT FOR DOMESTIC, COMMERCIAL AND INDUSTRIAL APPLICATION



The importance of planning large glass areas is quite evident when one considers that the average person spends at least half a lifetime between four walls. And the desirability of specifying the highest quality glass available is just as obvious.





Libbey Owens Ford Glass Company, Toledo, Ohio manufactures a complete line of flat glass, including Flat Drawn Window Glass...Polished Plate Glass, both plain and colored...Heavy Sheet Glass...Greenhouse Glass...Safety Glass...Tuf-Flex tempered plate glass...Vitrolite opaque structural glass...Aklo heat absorbing glass... and distributes the Figured and Wire Glass manufactured by the Blue Ridge Glass Corporation of Kingsport ... Tennessee.

WHEN EVERYTHING IS EQUAL

.. on the Surface !

EVERY DAY we are faced with this problem ... when are things that look the same ... not the same. «» Here are some motors . . . dimensions and

electrical characteristics identical—prices about the same...so what? «» *This is what* ... the cost of a motor can't be answered by quoting price. It can only be computed in terms of maintenance costs, operative efficiency...and durability. «» On the surface,

motors look much the same, but examine them carefully and compare Allis-Chalmers Motors with any other motors built. You will find that they are the sturdiest motors on the market *bar none.* Note their cast steel




frames and the studied use of steel throughout them. Note their heavy cast iron housings, bearing enclosures and shafts; ample insulation of the best

quality, with a big margin for mechanical durability. Then you will understand why they can handle overloads, shocks and strains and do it *day in and day out, year after year*. That mechanical and electrical strength means the reduction of mainte-



nance costs to the minimum and a life beyond that of less sturdily constructed motors. That is why, today, Allis-Chalmers Motors excel and are the most profitable motor buy on the market.

The Allis-Chalmers Mfg. Co. builds standard motors of every type from 1 h. p. up-also motors for special application








A-1 SASH



CONCEALED AWNING BAR




Now you can specify either cold-rolled or extruded store front members and still obtain precision manufacture, modern beauty, and the high degree of RESILIENCY in glass-holding members which has always made Kawneer construction dependable.

The Kawneer extruded line of metal store front members, like the cold-rolled line, is harmoniously designed to perform various functions such as holding plate glass, housing the awning roll, providing contrast and ornamentation, and where desired to face the entire front in attractive, modern metal. Self-supporting sash consists of only 3 parts, including a continuous spring which holds glass in an even, resilient grip by outward pressure along its entire edge. Perfect miters and sight lines are possible—caps may be eliminated. New awning bars allow for recessing or completely concealing the awning roll. Durable Kawneer Doors give dependable service and contribute to the modern store front effect. Other members offer interesting design possibilities. Available in aluminum with alumilite finish, and bronze, satin or polished.

★ F. S. Details and folder on new Kawneer Store Front Construction are available on request. Write also for the new KAWNEER BOOK OF STORE FRONTS—a valuable and interesting source of ideas on store front design with its HUNDREDS OF STORE FRONT PICTURES, FROM ALL OVER THE WORLD!

PATENTS PENDING

RECESSED AWNING BAR



HOOD AWNING BAR



WORLD'S MOST MODERN RESEARCH BUILDING WIRED WITH ELECTRUNITE Steeltubes

SIZES

ELECTRICALLY



THIS building, housing the Packaging Research Laboratory of Owens-Illinois Glass Co., is a fine example of functionalism in modern industrial building. Its Insulux Glass Masonry brings the outdoors inside. But when night falls or dark winter days provide but little light—then ELECTRUNITE Steeltubes come into play.

Thousands of feet of this most modern electrical metallic tubing were used in the wiring of this building. Ten thousand feet of ELECTRUNITE Steeltubes were recently installed in a new building for Closure Service Co., a division of Owens-Illinois Glass Co.

These are but two of many recent industrial installations where this modern raceway for wiring has been used. And these are the reasons why: It is easy to install—light in weight, easy to cut and bend, requires no threading, only three simple fittings required for any job. It is easily adapted to existing threaded conduit installations. Wiring may be changed quickly and at low expense when machines are moved. It affords adequate electrical and mechanical protection. It makes wire pulling 30 percent easier. With all necessary fittings, it costs less than threaded conduit. It takes up less space in floors and walls. And it has been given wide approval for all types of buildings.

Specifications will be found in Sweet's, or write for literature.



When writing Steel & Tubes, Inc. for further information, please address Department A. F.

CONCRETE

GIVES ADDED PRESTIGE TO A PROUD BUSINESS NAME

From coast to coast, architectural concrete is consolidating its pre-eminent position as the finest and most modern method of construction.

The great names of American business are choosing concrete, not by chance, but because it offers a combination of advantages that is unique:

Architectural distinction and beauty whether cast in the intricacies of the Gothic or in the simple planes and masses of modern, functional design. . . .

Fire-safety joined with rugged strength that resists earthquakes and the equally destructive boring of time and decay. . . .

Economy of construction that results from the

rchitectural Concrete Weather-resistant . . . Firesafe . . . Distinctive . . Economical . . . Structural frame, floors,

walls and decorations built in one casting operation


casting of structural frame, exterior walls and decorative detail in one operation.

Industrial plants, office buildings, schools, churches, courthouses and hotels in everincreasing numbers are leading the swing to architectural concrete. Keep abreast of this spectacular development.

Complete information on the technique is available for your architect, engineer and contractor. Write for one of our engineers to call and discuss the use of architectural concrete for your buildings.

Send for attractively illustrated booklet, "Beauty in Walls of Architectural Concrete".

PORTLAND CEMENT ASSOCIATION Dept. A5-7, 33 W. Grand Avenue, Chicago, Illinois



The Borden Company's milk products plant at San Antonio, Texas. Attlee B. and Robt. M. Ayers, architects. King B. Key, contractor.

Conditioning adl

AS FURNISHED BY CLARAGE

st All-Glass Windowless Building

W RESEARCH LABORATORY OF OWENS-ILLINOIS GLASS CO.-TOLEDO)

uilding without a single window—constructed entirely of Owensglass blocks—is completely air conditioned by a Clarage System, ed specially to meet the unique requirements encountered. An interexample of Clarage facilities and resourcefulness.

fectly compensate for fluctuations in sun exposure, wind, occupancy, te building is divided into seven conditioning zones, exclusive of the vate offices. Temperature, both summer and winter, are controlled ndently in each zone.

I water is the medium used for summer cooling and dehumidification, effecting a n both first and operating costs


ared with the use of a direct exrefrigerant.


in supply fan is equipped with Vortex Control (patented) which ically regulates the volume of ned air delivered in accordance ne requirements, and thereby operating horsepower during of light load over that required ther type of system.

ned air to the five private offices hed by a separate Clarage Fan tex Control.

rage installation incorporates vanced ideas and the finest in ing—an ultra-modern air conplant for an ultra-modern

uiry is invited. We manufacture the uipment for any air conditioning or ob, large or small. Write us !





Chemical Laboratory located on second floor of building. Note air conditioning grilles at top of glass block partition.




Drafting Room. These glass block walls are translucent, providing a flow of soft, diffused daylight. Air conditioning duct is shown along right wall.

The conditioning plant consists essentially of a Clarage Unicoil Unit (shown at left), Clarage Supply Fan, Owens - Illinois Dustop filters, heating and cooling coils, and necessary controls for completely automatic operation.

 Complete Air Conditioning

- Ventilation
- Heating
- Cooling
- Mechanical Draft
- Fans & Blowers for Industrial Needs

ARAGE FAN COMPANY - KALAMAZOO MICH. Sales Engineering Offices In All Principal Cities



FROM OLD





• Note the two shades of Marlite used in the modernizing of this kitchen, one for upper walls and ceiling — the other for the wainscoting and shaces over counter and sink, and the effective use of Marsh mouldings and trim.

Gleaming sheets of Marlite transform old kitchens, quickly and economically, into snappy, modern ones. The application is so swift and simple that the occupants of house or apartment hardly have time to

be aware of the slight disturbance. On new or old walls any good carpenter, using regular carpentry tools, can quickly do a room with a minimum of "muss."

The cost of Marsh Wonder Wall Products is surprisingly low. Write us today for complete data, and let us give you the name of our nearest dealer.



BOOKS

(Continued from page 25)

The problem here was to select a style. Mission, Colonial, Spanish-Indian Baroque. These were all judged to be inappropriate; so was Gothic, and "by an act of will" the architect tried to imagine a Mediterranean race, influenced by the "religious and energizing force initiated by Saint Benedict." What this suppositious race would have built, he decided, was what the Texans needed. "I had traveled much in Mediterranean lands and was familiar with their architectural documents, so I reassembled all the elements I could from southern France and Italy, Dalmatia, the Peloponnesus, Byzantium, Anatolia, Syria, Sicily, Spain, and set myself the task of creating a measurably new style that, while built on a classical basis, should have the Gothic romanticism, pictorial quality, and structural integrity." Out of this stupendous flight into Never-Never Land came a building for an American educational institution. It all recalls to mind a rather irreverent bit of doggerel:

The architect puffed at his Period pipe, As he sat in his Renaissance chair, And he gave me a smile in the pure Gothic style, Though he spoke with a Romanesque air.

Mr. Cram's sincere belief in the rightness of his credo is not by any means based upon an unfamiliarity with recent developments, and in the chapter "Tradition Plus Modernism" one finds a splendid summing up of a complicated situation. "What to do now, when we no longer do anything instinctively; when a life without unity or consistency furnishes no creative impulse; when we have only rudimentary and fluid ideas as to what constitutes beauty; when we have cut ourselves off for a century from any sort of living tradition; and finally when in our helplessness we have to rely on the broken reed of the professional architect?" The trouble is that he gives no answer beyond "I suppose we have got to begin again." And here is the justification of the modern architect: he is trying to begin again, and the only place to begin, when all else has been swept away, is with the structure. If much modern work is bad, at least it is better than playing safe and solving nothing. Have the early Romanesque builders ever been ridiculed because they were incapable of building a premature Amiens? Mr. Cram defends St. John the Divine on the grounds of functionalism: no steel hides behind the stone facings; one can commend the honesty of purpose, but what meaning is there in an elaborate structural system for whose use few workmen are trained today? Would the Gothic builders have painfully struggled with vaults and buttresses if they had steel to build with?

The problems of today are not churches. Our cities have grown out of all human scale, and are overrun with slums and automobiles. Our houses are expensive and inadequate. These are the things crying for attention. Misuse of the machine got us into a monumental mess esthetically, spiritually, and economically, but it does no good to cry fretfully that "the internal combustion engine is the greatest calamity that has befallen mankind." Nor does it do any good to dream of a return to the thirteenth century with a happy American peasantry busily building Gothic cathedrals and riding to work in Fords. The machine is here to stay and we must learn to use it. If we return to the spirit of the great days, it will not be by going backwards. Times have altered; ours is not a church-building age, nor can we make it one by putting up a few expensive fantasies. When faith, and a measure of peace, return to the earth there will be men to build churches, and they will be great churches even if they are built of steel, concrete, or glass. And the shades of the true Gothic builders will be the first to approve. (Continued on page 88)

THE HIGH COST OF CHEAP CONSTRUCTION

The jerry-builder was checked once . . . and to the Architectural Profession goes much of the credit.

He can be checked again.

From the beginning Weyerhaeuser has realized that the campaign against shoddy construction and hybrid design cannot be won by architects alone.

Assuming a measure of responsibility, Weyerhaeuser has consistently pioneered vital improvements in construction materials and methods . . . has recognized the importance of pure architectural design.

The founding of the White Pine Bureau in the early 'Twenties was followed by the White Pine Monograph Series...now a collector's item.

And in the publishing of its fact-full treatise on "The High Cost of Cheap Construction," Weyerhaeuser voiced the first public warning against the reckless evils of jerry-building.

Outstanding among later contributions was the

perfecting of Weyerhaeuser 4-SQUARE Precision Lumber, and a gradual widening of this line to include the principal structural elements of the house.

Progress has been made-minimum standards of construction have been raised-but the battle is not yet won. Vigilance is demanded during the coming building boom to prevent a renascence of poor construction.

* * *

Specifying Weyerhaeuser 4-SQUARE Precision Lumber is one way to protect against hit-and-miss building. Micrometrically squared ends permit truer, faster assembly. Exact specified lengths permit the full use of stock sizes...a more accurate spacing of members. Waste is minimized—a paramount factor in low-cost housing.

The uniformity of Weyerhaeuser 4-SQUARE Lumber is guaranteed. No other lumber is so machined and trade-marked at the mills of origin—and offered at *no premium over ordinary lumber*.



various grades used in house construction. Sold by more than 3,000 lumber dealers from coast to coast

WEYERHAEUSER SALES COMPANY . FIRST NATIONAL BANK BUILDING, SAINT PAUL, MINNESOTA

BLUE PRINTS PLANS'ALTERATIONS?



For fast "Get there" use RAILWAY EXPRESS

We pick them up at your office on 'phone call, see them through at passenger train speed, and deliver promptly on arrival. No delays at either end or in transit, and the shipment is never out of a Railway Expressman's care. It's the ideal and only forwarding service for architects and builders because it's fast and surefire. Besides, we check shipment and delivery by double receipts—one to you on pick-up, one from consignee proving delivery in good condition. Liability automatically included up to \$50. With 23,000 offices spotting the continent, we can reach anybody practically anywhere any time. Low costs.

For service or information telephone the nearest Railway Express office.



BOOKS

(Continued from page 86)

THE ENGLISH COUNTRY HOUSE, by Ralph Dutton. Charles Scribner's Sons, New York, 120 pp., illustrated, 83/4 x 53/4, \$2.75

The number of inexpensive books dealing with architecture and allied subjects which have recently been put on the market is a most heartening indication of a general increase of interest in the subject. The book under consideration is one of the English Countryside Series, which has been in the course of publication for a number of years. While it presents nothing that has not already been treated in more elaborate studies, such as Nathaniel Lloyd's "History of the English House," it does give a great deal of information, well supplemented by numerous excellent photographs and




plans, at a price which is only a fraction of that of the majority of books on the subject. English supremacy in country house design has long been accepted and has had a great influence on residential work in America. The present examples show clearly how well founded is their reputation. The subject is treated in chronological order with divisions of periods much less complicated than those customarily accepted. Interest is given the book by the inclusion of considerable historical data, and an excellent picture of the social background in each period is presented by the author. The book concludes with a study of the English garden. While designed for use by the layman, the book has been documented and illustrated in a manner which entitles it to a place in the architect's library.

CHECK LIST OF CONSTRUCTION, CONSTRUC-TION MATERIALS AND EQUIPMENT, by George W. Spaulding, George W. Spaulding, Denver, 10½ x 6¾, \$7.

A condensed, quick reference of the construction industry in one volume indexed for convenient use, listing standard materials, equipment, and accessories under various headings; the selection of materials, however, is left to the reader's judgment. It is designed for use by contractors and others who are engaged in making up material lists, and so on. Items for specific buildings have not been listed as it is possible by checking the appropriate sections to find practically all of them.

As a service to interested readers, THE ARCHITECTURAL FORUM will undertake to order copies of foreign books or others not conveniently obtainable locally, which have been reviewed in this department. Checks and money orders to be made payable to THE ARCHITECTURAL FORUM.

26 YEARS **Of Proof**



J-M Smooth-Surfaced Asbestos Roofs Provide a Lasting Solution to One of Your Major Investment Problems

ROOF is a major investment. All the A more important because you buy it to protect other investments ... materials, merchandise, equipment . . .

Which means you want lasting protection. The factory shown here offers 26 years of proof that J-M Smooth-Surfaced Asbestos Roofs can and do provide such protection.

And the case is not an isolated oneas proved by the partial list of long-lived roofs shown at the right. Many J-M Roofs . . in prime condition . . . are nearing or have passed the quarter-century mark

. . thanks to this same protective value they all have in common:


They were built up of felts made of ASBESTOS . . . the fireproof, rotproof PERMANENT MINERAL.

Asbestos fibres are solid, non-capillary by nature. Thus, J-M Roofing Felts form a positive barrier against evaporation of the lighter oils in the asphalt, preserving their waterproofing qualities indefinitely despite the intense drying-out action of the sun. Hence, there is minimum maintenance on weatherproof J-M Asbestos Roofs throughout their long lives.



FREE "Facts about Built-Up Roofs"—a valuable handbook giving data on roofing problems and complete information on all J-M Roofs. Ex-"Facts about Built-Up Roofs"-a valuable plains construction and flashing problems. Tells how roof insulation saves money on fuel and air-con-ditioning costs; protects roofs from damage caused by contraction or expansion. For your free copy write to Johns-Manville, 22 E. 40th St., N. Y. C.

Johns-Manville SMOOTH SURFACED




Typical examples of the many J-M Roofs still in excellent condition after passing the 20-YEAR MARK

- 22 YEARS old at Seattle, Wash. (Port of Seattle, Bell St. Dock)
- 36 ¥ EARS old at Newark, N. J.
- (General Leather Co., Bldg. No. 4) 25 YEARS old at Cincinnati, Ohio (American Valve & Meter Co.)
- EARS old at Chicago, Ill. (Sears, Roebuck & Co., Grocery Bldg.)
- 24 YEARS old at Louisville, Ky. (American Medicinal Spirits Co.)
- YEARS old at Kansas City, Mo. (Kansas City Star)
- 26 YEARS old at Beech Grove, Ind.
- (Big Four Railroad Shops) 24 YEARS old at Detroit, Mich. (Detroit Baseball Club, Navin Park)

33% MORE STEAM from the same amount of coal

Heating original building required 2000 tons (average per year, BEFORE DETROIT STOKERS were installed.




Wing added and DETROIT STOKERS installed. Heating requires only 2000 tons (average) per year.

ST. FRANCIS HOSPITAL EVANSTON, ILLINOIS

When the north wing (shown in sketch above by the shaded area) was added, two DETROIT UNISTOKERS were installed with present boilers. The heating load was increased by about one-third but the coal consumption was not increased—in other words, the new wing of the hospital is being heated at no expense because of DETROIT STOKERS.

At ST. JOSEPH'S HOSPITAL HAMILTON, ONTARIO



The year following the installation of the first DETROIT UNI-STOKER the coal cost was reduced \$1367.62. Because of this very important saving in coal, another DETROIT UNISTOKER was installed with the second boiler.

Write for Bulletin No. 563

DETROIT STOKER COMPANY

Sales Offices and Engineering Department: Fifth Floor, General Motors Building, Detroit, Michigan Works at Monroe, Michigan—District Offices in Principal Cities BUILT IN CANADA AT LONDON, ONTARIO





Shepard & Stearns, Architects

CAST IRON VERANDAS

Smyser-Royer cast iron verandas are easily adaptable to most space conditions. Units may be combined to meet required dimensions. Write for our new catalogue.

SMYSER-ROYER COMPANY

Main Office and Works, York, Pa. Philadelphia Office, 1700 Walnut St.



Efficient lubrication means longer life and uninterrupted service. Norton Door Closers are leakproof. The Norton packing nut, an exclusive feature, permits the use of mineral oil...the correct lubricant for working parts.

WRITE FOR THE NORTON CATALOG

Norton Door Closer Company

	Divi	rion of the	e Yale & T	Towne Ma	nufacturing C	ompa	ny
2	912 N.	WESTE	RN AVE.		CHI	CAGO	ILL.
DOOR	CL	OSER	S FOR	ALL	TYPES	OF	DOORS

Today–all over the country

... piping is being **AIRCOWELDED**

And AIRCOWELDING, because of its proven simplicity, speed and economy, is being written into more and more specifications covering plumbing, heating, refrigeration and power piping. When a piping system is AIRCO-WELDED, it becomes one continuous piece of pipe that is strong, tight, leakproof and jointless, and is <u>forever</u> free from maintenance. Installation time is cut in half, insulation is less costly and ever so much easier to apply, and a saving of 30 to 50% is made on rods and gases.

"Facts about Welded Piping" sets forth in easy form for architects and engineers the SPECIFICATIONS for welded piping as well as its many advantages—and the reasons for these substantial savings.

The Coupon will bring you a copy-Mail it NOW !

AIR REDUCTION SALES COMPANY 60 East 42nd Street · New York, N.Y.

Please send me a	complime	entary	copy	of the	"FACTS	about	WELDED	PIPING"
Name								
Firm								
Address								
City								

ets About Welded Pipin

EDUCTION SAL



-HOME-

The TRANE Airite System is a complete package air conditioning system for winter and summer service where the automatic advantages of oil-fired equipment are desired.



The TRANE Vapor Convector system has gained a reputation of being the finest of all straight heating systems. Designed primarily for use in larger finer residences it is furnished with complete humidity if desired. It employes TRANE Convection Heaters and Heating Specialties.



EVERY-

The TRANE steam water Climate Changer system is a complete air conditioning system affording real air conditioning winter and summer plus a generous supply of domestic hot water. TRANE Climate Changers may be used with any steam or hot water boiler.



The TRANE Dual or Split system provides heating for the entire house and air conditioning for the favorite rooms. It employes the TRANE Climate Changer and TRANE Convection Heaters with all of their advantages.





The TRANE Orifice Convector system is designed and particularly adapted to residences in the \$3,000 to \$6,000 class. It is simple, economical, quiet and safe and offers all of the advantages of instant control and convected heating given by TRANE Convection Heaters.

TRANE RESIDENTIAL Heating and Air Conditioning You no longer need be bothered by the problems of the proper

equipment to specify for your residential work. The TRANE Company is the only manufacturer offering a complete line of systems covering every need. We will be glad to furnish you with detailed information on any one of the above or all. Write us on your letterhead.



WHAT PRICE THE HAND THAT WIELDS THE BRUSH

You, as an architect, know the high price of painting labor as compared with low material cost. Paint actually makes up but 25% of the total finishing expense. The *painter* accounts for 75%. The folly of skimping on materials is self-evident. Cheap paint quickly soars to an expensive luxury when it must be removed and replaced in a short time. Berry paint-100% pure and made with Lionoil—assures lasting beauty and protection. Wherever used, it is an enduring reminder of the excellence of your specifications, a safeguard to your reputation.



PLAN YOUR LIGHTING WHEN YOU'RE PLANNING



LIGHTOLIER offers for immediate delivery lighting equipment designed to meet the special needs of the small house ... We now offer at moderate prices, fixtures of such beauty and individuality as previously have been available only on special order. Write for "The Charm of a Well Lighted Home".

> LIGHTOLIER 11 East 36th St., New York City

Chicago · Los Angeles · San Francisco

there's a RU-BER-OID BUILT-UP ROOF to fit EVERY TYPE OF BUILDING

New unit of the Met-

New unit of the Metropolitan Life Insurance Co., New York. Protected with 38,-500 square feet RU-BER-OID Built-up

Roofing.

- HE WELL

RU-BER-OID

ARCHITECTURAL PRODUCTS BUILT-UP ROOFS

ASBESTOS SHINGLES

ASPHALT SHINGLES MINERAL WOOL INSULATION ASBESTOS PIPE COVERINGS WATERPROOF SHEATHINGS NEWTILE NEWMARBLE VER 30 RU-BER-OID Built-up Roof Specifications, including multiple layers of asbestos, tarred, or asphalt felt, permit the selection of a roof which meets the conditions of climate, roof design, unusual wear, life of building, or proximity to fire hazard.


You can always specify RU-BER-OID Built-up Roofs with confidence. Impressive records of roofing service on public buildings and industrial plants the nation over attest to the uncompromising quality of RU-BER-OID Built-up Roofing Materials, and the engineering soundness of the specifications recommended.

Ruberoid invites your full investigation. Write

The RUBEROID Co. Executive Officess 500 Fifth Avenue, New York City

RU-BER-OID

ROOFING AND BUILDING PRODUCTS



U.S. Post Office Building, Denver, Colorado. Protected with 8,500 square feet RU-BER-OID Built-up Roofing.

Southern Kraft Corporation Mill, Mobile, Ala. Protected with 264,000 square feet RU-BER-OID Built-up Roofing.



Merchandise Mart Building, Chicago, Ill. Protected with 225,000 square feet RU-BER-OID Built-up Roofing. Cleveland Stadium, Cleveland, Ohio. Protected with 220,000 square feet RU-BER-OID Built-up Roofing.



e mill

3 1000

ia leinin


Benjamin Franklin High School, Rochester, N.Y. Protected with 140,000 square feet RU-BER-OID Built-up Roofion



Reg. Trade Mark

a new copper alloy, corrosion resisting

American Radiator introduces Arcoloy, a new metal which can be welded, which combines corrosion and acid resisting qualities with the tensile strength of carbon steel, and is easy to fabricate. It comes in tubes, sheets, or ingots. Fits requirements of many commercial and industrial uses. For details write to Non-Ferrous Dept., American Radiator Company, 40 West 40th Street, New York, N. Y.



a "Sturdibilt" Kitchen adds the Final Touch to any Modern Home

Whether your job is one of modernization or new construction, the "Home of Today" calls for a modern kitchen. And only

ELKAY "Sturdibilt" Stainless Steel Sinks

built to measure to fit any individual requirement, give that final touch of refinement so much desired by the modern housewife.

Ask for new 1936 Catalog. Our Engineers will submit plans to meet your specifications. There's no obligation.

ELKAY MANUFACTURING CO. 4721 Arthington Street, Chicago



Club House, Suffolk Downs, East Boston, Mass. Engineer-Mark Linenthal, Boston. Contractors-Crane, Inc., Boston. Window Frames calked by Western Waterproofing Co., Inc., Boston.

Pecora Never Finishes In Second Place

M AKE any comparision you wish, Pecora Calking Compound will prove its superiority every time. There's never any gamble as to results.... That is why leading architects, builders and operators are so insistent that Pecora be used on their important jobs. After all, Pecora costs so little more than inferior products that the difference does not justify the specula-tion. You will find that when properly applied, Pecora Calking Compound will not dry out, crack or chip. It is the ideal calking material for air conditioning projects.

For further details see Sweet's Catalog or write direct to us

Pecora Paint Company, Inc.

Fourth and Venango	Streets	Est. 1862 1	by Smith Bowen		PHILADELPHIA, PA.	Tin
Also Makers of	MORTAR STAINS	•	SASH PUTTIES	٠	SUCTION MASTIC	trid





Completely Air Conditioned by York


WITHIN THE WALLS of this new building employees of the Hershey Chocolate Corporation are surrounded by complete man-made comfort. Light is controlled and kind to the eyes. Noise is banished. Even the air is washed and filtered before it enters . . . cooled and dehumidified in summer . . . heated and humidified in winter.

Here is a triumph of scientific pioneering with which York is proud to be associated. It is another York "first." As a milestone of air conditioning progress it ranks with York's use of Freon in the U. S. Senate Office Building, where, for the first time, this safe refrigerant was applied to a large air conditioning system.

Through its force of more than 3100 men devoted solely to *engineered* mechanical cooling York is constantly contributing to the science of air conditioning and refrigeration. Again and again pioneering by York has later become standard practice throughout the industry. York was intrumental in establishing the "standard ton," the yardstick by which all engineers today measure the output of refrigerating equipment. York contributed materially to the introduction of air conditioning on the American Railroads. And, as "Headquarters for Mechanical Cooling," was among the first to bring the benefits of air conditioning to all types of business and industry.

But York leadership does not end with research and manufacturing thoroughness. Through Headquarters Branches in every important center of demand, it offers, to architects, consulting engineers, and heating contractors, cooperative engineering service. And York manufactures such a wide range of air conditioning equipment that it can serve every type of installation whether it be a small store or a windowless building.


YORK ICE MACHINERY CORPORATION, YORK, PENNA. HEADQUARTERS BRANCHES THROUGHOUT THE WORLD Commercial and Industrial Air Conditioning . . . Commercial, Industrial and Institutional Refrigeration . . . Dairy and Ice Cream Plant Equipment.





YEISWAY CABINET SHOWERS provide the answer to the insistent demand for extra bathing facilities in homes of every size. The sketch above is suggestive of numerous ways in which Weisway Showers meet this demand-by enabling a complete extra bath in small space at low cost.

The V-P Weisway of gleaming vitreous porcelain enamel, is suitable for the master bath in the finest home. Other styles for homes of every size, including the simplest cottage. Each Weisway model affords complete bathing facilities, being fully equipped with shower head, valves and drain. Easily, quick-



ly installed, with no special treatment of walls or floor.

Guaranteed leakproof, Weisway cabinets are not affected by settling of structure or shrinkage of materials-durable,dependable,troublefree. They are equally adaptable for new homes or modernizing.

SAFE FOOT-GRIP, NO-SLIP FLOOR

Vitreous porcelain receptor has exclusive floor which positively prevents slipping. Equally effective wet or dry. Nonabsorbent, thoroughly sanitary.

Write now for details about the complete Weisway line-for homes of every size, as well as hotels, clubs, institutions, commercial buildings.

HENRY WEIS MANUFACTURING CO., INC. ESTABLISHED 1876 CABINET SHOWER DIVISION, 502 OAK ST., ELKHART, IND.





was installed this season in the Senior High School, Ft. Dodge, Iowa.

BUTLER MANUFACTURING COMPANY 1248 EASTERN AVE., KANSAS CITY, MO.





■ If you like your facts concise, clear, complete . . . if you want an authoritative digest of copper water tube information . . . if you're interested in the most up-to-date facts on the uses, advantages, and applications of this tube . . . *write today* for a copy of this profusely illustrated 40-page handbook.

Here are some of the subjects covered: What Revere Copper Water Tube is. Types and tempers. General advantages. Uses. Streamline soldered Fittings: mechanical features. Suggestions for making joints. Tools needed. Visual inspection feature. Lasting qualities. Saving in space. The Compression Fitting: uses and advantages. How a joint is made. Revere Copper Water Tube for water supply: installation advantages. Use and advantages for new work. For heating. For drainage. For replacement. Revere Copper Tube for underground services: from main to meter. For oil burner installations. For gas services. For lawn irrigation. Tables to determine proper size tube for cold water service lines carrying 2 to 800 gallons per minute. Information on how to work and install Revere Copper Water Tube. Solders and fluxes. Sizing tools. Roughing-in dimensions for soldered and compression fittings. Standard dimensions, weights and properties of types K, L, M, and O tubes. How to specify Revere Copper Tube.

For your copy of this new booklet, address Revere Copper and Brass Incorporated, Dept. A, 230 Park Avenue, New York City.

Revere Copper and Brass



NEW!

Sent on request

A 40-Page Handbook on

COPPER WATER TUBE

INCORPORATED

EXECUTIVE OFFICES: 230 PARK AVENUE, NEW YORK CITY · MILLS: BALTIMORE, MD. · TAUNTON, MASS. New Bedford, Mass. · Rome, N. Y. · Detroit, Mich. · Chicago, Ill. · Sales Offices in Principal Cities

With Track Doors, it is the "flap" that makes, or breaks, them



This is the York Track Door Flap in "Open" position. Note the simple but positive mechanism which operates the flap . . . keeps gasket on flap tightly compressed when door is closed.

Exclusive with York, this Cold Storage Door "track flap" brings you these ad-vantages: 1. Positive in action, both in opening and closing. 2. Foolproof, no adjustment necessary, nothing to get out of order. 3. Long life, because of simplicity of design, minimum number of moving parts which are made of malleable iron. 4. Improved appearance ... nothing but the hinges are visible on outside of door. 5. Track flap is fully opened with approximately 15 de-

gree opening of main door. 6. Can be made inoperative without affecting the operation of the main door.

For Refrigeration Accessories use York's Nation-wide Service

Through Headquarters Branches, in every important center of demand, York provides Doors, Fronts, Hardware, Valves, and Fittings, everything for refrigerating plant operation and repairs. Also engineers to help you with your problems. Ask for a copy of the York Accessory Equipment and Supplies Catalog. Write Dept. AF-5.

YORK ICE MACHINERY CORPORATION, YORK, PENNA. HEADQUARTERS BRANCHES THROUGHOUT THE WORLD

90% OF ALL ROLLING GRILLES INSTALLED BETWEEN 1931-1936 ARE



of Duct Heating and Air Conditioning


APERATURE

Fulton Sylphon offers architects and engineers a line of controls ideally suited to the regulation of duct temperatures in air conditioning and indirect heating and ventilating systems where heating is by steam coils in the ducts, and cooling is by circulated cold water or calcium chloride brine.

Principal reasons for Sylphon preference are: Modulating action of Sylphon controls for maintenance of desired temperatures within extremely close limits; self-contained, self-powered, compact design, easy to install, and requiring no compressed air, no wiring, motors, levers, chains or other auxiliary equipment; patented starshaped bulbs and coil type bulbs providing unusual sensitivity; dependability of rugged all metal construction from the finest materials available; products of specialists in temperature control for over thirty years. New Sylphon Bulletins describe the present complete line of Sylphon controls for this and other temperature control services. Ask for your copies.

• Individual Room Temperature Control—Bulletins JA 80 and JA 70 ...Zone Control—Bulletin JA 70...Space Heat Control in Large Industrial Areas—Bulletins JA 50 and JA 70...Duct Type Heating and Air Conditioning Controls—Bulletin JA 50...Service Hot Water Supply Control—Bulletins JA 20 and JA 40...Drinking Water Temperature Control—Bulletin JA 20.





TERSE! COMPLETE! GRAPHIC!


A brief catalog, profusely illustrated with photos, details and dimensions, that should be in your files for ready reference. CORNELL IRON WORKS, 3600 13th St., Long Island City, N. Y.

CORNELL: Please send without obligation your NEW catalog of Corneil ROLLING GRILLES. Also send literature on Doors Upward Acting Doors.


Name



FOR THE PRIVATE HOUSE



An interesting ventilator treatment in Stainless Steel. The stove, doors, and table are also stainless.



out, it will not pit, chip, or peel. It can be washed as easily as glass...Your client's satisfaction is assured if you specify stainless steel wherever permanent beauty and corrosion-resistance are factors. Electromet, through thirty years' practical experi-


ence with ferro-alloys, and stainless and other alloy steels, can help you apply stainless steel to your designs. If you have a problem, write us. We may have the answer.

ELECTRO METALLURGICAL COMPANY Unit of Union Carbide and Carbon Corporation

Carbide and Carbon Building, 30 East 42nd St., New York, N.Y.



Sink, utensils, and window trim . . . all Stainless Steel.





No longer need architects and builders shoulder the entire responsibility for the proper functioning of duct systems for air-conditioning.

Tempered-Aire offers the only air-conditioning system which is engineered and built complete, from oil burner to ducts, by one manufacturer.

The revolutionary Tempered-Aire duct system brings factory methods to field installations. Every part is standardized and built to conform to standard building practice and measurements. This eliminates the need for complex "tailor-made" trunk lines and much other hand labor. It speeds building operations. It saves costly delays for contractors and sub-contractors.

The factory-welded pre-fabricated parts are stronger and better. Everything but the trunk lines is concealed between joists and studdings.

Best of all, this system works better. Uniform parts and simplified mathematical formulae insure that.

Combined with Tempered-Aire's traditional economy and efficiency, this system assures the greatest possible satisfaction to architects, builders and home owners. Write for complete information.



Even the trunks are standardized in the fully pre-fabricated Tempered-Aire duct system

*

Air Conditioning Division GAR WOOD INDUSTRIES, INC. 7924 Riopelle St. Detroit, Mich.



$B \cdot O \cdot O \cdot K \cdot S$

JOR the convenience of our readers, books may be obtained from the Book Service of THE ARCHITECTURAL FORUM by sending the amount of the regular list price with the order. Information regarding prices, authors, and titles may be obtained from the same department.

Book Service Department

THE ARCHITECTURAL FORUM 135 East 42nd Street New York, N. Y.

FROM RENT TO SPACE THE ARCHITECTURAL FORUM

announces for June the first instalment of


A Study in Apartment Planning Technique:

Money • Tenants • Land • Building

HERE is a new realistic approach to planning multi-family dwellings—a technique which translates rent into space. The authors' formula begins with the required rent, relates it to the space elements of one room, then a series of rooms or apartments, and finally an entire building or group of buildings. It provides a new rational procedure for coordinating architectural planning and economics—makes available an organized and methodical basis for analyzing multi-dwelling projects.

In addition to the first instalment of this apartment plan study, the June FORUM includes an exclusive presentation of the 1936 AIA convention exhibition 12 pages on the new Long Beach Technical High School a section on Broadcasting Studios a new portfolio in the Historical American Building Survey series two notable examples of contemporary store architecture and a continuation of The FORUM's collection of small house case studies.

As this issue goes into the mail there are a few copies of the April \$5000 House Reference Number of The FORUM available for new subscribers. To enter a new subscription, or renew an old one simply sign and mail the attached card—it needs no stamp.



ADVERTISING INDEX

MAY 1936

A erofin Corporation	56
Air Reduction Sales Company	91
Allis-Chalmers Manufacturing Co.	81
Aluminum Company of America 27, 76 &	11
American Brass Company, The	45
American Radiator Company	12
Anchor Post Fence Company	
Armstrong Cork Products Company	37
Association of Gas Appliance and	
Equipment Manufacturers	51
Barber Asphalt Company, The	11
Barrett Company, The	& 7
Berry Brothers	92
Bethlehem Steel Company 30 &	31
Boston Varnish Company	96
Burnham Boiler Corporation	64
Butler Manufacturing Company	96
Carrier Engineering Corp.	13
Case & Son, W. A. Manufacturing Co.	54
Celotex Corporation, The	34
Clarage Fan Company Columbus Coated Fabrics Corporation Congoleum-Nairn, Inc. Consolidated Expanded Metal Companies, The	00
Columbus Coated Pabrics Corporation	40
Congoleum-Nairn, Inc.	59
Cornell Iron Works	98
Delco-Frigidaire Conditioning Corporation	8
Detroit Steel Products Co.	47
Detroit Stoker Company	90
Drake Hotel	00
Dunham, C. A., Co.	38
Eagle Pencil Company	23
Eagle-Picher Lead Company, The	139
Electrolux Ketrigerator Sales	113
Flectro Metallurgical Company	99
Elkay Manufacturing Co	94
Formica Insulation Company, The	14
Fox Furnace Co., The	71
Fulton Sylphon Co.	98
Gar Wood Industries, Inc.	00
General Electric Company	73
General Insulating & Mfg. Co.	20
Goodyear Tire & Rubber Co., Inc., The	144
Harvey-Whipple, Inc. Henry Furnace & Foundry Company, The	38
Henry Furnace & Foundry Company, The	75
Hoffman Specialty Co., Inc.	24
Ingersoll-Rand	55
Insulite Company, The	46
International Cement Corporation International Nickel Company, Inc., The	22
Iron Fireman Manufacturing Company	69
Johns-Manville	89
Johnson Service Company	16
Johnson Service Company	

A awneer Company, The	
Keasbey & Mattison Company	5
Kelvinator Corporation Kinnear Mfg. Co., The	40
Kleensan Corporation	
Libbey-Owens-Ford Glass Co.	80
Lightolier	92
Lockwood Hardware Mfg. Co.	60
Division of Independent Lock Company	
Macbeth-Evans Glass Company	10
Marsh Wall Tile Company	86
Masonite Corporation	2
Modine Manufacturing Company	79
Mueller Furnace Company, L. J.	
Muralo Company, Inc., The	58
National Lead Company	19
Norge Heating and Conditioning Division	61
Borg-Warner Corporation	-
Norton Door Closer Co.	90
Otis Elevator Company	78
Owens-Illinois Glass Company	32
	94
Pecora Paint Company, Inc Pittsburgh Plate Glass Company	
Portland Cement Association	72 84
Powers Regulator Co., The	
Procter & Gamble	40
Railway Express Agency	88
Revere Copper and Brass, Incorporated	97
Richards, George C.	21
Ric-Wil Co., The	68
Ruberoid Co., The	28
	93
Sisalkraft Company, The	57
Smyser-Royer Company	90
Sonneborn Sons Inc., L.	53
Standard Sanitary Mfg. Co.	18
Steel & Tubes, Inc.	83
Trane Company, The	92
United States Plywood Co., Inc.	39
United States Steel Corporation	74
Uvalde Rock Asphalt Company	33
Warren Telechron Company	
Waterfilm Boilers, Inc.	48
Webster, Warren & Co.	42
Weis, Henry, Manufacturing Co., Inc.	96
Westinghouse Electric & Manufacturing Co.	70
Weverhaeuser Sales Company	87
Williams Oil-O-Matic Heating Corporation	62
Wood Conversion Company	26
York Ice Machinery Corporation	98


SEND THE ARCHITECTURAL FORUM FOR ONE YEAR (12 ISSUES) AND BILL ME FOR \$4.

START with APRIL _ MAY _ JUNE _

Name		
Street	and the second second second	
City	State	

← M a i l This Card T o d a y It needs no stamp

Please check here if this is a renewal subscription



Versatility is the chief attribute of Casements by Truscon. Harmony with their surroundings is another ... they are decorative with or without draping and curtaining. Utility is another advantage ... affording many advantages. They fit right ... close tight... keep out cold ... hold in heat ... are easy to operate ... easy to clean ... never rot or warp ... require infrequent painting ... and are fire-resistant.

Where *extra*-versatility is desired in summer months . . . Truscon underscreen operators permit opening

the windows without disturbing the screens. This type of Casement by Truscon has gained enthusiastic praise. Truscon's window and door service is unbiased in its recommendations because Truscon makes every type and size of steel windows, doors and auxiliary equipment demanded by the entire building industry. Truscon casements are readily available from stock. Installation is simple. Architects are invited to accept the services of our designers and engineers for complete cooperation without obligation.

SEE TRUSCON'S 80-PAGE CATALOG IN "SWEET'S" for the following building products

STEEL WINDOWS AND DOORS Casements and Casement Screens Casement and Utility Doors Basement Windows Coal Chutes and Garage Doors METAL LATHS Original Herringbone Doublemesh Lath Insulmesh and Diamond Laths "A" Metal Laths Hy-Rib and Diamond Rib Laths Corner Beads and Accessories

OTHER BUILDING PRODUCTS Open Truss Steel Joists Reinforcing Products Steel Lintels Duplex Bridging



Truscon Steel Company



THE KITCHEN HAS BECOME THE SHOWROOM OF THE HOME

• Today prospective home owners and tenants are "kitchen conscious." A modern, well-planned kitchen is one of the most important factors in selling or renting a home or apartment house.

The modern trend is definitely to the *all-electric* kitchen. General Electric, originator of the complete electric kitchen, offers a free and very helpful service to architects, builders and building owners in the planning, building or modernizing of kitchens in single or multiple residential dwellings.

Complete G-E Kitchens, including refrigerator, range,

GENERAL

dishwasher, work surfaces and cabinets are a able in package form for as little as \$475 (price v slightly according to locality). See your nearest Appliance Distributor or write direct for com information and specifications. General Ele Company, Appliance and Merchandise De ment, Section CG5, Nela Park, Cleveland, (

GENERAL ELECTRIC KITCHENS INCL 1. G-E Refrigerator • 2. G-E Range • 3. G-E Dishwasher • Kitchen Waste Unit—the new G-E appliance that div of kitchen refuse right at the sink—banishes the garbag

ELECTRIC

ALL-ELECTRIC KITCHENS