

The ARCHITECTURAL RECORD

December 192




Published in New York
35c a copy ~ \$ 3.00 a year.

For "All Time and Clime"

BISHOPRIC

The Super Stucco-Plaster Base



Residence—Mrs. Rose F. Voreburg, Puritan Road, Swampscott, Mass.

Architect—Harry E. Davidson, 46 Cornhill St., Boston, Mass.

Stucco Contractor—J. H. Townsend Co., Pemberton Sq., Boston
Bishopric Stucco Base used on all exteriors.

IT is of great importance in the construction of the house of stucco to provide for the preservation of its beauty, its resistance against fire, vermin and decay, its insulation against change of temperature and dampness. Bishopric stucco and plaster base in construction and in use, offers the possibilities of this insurance.

FOR DETAILS & SPECIFICATIONS
SEE FIFTEENTH EDITION
SWEETS CATALOG
PAGES 357-360
INCLUSIVE

We have prepared a booklet for you, containing facts and figures, and illustrated with photographs of beautiful houses built with Bishopric stucco, plaster and sheathing units. Ask for it.



The Bishopric Mfg. Company

102 Este Avenue

Cincinnati, O.

Factories: Cincinnati, Ohio, and Ottawa, Canada
New York City Office: 2846 Grand Central Terminal



A 15,000 gallon Redwood water tank on the roof of one of Pittsburgh's large department stores—feeds the sprinkler system.



A 30,000 gallon water tank of 3" Redwood. Installed at the Pittsburgh Field Club for club house water system, watering the greens and supplying water for swimming pool.

REDWOOD TANKS ARE A SOUND INVESTMENT

Utility, service and cost are the three considerations that should determine water tank specifications.

In first cost some tanks—both wood and metal—are slightly cheaper than Redwood tanks. But judged by the term of service—and cost for upkeep—Redwood tanks are better and cheaper. Hoops may rust out and be repeatedly renewed. Redwood endures. Repair or replacement costs are minimized whether the service be ten years or thirty years.

Technical Data on Redwood

The many construction, engineering and equipment uses for Redwood are illustrated and described in the seventh edition of Sweet's Engineering Catalogue. Write our Chicago office for the Redwood Engineering Digest and for Redwood Booklets describing the special properties of Redwood for a wide range of special uses—from cigar box making to lining refrigerator ships and building pergolas, for exterior woodwork and interior finish, for silos and summer homes, for tanks and vats for all purposes.

Water does not rot Redwood. Fungus does not attack it. No protective treatment is required because Redwood is impregnated during growth with a natural preservative which remains in the fibre during the life of the tank.

Redwood is odorless and tasteless. It is unaffected by acids, alkalies or oils. Redwood tanks, pipes and vats are in continual use for supplying cities and institutions with water, tanning leather, dyeing textiles and for the strong solutions used in the leaching of copper. In all climates of the world Redwood tanks have been used for years, giving exceptional service.

Install a Redwood tank and you have a permanent job—a tank that neither rusts or rots—that remains tight and sound indefinitely—that does not affect the tank contents and is not affected by them.



2069 McCormick Bldg., Chicago
New York
THE PACIFIC LUMBER CO.
San Francisco Los Angeles
Export Company
A. F. THANE & CO.
40 Rector St., New York City
311 California St., San Francisco
The Largest Manufacturers and Distributors of California Redwood
Members of the California Redwood Association



Main saloon on Mr. Vincent Astor's yacht "Nourmahal." Furniture and paneling in American Walnut

Quite naturally—

American Walnut was selected for the interior woodwork, paneling and furniture in Mr. Astor's super-yacht, "Nourmahal."

Because of its beautiful color, handsome grain, enduring properties (freedom from warping, shrinking or splitting) American Walnut is the first choice of people of discriminative taste for the adornment of their homes—afloat or ashore. "The Cabinet-wood Superlative."

"The Walnut Book"—illustrated—contains much interesting information about this "Cabinet-wood of the Ages." Free upon request. Will you send us your name?

American Walnut Manufacturers' Association

Room 1001, 616 South Michigan Boulevard

Chicago





SARGENT
HARDWARE

RITZ-CARLTON HOTEL
Atlantic City, N. J.

Warren & Wetmore
Architects
Thompson & Starrett Co.
General Contractors

Illustrated above is another notable American hotel of the highest grade, which, like many more of these great caravansaries in all parts of the country, is equipped with

SARGENT

LOCKS AND HARDWARE

The selection of our goods for these well-known and much-used buildings, in which the locks have such an important place, is due more than anything else to their demonstrated worth; they meet the requirements of the management in security, protection and convenience and they also provide a decorative value that conforms to the artistic features of the architect's work.

SARGENT & COMPANY

Manufacturers

NEW HAVEN, CONN.

New York

Chicago

KEWANEE

BOILERS

Have a STEADY Water Line

Kewanee Boilers are built with *plenty* of steam space and so, the water stays in the boiler where it belongs and doesn't get into the mains and pipes and radiators.

That means *dryer* steam, and that's what is wanted.

KEWANEE BOILER COMPANY KEWANEE, ILLINOIS

Steel Heating Boilers, Radiators, Tanks, Water Heating Garbage Burners

BRANCHES:

CHICAGO	Market and Washington Sts.	SALT LAKE CITY	Scott Bldg.
NEW YORK	47 W. 42nd St.	MILWAUKEE	Mer. & Mfrs. Bank Bldg.
DES MOINES	315 Hubbell Bldg.	PITTSBURGH	945 Oliver Bldg.
KANSAS CITY	2014 Wyandotte St.	DALLAS	Southwestern Life Bldg.
INDIANAPOLIS	509 Occidental Bldg.	DETROIT	1772 Lafayette Boul.
ST. LOUIS	1212 Chemical Bldg.	TOLEDO	1121 Nicholas Bldg.
MINNEAPOLIS	708 Builders Exchange	CLEVELAND	706 Rose Bldg.
COLUMBUS, O.	808 1st Nat'l Bank Bldg.	ATLANTA, Ga.	1524-25 Candler Bldg.
	SAN FRANCISCO		72 Fremont St.



CANADIAN REPRESENTATIVES—The Dominion Radiator Co., Ltd.

Toronto, Ont., Montreal, Que., Winnipeg, Man., Hamilton, Ont., St. John, N. B.
Calgary, Alta.

THE DECORATORS SUPPLY CO.


ARCHER, LEO, LIME STREETS

CHICAGO, ILLINOIS

COMPOSITION LIGHTING FIXTURES

FOR
CHURCHES
HOTELS
THEATRES
PUBLIC BUILDINGS
STORES
RESIDENCES

THE MOST CAREFUL
ATTENTION GIVEN TO
DESIGN, PROPORTION,
WORKMANSHIP AND
DURABILITY



No. 983
6 LIGHTS

CALIFORNIA REDWOOD



The mantel, panels and ceiling beams of this living room are Redwood, finished in the natural color of the wood.

Firelight on Redwood—Ask your Architect

A Redwood living room is at its best in the evening, with the light from a wood fire making flickering patterns on the softly glowing walls.

Among architects and decorators there is a growing realization that Redwood, with its rich variety of grain and texture and tone, offers a marvellous palette to the artist in interior design. Hence a growing proportion of the Redwood cut is going into beautiful and distinguished living rooms.

But Redwood's uses are extremely varied. Being free from pitch and resin it is particularly adapted to paint and enamel work of all kinds. Its unequalled resistance to rot is well known—hence its extensive employment for exterior trim, siding, shingles, etc., for tanks and silos on the farm, and for numerous special industrial uses.

To get accurate and disinterested information about Redwood, go to your architect, building contractor, or lumber dealer, and say, "What about Redwood?"

Redwood is unequalled for the special uses to which it is best adapted and for the uses the available supply is adequate for generations. Meanwhile, according to U. S. Forest Service Bulletin 31, merchantable second-growth Redwood is produced in less than 60 years by natural growth from the stump.

This Advertisement is appearing in the December issue of Atlantic Monthly, Century, Harpers, Scribners, The Review of Reviews, World's Work.

THIS advertisement is written with just one purpose in mind: to send prospective home-builders to their logical technical advisers—the architect, the building contractor and the lumber dealer—with a question: "What About Redwood?" You can answer this question, and it is your opportunity to secure a client or a customer. Complete information, prices and specifications may be obtained by addressing any of the sales and distributing branches listed below:

SALES AND DISTRIBUTING BRANCHES

Redwood Sales Company (representing six producing companies*), Exposition Building, San Francisco, California.

John D. Mershon Lumber Co., (agent), 803 Flatiron Bldg., New York City.

A. C. Dutton Lumber Corporation, (agent), Springfield, Mass.

The Pacific Lumber Company, 311 California Street, San Francisco, and Central Bldg., Los Angeles, California.



The Pacific Lumber Co., of Illinois, 522 Fifth Ave., New York City; McCormick Bldg., 322 S. Michigan Ave., Chicago, Ill.; Grand Ave., Temple Bldg., Kansas City, Mo.

Union Lumber Company, (representing two additional producing companies), Crocker Bldg., San Francisco; Merchants National Bank Bldg., Los Angeles, Calif.; 2850 Grand Central Terminal Bldg., New York City; McCormick Bldg., Chicago, Ill.

MEMBER COMPANIES (San Francisco Offices)

*Albion Lumber Company
*Dolbeer & Carson Lumber Company
†Glen Blair Redwood Company


*Hobbs, Wall & Company
*Holmes, Eureka Lumber Company
*Little River Redwood Company
†Mendocino Lumber Company

Union Lumber Company
Northwestern Redwood Company
The Pacific Lumber Company

Ambrac Structural Shapes



AMBRAC EXTRUDED BRONZE COUNTERSCREEN OF THE BANK OF COMMERCE, SPRINGFIELD, MO. Opel & Torbett, Architects. Fabricated by the Michaels Art Bronze Company, Cincinnati, Ohio, from AMBRAC extruded bronze shapes and mouldings manufactured by The American Brass Company.



Ambrac Extruded Bronze Shapes—Clean and Sharp

THE extrusion process, long employed by The American Brass Company for the making of AMBRAC architectural bronze shapes, has made it comparatively easy to carry out the architect's specifications for bank screens, grilles, wickets, counters and cornices.

Because AMBRAC bronze is forced through a die made to conform exactly with the architect's sectional drawing, the resultant shape has the sharp lines and well defined shadows that the architect demands.

The Extrusion Departments of The American Brass Company at Kenosha, Wis., and Ansonia, Conn., will gladly supply any technical information desired.

The American Brass Company

Kenosha Branch
Kenosha, Wis.

Waterbury, Conn.

Ansonia Branch
Ansonia, Conn.



Hotel Fuller
I. W. Fuller, Archt.



Stroh Building
Gruver, Dinkelsberg
& Ellington, Archt.



Detroit Edison Bldg
Smith, Hinchman & Grylls, Archts.

WILLIAMS

Reversible Fixtures

The buildings displayed are all located in Detroit, Mich., and are indicative of the type of buildings in which the "Williams" Double Hung Reversible Window Fixtures are being used.

The outside of the sash in these buildings can be cleaned from inside the room in absolute safety and with the window closed. All risk of accident is eliminated. Insurance rates on this labor are reduced.

Furthermore, the actual time saved in so cleaning windows



First and Old
National Bank
Albert Kahn, Archt.

pays for the cost of the equipment within three years. There is also less annoyance to the occupants during the cleaning.

An ideal overhead ventilation is obtained by tilting one or both sash.

Detroit is but one of the cities where "Williams" Reversible Window Fixtures are being used in many buildings.

Our twenty years' experience in this work has carried us far past the experimental stage. We maintain a force of trained workmen whom we send to make the installation which includes fitting the sash. This insures proper operation and fixes responsibility.

See Sweet's, pages 1197-9, for details and branch offices.

The WILLIAMS PIVOT SASH CO.

CLEVELAND, OHIO




Standard Accident Insurance Co. Building
Albert Kahn, Archt.



Hotel Statler
Geo. D. Post & Sons, Archts., 1st Building
Smith, Hinchman & Crilly, Archts., addition



Berman Apartments
Rogers, Bonnah, & Chaffee, Archts.





National Steel Lumber Joists Hasten Building Completion

IN the architectural buildings, like schools, office buildings, apartments, hospitals, stores, etc., a structural steel frame and steel lumber fireproof floors make speedy erection certain.

The work of all trades on the job is perfectly synchronized. Masonry and floors go right along with the steel frame. Every bit of work brings the building nearer completion since in this construction all "dead work" is eliminated. Cold weather does not impede progress.

Leading structural steel fabricating companies throughout the country stand ready to render local service in the way of engineering, estimating and delivering material from their own warehouses, cut to length and ready to be set in place.


You can rely on steel lumber and structural steel construction for strength, for permanency, fire resistance, quick erection and broad economies in everything that affects the cost of a structure.

Write for details

The NATIONAL PRESSED STEEL CO.
MASSILLON, OHIO

DIVISION OF CENTRAL STEEL CO.


Stocks of National Steel Lumber joist sections are carried by structural steel fabricators throughout the United States. These fabricators supply contractors with the material ready for use.



Detail of Steel Lumber Full Fireproof Floor Construction.



NATIONAL STEEL JOISTS



Higgin All-metal Window Screens

WHEN an architect specifies HIGGIN Screens he thereby writes in HIGGIN Service, which extends all the way from the quality of the raw material to the installation of the product. We have agencies in charge of screen experts in practically all the largest cities—men who can estimate and who know what equipment is best adapted to meet conditions usual or unusual, how to measure and how work should be installed. Each agency has its corps of specially trained HIGGIN Screen mechanics—the net result being that both we and the architect are fully protected and are at all times *sure* of perfect work, which is as it should be in handling a product that we take pains to make 100% perfect in design and manufacture.

*On your next job, let us handle the screening.
It will be a revelation to you.*

Represented in Sweet's Catalogue, 1035-1039.

The Higgin Manufacturing Company

Window and Door Screens and All-metal Weatherstrips

NEWPORT, KENTUCKY

OAK FLOORS

(For Everlasting Economy)



"Afraid They Are Too Expensive"

This is the reaction of the average client. He knows Oak Floors are the most beautiful, durable, sanitary and easy-to-clean. But he is not aware that they cost less, foot for foot, than ordinary floors, plus carpets. Or that they add 25% or more to renting or selling values.

In educating the client to the truth about Oak Floors, architects render high professional service—influencing him towards his best

interests. A service doubly appreciated later on.

A special thickness ($\frac{3}{8}$ of an inch), for over-laying old floors, should be remembered in remodeling commissions.

Write for our 3 free booklets, in colors. They contain much accurate information for architects' files.



For general specifications, see page 458, Sweet's Architectural Catalogue, 16th Edition.

OAK FLOORING *MERSAON*

1039 Ashland Block, Chicago, Ill.



Grace Evangelical Lutheran Church, Wadsworth, Ohio. Mr. Reynold H. Hinsdale, Cleveland, Architect; Artstone furnished by The George Rackle & Sons Co., Cleveland, using Medusa Stainless White Cement. Waterproofed.

“Medusa” Trim Adds Distinction

THIS interesting edifice, in French Gothic design, strikes a note of good taste very often missed in the buildings in our smaller cities and towns. The contrast afforded by the fresh, white Artstone finish (made from Medusa Stainless White Cement and suitable aggregates) against the tapestry brick, is distinctive, yet restrained and pleasing.

The use of Medusa Waterproofed Stainless White Cement is assurance to architect and congregation that the finish will not only repel moisture permanently, but that even many years' exposure will not cause the trim to discolor or change texture.

The Medusa Booklets will be gladly sent on request.

THE SANDUSKY CEMENT COMPANY,
Department A CLEVELAND, OHIO

*Manufacturers of Medusa Stainless White Cement
(Plain or Waterproofed) and Medusa
Waterproofing (Powder or Paste).*



The interior is done in quartered oak; Caen stone walls with Artstone trimming. Aisle and vestibule floors of Faence tile; Chancel floor of Grey Tennessee Marble. The altar is of White Vermont Marble.

The "MEDUSA REVIEW" deals with problems of architect, engineer, contractor and dealer, and shows various applications of cement in construction work of various kinds. We shall be pleased to enter your name on request. The subscription is free.

MEDUSA Stainless White Cement - Waterproofed

Build the roofing of rock, too

THE permanence of this building's roof is definitely assured because, like the walls, the roofing is also of stone.

Layer upon layer, sheets of felted asbestos rock fibres impregnated with mineral asphalt were built up into a roofing of stone that will endure through years and years of exposure to any weather.

If you would be certain of the roof covering, specify a roofing of stone—Johns-Manville Asbestos Roofing.

Johns-Manville Asbestos Roofings are approved by Underwriters' Laboratories, Inc.

JOHNS-MANVILLE Incorporated
Madison Avenue, at 41st Street, New York City
Branches in 60 Large Cities

For Canada:
Canadian Johns-Manville Co., Ltd., Toronto, Ont.

*Detroit Fire and Marine Insurance Co., Detroit, Mich.
George D. Mason, Architect.*



Through—
Asbestos

and its allied products
JOHNS-MANVILLE
Serves in Conservation

Heat Insulations, High
Temperature Cements,
Asbestos Roofings,
Packings, Brake
Linings, Fire
Prevention
Products

JOHNS-MANVILLE ASBESTOS ROOFING



"The Captains and the Kings Depart"

THE last workman has packed his tools and gone. The builder's job is finished. Through the empty house the architect passes, taking it all in for the last time, room by room.

It is *his* job—his life's work. No matter who *buys* the house, no matter who *uses* the house, the architect's title to the soul of the structure will stand unchallenged as long as the walls themselves stand.

It is *his* job. *His* vision guided the stroke of every hammer, of every chisel, of every trowel, of every brush. Thought endures forever, while labor has an end.

* * *

Yet there was a time when the architect contributed more than design, form, harmony—he was himself a master builder, working with his men—himself a manufacturer also, forging and shaping iron, brass, copper, and bronze.

To others long since have fallen the duties of forge and anvil, smelter and crucible, hammer and trowel. The

That there may arise a more conscious appreciation of this—a spirit of closer cooperation—a return of that ancient "Craft fellowship" when pencil, hammer and forge worked under one roof—is a message of sincere good will which we are certain will find a responsive echo in many hearts.

substance of the house is no longer one with its *thought*. No longer *one*, substance and thought are still inseparable. Inert and meaningless the stone, brass and wood until summoned by the power of the architect's thought. Disembodied, equally meaningless is the carefully sketched thought until realized in substance of steel, wood, and stone.

* * *

Architect, Builder, Manufacturer—no matter how far apart they seem in purpose, in technic, or in ambition, the good of one is the good of all, and the good of all is the good of each.

THE STANLEY WORKS
NEW BRITAIN, CONN.

Makers of Wrought Hardware and Carpenter's Tools



LONG-BELL

TRADE MARKED

Lumber and Timbers

WHEN BUYING LUMBER

Consider Value as Well as Price

"Is it the best buy in the long run?", "Will it fill the bill?", are the questions to be answered before getting down to dollars and cents. In other words—there can be no compromise with poor lumber and timbers where strength and durability are the main essentials.

Behind every piece of Long-Bell lumber, there is more than forty years of lumber experience and into every piece goes our reputation because we brand our product with our trade-marked name. This means identification all the way from mill to user.

The Long-Bell Lumber Company's stands of long leaf Southern Pine in the Calcasieu district recognize no superior among woods, commercially available, where strength and durability are essential. From tree to loading dock our products are subject to vigilant inspection and our strict adherence to the grading rules, together with careful manufacturing, results in lumber with a reputation for uniform high quality.

Upon request we will send architects, without charge, a copy of our book, "From Tree to Trade," the story of lumber manufacture from the woods to the finished product. Please mention this magazine when requesting the book.

SOUTHERN PINE LUMBER AND TIMBERS; CREOSOTED LUMBER, TIMBERS, POSTS, POLES, TIES, PILING, WOOD BLOCKS; CALIFORNIA WHITE PINE LUMBER, SASH AND DOORS, STANDARDIZED WOODWORK; GUM AND OAK LUMBER; OAK FLOORING.

The Long-Bell Lumber Company

R. A. LONG BUILDING Lumbermen since 1875 KANSAS CITY, MO.



PIPE ORGANS FOR SPECIFIC PURPOSES

There are at least five kinds of buildings in which pipe organs may be installed—

Churches

Theatres—*moving picture and other*

Concert halls

Hotels

Residences

An architect may be called upon from time to time to advise on an organ for any one of these structures.

We want to convince you that we, a firm of organ builders with seventy-five years' experience, with examples of our work in buildings of all five kinds all over this country, with a well equipped factory, staffed with both artisans and artists who understand the pipe organ structurally, musically, and artistically, are at your service to furnish advice, information, experience, and cooperation of every sort, if you have a client who wants a pipe organ for any purpose.

ESTEY ORGAN COMPANY


Brattleboro, Vermont

INDEX TO ADVERTISEMENTS

Classified Directory of Advertisers, page 20

Page	Page	Page
*Adam Electric Co., Frank.... 82	Faber, Eberhard 39	*Pacific Lumber Co., The..... 1
*American Brass Co..... 7	*Fairfacts Co..... 72	Parker Preston Co..... 116
American Bridge Co..... 108	*Fireproof Products Co..... 112	*Patton Paint Co..... 34
*American District Steam Co. 108	Fox Co, M. Ewing..... 102	Pearlman & Co., Victor S.... 26
American Face Brick Assoc. 81	Frigidaire Corporation..... 73	*Pecora Paint Co..... 104
American Lead Pencil Co.... 114	*Fulton Company, The..... 118	*Peelle Company, The..... 61
*American Materials Co..... 106	*General Chemical Co..... 100	*Pitcairn Varnish Co..... 33
American Seating Co..... 38	General Gas Light Co..... 105	*Rackle & Sons Co., The Geo. 75
*American Steel & Wire Co. 104	*Gillis & Geoghegan..... 90	Recent Publications..... 35, 36
American Walnut Mfrs. Assn. 2	*Globe Ventilator Co..... 104	*Reliance Fireproof Door Co. 66
*American Window Glass Co. 45	*Gorton & Lidgerwood Co.... 88	*Ric-wil Co. 110
*Anchor Post Iron Works.... 74	*Haas Company, Phillip..... 78	*Rising & Nelson Slate Co.... 28
Andorra Nurseries 116	*Hart & Hegeman Mfg. Co.... 76	*Rockport Granite Co..... 79
*Appalachian Marble Co..... 56	*Hartmann-Sanders Co..... 108	*Roddis Lumber & Vencer Co. 68
Architectural Record 66, 83	Hecla Iron Works..... 55	Rome Brass & Copper Co.... 67
*Arkansas Soft Pine Bureau. 40	*Higgin Mfg. Co..... 11	*Rookwood Pottery Co..... 94
*Armstrong Cork Co..... 59	*Hoffman Mfg. Co., Andrew. 56	Royeroff Inn 74
*Armstrong Cork & Insulation Co. 42	*Hoffmann & Billings Mfg. Co. 72	*Ruberold Co. (formerly the Standard Paint Co.)..... 48
Arnold & North, Inc..... 104	*Hughes-Keenan Co..... 30	*Sandusky Cement Co..... 13
*Arrow Electric Co., The..... 23	*Indiana Limestone Quarrymen's Assoc..... 93	*Sarnymetal Products Co..... 29
*Art Stucco Materials Co..... 106	*Jenkins Bros. 111	Sargent & Co..... 3
*Associated Tile Mfrs..... 25	*Johns-Mauville, Inc..... 14, 62	Scarlati, P. 106
*Auld & Conger Co..... 110	*Johnson Service Co..... 21	*Sedgwick Machine Works.... 60
*Barber Asphalt Paving Co... 89	*Kaestner & Hecht Co.... 3d Cover	*Sharp Rotary Ash Receiver Corp..... 103
*Bayley Co., William..... 92	*Kawneer Co., The..... 80	*Sheldon Slate Co., F. C..... 78
*Beardslee Chandler Mfg. Co. 96	*Kelley Island Lime & Transport Co..... 43	*Sherwin-Williams Co..... 95
*Berry Brothers, Inc..... 44	Kewance Boiler Co..... 4	Simplex Wire & Cable Co.... 110
Bishop & Babcock Company. 94	*Kewance Private Utilities Co. 112	Smith & Co., Edw..... 60
*Bishopric Mfg. Co..... 2d Cover	*Kinnear Mfg. Co..... 64	*Smith Co., H. B., The..... 49
*Blabon Co., Geo. W..... 27	*Kniekerbocker Slate Corp.... 82	*Smith & Egge Mfg Co., The. 98
Boston Varnish Co..... 46	Kohler Co..... 107	*Smysor-Royer Co..... 100
Bradley Wash Fountain Co. 115	Lawrence Cement Co..... 88	*Sonneborn Sons, L., Inc. 4th Cover
*Brasscolite Company, The.... 51	Long-Bell Lumber Co..... 16	Soss Mfg. Co..... 64
*Brasscrafters 102	*Luminous Unit Co..... 51	*Spencer Turbine Co..... 84
California Redwood Assn.... 6	*McCray Refrigerator Co..... 100	Standard Heater Co..... 84
*Carley, The Philip, Co..... 85	McKinney Mfg. Co..... 69	*Standard Paint Co. (now Ruberold Co., The)..... 48
Carney's Cement Co..... 97	Maddock's Sons Co., Thomas. 117	*Stanley Works 15
*Central Brass Mfg. Co..... 113	Mahogany Association 53	Stearns Lumber Co., A. T... 102
Chattanooga Roofing & Pdy. Co. 112	*Mineral Point Zinc Co..... 65	*Structural Slate Co..... 98
*Chesley Co., A. C..... 100	*Mississippi Wire Glass Co... 90	*Sturtevant Co., B. F..... 99
Christmas Seals 96	*Morgan Woodwork Organization..... 37	Sweet's Catalogue Service, Inc..... 70, 71
*Common Brick Industry of America. 47	*Moulding, Thomas, Brick Co. 112	*Thorp Fireproof Door Co.... 57
*Concrete Engineering Co. 62, 86	*Murphy Door Bed Co..... 106	*Union Metal Mfg. Co..... 91
*Covert Co., H. W..... 108	*Nash Engineering Co., The... 50	*U. S. Gutta Percha Paint Co. 52
*Crane Co..... 54	*National Bld. Granite Quarries Assoc..... 65	Utica Heater Co..... 106
Creo-Dipt Co., Inc..... 116	National Kellastone Co..... 110	*Vendor Slate Co..... 76
*Crittall Casement Window Co. 84	National Pressed Steel Co.... 10	Vietor Brass Mfg. Co..... 102
Decorators Supply Co..... 5	*New Jersey Terra Cotta Co.. 80	*Vonnegut Hardware Co..... 101
Deleo Light Co..... 73	*New Jersey Zinc Co..... 63	*Vulcan Brass Mfg. Co..... 92
Dixon Crucible Co., Jos..... 32	*North Western Expanded Metal Co..... 31	*Wadsworth, Howland & Co.. 116
*Dow Co., Incorporated..... 24	*Oak Flooring Mfrs. Assoc.... 12	*Webster, Warren & Co..... 109
*Drouve Co., G., The..... 114	*Ohio Body & Blower Co., The 19	*Weis Mfg Co., Henry..... 86
*Dunham Co., C. A..... 68	*Ohio Hydrate & Supply Co.. 41	*Western Brick Co..... 82
*DuPont de Nemours & Co., E. I..... 77		*Wlekwire Spencer Steel Corp. 87
Estey Organ Co..... 17		*Williams Pivot Sash Co.... 8, 9
*Eustis Mfg. Co., J. P..... 102		*Wisconsin Lime & Cement Co. 106
*Excelso Specialty Works.... 114		*Youngstown Sheet & Tube Co. 114

Catalogues of concerns marked * will be found in the 16th Edition of Sweet's Architectural Catalogue.



Sixty, 48" Swartwouts, a paper mill installation for The International Paper Co.'s Canadian plant.

The Paper Mill Test

—a supreme test of ventilator efficiency!

IN the manufacture of paper the control of humidity through proper ventilation is a factor directly influencing the quality of the product. Condensations which would spot the paper must be prevented. In perhaps no other industry is adequate ventilation so necessary.

Ventilation is of course vital to the healthfulness of the workers in other industries just as it is important to the occupants of residences or churches—but in this industry the *product* depends on ventilation.

The International Paper Co. would not choose Swartwout unless satisfied with their performance.

You may not be working on a paper mill, but the Swartwouts which pass this supreme test will be just as effective and dependable on any of your ventilating installations.

Write for the "Gospel of Fresh Air," it gives photos, facts and figures that will interest you.



Swartwout Specialty Division of THE OHIO BODY & BLOWER CO., Cleveland

Swartwout

ROTARY BALL BEARING VENTILATORS

(PAT'D.)



**CLASSIFIED DIRECTORY
OF
ADVERTISERS**

Alphabetical Index to Advertisers, Page 18

- Architectural Faience.**
Associated Tile Manufacturers.
Rookwood Pottery Company.
- Architectural Supplies.**
American Lead Pencil Company.
Dixon, Joseph, Crucible Company.
Faber, Eberhard.
- Ash Receivers.**
Sharp Rotary Ash Receiver Corporation.
- Bathroom Accessories.**
Brasscrafters Co.
Eustis Mfg. Company, J. P.
- Bakery Machinery.**
Read Machinery Company.
- Blowers.**
Ohio Body & Blower Company.
Sturtevant Company, B. F.
- Boilers.**
Kewanee Boiler Company.
Smith Company, H. B., The.
Utica Heater Company.
- Boiler and Pipe Covering.**
Johns-Manville, Inc.
Ric-Wil Company.
- Brass.**
See Metal.
- Brass and Bronze Workers.**
See Ornamental Metal Workers.
- Brick.**
American Face Brick Association.
Common Brick Industry of America.
Western Brick Company.
- Bridges—Steel.**
American Bridge Company.
- Buildings—Steel.**
American Bridge Company.
- Building Papers.**
Johns-Manville, Inc.
Ruberoid Co., The (formerly the Standard Paint Co.).
Standard Paint Company (now The Ruberoid Co.).
- Calking and Glazing Compound.**
Pecora Paint Company.
- Casements.**
Crittall Casement Window Company.
Hoffman Manufacturing Company, Andrew.
- Cement.**
Carney's Cement Company.
Lawrence Cement Company
Sandusky Cement Company.
- Cement, White.**
Sandusky Cement Company.
- Chain Sash.**
Smith & Egge Manufacturing Company.
- Church Memorials.**
American Seating Company.
- Columns, Porches, Etc.**
Fireproof Products Company.
Hartmann-Sanders Company.
Union Metal Mfg. Co.
- Concrete Construction—Reinforced.**
American Steel & Wire Company.
Concrete Engineering Company.
Northwestern Expanded Metal Company.
Truscon Steel Company.
- Concrete Hardener.**
General Chemical Company.
Master Builders Company.
Sonneborn Sons, Incorporated, L.
Truscon Laboratories, The.
- Conduits—Electric.**
Youngstown Sheet & Tube Company.
- Covering—Pipe and Boiler.**
Carey Company, Philip.
Johns-Manville, Inc.
Ric-Wil Company
- Damper-Fireplace.**
Covert Co., Inc., The H. W.
- Door-Bed.**
Murphy Door Bed Company.
- Door Check.**
Sargent & Company.
- Door Hangers.**
Stanley Works, The.
- Doors.**
Chesley Company, Inc., A. C.
Higgin Manufacturing Co.
Kinnear Manufacturing Co.
Morgan Woodwork Organization.
Paine Lumber Co., Ltd.
Pelle Company, The.
Reliance Fireproof Door Company.
Roddis Lumber & Veneer Company.
Sanymetal Products Co.
Thorp Fireproof Door Company.
- Doors—Steel Rolling.**
Kinnear Manufacturing Company.
- Drinking Fountain.**
Central Brass Mfg. Co.
- Dumbwaiters.**
Sedgwick Machine Works.
- Electrical Equipment.**
Adam Electric Co., Frank.
Arrow Electric Company, The.
Electric Outlet Company
Johns-Manville, Inc.
Simplex Wire & Cable Company
- Elevator Doors.**
Pelle Company.
- Elevators.**
Kaestner & Hecht Company.
Otis Elevator Company.
Sedgwick Machine Works.



THAT'S a year after year money saving which is equal to big dividends on your investment in temperature regulation—for big buildings or residences—to say nothing of the value of greater comfort, and healthfulness.

Mere regulation of heating source by thermostat in a single room is not adequate. Some rooms will be forced to 80 degrees or more to bring other rooms to 70 degrees. Some rooms will be over-heated, others underheated.

The only temperature regulation that means full economy, and correct heating of every room, according to need of each room is the thermostatic control of heating units of each room, and automatic regulation of heating source according to heat demands.

The Johnson System of temperature regulation delivers heat to each room only according to its needs—maintains constant temperature, without overheating, or underheating in any room—without fuel waste.

Johnson Service, with engineering, sales and service organizations in all principal cities matches the mechanical superiority of Johnson Systems.

Johnson Service Company
Milwaukee, Wisconsin

Johnson System
Temperature Regulation



Enamel—White.

Berry Brothers.
Boston Varnish Company.
Du Pont de Nemours & Co., E. I.
Pitcairn Varnish Company.
Sherwin-Williams Company
Smith, Edward & Company.

Fans—Ventilating.

Ohio Body & Blower Company.
Sturtevant Company, B. F.

Fences—Wire.

Anchor Post Iron Works.
Wickwire Spencer Steel Corporation.

Fire Escapes.

Dow Company, Inc.

Fire Exit Devices.

Vonnegut Hardware Company.

Fireplace and Fireplace Fixtures.

Arnold & North Company.
Chattanooga Roofing & Foundry Company.
Covert Company, H. W.
General Gas Light Co.

Fireproof Doors, Shutters and Windows.

Chesley Company, Inc., A. C.
Crittall Casement Window Company.
Kinnear Manufacturing Company.
Pelle Company, The.
Thorp Fireproof Door Company.
Truscon Steel Company.

Fireproofing.

See:

"Concrete Construction."
"Covering, Pipe and Boiler."
"Fireproofing Doors, Shutters and Windows."
"Lath—Metal."

Floor Covering.

Armstrong Cork & Insulation Company.
Blabon Company, George W.
Moulding Brick Co., Thomas.

Floor Finish.

Boston Varnish Company.
Du Pont de Nemours & Co., E. I.
Smith & Company, Edward.

Floor Hardeners.

General Chemical Co.
Master Builders Company.
Sonneborn Sons, Incorporated, L.
Truscon Laboratories, The.

Flooring.

Armstrong Cork Company.
Barber Asphalt Paving Co.
Moulding Brick Co., Thomas.

Flooring—Ceramic Mosaic.

Associated Tile Manufacturers' Association.

Flooring—Sub.

Bishopric Manufacturing Co.

Fountains—Wash.

Bradley Wash Fountain Co.

Furnishers.

Nelson Company, W. P., Chicago, Ill.

Furniture.

Kohn, Jacob and Josef.

Garage Hardware.

McKinney Manufacturing Company.
Stanley Works, The.

Garden Furniture and Ornaments.

Hartmann-Sanders Company.
Union Metal Mfg. Co.

Glass—Window.

American Window Glass Company.

Glass—Wire.

See "Wire Glass."

Granite.

National Building Granite Quarries Association.
Rockport Granite Company.

Hardware.

American Brass Company.
Bullard-Bodmer Company.
Sargent & Company.
Soss Manufacturing Company.
Stanley Works, The.
Vonnegut Hardware Company.

Heat Insulation.

Johns-Manville, Inc.
Ric-Wil Company.

Heating Apparatus.

American District Steam Company.
Bishop & Babcock Company.
Dunham Company, C. A.
Fulton Company, The.
General Gas Light Co.
Johnson Service Company.
Kewanee Boiler Company.
Nash Engineering Company.
Standard Heater Company.
Sturtevant Company, B. F.
Utica Heater Company.
Webster-Warren Company.

Hinges—Gravity.

Sanymetal Products Co.

Hinges—Invisible.

Soss Manufacturing Company.

Hoists—Asbes, Etc.

Gillis & Geoghegan.

Ice Water Systems.

Central Brass Mfg. Co.

Insulating Base.

Bishopric Manufacturing Co.

Interior Decorators.

Nelson Company, W. P., New York, 209-11 West
33d Street, opposite Pennsylvania Depot; Chi-
cago, 614 South Michigan Avenue.

Interior Trim.

See "Woods."

Iron Works—Architectural and Structural.

See Ornamental Metal Workers.

Kalsomine.

Fox & Company, M. Ewing.

Kitchen Equipment.

Read Machinery Company.

Laboratory Furniture.

Kewaunee Manufacturing Company.

Lath—Metal.

Concrete Engineering Company.
Northwestern Expanded Metal Company.
Truscon Steel Company.

Lath Wire.

See "Wire Lath."

Lighting Equipment.

Arrow Electric Company, The.
Beardslee Chandelier Manufacturing Company.
Bullard-Bodmer Company.
Decorators' Supply Co.
Electric Outlet Company.
Luminous Unit Company.
Pearlman & Company, Victor S.
Smyser-Royer Company.
Union Metal Mfg. Co.

Lime.

Kelley Island Lime & Transport Company.
Ohio Hydrate & Supply Co.

Limestone.

Indiana Limestone Quarrymen's Association.

Linoleum.

Armstrong Cork Company.
Blabon Company, George W.



THE EXTRA LONG
PLUG

A marked improvement in electrical equipment that will find a wide variety of uses.



A convenience plug

ITS UNUSUAL length provides a solution to the problem of connecting an electrical appliance to a socket equipped with a glass shade.

Maximum efficiency and ready sales will be obtained for appliances equipped with this plug, because its merits will instantly be recognized by anyone who has had occasion to use a short plug.

A new development in the line of Arrow Standard Interchangeable Plugs and Receptacles.

THE ARROW ELECTRIC CO.
HARTFORD, CONN.



ARROW

The complete line of Wiring Devices

- Locks.**
Sargent & Company.
- Lockers and Shelving Metal.**
Edwards Manufacturing Company.
- Lumber.**
See "Woods."
- Lumber—Steel.**
See "Steel Lumber."
- Mantels.**
Arnold & North, Inc.
- Marble.**
Appalachian Marble Company.
- Memorials, Church.**
American Seating Company.
- Metal—Brass, Bronze, Iron, Zinc, Etc.**
American Brass Company.
American Steel & Wire Company.
International Nickel Company.
Mineral Point Zinc Co.
New Jersey Zinc Company.
Rome Brass & Copper Company.
- Metal Extruded.**
American Brass Company.
Rome Brass & Copper Co.
- Metal Lath.**
See "Lath Metal."
- Metal Lumber.**
General Fireproofing Company.
National Pressed Steel Company.
North Western Expanded Metal Co.
Truscon Steel Company.
- Monel Metal.**
International Nickel Company.
- Mouldings.**
American Brass Company.
Rome Brass & Copper Company.
- Organs—Residence.**
Estey Organ Company, The.
- Ornamental Composition.**
National Plastic Relief Company.
- Ornamental Metal Workers.**
Bullard-Bodmer Co.
Hecla Iron Works.
Newman Manufacturing Company.
Smyser-Royer Company.
Williams, Inc., John.
- Paints.**
Barber Asphalt Paving Co.
Berry Brothers.
Boston Varnish Company.
Devos & Raynolds Company.
Du Pont de Nemours & Company, E. I.
Fox Company, M. Ewing.
Murphy Varnish Co.
Patton Paint Company.
Pecora Paint Company.
Pitcairn Varnish Company.
Ric-Wil Company.
Ruberoid Co., The (formerly the Standard Paint Co.).
Sherwin-Williams Co.
Standard Paint Company (now The Ruberoid Co.).
Truscon Laboratories, The.
U. S. Gutta Percha Paint Co.
Wadsworth Howland & Co.
- Partitions—Office.**
Sanymetal Products Co.
- Partitions—Toilet.**
Hughes-Keenan Company.
Sanymetal Products Co.
Weis Mfg. Co., Henry.
- Pencils—Drawing.**
American Lead Pencil Company.
Dixon Crucible Company, Joseph.
Faber, Eberhard.
- Pergolas.**
Hartmann-Sanders Company.
Union Metal Mfg. Company.
- Pipe—Brass and Copper.**
American Brass Company.
Rome Brass & Copper Company.



Protecting the Lives of the Thirty Millions

Testing the touch-plate and automatic inside latch on the exit door of one of the Dow Spiral Slide Fire Escapes installed in the new Public School 65, of Baltimore, shown above.

THIRTY million precious lives in the schools of America must be protected from fire.

Dow Fire Escapes can give them all the utmost of safety without marring the architectural beauty of the buildings in which they are installed. Public School 65, of Baltimore, for instance, can be emptied in less than two minutes by the use of their two Dow Fire Escapes. And only two stairways are now required instead of the seven that originally had been considered necessary. The Dow Escapes were installed within the building leading down to a fireproof basement with easy access to the street.

Write The Dow Co., Incorporated, Louisville, Ky.



SPIRAL SLIDE FIRE ESCAPE

“Basic Specifications”

*A New Document Prepared by the
Associated Tile Manufacturers for
the Use of Architects*

THE Associated Tile Manufacturers announce the completion of book No. K 300—“Basic Specifications”—a basic document designed to serve as a record to which architects may refer in preparing specifications for tile.

This document is based upon the architect's mode of writing specifications, and will serve as a foundation for any kind of tile work.

It contains paragraphs for re-writing in the architect's own specifications, also paragraphs relating to tile details that must be taken care of for the work of other trades.

We are prepared to comply with any architect's request for a copy of “Basic Specifications.”

The Associated Tile Manufacturers

Beaver Falls, Pa.

Venetian



Hand wrought steel and gold chandelier enriched with porcelain flowers and Venetian candelabrum.

Folder of "Recent Installations" upon request.

Victor S. Pearlman & Co.

Creators of exclusive Lighting Fixtures.

533-535 South Wabash Ave.

Chicago, Ill.

- Pipe—Steel.**
Youngstown Sheet & Tube Company.
- Pipe—Wrought Iron.**
Youngstown Sheet & Tube Company.
- Pipe and Boiler Covering.**
See "Covering—Pipe and Boiler."
- Pipe-Joint Compound.**
Johns-Manville, Inc.
- Plaster Base.**
Bishopric Manufacturing Co.
- Plumbing Fixtures.**
Central Brass Mfg. Company.
Crane & Company.
Fairfacts Company, The.
Haas Company, Philip
Hoffman & Billings Manufacturing Company.
Hughes-Keenan Co.
Johns-Manville Company, H. W.
Kohler Company.
Maddock's Sons Co., Thomas.
Newman Manufacturing Company.
Sanymetal Products Company.
Structural Slate Company.
Victor Brass Manufacturing Company.
Vulcan Brass Mfg. Co.
- Publishers.**
Houghton-Mifflin Co.
Sweet's Catalogue Service, Inc.
- Pumps.**
Bishop & Babcock Company.
Nash Engineering Company.
- Radiators.**
Kewance Boiler Company.
Smith Company, H. B., The.
- Railings.**
Anchor Post Iron Works.
Newman Manufacturing Company.
Sanymetal Products Co.
Wickwire Spencer Steel Corporation.
- Refrigerators.**
Frigidaire Corporation, The
McCray Refrigerator Company, The.
- Roof Cement.**
Johns-Manville, Inc.
- Roof Sheathing.**
Bishopric Mfg. Co.
- Roofing.**
Barber Asphalt Paving Co.
Carey Manufacturing Company, Philip.
Johns-Manville, Inc.
Truscon Steel Company.
- Roofing Slates.**
See "Slates—Roofing."
- Roofing Tin.**
Taylor Company, N. & G.
- Sash and Frame—Window.**
See "Windows."
- Sash Steel.**
Truscon Steel Company.
- Sash Chain.**
See "Chain Sash."
- Screens.**
Higgin Manufacturing Co.
International Nickel Co.
- Sheathing.**
Bishopric Manufacturing Co.
Johns-Manville, Inc.
- Shingle Stains.**
Creo-Dipt Company.
Devoe & Reynolds Company.
Du Pont de Nemours & Co., E. I.
Parker-Preston Company.



To Someone It Is The Best Room In The House

What Might Have Been a Dusty Attic Is a Charming Room Under the Eaves—Floored with Blabon Linoleum



Look for this label on the face of all Blabon Art Linoleums

In designing a home the attic offers the architect a splendid opportunity to exercise his skill and ingenuity.

Susceptible to wide and varied individual treatment, the attic can be converted into a cozy, clubby den; pool or billiard room; nursery; play house; or study chamber.

And here, as in so many other places, Blabon floors of genuine linoleum embody and combine the requirements of sanitation, durability and good looks.

Warm, silent, long-wearing Blabon Linoleum, either inlaid or printed, can be secured in over two hundred and fifty patterns and five plain colors. There is a place and a use for it in any type of building.

Let us send you a special reprint from Sweet's Architectural Catalogue and our book of quality samples.

Important Notice: Floor coverings (including rugs) made upon a felt paper base are not linoleum, and to describe, advertise or sell them as linoleum is a violation of the law. Felt paper floor coverings have a black interior which is easily detected upon examining the edge.

The George W. Blabon Company, Philadelphia
Established 70 Years

BLABON ART Linoleums

Shingles.

Barber Asphalt Company.
 Creo-Dipt Company.
 Johns-Manville, Inc.
 Ruberoid Co., The (formerly The Standard Paint Co.).
 Standard Paint Company (now The Ruberoid Co.).

Showers.

Hoffman & Billings Manufacturing Company.

Skylights.

Drouve Co., The G.

Slate Blackboards.

Knickerbocker Slate Corporation.

Slate Roofing.

Auld & Conger Company.
 Knickerbocker Slate Corporation.
 Rising & Nelson Slate Company.
 Sheldon Slate Company, F. C.
 Structural Slate Company.
 Vendor Slate Company.

Slate—Structural.

Knickerbocker Slate Corporation.

Smoke Screens.

International Nickel Co.
 Sanymetal Products Co.

Sound Deadening.

Bishopric Manufacturing Co.
 Johns-Manville, Inc.

Stains.

See "Paints."

Steel Lumber.

See "Metal Lumber."

Steel and Wire Products.

American Brass Company.
 American Steel & Wire Company.

Stone—Artificial.

Rackle & Son Co., The George.

Stucco.

American Materials Co.
 Art Stucco Materials Co.
 National Kellastone Company.
 Wisconsin Lime & Cement Co.

Stucco Base.

Bishopric Manufacturing Co.

Switches—Electric.

Arrow Electric Company, The.
 Hart & Hegerman Mfg. Company.

Temperature Control.

Bishop & Babcock Company.
 Fulton Company, The.
 Johnson Service Company.

Terra Cotta.

National Terra Cotta Society.
 New Jersey Terra Cotta Company.

Tile Floor and Wall.

Associated Tile Manufacturers.
 Rookwood Pottery Co.

Tile Roofing.

Truscon Steel Company.

Trees, Shrubs, Etc.

Andorra Nurseries.

Tubes—Brass and Copper.

American Brass Company.
 Rome Brass & Copper Company.

Vacuum Cleaning Machines.

Spencer Turbine Company.
 Sturtevant Company, B. F.

Gabor-stone

ROOFS

An harmonious blending of rare colors together with the hand wrought texture which time only beautifies.

RISING & NELSON SLATE COMPANY

Quarries & Main Office, West Pawlet, Vermont

Office of Architects' Service Department
 101 Park Avenue, New York

CHICAGO

PHILADELPHIA

BOSTON



Residence at Greenwich, Conn.
 Wm. F. Dominick, Architect

RISING & NELSON

Price
?

Sanymetal

TOILET PARTITIONS

TRADE MARK U. S. REG.

Cost the Least

TIME was when wooden toilet partitions were so much cheaper and more attractive than metal that the latter stood little chance in competition. Time was when marble was considered the only proper material for a really *high-grade* partition.

Now, at a cost about the same as wood, Sanymetal can be installed—with a perfection of design superior to wood, a durability that wood never could possess, and a sanitary quality that defies comparison. And Sanymetal has attained such a beauty of line and finish in every detail, that it is widely replacing marble in the finest types of installations, *at a fraction of the cost of marble.*

In selecting your toilet partitions, you couldn't possibly show truer economy than by choosing Sanymetal. For price is one of its plainest advantages.

Let us tell you more about it.

Sanymetal Toilets
in the Factory of
the A. O. Smith
Corp., Milwaukee,
Wis. Herman J.
Esser, Architect.



THE SANYMETAL PRODUCTS COMPANY
980 East 64th Street - - - CLEVELAND, OHIO



HYGEA
GUARDIAN OF HEALTH

HYGEA TOILET PARTITIONS
of Steel embody those valuable qualities,—

**Simplicity
and
Utility,**


which make them adaptable to a wide variety of requirements.

Enamelled Steel gives the hard, non-porous, non-absorbent surface necessary to sanitation in schools, colleges, dormitories, hotels, office buildings, club houses, public recreation rooms, etc.

Wherever the use is hardest HYGEA TOILET PARTITIONS serve best.

Built for standard or special requirements in single or double row batteries, with or without utility space.

Hygea Shower Bath Partitions of rust proof metal and lead sealed connections are made to match Hygea Toilet Partitions in design.



The Hughes-Keenan Co.
Mansfield, Ohio

Valves.

American District Steam Company.
Bishop & Babcock Company.
Fulton Company, The.
Dunham Company, C. A.
Gorton & Lidgerwood Company.
Haas Company, Philip.
Jenkins Brothers.

Varnish.

Berry Brothers.
Boston Varnish Company.
Devoe & Reynolds Company.
Du Pont de Nemours & Co., E. I.
Murphy Varnish Co.
Pitcairn Varnish Company.
Ruberoid Co., The (formerly The Standard Paint Co.).
Smith & Company, Edward.
Standard Paint Company (now The Ruberoid Co.).
Truscon Laboratories, The.
U. S. Gutta Percha Paint Co.

Ventilators.

Edwards Manufacturing Company.
Globe Ventilator Company.
Ohio Body & Blower Company.
Sturtevant Company, B. F.

Wash Fountains.

Bradley Wash Fountain Co.

Water Heaters.

Excelso Water Heater.
Standard Heater Company.

Waterproof Materials.

Barber Asphalt Paving Co.
Carey Company, The Philip.
General Chemical Company.
Johns-Manville, Inc.
Master Builders Company.
Ruberoid Co. (formerly The Standard Paint Co.).
Sandusky Cement Company.
Sonneborn Sons, Incorporated, L.
Truscon Laboratories, The.
Truscon Steel Company.
Wadsworth, Howland & Company.

Water Supply.

Kewanee Private Utilities Company.

Window-Fixtures.

Kawneer Company, The

Windows.

Higgin Manufacturing Co.
Hoffman Mfg. Co., Andrew.
Kawneer Company, The
Reliance Fireproof Door Company.
Truscon Steel Company.
Williams Pivot Sash Company.

Wire and Cable.

American Brass Company.
American Steel & Wire Company.
Simplex Wire & Cable Co.

Wire Glass.

Mississippi Wire Glass Company.

Wire Lath.

Wickwire-Spencer Steel Corp.

Wire Rope.

American Steel & Wire Company.

Woods.

American Walnut Manufacturers' Association.
Arkansas Soft Pine Bureau.
California Redwood Assoc.
Long-Bell Lumber Company.
Mahogany Association.
Morgan Woodwork Organization.
Oak Flooring Mfrs. Assoc.
Southern Cypress Manufacturers' Association.
Pacific Lumber Company, The.
Stearns, A. T., Lumber Company.

Zinc.

See Metal.



*Mr. Architect,
What Would You
Have Done?*

The good citizens of Arlington wanted a very fine High School.

The complete structure was most attractive and conformed with state laws. Stair wells were fire-resistant; basement ceilings protected with metal lath and plaster. In short, this structure exemplified the last word in school construction, until—

THE FIRE

—a sharp blaze in the chemical supply room in one of the upper floors where a “saving” had been effected by using ordinary instead of **Metal Lath**. The estimated total damage was \$25,000. But the National Fire Protection Association says:

“It would have entailed an additional expense of only \$3,000 at the most (a saving of \$22,000) when the building was erected to have protected the upper floors as well as the lower with Metal Lath.”

Which would have been truer economy?

*Samples of metal lath and reference book—
“Fireproof Construction”—sent upon request.*



*Distributors in Principal
Cities.*

North Western Expanded Metal Co.

910 Old Colony Building
CHICAGO

New York


Atlanta
Minneapolis

Los Angeles
St. Louis

Boston
Dallas

Cincinnati





The traceries of Gothic architecture—the majesty of cathedrals—the shifting, changeful, dramatic streets of the world—all are recorded in the pencil drawing. The best pencil drawings of today are being made with Dixon's Eldorado.

SAMPLE OFFER

Write for full-length free samples of "The master drawing pencil" and of Dixon's "BEST" Colored Pencils. In their field, the "BEST" Colored Pencils hold the same position of supremacy as Dixon's Eldorado.

JOSEPH DIXON
CRUCIBLE CO.
Pencil Dept. 225-J,
Jersey City, N. J.

DIXON'S ELDORADO — The Master Drawing Pencil



PITCAIRN FLOOR SPAR Varnish



AGED

HEEL-PROOF! WATER-PROOF!

The Piano finish of floor varnishes, gives floors a superior elegance of high lights, and rich shadow tones. Makes a real contribution to finest decorated interiors. Write for "Proof" Booklet.



Proof PRODUCTS



INTER-INDUSTRIES OF ILL.

PITTSBURGH PLATE GLASS CO.

PLATE AND WINDOW GLASS MIRRORS PAINTS VARNISHES BRUSHES INSECTICIDES

MILWAUKEE, WISCONSIN

NEWARK, NEW JERSEY

Complete stocks in all
Principal Cities of the
United States.



PATTON'S

Velumina

REG. U.S. PAT. OFF.



The OIL FLAT
WALL PAINT

ON the big wall spaces of public buildings or on bungalow walls, the soft, sheenless tones of Patton's Velumina contribute a new artistic quality to interiors. PORE-PROOF! Gives walls an impervious coating—a paint film—without pores to absorb dirt; surface dirt easily washed away. Washing takes the place of re-decorating each season.



Proof PRODUCTS
INTER-INDUSTRIES OF THE



PITTSBURGH PLATE GLASS CO.
PLATE AND WINDOW GLASS MIRRORS PAINTS VARNISHES BRUSHES INSECTICIDES
MILWAUKEE, WISCONSIN NEWARK, NEW JERSEY

Write Patton-Pitcairn Division, Milwaukee for "Proof" Booklet

Complete stocks in all Principal Cities of the United States.

RECENT PUBLICATIONS of ARCHITECTURAL INTEREST

Under this heading is listed a selection of (1) new catalogues, monographs and reports published by manufacturers, manufacturers' associations, technical societies, educational institutions and government departments, and (2) books on architecture and the allied arts. The manufacturers' publications may be secured by architects from the firms who issue them free of charge except where otherwise noted.

- ACOUSTICS.** *Sound Reflections.* Junius H. Stone Corporation, 1400 Broadway, New York. Vol. 1, No. 1. 5½x8 in. 12 pp. Illustrated.
- ACOUSTICS.** *Akoustolith as Related to Architectural Acoustics.* R. Guastavino Co., Woburn, Mass. 10x13 in. 16 pp. Illustrated.
- AIR HANDLING.** "The Climate Doctors." B. F. Sturtevant Co., Hyde Park, Boston, Mass. 3½x6 in. 12 pp.
- BELLS.** *Meneely Bells.* The Meneely Bell Co., 22-26 River St., Troy, N. Y. New York Office, 220 Broadway. 5¼x4¼ in. 20 pp. Illustrated.
- BOILERS, HEATING.** *Kay-Sola Gas Fired Heating Boilers.* Folder No. 51. The Sola Engineering Co., 505 Fifth Ave., New York. 4x8½ in. 8 pp. Illustrated.
- CLOCKS.** *Seth Thomas Tower Clocks—Catalogue No. 7.* Seth Thomas Clock Co., Thomaston, Connecticut. 8x10½ in. 72 pp. Illustrated.
- CLOCKS.** *Seth Thomas Electric Secondary Clocks. Catalogue No. 701.* Seth Thomas Clock Co., Thomaston, Connecticut. 6x9 in. 20 pp. Illustrated.
- CLOCKS.** *Electric Clocks. Bulletins 1, 2 and 3.* Radio Time Service, Incorporated, 161 Devonshire St., Boston, Mass. 8½x11 in. 4 pp. each. Illustrated.
- COATINGS, PROTECTIVE.** *M-R—The Story of Waterproof Plastic Protective Coatings.* Mitchell-Rand Mfg. Co., Waterproofing Dept., 18 Vesey St., New York. 8½x5½ in. 20 pp. Illustrated.
- COATINGS, Protective.** *M-R Protective Coatings.* Mitchell-Rand Mfg. Co., 18 Vesey St., New York. 4x9½ in. 8 pp. Illustrated.
- COMPRESSORS.** *Worthington Unaflo Steam Driven Compressors. Bulletin L-542.* Worthington Pump & Machinery Corporation, 115 Broadway, New York. 6x9 in. 24 pp. Illustrated.
- CONVEYORS, ASH.** *Green Steam Jet Ash Conveyors.* Green Engineering Co., East Chicago, Indiana. 4x9¼ in. 8 pp. Illustrated.
- COPPER & BRASS.** *Bulletin No. 3 of the Copper & Brass Research Association,* 25 Broadway, New York. 8½x11 in. 12 pp. Illustrated.
- DISH-WASHING MACHINES.** *Victor Haustetter Electric Dish-Washing Machines.* F. G. Street & Co., Inc., 132 Nassau St., New York. 8½x11 in. 4 pp. Illustrated.
- FANS & EXHAUSTERS.** "Bringing Nature's Fresh Air Indoors." L. J. Wing Mfg. Co., 352-362 West 13th St., New York. 3½x6½ in. 8 pp. Illustrated.
- FINISHES, WOOD.** "Various Woods Finished With Johnson's Artistic Wood Finishes." S. C. Johnson & Son, Racine, Wisconsin. 5½x10¾ in. Finishes shown on actual samples of wood. 14 pp. Illustrated.
- FLOOR CONSTRUCTION.** *Republic Two-Way Fireproof Floor Construction.* Republic Fireproofing Company, Inc., 116 West 32d St., New York. 8x11 in. 28 pp. Illustrated.
- FLOORS, BLOCK.** *Report of an Investigating Committee of Architects & Engineers on Hastings Asphalt Block Floors.* The Hastings Pavement Company, 25 Broad Street, New York. 8½x11 in. 8 pp. Illustrated.
- FLOORS, BLOCK.** *ZR-2. The Navy Dirigible Hangar, Lakehurst, N. J.* The Hastings Pavement Co., 25 Broad St., New York. 8½x11 in. 6 pp. Illustrated.
- FLOORING.** *Marbleloid, the Modern Flooring for Hospitals.* The Marbleloid Company, 461 Eighth Avenue at 34th St., New York. 8½x11 in. 4 pp. Illustrated.
- GLASS, LIGHTING.** *Macbeth Lighting Glass. Catalogue No. 112.* Macbeth-Evans Glass Company, Pittsburgh, Pa. 6x9 in. 64 pp. Illustrated in color.
- GLASS CONSTRUCTION.** *Keppler Rooflight Constructions. Bulletin No. 207.* Frederick L. Keppler, 1799 First Avenue, New York. 8½x11 in. 4 pp. Illustrated.
- GRILLES, WROUGHT STEEL.** *H. & C. Quality Grilles.* Hart & Cooley Co., Inc., New Britain, Connecticut. 6x9 in. 16 pp. Illustrated.
- HARDWARE, WINDOW.** *Standard Comfort Window Hardware.* Standard Comfort Window Corporation, 426 Broome St., New York. 6½x9¼ in. 12 pp. Illustrated.
- HARDWARE, WROUGHT.** *Catalogue of the Stanley Works Wrought Hardware.* The Stanley Works, New Britain, Connecticut. 6¾x9¾ in. 376 pp. Bound in stiff covers and illustrated.
- HEATERS, UNIT.** *Engineers' Data Book of Wing-Scruplex Unit Heaters.* L. J. Wing Mfg. Co., 352-362 West 13th St., New York. 9x11 in. 7 pp. Illustrated.
- HEATING & VENTILATING.** *The Peerless Unit System of Heating and Ventilating.* Peerless Unit Ventilation Co., 437-9 West 16th St., New York. 8x10½ in. 28 pp. Illustrated.
- HEATERS, WATER.** *Worthington Stilwell Open Feed Water Heaters.* Bulletin PM-210. Worthington Pump & Machinery Corporation, 115 Broadway, New York. 6x9 in. 16 pp. Illustrated.
- HEATERS, WATER.** *American Gas-Fired Automatic Water Heaters.* American Heater Corporation, Sixth & Carr Sts., St. Louis, Missouri. 5x7 in. 24 pp. Illustrated.

RECENT PUBLICATIONS—Continued

- HEATING SYSTEMS.** Gorton Single Pipe Vapor Heating System. Gorton & Lidgerwood Co., 96 Liberty St., New York. 3½x6¼ in. 16 pp. Illustrated.
- HEATING & COOLING.** Heaters, Coolers, Economizers & Interchangers. Catalogue No. 3. Alberger Heater Co., Buffalo, New York. 7½x10½ in. 48 pp. Illustrated.
- HOOISTS, TELESCOPIC.** The G. & G. Telescopic Hoist with Automatic Gear Shifting Brake Device & Silencer. Gillis & Geohegan, 550 West Broadway, New York. 8½x11 in. 20 pp. Illustrated.
- INSULATION.** "Everything in Insulation." Catalogue No. 262. Mitchell-Rand Mfg. Co., 18 Vesey St., New York. 7¾x10½ in. 72 pp. Illustrated.
- KILNS, DRY.** Sturtevant High Humidity Dry Kilns. Catalogue No. 282. B. F. Sturtevant Co., Hyde Park, Boston, Mass. 8½x11 in. 52 pp. Illustrated.
- LIGHTING, ELECTRIC.** Vol. VII, No. 2 of "Eye Comfort." National X-Ray Reflector Co., 235 West Jackson Boulevard, Chicago, Illinois. 8x10 in.
- LIGHTING, ELECTRIC.** Bruscolite Bulletin No. 3 Architectural Series, "Schools, Colleges & Y. M. C. A. Buildings." Luminous Unit Co. Division of St. Louis Brass Mfg. Co., St. Louis, Missouri. 7¾x10½ in. 44 pp. Illustrated.
- LIGHTING, ELECTRIC.** Catalogue BC-11 of Residence Lighting Fixtures. St. Louis Brass Mfg. Co., St. Louis, Mo. 7¾x10½ in. 48 pp. Illustrated.
- LOCKS, ELEVATOR.** "A Sign of Safety." M. C. K. Elevator Locks. The Elevator Locks Co., Peoria, Illinois. New York Office, 101 Park Avenue. 4x9¼ in. 28 pp. Illustrated.
- MATERIALS, BUILDING.** Hand Book Describing Berloy Building Materials. First Edition. The Berger Manufacturing Co., Canton, Ohio. 4½x6½ in. 400 pp. Illustrated and bound in boards.
- METERS, SWITCHBOARD.** Bulletin No. 57 of Sangamo Switchboard Meters. The Sangamo Electric Co., Springfield, Illinois. 8x10½ in. 28 pp. Illustrated in actual colors.
- MORTAR, BRIXMENT—The Perfect Mortar.** Louisville Cement Co., Incorporated, Louisville, Kentucky. 5¾x7¾ in. 16 pp. Illustrated in color and bound in boards.
- PARTITIONS, FOLDING.** Wilson Folding Partitions. The J. G. Wilson Corporation, 8 West 40th St., New York. 8½x11 in. 16 pp. Illustrated.
- PARTITIONS, POMEROY HOLLOW METAL PARTITIONS.** Bulletin No. 203. S. H. Pomeroy Co., Inc., 30 East 42d St., New York. 8½x11 in. 4 pp. Illustrated.
- PILES.** Raymond Concrete Piles. Raymond Concrete Pile Company, 140 Cedar St., New York. 3½x6¼ in. 12 pp. Illustrated.
- PRESERVATIVES, WOOD.** The Annual Charge Against Treated Timber. Bulletin No. 40. By F. S. Paddock, Chemical Engineer. The Protexol Corporation, 34 Barclay St., New York. 6x9 in. 28 pp. Illustrated.
- PUMPS.** Motor Pump, Horizontal Single Plunger Pattern. Bulletin D-902. Worthington Pump & Machinery Corporation, 115 Broadway, New York. 6x9 in. 4 pp. Illustrated.
- REFRIGERATION, MORTUARY.** Mortuary Refrigeration and the De Cani Improved Support. Lorillard Refrigerator Co., Madison Avenue at 48th St., New York. 5x6¾ in. 14 pp. Illustrated.
- REFRIGERATION.** York Vertical Enclosed Single-Acting Ice-Making and Refrigerating Machines. York Manufacturing Co., York, Pa. 6¼x9¼ in. 32 pp. Illustrated.
- ROOFING.** "The Roof That's Always New"—An Introduction to Illinois Zinc Shingles. The Illinois Zinc Co., 280 Broadway, New York. 3¼x6 in. 10 pp. Illustrated.
- SASH, STEEL.** Truseon Sidewalk Sash, Counterbalanced Sash, Continuous Sash and Mechanical Operators. Truseon Steel Company, Youngstown, Ohio. 8½x11 in. 80 pp. Illustrated.
- SHELLAC.** "The Story of Shellac." Wm. Zinsser & Co., Inc., 195 William St., New York. 3½x6¼ in. 16 pp. Illustrated.
- SHINGLES, RED CEDAR.** Distinctive Homes of Red Cedar Shingles. The Shingle Manufacturers' Association of B. C., 911 Metropolitan Building, Vancouver, B. C. 6x9 in. 28 pp. Illustrated.
- SHINGLES, RED CEDAR.** Farm Buildings of Red Cedar Shingles. The Shingle Branch, West Coast Lumberman's Association, 10th Floor, White Building, Seattle, Washington. 6x9 in. 18 pp. Illustrated.
- SLATE, STRUCTURAL.** "Miscellaneous Uses of Slate"—Chapter 11 of a Series on Structural Slate. The Structural Slate Co., Pen Argyl, Pa. 8½x11 in. 8 pp. Illustrated.
- STANDARDS, LIGHTING, ETC.** "Lead, Kindly Light." Bulletin on Union Metal Lamp Standards. The Union Metal Manufacturing Co., Canton, Ohio. 6½x11 in. 10 pp. Illustrated.
- STORE PLANNING.** A Blue Print of a Floor Plan & Elevations Submitted by the Store Planning Department of the Grand Rapids Show Case Co., Grand Rapids, Michigan.
- TILEWORK.** "Work Sheets" for Specification Writers. The Associated Tile Manufacturers, Beaver Falls, Pa. 7½x10¾ in. 16 pp.
- TILES.** Basic Specifications for Tilework & Related Documents. Publication No. K-300. Associated Tile Manufacturers, Beaver Falls, Pa. 7½x10½ in. 38 pp.
- VARNISHES, ETC.** Shellac Products of Quality. Wm. Zinsser & Co., Inc., 195 William St., New York. 4½x7 in. 12 pp. Illustrated.
- VENTILATING SYSTEMS.** "A Better Summer Business." Monsoon Cooling System, Inc., New York. 6½x8¾ in. 32 pp. Illustrated.
- WARDROBES.** Wilson Disappearing Door Wardrobes. The J. G. Wilson Corporation, 8 West 40th St., New York. 8½x11 in. 4 pp. and detail plan. Illustrated.
- WINDOWS, METAL.** Pomeroy Austral Hollow Metal Fire Retardant Windows. Bulletin No. 2201. The S. H. Pomeroy Company, Inc., 282-296 East 134th St., New York. 8½x11 in. 8 pp. Illustrated.
- WIRES & CABLES.** Specifications for Extra Grade Commercial Code, Intermediate and Extra High Grade Rubber Insulated Wires and Cables. Atlantic Insulated Wire & Cable Co., Stamford, Conn. 8½x11 in. 3 pp. each.
- WOODWORK.** General Catalogue No. 185 of Gould Quality Woodwork. Gould Manufacturing Co., Oshkosh, Wisconsin. 5¼x7½ in. 288 pp. Illustrated.



“MORGAN-QUALITY”

STANDARDIZED WOODWORK

MORGAN-QUALITY stands for fine designs, beautiful workmanship and high-grade lumber. So perfectly is Morgan-Quality Woodwork finished that no time is lost in fitting. Each job goes together perfectly. Yet Morgan-Quality costs nothing extra.

Have you the current issue of the Price Supplement? If not, we will be glad to supply you. Address Dept. V-12, nearest office.

MORGAN WOODWORK ORGANIZATION

There is no added cost for “Morgan-Quality”



Morgan Sash & Door Co.
Chicago
Illinois

Morgan Company
Oshkosh
Wisconsin

Morgan Millwork Co.
Baltimore
Maryland



GRACE METHODIST EPISCOPAL CHURCH, DAYTON, OHIO
Schenk and Williams, Architects

THE Pews in this beautiful church were built by the American Seating Company, after designs by Messrs. Schenk and Williams, Architects, of Dayton, Ohio.

To the architect the American Seating Company offers thorough co-operation in the interpretation and faithful execution of his designs and specifications; or in designing fittings to conform to his architectural treatment.

Ecclesiastical Wood Carving—our illustrated literature on this subject will interest both architect and layman.

American Seating Company

Designers and Builders of Seating and Furniture
 for Churches, Theatres and Schools

Address General Offices

CHICAGO

16 East Jackson Boulevard

NEW YORK


BOSTON




EDERHARD FADER

Villa gate in the
Roman Campagna

VAN DYKE
DRAWING PENCIL
The Lead That Leads



MADE IN 16 PERFECT DEGREES OF
HARDNESS FROM 6B TO 8H



USED 4B 5B & 6B
FADER PENCIL



Residence at West Newton, Mass., Davis & Brooks, Architects. Finished throughout with Arkansas Soft Pine

THE DEFINITE ELIMINATION of the raised grain hazard, chemical certainty that no discoloration can occur—and the practical feature of moderate cost, offer three compelling reasons for employing

ARKANSAS SOFT PINE

SATIN-LIKE INTERIOR TRIM

Triple sanding by machine gives this wood the finished surface of plate glass. Inherent toughness and fineness of fiber with no resinous content insure uniform absorbing qualities.

Twenty-five years of successful use under White Enamel and stains prove its worth. Arkansas Soft Pine is an individual wood for an individual purpose—it is the ideal finish for homes, apartments and semi-public buildings.

Technical literature and finished samples on request



ARKANSAS SOFT PINE BUREAU
LITTLE ROCK

ARKANSAS



The Margin of Quality which Appeals to the Experienced Architect


EVEN as it comes from the bed of dolomite limestone here at Woodville, OHIO WHITE FINISH carries less than one-half of one per cent of impurities—and this better-than-99½ percentage of purity is painstakingly guarded throughout manufacture.

OHIO WHITE FINISH possesses a three-way appeal, first to the architect because of the greater protection assured his carefully evolved decorative scheme; second, to the contractor because it spreads most easily; third, to the owner because its enduring quality indefinitely postpones repairs—yet this margin of higher quality entails no additional premium of cost.

Sold by building supply dealers in all parts of the United States, prompt service is assured you.

THE OHIO HYDRATE
& SUPPLY COMPANY
Woodville, Ohio





This photograph illustrates the possibilities of Linotile floors in tea room or restaurant. Six inch squares of light gray and black Linotile are pleasingly combined with black border in a very striking design. C. F. Obcnhack, Architect, Niagara Falls, N. Y.

Featuring the Floor with Linotile

LINOTILE in tea rooms and restaurants enhances the dignity and charm that attract discriminating patronage. A floor of character—in itself a distinctive decorative feature—Linotile gives individuality to the room in which it is laid.

Linotile is a cork composition, made in tiles of various shapes and many sizes and in eleven pleasing colors. Laid piece by piece in an almost unlimited variety of combinations, Linotile floors conform to areas of any size or shape, harmonize with any architectural treatment and afford unusual scope for originality in design.


Other features equally desirable are resilience and comfort underfoot, non-slipperiness and quietness. Non-absorbent, and without cracks or crevices, Linotile floors are easily cleaned and kept clean. And not the least of their unusual properties is their remarkable durability.

Write for a sample and a copy of the 44-page book, "Linotile Floors," which is illustrated in color and contains complete information and specifications. They are sent free on request.

Armstrong Cork & Insulation Co., 161 Twenty-fourth St., Pittsburgh, Pa.

LINOTILE FLOORS

"Spreads like warm butter"



—consequently covers greater area; and insures smooth, even wall surfaces, perfect corners and angles.

See Sweet's Catalog, or write us for detailed specifications. Over four thousand dealers are at your service when you specify TIGER.


THE KELLEY ISLAND LIME & TRANSPORT CO.

World's Largest Producer of Lime
Leader-News Building, CLEVELAND

The Luxeberry Painter Says:

"I've been acquainted with the various brands of varnishes, their possibilities and limitations, all my life and I know that those that retain their beauty year after year without any attention but an occasional wiping and dusting are the only ideal finishes for interiors.

"This is why I use Berry Brothers Varnishes, Enamels and Stains whenever I can, because results always gratify my professional pride, please the architect and satisfy the owner."




BERRY BROTHERS INC

World's Largest Makers
Varnishes and Paint Specialties

Detroit, Michigan

Walkerville, Ontario
(349)





THE window glass throughout the new and beautiful Hotel Sovereign is the product of the American Window Glass Co.





In evenness and freedom from imperfections in double or single strength, its uniform high quality and dependability have long since commended it to architects throughout the country.

*The Sovereign Hotel
Chicago, Ill.*

*Architect, Walter K. Ahlschlager,
Glazed by Sharp, Partridge & Co.*

AMERICAN WINDOW GLASS CO.
General Offices - Pittsburgh, Pa. - Branches in leading cities as listed in Sweet's

All sections are drawn one-half full size.



ARCHITECTS!
 A New Set of our Measured Drawings is now on the press. Authentic Types
Colonial Architecture
 An early request will insure these reaching you.
BOSTON VARNISH COMPANY
 Everett Station
 BOSTON 49, MASS.

MANTEL FROM A HOUSE IN COVENTRY CONN
 Now in the Metropolitan Museum of Art
 NEW YORK CITY



Measured & Drawn by
 Edger & Verna Cook Salomonsky



Kyanize
 WHITE ENAMEL
 SERIES OF MEASURED DRAWINGS

SHEET
 NO. 1

Economical Construction

A Department of Practical Information

1st Year

December 1921

Edited by William Carver, Architect

Brick Veneer is a Pretense

Costs as much as good construction

Reliable manufacturers of brick, anxious to have brick used only in ways that will reflect credit on their material, condemn veneer on frame.

*"In architecture another and a less subtle, more contemptible violation of truth is possible; a direct falsity of assertion respecting the nature of material."


It is natural to expect that a building apparently of brick will have the attributes of a brick building—permanence, strength, fire-resistiveness, etc. These qualities are not possessed by brick veneer on frame. It pretends to a worth that it does not have. It pretends to be what it is not.

*"Leave your walls as bare as a planed board or build them of baked mud and chopped straw, if need be, but do not rough cast them with falsehood."

*John Ruskin—
"The Seven Lamps of Architecture"

Experienced Building Official on Brick Veneer

Reporting recently on this type of construction which



BRICK VENEER ON FRAME

NOT FIRE-RESISTIVE FROM INSIDE
DIFFICULT TO FIGHT FLAMES
MAY COLLAPSE ON FIREMEN
NON-PERMANENT
DECEPTIVE, UNSOUND CONSTRUCTION

had been proposed for two-story schools, a building official of a western city has this to say:

"I find the type of building recommended in said document (brick veneer on frame) is a dangerous type of construction for the following reasons:

"Should an earthquake occur during recess or while children were playing on the grounds, the veneering would shake off and, no doubt, seriously injure many of the children.

"A solid masonry wall will confine a fire for more than a day, and about one hour is the limit to the veneered wall. Also, when fighting a fire the studs burn through and the veneering collapses, making it very dangerous to firemen.

"Worst of all, veneered buildings are subject to dry rot. In all of my experience I have yet to find a veneered

building twenty years old which has not been subject to dry rot or has much structural value left.

"Under favorable conditions a brick veneered building does well to last twenty years. Many reach initial failure before this time. In fact under ordinary conditions the housing of children in any two-storied veneered building which has stood sixteen to eighteen years is a dangerous undertaking.

"With the above in mind I cannot recommend a veneered building. Also, many of the bonds are issued for a period of forty years, yet the veneered school building will scarcely last twenty years at best."


Real Brick Construction Costs Less Than Sham

Walls of traditional solid brick construction, generally, cost no more than brick veneer on frame. The Ideal Wall costs less.

For data on Ideal Wall and other information on brick, see Sweet's Architectural Catalog, 1921, pages 107-114. The Common Brick Industry of America, 1318 Schofield Building, Cleveland, Ohio.



Have You a Copy of this Brick Manual?

For 25 cents only, we will gladly send this 72-page construction manual—"Brick, How to Build and Estimate." Some of the subjects covered are: The Ideal Wall brick in fire-resistive and slow burning construction; brick in fire and party walls; compressive strength of brick; fire-resistiveness of column coverings; cement and limes; sand; mortar colors; selection and preparation of mortar; bonds; joints; fireplaces and chimneys; brick construction in freezing weather; and many other topics. If the local brick manufacturer cannot supply you, write The Common Brick Industry of America, 1318 Schofield Building, Cleveland, Ohio.



SOLID OR IDEAL WALL

PERMANENT
FIRE-RESISTIVE
SAFE FOR FIREMEN
HONEST, SOUND CONSTRUCTION



Ruberoid Built-Up Roofs Durable—Economical—Safe

Durable. Ruberoid Built-up Roofs, from the under layer of felt to the top layer of roofing are composed of Ruberoid products throughout. Ruberoid Roofing used for the two upper layers is the same high grade roofing, which in a *single layer* has lasted on thousands of buildings, without repairs, for over a quarter of a century. It follows unquestionably that, when used in built-up form, the limit of the durability of this type of roofing is indeterminable.

The under layer of Ruberoid Saturated-felt and the Ruberoid Solid-bitumen, used for cementing the layers together, are similarly manufactured to meet a standard of quality and durability.

Economical. Ruberoid Built-up Roofs are formed of but three layers, yet due to the improved weather resisting properties of the constituent materials will give service as long as a five layer roof of ordinary type. This means a saving of 40% in fabric and cementing material and a corresponding saving in the cost of application. It means a roof which weighs 75 pounds less than a five layer roof per 100 sq. ft. of roof area.

Safe. Ruberoid Built-up Roofs, surfaced with slag or gravel, are accorded the highest rating by the Fire Underwriters Laboratories, Inc. This class "A" rating permits their use within the fire limits of any city.

Samples, descriptive matter and specifications will be gladly furnished upon request.

A	Slag (or Gravel)	350 lbs.
B	Ru-ber-oid Solid Bitumen	50 lbs.
C	Ru-ber-oid Roofing	25 lbs.
D	Ru-ber-oid Solid Bitumen	25 lbs.
E	Ru-ber-oid Roofing	25 lbs.
F	Ru-ber-oid Solid Bitumen	25 lbs.
G	Ru-ber-oid Asphalt-Saturated Felt	15 lbs.
H	Ru-ber-oid Solid Bitumen	25 lbs.
I	Concrete Primer	5 lbs.

Ruberoid Weatherproofing Products

- Smooth-surfaced Roll-roofing
- Mineralized Roll-roofing
- Unit-shingles
- Strip-shingles
- Roof-coating
- Insulating and Sheathing-papers
- Floor-covering
- Deck-cloth
- Waterproof-felt
- Asphalt-saturated Felt
- Cement-waterproofing
- Plastic
- Paints
- Varnish

The RUBEROID Co.
FORMERLY THE STANDARD PAINT COMPANY
95 Madison Avenue, New York

Chicago

Boston

RUBEROID built up ROOFS

SHINGLES
FELTS


ROLL ROOFINGS
PAINTS



BUILT-UP ROOFS
VARNISHES

BUILDING PAPERS
PLASTICS

The SMITH BOILER



No. 60 Smith Boiler With Smokeless Furnace

A BOILER of scientific and individual design for burning all fuels, such as bituminous coal, anthracite coal, lignites, coke, oil and wood in conformity with city smoke ordinances.

Single tier grate design requires a minimum amount of attention, eliminates elaborate firing methods and thus insures efficient results under all conditions of operation.


Combustion chamber with ignition aperture provides for complete combustion of gases, thus preventing smoke and resulting in high efficiency and marked economy of operation.

You can afford to replace your present boiler with a 60 Smith for the economy of a Smith boiler with Smokeless Furnace will pay for such an installation in a few years.

The H. B. Smith Co.

Sales Offices and Warehouses: **BOSTON**
WESTFIELD, MASS. **Cambridge, Mass.**
NEW YORK, N. Y. **PHILADELPHIA, PA.**


EFFICIENT HEATING *demand*s the JENNINGS PUMP



Duplex "D" Unit Continuous
Operation
BORDEN BUILDING
Madison Ave. and 45th St.
New York City

Capacity each pump 40,000 square feet direct radiation; air capacity 25 cubic feet per minute in addition to a water capacity of 60 gallons per minute.

The motors are only three horse power.



THE Jennings Pump consists of two independent turbine units, an air pump and a water pump. As each material is handled separately, the boiler pressure is against the water only. The air and vapor, approximately four-fifths of the volume handled, are delivered to the atmosphere without back pressure. The saving in horsepower is over fifty per cent. In other words, the current to operate is cut in half.

Because of its compact design, this equipment can be installed in less than one-third the space necessary with other apparatus. All interior parts are bronze, supported on annular ball bearings mounted outside of casing. Moving parts revolve without contact.

A quiet, reliable operation with minimum expense for repairs and without annoyance because of shut-downs, is assured if the Jennings Pump is installed on your Vacuum Heating System.

There are many other reasons why the Jennings Pump is being installed in practically all of the important buildings. Bulletin No. 15 gives them in detail. Write for it.

THE NASH ENGINEERING COMPANY

SOUTH NORWALK, CONN., U. S. A.

THE ARCHITECTURAL RECORD



Vol. L. No. 6 DECEMBER, 1921 Serial No. 279

Editor: MICHAEL A. MIKKELSEN Business Manager: J. A. OAKLEY
 Contributing Editors: HERBERT CROLY, RUSSELL F. WHITEHEAD

	PAGE
COVER—Altar in North Side of Monreale Cathedral, Palermo, Sicily. Water Color by William Lawrence Bottomley	
THE WORK OF WILLIAM LAWRENCE BOTTOMLEY. Part II. <i>By Arthur Willis Colton</i>	418
THE NORWOOD GOLF CLUB, Long Branch, N. J. Harry Allan Jacobs, Architect	442
PORTFOLIO OF CURRENT ARCHITECTURE	453
THE FIRST METHODIST EPISCOPAL CHURCH OF ASBURY PARK, N. J. Lucian E. Smith and Harry E. Warren, Asso- ciated Architects	472
TWO TOWN HALLS: At Millburn, N. J., Horatio W. Olcott, Architect, and at Roselle, N. J., Warrington G. Lawrence, Architect <i>By Jack Manley Rosé and Grace Norton Rosé</i>	481
TENDENCIES IN APARTMENT HOUSE DESIGN. Part VI. "Open Court" Types <i>By Frank Chouteau Brown</i>	489
THE BUILDING PROSPECT <i>By Willford I. King, Ph.D., of The National Bureau of Economic Research, Inc.</i>	504
NOTES AND COMMENTS	507

Yearly Subscription: United States, \$3.00; Foreign, \$4.00; Single Copies, 35 cents. Copyright, 1921, by The Architectural Record Co. All rights reserved. Member Audit Bureau of Circulation.

PUBLISHED MONTHLY BY
THE ARCHITECTURAL RECORD COMPANY
 115-119 WEST FORTIETH STREET, NEW YORK

T. S. MORGAN, Pres. W. D. HADSELL, Vice-Pres. E. S. DODGE, Vice-Pres. J. W. FRANK, Sec'y-Treas.



MAUSOLEUM FOR THE DAVIS
FAMILY, PORTLAND, MAINE.



PANEL OVER ENTRANCE DOOR OF DAVIS MAUSOLEUM.
Lorenzo Maldavelli, Sculptor.

THE WORK OF WILLIAM LAWRENCE BOTTOMLEY

PART -II-



By Arthur Willis Colton

A MERICANS are in the process of realizing, for architectural and landscape gardening purposes, that their climate is not English; for in spite of some steps in the process, such as furnaces and broad verandahs, the inevitable conclusions from that climate are still far from attainment. The present interest in Italian precedents has probably somewhere in it a feeling that the climate is more Italian than English, and in due time we shall react to the perception that it is not Italian either; but meanwhile, for the purposes of summer residence, the Italian is the better analogy.

The true doctrine is to seek after the fittest. The fittest will survive in the

long run, and whoever finds it now will best satisfy the taste of posterity. The house that feels most comfortable and harmonious in its setting—in its situation, in its relations to the country round about, in its conditions of sunshine and rain, of budding and falling leaf—is the house that is, artistically, “most founded on a rock.” It is a doctrine that militates against all wholesale transfer of styles and periods in the lump. It admits any amount of borrowing provided there is a molding force at work, a selection, a taste that is alive and alert. An American house need be no less American, as a play of Shakespeare’s is no less English because a plot or an episode, a plan or a detail, comes from Italy.

The New England Colonial probably fitted the temperament of old New England, but only partially the climate. The Southern Colonial seems well adapted to the southern climate, but it developed under social conditions that no longer exist.

Mr. Bottomley's work always shows a "selection and taste that is alive and alert." Whenever he has built an apparently period house it seldom is strictly period, but it is always harmonious.

The house originally built for Mr. J. C. Wise, near Richmond, Virginia, has some resemblance in outline to Westover and Mount Vernon, in the high, more or less imposing central part and the lower, semi-detached wings. This loose breadth and spaciousness seems to have a correspondence to old social, and permanent climatic, conditions of the South; as the more compact Northern Colonial had its relations with the social and climatic conditions of the North. The social demands of modern life have been radically changed, and the chief cause of the difference is the increase of mechanical devices. Climatically it is mainly a matter of furnace heat. Socially the causes are complex.

But these demands affect interiors more than exteriors. The modern needs for system, order and convenience can be met within the frame and shell of the old exteriors, and this was achieved in the Wise house, while the old charm of contrast between the high central part, with its steep roof and the low spreading wings, still remains.

The Davies house at Roslyn, Long Island, is not a period house, though it looks like an 18th century colonial. It is personal and polychrome. It is a cream-colored stucco house with Greek columns and Venetian grilles. The roof is peacock blue, and there are cerulean blues on the window frames, black caps on the chimneys, big terra cotta panels over either side of the vestibule, and brilliant terra cotta colors against the buff-colored stucco. Yet it all looks quiet, for everything is in almost the same key and scale. It stands on top of a wooded hill, with an open court to the

south surrounded on three sides by the middle part of three stories and the two wings of one story each. The middle part contains on the ground floor the dining room, library, drawing room, and loggia looking out on the court. The southwest wing has two guest rooms and a porch open to all the breezes. The southeast or service wing goes over the hill and has two stories at the back, with a garage below, which gives it an appearance of fitting and clinging to the hill.


The house of Mr. Walter G. Davis in Portland, Maine, is, in some fashion, of a William and Mary type, a brick house facing west, with a view of Mount Washington. It has a long façade with slightly projecting pavilions at either end. In the library the book cases are at the two ends; the windows are on the west side; and on the east side opposite is a large scenic wall paper of Boston harbor, printed from old blocks. The so-called "William and Mary" style shows a strong Dutch influence of the Renaissance which came through Holland. It looks stronger and more virile than English Georgian. Dutch building is largely of brick, and it runs to soft reds and browns rather than bright red.

The house of Mr. Faris Russell at Mill Neck, Long Island, in appearance is a typical Long Island farm house, but is planned to adapt itself to the complex requirements of a modern establishment. All the main rooms face south to the garden side; the entrance halls, kitchens, pantry, servants' dining room and other service functions face north. A gardener's and caretaker's house is placed on the east side of the service court, connected with the house itself by a high wall with gates, and these completely surround this court, enclosing and hiding the green houses, root cellar, garages, tool sheds and other service buildings.


To turn from these country houses to the large apartment house at 1049 Park Avenue, designed in association with Mr. J. L. Mills, is to be reminded again of Mr. Bottomley's versatility. The design is an interesting expression of the construction. A modern fireproof apartment house is a great frame of columns and



RESIDENCE OF J. C. WISE,
ESQ., WESTHAM, V. A.



RESIDENCE OF ERNEST P. DAVIES, ESQ., ROSLYN, LONG ISLAND, N. Y.



RESIDENCE OF WALTER G. DAVIS, ESQ., PORTLAND, MAINE.



RESIDENCE OF J. C. WISE,
ESQ., WESTHAM, VA.



DOORWAY IN DRAWING ROOM. RESIDENCE
OF J. C. WISE, ESQ., WESTHAM, VA.



DRAWING ROOM. RESIDENCE OF
J. C. WISE, ESQ., WESTHAM, VA.



RESIDENCE OF ERNEST P. DAVIES,
ESQ., ROSLYN, LONG ISLAND, N. Y.



RESIDENCE OF ERNEST P. DAVIES,
ESQ., ROSLYN, LONG ISLAND, N. Y.



RESIDENCE OF ERNEST P. DAVIES,
ESQ., ROSLYN, LONG ISLAND, N. Y.



LIBRARY — RESIDENCE OF ERNEST P. DAVIES, ESQ., ROSLYN, LONG ISLAND, N. Y.



DOORWAY—RESIDENCE OF WALTER
G. DAVIS, ESQ., PORTLAND, MAINE.



RESIDENCE OF WALTER G.
DAVIS, ESQ., PORTLAND, MAINE.



LIBRARY—RESIDENCE OF WALTER
G. DAVIS, ESQ., PORTLAND, MAINE.



DRAWING ROOM—RESIDENCE OF WALTER
G. DAVIS, ESQ., PORTLAND, MAINE.



DINING ROOM—RESIDENCE OF WALTER
G. DAVIS, ESQ., PORTLAND, MAINE.



DOORWAY—RESIDENCE OF FARIS RUSSELL,
ESQ., MILL NECK, LONG ISLAND, N. Y.



RESIDENCE OF FARIS RUSSELL, ESQ.,
MILL NECK, LONG ISLAND, N. Y.



GARDEN WALK—RESIDENCE OF FARIS RUSSELL, ESQ., MILL NECK, LONG ISLAND.



RESIDENCE OF FARIS RUSSELL, ESQ.,
MILL NECK, LONG ISLAND, N. Y.



DETAIL OF ENTRANCE. APARTMENT HOUSE,
NO. 1049 PARK AVENUE, NEW YORK CITY.



APARTMENT HOUSE. NO. 1049
PARK AVENUE, NEW YORK CITY.

girders, each unit of the construction as nearly a square as possible in plan, piled one on another for twelve or fourteen stories. Inside of this, the partitions of the rooms and corridors are worked in, and the exterior is a wall (supported at each floor) which has no value as a support, but merely encloses the interior and protects the steel frame. There is, therefore, no logical reason for expressing a sense of support in this wall, and it may well be treated in a purely decorative way.

This has been the treatment at 1049 Park Avenue. Strong horizontal lines form the three main divisions of the façade, namely: (1) A rich base with strongly decorative treatment of the three doorways, two leading to doctors' private suites and the central one being the main entrance to the building; (2) the main shaft of the building, perfectly plain, which contrasts and brings out the rich treatment of the base and the upper stories, (3) the top of the building treated with great panels of carved stone set into the brick on the principle of a mosaic.

The building, contrary to almost all previous precedent, has no strong cornice, but the sky line is broken by finials in the form of candelabra at the sides and corners. Decoration is sparingly used, but counts strongly where it is employed. It is classic in feeling, modern in its use, and is influenced by the Spanish tradition. It is bold, strong in modeling and interesting in design. The color is soft red brick relieved by the warm buff-colored, traventino decoration.

The distinction of this from most of the great apartment houses in New York, both on Park and Fifth Avenues as well as on the West Side, is that these buildings are almost all crowned with heavy projecting cornices of stone, terra cotta, or metal—great shelves that have no meaning, and are merely conventional

repetitions in deference to the classic tradition of the necessary crowning cornice.

Tradition we must always have. No art is more necessarily traditional than architecture, and perhaps the chief reason is that it is an art in which experiment is expensive. If architecture is discernably more conservative than painting—if its schools and cults pursue each other across the generations in less rapid succession—it is probably, in large part, for the reason that stage conventions are more persistent than literary conventions; because architects and playwrights practice an expensive art, and the pressure upon the builder of buildings and the producer of plays to "play safe" is relatively greater. It takes more courage for an architect to risk a single large building—as Mr. Bottomley has done—that breaks with the tradition of the cornice, than for a painter to risk a single canvas that breaks some tradition of the ateliers. It would be difficult to name any art which carries, as architecture does, so many features and peculiarities, whose original reasons long ago ceased to exist and are now hardly more than conjectural.

The elimination of the cornice from high buildings in New York would have other than the merely logical advantages. It would allow more light to reach the obscure canyons below, and would probably help to soften the city's harsh and somewhat ragged skyline. With its many waters and varied shores, its hills and islands, its stately river and the long line of its western cliffs (so lofty and yet so level, so stern and yet so quiet) New York should be a beautiful city by a logic in art as strict as the logic in economics by which it has become an immense city. Doubtless it will be, when Time has had time to think it out. In the meanwhile all contributions are welcome which look to that end.



VIEW FROM GROVE—NORWOOD GOLF CLUB, LONG
BRANCH, N. J. HARRY ALLAN JACOBS, ARCHITECT.

The NORWOOD GOLF CLUB LONG BRANCH, N. J.

Henry Allan Jacobs, Architect



THE expansion of the golf club through accretion of new functions—its development into a social center for outdoor life—has opened up interesting architectural possibilities. The diversity of the club membership attracted by golf makes for diversity of social and recreational activities, many of which demand particular housing arrangements, generally on the ground floor. A low building of considerable extent is therefore normally required—a physical condition lending itself to individuality of architectural treatment.

The Norwood Golf Club is in the shape of an irregular "U," framing three sides of a sunken lawn; the uninclosed side is bordered by a fine grove of trees. This arrangement invited the adoption of an informal design based upon English tradition, with a mixture of rough stone, stucco, and half-timber. The picturesque exterior has been brought about naturally by a practical and honest plan, the rooms being so grouped that they have proper relation to each other. The rustic timbers for the porches and the dining room, cut in the woods near-by, are soft in character and blend readily with the stone and stucco.


A herbaceous planting of the sunken lawn, designed by Mrs. Annette Flanders, in association with Vitale, Brinckerhoff & Geiffert, has the charm of color throughout the year, and the garden is a center of use and interest. On pleasant nights a movable platform is placed in it

for dancing. Colored Japanese lanterns are hung around the perimeter of the U-shaped building, and, with musicians screened behind palms, the garden takes on an exotic aspect.

The introduction of an unwrought material in the form of rustic posts into the more formal materials of stone, stucco, and half timber gives a pleasing result. In all the rooms advantage has been taken of the full ceiling height by exposing the roof construction into the room itself; no ceilings have been furred down, with the exception of that in the ladies' reception room. The walls are of sand finish plaster, which architects and decorators are beginning to appreciate as a decorative background. Its softness and atmospheric quality give distance to the walls—one never feels that they are closing in upon one. Besides, it is a background which can be used for almost any type of architecture and is particularly happy for the English, Spanish, and Italian styles.


The living room, thirty feet by fifty, is amply large for a dance. The dining room is so situated as to have a view of the garden on one side and the golf course on the other. Prohibition being in force, a soda fountain takes the place of the obsolete bar.

The dining room is designed with rustic posts. At one end is a high fireplace made of rubble stone; at the other are the entrance to the pantry, and the soda fountain. The windows on either side give free circulation of air, so that one



FIRST FLOOR PLAN

NORWOOD GOLF CLUB, LONG BRANCH, N. J.
 Harry Allan Jacobs, Architect.



BASEMENT FLOOR PLAN

NORWOOD GOLF CLUB, LONG BRANCH, N. J.
 Harry Allan Jacobs, Architect.



CLUB AND PROFESSIONAL HOUSE—NORWOOD GOLF CLUB, LONG BRANCH, N. J.
Harry Allan Jacobs, Architect.



VIEW OVERLOOKING LINKS—NORWOOD GOLF CLUB, LONG BRANCH, N. J.
Harry Allan Jacobs, Architect.



END OF MEN'S LOCKER ROOM—NORWOOD GOLF CLUB,
LONG BRANCH, N. J. HARRY ALLAN JACOBS, ARCHITECT.



CENTRAL GARDEN COURT—NORWOOD GOLF CLUB, LONG
BRANCH, N. J. HARRY ALLAN JACOBS, ARCHITECT.



LIVING ROOM—NORWOOD GOLF CLUB, LONG BRANCH, N. J. HARRY ALLAN JACOBS, ARCHITECT.



ENTRANCE HALL—NORWOOD GOLF CLUB, LONG BRANCH, N. J. HARRY ALLAN JACOBS, ARCHITECT.



LIVING ROOM FIREPLACE—NORWOOD GOLF CLUB, LONG
BRANCH, N. J. HARRY ALLAN JACOBS, ARCHITECT.



DINING ROOM—NORWOOD GOLF CLUB, LONG BRANCH,
N. J. HARRY ALLAN JACOBS, ARCHITECT.

has a feeling of dining out of doors. The U-shaped garden, opening out upon a grove of fine trees, adds to the sense of airiness and spaciousness.

The appointments and services are most complete and modern. Every member has his own steel locker, one tier high.

The showers are accompanied by individual dressing rooms and there are a valet room, dryer, barber shop, card room and café.

The ladies have correspondingly generous arrangements, including a comfortable reception room and a prinking room.




ENTRANCE TO MEN'S LOCKER ROOM, NORWOOD
GOLF CLUB, LONG BRANCH, N. J.
Harry Allan Jacobs, Architect.

Portfolio of Current Architecture

1. Sanctuary Lamp, Chapel Screen, and Friars' Chapel in Church of St. Vincent Ferrer, New York: Bertram G. Goodhue, Architect.
2. Post Office and Stores, Upper Montclair, N. J.: Francis A. Nelson, Architect.
3. Packard Motor Car Service Building, Chicago, Ill.: Albert Kahn, Architect.
4. National State Bank, Elizabeth, N. J.: Dennison & Hiron, Architects.
5. Suburban Residence, Mt. Kisco, N. Y.: Aymar Embury II, Architect.
6. Music Studio, Upper Montclair, N. J.: Francis A. Nelson, Architect.
7. The Bible House, New York: Wilfred E. Anthony, Architect.
8. City Residence, New York: Frederick Sterner, Architect.





MAIN SANCTUARY LAMP—CHURCH OF ST. VINCENT FERRER,
NEW YORK CITY. BERTRAM G. GOODHUE, ARCHITECT.



VIEW THROUGH NARTHEX WINDOW—
CHURCH OF ST. VINCENT FERRER, NEW YORK
CITY. BERTRAM G. GOODHUE, ARCHITECT.



SCREEN: ST. JOSEPH'S CHAPEL—CHURCH
OF ST. VINCENT FERRER, NEW YORK CITY.
BERTRAM G. GOODHUE, ARCHITECT.



FRIARS' CHAPEL, CHURCH OF ST. VINCENT FERRER,
NEW YORK CITY. BERTRAM G. GOODHUE, ARCHITECT.



ALTAR IN FRIARS' CHAPEL—CHURCH OF
ST. VINCENT FERRER, NEW YORK CITY.
BERTRAM G. GOODHUE, ARCHITECT.



DETAIL OF POST OFFICE, UPPER MONTCLAIR,
N. J. FRANCIS A. NELSON, ARCHITECT.



POST OFFICE AND STORES, UPPER MONT-
CLAIR, N. J. FRANCIS A. NELSON, ARCHITECT.



PACKARD MOTOR CAR SERVICE BUILDING,
CHICAGO, ILL. ALBERT KAHN, ARCHITECT.



ELEVATION OF NATIONAL STATE BANK, ELIZABETH, N. J. DENNISON & HIRONS, ARCHITECTS.



DETAIL OF DOORWAY — NATIONAL STATE BANK,
ELIZABETH, N. J. DENNISON & HIRONS, ARCHITECTS.



BANKING ROOM—NATIONAL STATE BANK, ELIZABETH, N. J. DENNISON & HIRONS, ARCHITECTS.



DETAIL OF HAAS HOUSE, MT. KISCO,
N. Y. AYMAR EMBURY II, ARCHITECT.



GENERAL VIEW OF HAAS HOUSE, MT. KISCO,
N. Y. Aymar Embury II, Architect.



MUSIC STUDIO BUILDING, UPPER MONTCLAIR,
N. J. FRANCIS A. NELSON, ARCHITECT.



THE BIBLE HOUSE,
NEW YORK CITY.
WILFRED E.
ANTHONY,
ARCHITECT.



DETAIL OF THE BIBLE HOUSE, NEW YORK CITY. WILFRED E. ANTHONY, ARCHITECT.



INTERIOR—THE BIBLE HOUSE, NEW YORK CITY. WILFRED E. ANTHONY, ARCHITECT.



HOUSE ON EAST SIXTY-THIRD STREET, NEW YORK CITY. FREDERICK STERNER, ARCHITECT.



CHURCH DOOR—THE FIRST METHODIST EPISCOPAL CHURCH, ASBURY PARK, N. J. LUCIAN E. SMITH AND HARRY E. WARREN, ARCHITECTS.

The
FIRST METHODIST EPISCOPAL
CHURCH of ASBURY PARK, N. J.



Lucian E. Smith & Harry E. Warren
Associated Architects

OWING to the importance of the sermon in the Methodist Church service, the plan for a church of this denomination should afford the largest possible unobstructed floor space so that the congregation as a whole may see and hear the preacher. From this basic idea the plan of the First Methodist Church of Asbury Park was developed, the domical-roofed building suggested and the elements of the style determined. Modern conditions and structural methods influenced the design, but the spirit of the Lombard Romanesque has in the main been adhered to, with some inspiration from the Romanesque detail and ornament of Southern France.

The fact that the church was to be built near the great brick and terra cotta producing districts of the State was the esthetic reason for the choice of these materials for the exterior, just as the Lombard builders chose brick because it was the material of their country.

Effort has been made to avoid a mechanical type of bond in the wall surfaces, and the brick itself ranges in color from a salmon pink to a deep purple. The wide mortar joint of buff tone serves to tie the color of the wall together, and owing to the variations in the color of the brick itself, the wall takes on different hues in different lights. The base of the building up to the stone table is of a very large brick, to give a stability of appearance. The brick above are of small size, which helps to increase the scale of the building.

The large triple windows are designed with free standing stone columns and

crudely modeled foliated stone capitals. The central opening is wider and slightly raised above the side openings to make it a dominant in the triple motif. The five arched windows below serve to enhance the apparent size of the great triple windows above. Rich brick mosaic with marble inserts flank the windows, and the spaces above them are filled with brick mosaic in a carefully worked out design. Under each small arch of the crowning feature is a piece of rare colored marble set in the brickwork. The angle brick or tooth motif is used in the main cornice to give an interest in light and shade to this feature.

The south or choir end of the church is treated with an arcade. The brick arches contain pieces of marble skilfully utilized to fill up the wide joints occasioned by turning the arches with unground brick. A different type of brick mosaic is used above the arcade and choir windows. The small sections of wall in the arcade are slightly battered or sloped back to produce an interesting shadow. Small decorative crosses are formed of black brick in each opening.

The entrance porch serves as a dominant architectural feature of the façade. The splayed arches rest on richly modeled polychrome terra cotta capitals decorated with leaves, vases, birds and small gilded crosses. The bases of the octagonal piers are of stone. The interior walls of the porch above the arches are given a decorative interest by the use of a header bond in the brickwork, every alternate brick projecting beyond the face of the wall. The denticulated brick cor-




nice and mosaic frieze with its marble inserts and marble band serve, with the marble stars, to enrich the exterior of the porch.

Surmounting the dome is an octagonal turret of copper, designed with corner buttresses finishing in small pierced Greek crosses. The alternate openings are glazed and louvred—the louvres cut in a curved design. Surmounting the whole is a gilded finial with pierced ornaments and lights which shed a mystical glow over the surface of the dome at night.

The color and texture of the tile roof has been obtained by the use of a yellow tile, mixed with a darker tile and laid to produce an irregular effect.

The treatment of the Sunday School portion of the building has been kept low to give greater architectural value and size to the church proper, with its crowning dome. The windows are arched, the central windows being treated with the typical free standing stone colonette and arches.

The great simple expanses of wall on the exterior are the logical result of the structural requirements of the building. The thrusts exerted by the arches of the dome and by the pendentives require the walls to be of definite heights and weights, and from these purely practical premises the style has been developed. The walls are made interesting by their color and



texture, while the decoration has been concentrated and given full value in the richness of the porch motif, windows and doorways.

The main entrance doorway is of rich polychrome terra cotta, to harmonize with the general color tone of the surrounding brickwork. The ornament of the doorway is characteristic of the style, with running motif of leaves, grapes, birds and animals, twisted columns and columns bound with ropes. A peacock motif appears in colored terra cotta medallions on either side of the doorway.

The vestibule to the auditorium and the gallery has an arched treatment on the north, with twisted spindle grilles dividing the stair from the vestibule proper. The lunette over the door is richly modeled with an angel holding a scroll and having peacocks, signifying the Wisdom of God, on either side.

The dome is of the single shell type, built of thin, rough terra cotta slabs in horizontal rings which break joint one with the other. The structural shell of the dome is bound around with two steel rings, one at the base, and another one-third of the way up to the crown, to resist the outward thrusts developed by the weight of the dome and the turret which surmounts it.

The interior of the dome is lined with a sound-absorbent material, of pumice stone and cement, modeled, cast and set in the form of tiles of fish scale design in fields divided by wide plaster bands orna-

mented with a running foliated motif of crude leaves and bunches of grapes.

The rich cornice at the base of the spring line of the dome is designed with characteristic leaf motifs of different designs with alternating rosettes over large

twisted rope molding; the whole surmounted by alternating cupids' heads and the doves with halos which symbolize the Holy Spirit.

The pendentives of the dome each contain a large circular medallion with bas-reliefs of the four Evangelists properly oriented, each with his usual symbol.

The medallions are surrounded by a running vine motif and the Venetian dentil. The decoration of the medallions of blue, gold and yellow-brown suggests the religious pictures and terra cottas of the style. The modelling has been kept purposely crude to simulate the early carving of the period. The vaults supporting the dome come down upon a small cornice ornamented with the Venetian dentil. The cornice is of slight projection so as not to break the line of the



SUNDAY SCHOOL ENTRANCE

vaults from the floor.

The triple windows to the east and west with their columns and crudely modeled capitals resting on small corbels ornamented with anthemion motifs, are reminiscent of crude early work. The label molding has the diamond motif met with in many of the old windows and doorways. This molding is supported on corbels designed with the fish, which recalls the early Christian symbol denoting



ENTRANCE PORCH—THE FIRST METHODIST EPISCOPAL CHURCH, ASBURY PARK, N. J. LUCIAN E. SMITH AND HARRY E. WARREN, ARCHITECTS.



GENERAL VIEW—THE FIRST METHODIST EPISCOPAL CHURCH, ASBURY PARK, N. J. LUCIAN E. SMITH AND HARRY E. WARREN, ARCHITECTS.



WINDOW IN GALLERY—THE FIRST METHODIST
EPISCOPAL CHURCH, ASBURY PARK, N. J. LUCIAN
E. SMITH AND HARRY E. WARREN, ARCHITECTS.



DETAIL OF DOME—THE FIRST METHODIST EPISCOPAL CHURCH, ASBURY PARK, N. J. LUCIAN E. SMITH AND HARRY E. WARREN, ARCHITECTS.



LOOKING TOWARD GALLERY AND
SUNDAY SCHOOL.



LOOKING TOWARD CHOIR AND
PULPIT.

entrances to meeting places in the Roman catacombs. The windows of the choir and gallery have the twisted colonettes with crude cubiform capitals of four different designs. In the spandrels above are placed the six-winged seraphim.

The semi-circular lunettes over the doors to the gallery and vestibule are ornamented with a representation of the Lamb of God carrying the small cross and flag and standing on the Book with the Seven Seals, as described by the Evangelist John, surrounded by a nimbus of light and flanked by two adoring angels with censers. The vaults and walls of the auditorium are of rough plaster treated to represent the painted stone of old work. Buff coloring has been incorporated in the plaster to render it permanently decorative.

The supporting motif for the organ is in two planes to give greater relief for the case itself. The small arched openings recall the arcaded treatment so often met with in this style. The decorative elements consist of three foliated corbels, large stepped brackets ornamented with the characteristic crude acanthus leaf and winged cupids' heads. While there is no

prototype for an organ in this style, the case has been worked out to harmonize with the style of the interior, the moldings crudely profiled, the Venetian dentil freely used; the cresting and finials recalling those seen in Venice; the arches designed with cusping as was used in the altar of Or San Michele in Florence and the organ of the Hospital of Siena; the pierced panels of the great central tower recalling the pierced screens of Ravenna.

The woodwork and furniture have been designed to harmonize with the style using the octagonal colonette, Venetian dentil and tooth ornament. The color of the woodwork throughout has been kept as near as weathered natural wood as possible. The aisles are of marble terrazzo.

For the lighting fixtures of the auditorium there is no precedent, but a new type has been developed using Romanesque decorative motifs executed in sheet metal, enameled and painted. The great cross in the auditorium is of pierced, painted and gilded metal. The side brackets are of pierced metal, enameled and gilded. The lamps give a golden glow to the light, which blends happily with the rich stained glass of the windows.

~ TWO TOWN HALLS ~

At Millburn, N.J.: Horatio W. Olcott, ~ Architect

At Roselle, N.J.: Warrington G. Lawrence, Architect

By

Jack Manley Rosé and
Grace Norton Rosé :>

IT occasionally happens that, despite political influence, the more or less mediocre taste of the majority of citizens, and the everlasting necessity for compromise, an architect miraculously gets a chance to design and erect a civic building expressive of his own conception. The two buildings shown in the following pages are a credit to the communities which surround them and a joy to the lover of architectural beauty.

The problems presented by both municipal buildings were in many respects identical. The communities, while of rather differing character and population, still required the same general incorporation of the various civic departments. For instance, in each building the housing of a vigorous fire department had to be considered; almost primarily considered in the case of Millburn. How excellently the architect, Mr. Olcott, met this utilitarian purpose, and kept his building so charming in proportion and so delightfully ornamental to the little town, is decidedly apparent.

In the Roselle edifice the housing of this most valuable department was

subordinated cleverly to the dignity of the structure. This building, so admirably adapted to a fairly limited frontage, takes its inspiration from the beautiful old State House in Boston. Rarely can a small city of such rapid and recent growth boast so fair and stately a public building. It has all the charms of Colonial America at her best and, apart from that, a special appeal of its own that the formal approach greatly enhances.

Of restful red brick in mellow and varied tones, widely jointed in cream mortar, with its deep cream trim, from the wide esplanade of concrete flecked with tree shadow to the green capped cupola of weathering copper, the effect is arresting and noteworthy. Especially deserving of comment in detail are the front Palladian window and the cleverly proportioned series of windows at the sides with their wrought iron balconies; unusual and remarkable is the care given even to the designing of the flagstaff support. Mantled in vines, as the building is this fall, and judiciously planted with privet clumps and hedges, it stands a rare gem set in a little town






FRONT VIEW—TOWN HALL, MILLBURN,
N. J. HORATIO W. OLCOTT, ARCHITECT.



VIEW FROM THE SOUTHWEST—TOWN HALL, MILL-
BURN, N. J. HORATIO W. OLCOTT, ARCHITECT.




FLOOR PLANS, TOWN HALL, MILLBURN, N. J.
Horatio W. Olcott, Architect.

at present decidedly in the throes of hasty reconstruction; and it is most prayerfully to be hoped that it may serve as a pattern and a standard for future building in that pretty little tree-shaded borough. In this building the architect, Mr. Warrington Lawrence, has designed himself a monument of permanent beauty.

In the Millburn township building the simplicity of design is of itself noteworthy—yet the detail is excellent. Practical, economical and extraordinarily pleasing, the clear shining white trim and deep red brick walls embroidered in green vines, give a serene workmanlike appearance, and a well-scrubbed look of spotless efficiency, aside from the matter of true proportion and agreeable spacing of doors

and windows. With its gray-green roof, the dark verdure of the simple planting and the variety lent to the brickwork by the Flemish bond coursing and the quoin treatment at the corners, the building has no lack of interest in its straightforward appeal.

The floor plans are models of conserved space and workability. With the fire department occupying the greater part of the ground floor, the police department distinct and separate on one side, and the entrance to the township offices, which occupy the entire upper floor, on the other, a balance is preserved. An adequate jail which complies with all sanitary and humanitarian requirements, runs out from the police department into a



FLOOR PLANS, BOROUGH HALL, ROSELLE, N. J.
Warrington G. Lawrence, Architect.



FRONT VIEW—BOROUGH HALL, ROSELLE, N. J.
WARRINGTON G. LAWRENCE, ARCHITECT.



SOUTHEAST VIEW—BOROUGH HALL, ROSELLE,
N. J. WARRINGTON G. LAWRENCE, ARCHITECT.



REAR VIEW—BOROUGH HALL, ROSELLE, N. J.
WARRINGTON G. LAWRENCE, ARCHITECT.

one-story extension. The remainder of the police department space consists of a small court room, a patrolmen's room and an office for the chief. The fire department, evidently a prized and much appreciated township adjunct, is very attractively housed. Besides its large cement-floored garage for three strictly modern motor apparatus, bright with polished brass and spotlessly clean, the firemen have a store room, a bed room and a lounging room with shower and

lavatory. The second floor space is devoted to a hall and corridor, a large council chamber with railed off platform, the tax collector's office, the assessor's office, the office of the clerk of the board of health, a committee room and two lavatories and two vaults.

In considering the plan of the Roselle building, we find the large and high-ceilinged basement devoted to engine room, court room, jail, boiler room, vault space and toilets. The first floor, besides containing a pleasant council chamber, has a committee room, a borough clerk's room and a room for the tax department. Up a rather wide and well-lighted stair, is a large assembly room with a stage where municipal motion pictures have been given regularly and many public gatherings are held.

Strictest economy has been observed in



MAIN ENTRANCE, BOROUGH HALL,
ROSELLE, N. J.

the interior treatment of both buildings and no attempt is made for impressive or elaborate finish. Wearable brown stain for the woodwork and buff-tinted plaster for the walls prevail in Roselle, while gray-white plaster and dark fumed oak stained woodwork have been used in the Millburn Building.

Unfortunately, town halls—if we may so call them—of the calibre of these buildings are too rarely found among the towns and boroughs of our growing suburbs. Very few buildings of

historical interest and early American charm have been preserved to us as city or borough halls, and those erected in the later years have shown little permanence of design.

Only of recent years, perhaps, has there developed a feeling for civic buildings that do justice to the community in which they stand. We are, with the help of sincere and high-minded architects, securing a few municipal buildings here and there of undoubted merit. Fine schools we have, and churches, libraries, private dwellings and attractive inns, and, lately, memorial community halls that add much to a towns' allure. When we house offices of the community's body politic in buildings such as these, we have made big strides toward inculcating efficiency among our public servants and civic pride among our citizens.

TENDENCIES IN APARTMENT HOUSE DESIGN

PART VI—"OPEN COURT" TYPES



By FRANK CHOUTEAU BROWN

QUITE a number of years ago apartment house plans first began to develop into the "Court" type, with the court opening upon the street and becoming an important part of the esthetic treatment of the exterior. Previously these courts had been merely a necessary part of the plan, devised only to secure light and ventilation for the interior and rear rooms, and had always opened to the rear of the structure—or had been narrow restricted slits, completely enclosed between the narrow deep plans that were then the customary and indeed inevitable apartment house scheme for the crowded city block.

As a matter of fact, it was in the suburbs that these "open court" plans were first attempted. The solution seemed then a possible one for the lower cost suburban land, especially when the lot areas to be developed were fairly large, and too deep to readily carry the older-fashioned conventional plan, without leaving a great deal of property still unused in the rear of the structure.

Where a piece of land was, let us say, two hundred feet deep, and a hundred and twenty-five or fifty feet front upon the street, it was at once obvious to the trained architectural planner that it was economically poor policy to build only upon the front half of the property, at the most obtaining only six to eight of the old fashioned narrow-plan "railroad" type of apartments. The trouble up to that time had been, of course, that this sort of problem had rarely come into the architect's office at all. Most of the early apartment buildings had been the product of the speculative builder and

the contractor, who had merely gone along unthinkingly reproducing the conventional and commonplace type.

With the proportions of this deep and wide lot upon his drawing board, it became apparent that a far more economical and complete development of the land area could be undertaken by building around the three outer sides of the square and leaving the front central portion, opening upon the street, as the common property of all the tenants, across which they could all obtain some advantage of the street outlook and frontage. Such an arrangement of the plan, once worked out in detail, proved it possible to accommodate by this means up to 50 per cent. more families upon the same piece of property, each possessing as much, if not more, of a street outlook than before.

It was, however, at once discovered that, with a lot of land of these approximate proportions, it was both desirable and necessary to change the plan of the individual apartment from the long narrow deep scheme to a wider, shallower, more compact arrangement, such as we have already traced in its development in previous articles. This proportionately reduced the number of apartments that could benefit from the street outlook around the interior of the court, at the same time making the interior arrangement of the apartments themselves more convenient and desirable.

Even with this change in arrangement, however, it was still possible to increase the number of families to be accommodated around the court by about 20 per cent. over those that could have been housed directly upon the street frontage



FIG. 64. TUSCANY APARTMENT HOUSE, BAL-
TIMORE, MD. CLYDE N. FRIZ, ARCHITECT.




FIG. 65. THE SIMPLER TYPE OF "OPEN COURT" APARTMENT PLANS.

of the property—and in much more conveniently planned and more desirable apartments. This courtyard once obtained, it was apparent that it provided an opportunity for attractive planting, that actually doubled its value to the tenants and was of advantage to the owner as a drawing power in keeping his apartments full and his rents high, at one and the same time.

Among the very first buildings of this type to be constructed was "Richmond Court," built about twenty years ago, near Boston in Brookline, facing on Beacon street, by Cram, Goodhue and Ferguson, on a spaciouly large frontage (nearly two hundred and fifty feet) and a rather deep lot, to which this general type of plan arrangement is so particularly well adapted. At very nearly the same time two other buildings were built in Boston and in Cambridge, "Trinity Court" and "Riverbank Court," carried out in a similar style of architectural treatment, employing English Tudor motives—with its obvious advantages in providing appropriate "bays" supplying outlook to right and left, all advances over the then prevalent types of apartment houses, both in design and construction. All three groups were widely illustrated and should have exerted more of an effect upon contemporaneous architecture the country over than seems to have been the actual case, as all proved to be unusually successful—from a purely financial as well as from a merely architectural point of view.

The outline plans of all were different. "Richmond Court" follows a fully open "U" type, "Riverbank Court" is clearly

developed from the "H" shaped plan, and "Trinity Court" was built entirely around a rather narrow courtyard. In the case of "Riverbank Court" particularly, there was a very good reason for the plan. It enabled a large part of the occupants to benefit from the river views afforded by the location of the building on the Charles River at the Cambridge end of the Harvard Bridge. "Trinity Court," had, on the other hand, as good a reason for its closed-in square. It was built directly alongside of the Trinity Place station on the Boston & Albany, and consequently there was every reason to protect the occupants as much as possible from the noise, dust and smoke of the trains.

All these plans suffered in detail from the fact that the suites were composed of rooms too small in size. "Richmond Court," built around a courtyard about ninety feet wide by eighty feet deep, had small living apartments, principally of four and five rooms, entered from staircases serving sections of the whole plan, which was thus divided among a number of small "Halls"—a fairly economical method so far as eliminating long public corridors was concerned. It also allowed the apartments to extend entirely through the structure, from front to back, thus ensuring cross ventilation—a very important matter if the buildings are to be comfortably occupied in summertime.

"Trinity Court" is also arranged as a series of sections, each a separate portion of the structure, with individual staircase and, in this case, an elevator, as well, the building being of six stories height, with studios arranged upon the



FIG. 66. TUSCANY APARTMENT HOUSE, BALTIMORE, MD.
Clyde N. Friz, Architect.

upper floors. The economy of this method of planning now becomes more debatable, as it incurs a constant running expense in the maintenance of so many separate elevators, where one or two would otherwise have served the whole structure, if there had been circulating corridors around the court on each floor. The apartments in this building are mostly of two and three rooms, and again run through the structure from its outside face to the interior court, so that the matter of cross ventilation is thoroughly provided for. The narrow width of the court and relatively greater height of the walls surrounding it, made it impossible for much use to be made of shrubbery, in this instance. It nevertheless provides grateful space for air and sun, and helps make the small apartments desirable and comfortable for their occupants.

In "Riverbank Court," a quite different

type of plan has been developed. The entire lot to be built upon was much larger than in the last example—somewhat wider, as a matter of fact, than in the case of "Richmond Court" in Brookline—and the apartments were all to be non-house-keeping apartments, again mostly of two and three-room units, and many as small as the one room and alcove and bath type. The arms of the letter "H" were also thick enough to allow of a wide central corridor being used, with rooms facing out on each side. The result was that, except in the apartments located on the outer corners of these arms, no cross draft was possible—except through the public corridors. Advantage was taken of this opportunity by equipping the apartments with "blind" slat doors opening outward into the corridors, so that the tenants had the option on hot summer nights of leaving the inner doors ajar and securing a certain amount of air





FIG. 67. TUSCANY APARTMENT HOUSE, BALTIMORE, MD. CLYDE N. FRIZ, ARCHITECT.



drawing across between door and window—not always, of course, of the purest or coolest quality, but nevertheless air. Two batteries of elevators, one at each side of the central cross corridor connecting the two long ranges of the “H”, were provided to serve all tenants. Both here and in “Trinity” a public dining room was provided, although it was not important in the latter case, as the building was near a central business section, where many nearby restaurants were available for the use of the tenants.

All of these ventures were so devised that they provided a small unit apartment, with over-small rooms—a basis upon which too much of this class of apartment development has since been predicated.

Within a very few years it was discovered that these courtyards possessed still another advantage, the true value of which was not perhaps suspected at the time they were first adopted. This lay in the comparative quiet and increased

cleanliness of the more retired apartments, which became so much the more desirable than the ones upon the streets, once the automobile began to come into as wide general use as began to be the case a few years after the first large apartment house groups of this kind were built in some of our principal city suburbs.

It was also discovered that they were not only a desirable type for the suburb of the large city, but a profitable and desirable type for even the more expensive and crowded portions of these large cities themselves, as will be well illustrated by some of the examples reproduced in this and the succeeding article. Not only that, but whereas this type was, in the first instance, invented for application only to the very deep piece of land, it has recently been found an economically desirable type of construction to go upon the comparatively shallow lot, once its length upon the street and its proportions have been found available for even



FIG. 69. LINNAEAN HALL, CAMBRIDGE, MASS. NEWHALL & BLEVINS, ARCHITECTS.




FIG. 70. TYPICAL FLOOR PLAN, REMINGTON GABLES, CAMBRIDGE, MASS.
Newhall & Blevins, Architects.

the shallow depth court. In this relation we can undertake to continue the development of this idea from where we left it in the last article, for it is at once evident that a piece of property capable of being improved with a range of double rooms along the street frontage and carrying short ells out to the rear for service portions, is just as well adapted to building the range of major rooms nearer the rear lot line and advancing other principal rooms toward the street line, thus obtaining more outlook up and down the fronting street. This is an arrangement that has particular advantages when it would be by these means possible to obtain for these principal rooms a better exposure for sun or air, as well

as an improvement of the outlook, as already mentioned.

Before resuming the trend of this progress from the point where it was discontinued let us first consider for a moment some of the different possibilities available from a more complete utilization of the "open court" idea. And although almost every point will be illustrated by the individual plans, it will be more definitely comprehended by the comparative plan outlines that not only possess the advantage of immediate juxtaposition, but also, by elimination of the fussy details of the plans themselves, more clearly illustrate the main "courtyard" idea.

Such a grouping of plan outlines—

STRATFORD HALL CAMBRIDGE 20-20¹/₂ PRESCOTT ST.




FIG. 71. TYPICAL FLOOR PLANS, CAMBRIDGE, MASS.
Goodell & Root, Architects.

so far as they apply to the structures illustrated in this article—is shown as Fig. 65. They are all some minor development of the plan-type that was shown as "A-3," Fig. 36 in Part IV, published in the September issue. The first group shows these "court plans" as they most easily apply to the proportions of the shallow lot. A second group will show how certain other modifications are better adapted to provide more desirable apartments when the same type of plan is adapted to meet the conditions of the narrower and deeper shaped lot of land. A certain number are, of course, available—with some obvious minor modifications—to both shallow and deep plots of land.

Perhaps the best example of the wide

and shallow lot treatment is provided as in Fig. 67, where the building itself covers a plot about two hundred feet long by eighty feet deep, with, of course, some additional space to provide the occupants with light and air upon all sides. Not only is this an excellent example of the "E" type of plan, to which it fully conforms, even to the small central bay, but it also illustrates a still further development in length, in the two smaller end courts obtained by bringing the two principal projecting ells in from the extreme ends of the plan and leaving a considerable section of the major range of the building extending out beyond these forward projecting ells at each end. The advantage of securing the full benefits of the exposure in the two wings is obvious,

quite aside from the particular and individual utilization of the idea that is made in this plan. Each floor of this building obtains six apartments, all possessing spacious rooms, and the plan repeats itself on each side of the centre line. The building is only four stories in height and no elevator is used. Space in the public halls is saved by having two staircases and entrances, each serving one-half the building, and each apartment requires only a very short interior hallway. No separate rear staircase is provided; the different ranges of kitchens being very efficiently served by dumbwait-

ers reached from the basement story.

The plan is of the suburban type, four of the apartments on each floor containing a sunroom or "porch," and full advantage has been taken of the very attractive surroundings to make the exterior of the structure attractive and pleasing in both an architectural and a popular manner, as is well illustrated by Figs. 64 and 66. Even the difference in the grades, complicated as it is by the great length of the building, has been most ingeniously utilized by the designer to add attraction and interest to his structure.

The type of arrangement around a long



FIG. 72. STRATFORD HALL, CAMBRIDGE, MASS.
Goodell & Root, Architects.



FIG. 73. COURTYARD—STRATFORD HALL, CAMBRIDGE, MASS. GOODELL & ROOT, ARCHITECTS.



FIG. 74. GOLD MEDAL APARTMENT HOUSE, CORNER OF GRAND CONCOURSE AND 167TH ST., NEW YORK CITY.
Springsteen & Goldhammer, Architects.

shallow court next shown in the key-plan group will be better illustrated in detail in a later article. It shows the beginning or the tendency to "close in" the courtyard by adding sections to the inner sides of the projecting wings or ells, so working toward the "enclosed courtyard" type of plan.

In Fig. 68 we have a plan of more nearly square proportions. The width of the building over all is about one hundred and forty feet, the depth upon the left hand side about one hundred and six feet and upon the shallower side of the lot about ninety feet. The courtyard itself is about thirty feet wide by fifty feet deep.

This plan illustrates a very compact use of the "open court" idea; perhaps as compact as is possible, except that further saving could be made by narrowing the width of the two wings on the street to the point where they would contain only one apartment on their face, instead of the two in each wing that are here secured. In that event, however, the width of the wing upon the street would probably be as much as the three-room

width shown in the previous example, so saving only the difference between about fifty-four to forty feet, or only thirty feet in the width of the entire lot—at the most it would not exceed the thirty-two or thirty-three feet shown in the width of these same ells in Fig. 71.

Fig. 68 again, as is indeed true of most of these plans, is repeated practically on each side of the centre of the court. Eight apartments are obtained on each floor, four on each side of the centre party wall, and these apartments are, by very ingenious planning, all served by a single flight of front stairs, and a small amount of public corridor. One rear stairs also suffices for both the two rear apartments, but each of the two apartments in the front of each ell requires its own rear staircase, connecting directly with the kitchen upon each floor.

The plan is also "suburban" in type, insofar as it provides the tenants with "piazzas" or sun or sleeping rooms; and these are located, it should be noted, with no loss of actual exposure, where the kitchens or bathrooms of the apartments would otherwise have come to the




FIG. 75. TYPICAL FLOOR PLAN—GOLD MEDAL APARTMENT HOUSE, CORNER OF GRAND CONCOURSE AND 167TH STREET, NEW YORK CITY.
Springsteen & Goldhammer, Architects.

face of the outer wall. In other words, by keeping these rooms somewhat recessed from the outer face of the building, it was possible to insert a shallow "porch" outside these rooms without either theoretically depriving them of light and air, or conflicting with the strict laws providing for their ventilation to the outer air. Of course, one cannot be expected to foresee what may happen when the individual tenants have fully furnished, screened (and even, possibly, glazed) these spaces to suit their own conveniences and requirements.

Of the eight apartments on each floor of this building six are of five rooms, including the "kitchenette," and two of four rooms. The piazzas are omitted from this computation. The plan last shown had two apartments of five and four of six rooms to the floor—also omitting the porches. But, of course, the apartments now being considered (Fig. 68) have far smaller rooms, and the whole structure was necessarily compacted to fit a far smaller lot area, and to meet a different class of rental conditions.

In Fig. 70 we have an illustration of the type of plan that on the street face

conforms to the typical "E" or "U" shape around an open court and has an outline on the rear, or opposite face, that conforms to the "E" shape. The plan arrangement, particularly of the suites in the projecting wings toward the street, is very similar in many ways to the plan last illustrated. The wings are narrower, and in place of the two center rooms, one belonging to each apartment of the previous plan, this arrangement shows a single room in this location, so disposed that it can be connected with and rented as a part of either apartment.

The wing immediately behind, projecting toward the rear, contains a six-room and a three-room apartment, both served—as also are the two front apartments—from one front hall and stairs.

The central section of this group plan, fronting on the street court as it does, and extending toward the rear in the shape of the letter "T," possessing its own front and rear stairs, contains two apartments of five rooms each on each floor. It is, to all intents and purposes, a separate apartment building. It has no contact with the two wings except in the common party or fire walls, and has no physical

connection with them. It possesses the common frontage on the court, however, and serves to fill in the rear of the same, thus utilizing the frontage that it provides. The whole group contains ten apartments to the floor, and is the product of ingenious planning, utilizing every possibility of a somewhat over-small lot, the size of which is responsible for the somewhat cramped aspect of the arrangement that results. It should also be noted that both these plans provide the tenants as much cross draft and exposure as they could expect to secure in a private house.

Before going on to the next most nearly allied example, and showing a plan with the extension of three wings or ells to the street, thus dividing the large central court into two smaller courtyards (as was the case in the rear of the plan last shown) let us first consider an arrangement that suggests many possibilities that we have as yet not often found utilized in our many examples of apartment house plans. The reference is to a building outline that conforms exactly to the "open court" type, as it is illustrated, for instance, in Fig. 68—with the single—but important—exception that we now find the court does not open on or front upon the street, but to one side of the lot, leaving a solid façade upon the street front, actually the "side" elevation of one of the wings or ells.

An example of this unusual type of plan is shown in Fig. 71. The conceivable reasons for its existence might actually be many. It might be that a courtyard so opened would best conform to the exposure, or provide the best and most pleasant view. It might be that the owners have in prospect the later acquisition of more land at the right of the plan, and so would eventually go on to complete the enclosure of a square courtyard by their structure—or it might be, as seems to have been the case here, that the proportions of the lot were merely such that the courtyard could be more spaciouly provided upon this dimension than upon the front—coupled with the advantages of the better exposure thus obtained for the tenants.

As a matter of fact, the actual building

itself occupies a frontage of about one hundred feet, and a depth of about one hundred and thirty-five feet. The plan contains seven suites to the floor shown, and eight on the second floor. Of these suites five are served by the front principal elevator, and two by the elevator in the rear. Four service staircases are required to reach all the suites. Four suites are of two rooms, bath and kitchenette; one of four rooms and bath, and two apartments of six rooms and bath are shown upon the floor plan reproduced. The exterior of the building is illustrated in Fig. 72 as it appears on the street, with just a glimpse of the rear ell appearing at the right, while a second view (Fig. 73) is added to prove how pleasant, and comparatively retired, the apartments grouped around the side courtyard can be. As a matter of fact, it should be obvious that this example indicates a direction in which we might expect to find considerable additional development in the apartment house plans of the immediate future. It also suggests some possibilities of the better orientation of these plans, an aspect that has been in the past, altogether too often ignored.

Figs. 74 and 75 illustrate the "double open court" type that was referred to a few paragraphs ago, also contained upon a lot of exactly one hundred and fifty feet length. The courts are each eighteen feet wide and of a depth of thirty-three and thirty-seven feet, respectively. The lot is also irregular in shape, the depth at one end being ninety and at the other only sixty feet. It has, however, the great advantage of facing upon streets on three sides, so that it was possible for the owner to build entirely over the land purchased, except at the places where he decided to locate the double courts.

It has already been stated that the type of "open court" plan was originally a growth in the suburb, where its apparently wasteful and reckless use of space paid for by the owner as open land, was not so important a matter, because of the low original cost of the area thus left unutilized. But just as the advertiser has come gradually to realize that sometimes a dexterous use of white space will give him

far better returns than an area carefully filled with type, so has the owner of real estate come gradually to appreciate that it is after all a pretty good investment for him to leave a certain portion of his property uncovered by floor area.

New York City has long illustrated the wide prevalence of the "open court" idea, even when applied to the very costly land values that exist in that city. From the big "Hendrick Hudson" apartments overlooking Riverside Drive, to the most insignificant and unnamed of the "walk-up" apartments that have been building on the many numbered side streets of that city during recent years, there has been ample illustration, on the part of both occupants and tenants, that the "open court" plan is accepted—in theory, at least. It is true that, in its practical application, it still often leaves much to be desired. These courts are still too narrow and too deep to provide light to more than the one or two upper stories. They may, or may not, be more efficacious in the matter of air supply, depending upon their exposure and the internal arrangement of the apartment plans—more probably a matter of accidents than of design on the part of the owners or builders. The very existence of any architect whatsoever in connection with the greater majority of the buildings is not often to be discovered by even their closest and most ardent students.

One of the first of the new apartment buildings to be undertaken and completed in New York since the war illustrates the double court idea and, despite the small size of the lot, the courts are of sufficiently wide dimension for their height and depth, to serve not only a practical but also an artistic purpose—as is well shown by the photograph of the exterior printed herewith. The design is not only notable for the fact that the areas contained in these two courts are well in excess of the minimum required by the Tenement House Law (taken in itself, a most encouraging sign) but the plans also

indicate that they are far more generous in the sizes of the rooms provided the tenants than has most generally been the case in the past. This, too, is a lesson that we must by now very generally have learned. Formerly, far too many of the class of apartments especially shown in this month's article have been too crowded in arrangement and in the dimensions of the rooms. This particular example, as well as others that have been seen but have not been used for the purposes of illustration, would seem to indicate that the general tendency in this particular has at last somewhat changed its direction, and the newer buildings of this class are going to provide better and larger rooms. The tendency is also apparent in the plan shown in Fig. 71. It certainly indicates a healthier future—even if a more expensive one for the occupants.

The building shown in Figs. 74 and 75 has been given the 1920 Medal of Honor by the Architectural League of New York in the non-fireproof class of multi-family house architecture, and its owner has also been awarded a certificate of merit. This recognition should both do honor to the League itself, and react to help materially the progress of the cheaper class of apartments of New York City toward a more improved type, and to cause more architectural designers to be concerned with the product of this class of work in the future. Both are tendencies much to be encouraged and desired.

This building itself indicates how a very simple and straightforward architectural design may add good proportion and dignity to the material most commonly in use for this class of building, without adding unnecessary detail and expense to the result. For certainly it would be difficult to find anywhere among our apartment house façades, a structure using less embellishment, and depending so much upon good proportions and an intelligent use of brickwork for the success and interest of its appeal.

The BUILDING PROSPECT



*By Willford I. King, Ph.D. of The
National Bureau of Economic Research, Inc.*

THE most casual consideration is sufficient to convince one that the building industry does not stand in isolation but, on the contrary, is affected by the various forces that govern business activity in general. True, there are always some factors which are especially strong in their influence upon the field of construction; but, in general, those forces which make for prosperity or depression in other lines at the same time cause the building industry to flourish or become stagnant. It naturally follows, therefore, that the volume of construction tends to fluctuate in unison with the other phenomena which serve as indicators of the progress of the business cycle.

Not many years ago most business men, and many economists, scoffed at the idea that such a thing as an economic cycle actually existed. Today, while few economists of repute have the temerity to claim that they really understand the nature of the motivating forces underlying the economic waves, they are practically a unit in affirming that a cyclical oscillation pervades nearly every type of business activity. Most progressive business men are also convinced by this time that the business cycle is no figment of the imagination. Since the existence of the phenomenon is so well established, future discussions concerning it are likely to be confined more and more to the nature of and the causes giving rise to the cyclical movements.

Although the most advanced students of the subject are willing to admit that none of the numerous hypotheses concerning the origin of the cycle have as yet been thoroughly established as facts, their care-

ful research has nevertheless made clear some of the outstanding characteristics of the cycle. It is, for instance, known that business activities go in waves having an interval between their crests (or their troughs) of approximately three and one-half years. Unfortunately for the would-be prophet, these wave lengths are not entirely uniform and, worse still, the waves vary greatly in size. Thus far apparently no one is sure as to what causes such differences in altitude; hence the probable height of the next boom or depth of the next depression remains largely a matter of conjecture.

A conclusion about which there is little doubt is that the same wave usually passes over the whole civilized world, though its crest may not reach every locality at exactly the same date. This world-wide nature of the wave motion makes it appear highly improbable that cycles are the product of the actions of some national administration or are caused by some event of outstanding local interest. In fact, the most remarkable thing about these waves of prosperity and depression is their wide scope and striking persistence under varying political conditions. Presidential elections, new legislation, labor disturbances—all such things seem scarcely to ripple the surfaces of the cycle waves, and even the World War proved insufficient to prevent the economic cycle from proceeding in practically normal fashion, at least in the United States. The man who studies the cyclical records of the past is certain to be forced to the conclusion that the idea of a normal plane of activity to which we may sometimes return, and upon which we shall remain

for a long period, is wholly a myth; and when he observes the seemingly inexorable sweep of the economic waves he is likely to direct his efforts toward utilizing each wave for his gain, without wasting energy in moralizing or in vain effort to modify or to combat the wave motion. It is indeed possible that stabilization of business may some day be brought about; but, if so, it will be accomplished through drastic measures, national or possibly world-wide in scope, and not by the isolated actions of individuals or by hastily conceived political panaceas.

In order properly to adjust his affairs, the business man finds it essential, therefore, to procure as accurate, continuous information as possible concerning the successive phases of the wave through which business is passing; and he is entitled to expect help from professional economists. It is in an effort to render such assistance that this series of articles has been published.

It was pointed out in the January number of *The Architectural Record* that the decline in wholesale prices would probably continue for some months. In the April issue it was suggested that the bottom of the trough was not yet quite reached. As a matter of fact, average wholesale prices, as shown by the reports of the United States Bureau of Labor Statistics, apparently were at their lowest about midsummer, and are at present slowly turning upward again. The indications are now quite definite that most lines of business are distinctly on the up-grade.

There seems to be little doubt that business recovery is influenced by the psychology of entrepreneurs and of the public, as well as by physical forces. As soon as either business men or consumers become convinced that prices are going up, they begin buying for cash or placing orders for goods. The entering of such orders in turn contributes to the rise of prices, and hence the movement accumulates momentum as it continues. One of the best indications that the present slight upturn in prices is not merely an irregularity in the curve is the fact that a relatively optimistic spirit is appearing among business men of all classes.

The question which many persons are asking today is whether the recovery will be slow or rapid. To this query it is, unfortunately, not possible at present to give a definite answer, for the evidence available is somewhat conflicting in its nature.

First let us consider the signs which indicate that the depression will not be over for some time. An important feature is that the stock market still shows little buoyancy. This apparently is caused by the fact that many concerns have not as yet paid their pressing debts and hence are not in shape to expand their operations. The fact that the number of failures continues to increase also leads to the conclusion that liquidation is not yet complete. Recent bank reports indicate that a considerable volume of credits remains "frozen." It is perhaps due to such financial handicaps that unemployment still continues to be so extensive—and this continuance of a large body of men out of work does not augur a boom in the near future.

But not all of the signs on the economic horizon are unfavorable. Bond prices have been climbing slowly since May. As before stated, commodity prices have risen slightly. On the railways, the number of idle cars has greatly diminished, and gross earnings are increasing. Iron production is growing larger. Interest rates are falling and bank reserves are increasing. The evidence, when summed up, seems to indicate that recovery in general business is likely to be rather slow but that activity will be increasing throughout 1922 at a continually accelerating rate of speed.

The most important reason for anticipating a rather sharp rise in prices lies in the immense gold reserves accumulated by the Federal Reserve Banks. The Federal Reserve Board has thus far shown no tendency to limit rediscounting up to the time when the legal limit of forty per cent. has seemed to be in danger. If this policy is followed in the future, it means that the great supply of gold in the present reserves provides the possibility of an enormous expansion of bank credit. As optimism increases it is not

unlikely that business will call for all this credit. If so, deposit currency will increase proportionately, and with its increase, prices will necessarily "sky rocket," as they always do in periods of inflation.

It may of course happen that no large price rise will occur. European industry may recover suddenly and our gold may flow abroad to pay for a great mass of imports. The Federal Reserve Board may protect its reserves by an early and sharp increase in the rediscount rates. Some unforeseen but powerful counter-acting force may arise. Such occurrences are, however, rather possibilities than probabilities. Europe will probably be slow in recovering from its monetary debauch and the Federal Reserve Board is unlikely to resist the pressure for new loans. The most probable outlook, therefore, is for sharply rising prices during the latter part of 1922.


Thus far we have discussed only business conditions in general. Just how are these related to the building industry? It was pointed out in the *Architectural Record* for June that the extent of building for the past few years had been abnormally low and that a considerable deficit of construction, as compared to the usual requirements, had thus accumulated. Building activity has increased during 1921, but it has apparently not wiped out any considerable share of the shortage just mentioned. Construction costs, including the prices of both materials and labor, have fallen steadily as building activity has increased. Material prices appear to have reached bottom, but it is not improbable that the strength of the labor unions has thus far prevented wages from declining to the full extent which might be expected to occur in a depression so severe as the present one.

Unemployment is always a result of the fact that the price at which laborers hold their labor is above the market price. The natural effect of unemployment is to impoverish the laborers and hence to reduce the subjective values which they

place upon their labor. The present continuance of unemployment in many lines may, therefore, drive laborers from other industries to the construction field and thus tend to cause some further decline in the wages of building laborers before the present depression is over. It must be admitted, however, that any noticeable drop is by no means certain to occur, for while unemployment in other industries is a force tending to lower wages in the building trades, it may prove of little moment because of the strongly entrenched position of the unions in this field.

Furthermore, there is an offsetting force which tends to maintain or even to increase wages of building workers as well as all other construction costs. As predicted in the May number of this magazine, rents have almost continued to hold their own in spite of declining prices in other lines, and, at present, their movement seems to be slowly upward in harmony with the course of the general price level. If this rise continues, as it probably will, building is likely to be stimulated to such a degree as to cause construction costs soon to start upward again. Inasmuch, however, as these costs are still relatively high as compared to prices in general, it scarcely appears probable that the early part of the year 1922 will be marked by any sharp increases in either building trade wages or prices of materials.

The present prospect is, therefore, that the spring of 1922 will furnish an unusual opportunity for profit to the builder. Interest rates, wages, and material prices will all presumably be relatively low, while the rise in rentals will tend constantly to enhance the value of completed buildings. Both 1922 and 1923 will probably be years of more than normal building activity, but the chances are that the man who builds in 1922 will stand a much better chance of making a profitable venture than will the one who postpones construction work until 1923.



The editor of THE ARCHITECTURAL RECORD takes pleasure in announcing that Mr. Russell F. Whitehead has joined its staff as a consulting and contributing editor. Mr. Whitehead, like Mr. Herbert Croly, is a former editor of THE ARCHITECTURAL RECORD. Both of them—Mr. Croly as editor of The New Republic and Mr. Whitehead as a practicing architect and an officer of the Architectural League of New York—are in contact with the sources of news and of critical opinion in architecture and its allied arts, and have, in addition, a wide personal acquaintance among the men whose current work constitutes the news that is presented and appraised in THE ARCHITECTURAL RECORD.

MICHAEL A. MIKKELSEN.

**Hand Books of
Samuel Rhoads,
Carpenter-
Builder**

The recent discovery of a part of the working library of Samuel Rhoads, master builder and the designer of the excellent monument of early Pennsylvania architecture, the Pennsylvania Hospital, is of considerable interest. Our knowledge of the identity of the colonial carpenter-builders is meagre and our understanding of how these craftsmen undertook their tasks is indeed hazy and incomplete. Anyone who has delved into the mass of writings and documents of the seventeenth and eighteenth centuries will be impressed with the reluctance of these records to offer sidelights on building history and the personalities of architecture.

Three treatises on building were found at Milton, Pennsylvania, each with the faded and flourishing signature on the title-page, "Samuel Rhoads, Carpinter Builder, His Book." The oldest of the volumes is dated 1724 and presents the claim of being but "a tract" on "Practical Architecture, or a Sure-Guide to the True Working According to the Rules of that Science; Representing the Five Orders, with their several Doors & Windows taken from Inigo Jones and other Celebrated Architects." "Very useful," the title page continues, "Very useful to all true Lovers of Architecture, but particularly so to those who are engaged in ye Noble Art of Building." The book

was written by William Halfpenny and published by J. Bowles "aganst Stocks Market," London.

The entire book, including preface, explanatory notes, as well as the plates, is "neatly & distinctly engraved on copper and brought into such a size as without burthen may be carryed in the Pocket, and be always ready for use."

The second volume is the well-known issue of Batty and T. Langley,—"The Builder's Jewel; or, the Youth's Remembrancer. Explaining Short and Easy Rules, Made familiar to the meanest Capacity." It was printed in London in 1754 and sold for the price of 4s.6d. This book was intended to instil courage in the breast of the most timorous amateur and apprentice. Thomas Langley sets forth in the introduction his lofty purpose and accomplishment. "I have therefore at the Request of many good Workmen, and for the Sake of young Students, compiled this Work; wherein I have reduced the whole to such short and easy Rules, that the Workmen may, not only at the first View renew his Memory, as Occasions may require, but Apprentices, who may be absolutely unacquainted with this noble Art, and are so unfortunate as many have been, and are, to be bound to Jobbing Masters, *who know but little*; may without the Help of any, by assiduous Application at their leisure Hours, in Evenings when the Business of Days is over, Ec. make themselves such Masters herein, that few Masters are

able or willing to make them. And indeed I must own that 'tis a Pleasure to me to see the Spirit of Emulation so powerful among young Builders at this Time; *when every one of Sense* is endeavoring to become the most excellent in his Way, and thereby make himself the most useful both to himself and his Country."

The third volume is of "pot-folio" size and is similarly boastful of intentions. It is known as "The British Carpenter: or a Treatise on Carpentry. Containing the most Concise and Authentick Rules of that Art, in a more Useful and Extensive Method than has been made Publick." The author is Francis Prices, "Late Surveyor to the Cathedral Church of Salisbury." The work was printed for J. Williams, in Skinner-Row, Dublin, 1768.

The three books present a similarity of plan. They first offer elementary problems in geometry, after which are included plates of the "orders" and in addition, details of construction and such architectural elements as windows, doors and mantels. There is a total absence of concrete suggestions for plan arrangement or complete façade design, which probably implies that the responsibility for the design of an ensemble rested with the individual to whose capacity these handbooks were a "remembrancer."

The knowledge of the ownership of these books on architecture by Samuel Rhoads (one of the most widely known and justly famed carpenter-builders of the eighteenth century) is important, for it strengthens our conviction that these hand-books were generally within arm's reach of the amateur designer. A careful examination of these works would seem to indicate that they were not such complete guides as to leave no need for creative ability on the part of the individual who used them. They were, with rare exceptions, merely books of "the orders" and were not manuals of English architectural practice, nor did they include (as a rule) drawings of extant buildings of the British Isles. Therefore our early architecture was not molded by buildings of the mother country so much as by the engraved specimens of the Italian Renaissance and Roman orders; or, rather, by the spirit of classic proportion.

Much has been written regarding the life and works of Samuel Rhoads because of his prominence in the early annals of Pennsylvania. His chief interest to the student of architectural history rests with the records of his capabilities as an

amateur architect. Besides his attainments in building, the wide interests of the man led him to enter upon mercantile pursuits and to become a leader in the public affairs of the colony. He was selected as a representative of the first National Assembly in 1761 and was made the Mayor of Philadelphia in 1774, which position prevented him from being chosen as a delegate to the Second Continental Congress of 1775.

Samuel Rhoads acquired the trade of carpenter and builder by serving an apprenticeship until he was twenty-five years of age, in accordance with the usual practice of the day in learning a useful occupation. He soon became a member of "The Carpenter's Company," in the ranks of which society he advanced to the position of "Master Builder" and for a time served as its treasurer. From 1780 until his death he was the president or "master" of the company.

Rhoads is referred to as a "mechanician" and at one time was associated with Benjamin Franklin in a project for making a certain kind of lime, which, it was thought, would render the houses of Philadelphia fireproof. In 1751, by an act of the Assembly of March 14th, 1761, he was chosen as the commissioner "for cleaning, scouring, and rendering the Schuylkill navigable."

Upon the founding of the Pennsylvania Hospital, he was made the Director of Works for the undertaking. After the acquisition of a site, "a complete plan of the buildings was directed to be so prepared that a part might be erected, which could be occupied the ensuing season (1755). Samuel Rhoads, one of the managers, was very zealous in the work and, after consulting the physicians in regard to the situation of the cells and other conveniences, presented a design of the whole building in such form that one-third might first alone be erected with tolerable symmetry."

The building of the hospital continued under the guiding direction of Rhoads, who remained as one of the managers of the hospital from the founding in 1751 until 1781.

The character of the man is summed up in the statement of a contemporary, William Rawles, who in 1774 said that Samuel Rhoads "was a respectable merchant of Philadelphia, belonging to the Society of Friends—without the talent of

speaking in public, he possessed much acuteness of mind, his judgment was sound, and his practical information extensive."

A. LAWRENCE KOCHER.

Notes on a Detail of Tuberculosis Sanatorium Planning

It is the purpose of these notes to offer suggestions on some methods of meeting the demands of tuberculosis sanatorium superintendents for an important detail of the institutional routine; namely, the collection and disposal of infective discharges in the form of the sputum of sufferers from pulmonary forms of the disease.

A patient in a tuberculosis sanatorium is usually placed in one of three categories: (a) infirmary, or bed cases; (b) semi-ambulant cases, and (c) ambulant cases.


For bed cases, two methods of collecting a patient's sputum are in use. Formerly, the most common was to provide a special cup in which the patient spits; the cup being taken away at intervals by an attendant, who leaves a clean cup in its place. Generally, a metal cup with a


stout paper lining, or "re-fill," is used; but it is not at all uncommon to find an ordinary enamelled cup being utilized for the purpose.

But, whatever kind of cup be used, the attendant must carry it to the utility room, empty it, and sterilize it at frequent intervals in a simple instrument sterilizer, which should always form a part of the fixed equipment for the utility room of the infirmary section of a sanatorium.

In a great many sanatoria today, however, the paper napkin is replacing the sputum cup for bed patients. Where paper napkins are used, the patient is given a generous supply and after expectorating into one, rolls it up and drops it into a paper bag at the bedside. At suitable intervals the bag is collected by an attendant and taken away; a fresh bag being, of course, substituted.

The usual method for keeping the paper bag in a position convenient for the patient is to pin it with a safety pin to the bedclothes at the side of the mattress. A much better plan is to provide a small wire basket, of the size of the bag, and to hang it either on the bedside table or on the side rail of the bedstead. The





basket should be of galvanized wire, so that it can be sterilized occasionally.

For the final disposal of the used paper refills and the paper bags containing the used paper napkins, two methods are available. Either they are placed in a covered receptacle of the garbage pan type (an enameled vessel is better than a galvanized iron one), which stands in the utility room and is taken once or twice a day to a central incinerator; or, the used refills and paper bags are placed directly into a local incinerator built into the wall of

the corridor near the utility room. There are arguments in favor of each method, but the writer is inclined to favor the local incinerator.

For semi-ambulant and ambulant patients, the use of the paper lined metal sputum cup is almost universal. It may be well to explain that a patient is usually classed as "semi-ambulant" when he (or she) is able to dress and walk to the bath room and the dining room. Later on, as the patient's condition improves, he is able to take more and more exercise and becomes an "ambulant" case.

It is necessary, then, to provide at some convenient point a place where the patients in these categories can take out the used paper lining of their metal cups and replace it with a clean one. It is usual to arrange that this sputum technique station be close to the entrance, or perhaps in the entry itself, of the water section, so that the patient may wash his hands after changing the cup lining. (Of course, the metallic cup itself should be turned in every few days for sterilization.)

Fig. 1 of the accompanying illustration shows the method of providing for sputum technique adopted by the Supervising Architect of the Treasury Department of the United States, in some of the Government sanatoria now under construction. It will be noted that a recess sixteen inches deep and five feet six inches high is formed in the wall; the bottom of the recess being six inches above the floor line. The shelves shown should be of some impervious material, such as slate, marble or glass, and the recess should be lined with metal.

The lower shelf is shaped and prepared to receive a wire basket in which a paper bag is placed. An inch or two of dry sawdust is placed in the bottom of the paper bag and the used sputum cups are deposited in it. The procedure is that a patient deposits his metal cup on the shelf at the side of the basket, takes out the paper lining and then takes from the upper shelf a clean paper refill.

At intervals, an attendant takes away the paper bag and replaces it with a clean one.

Of course, if a local, built-in incinerator is provided, no arrangement for holding the large paper collecting bag is necessary, but merely a shelf on which the cups can be deposited and a shelf above it to hold the clean refills.

Fig. 2 shows another method of providing for sputum technique and was designed by Messrs. Schenck & Williams, architects, Dayton, Ohio, for the new tuberculosis unit to be erected on the grounds of the Central Branch of the National Home for Disabled Volunteer Soldiers in that city. As Mr. H. I. Schenck is the Supervising Architect for the Board of Managers for the National Home, this detail will be followed in the tuberculosis units to be erected at the Branch Homes at Marion, Indiana; Leavenworth, Kansas; Milwaukee, Wisconsin; Battle Mountain, South Dakota, etc.

In this case a square metal basket (nickel plated on brass), is hung on the wall by a slotted hole which enables it to be lifted off and taken away occasionally for sterilization. This metal basket is made to receive a standard paper bag of the kind furnished by hospital supply houses for this purpose. The glass shelf above is for the patient to rest his metal cup upon

while changing the paper lining. The metal container hung diamond wise on the wall above the shelf is made to fit a standard paper lining, which is creased and cut so that a patient may fold it into the shape in which it will fit into the metal cup. As in the type of sputum technique station shown in Fig. 1, the paper bag has sawdust placed in the bottom of it and is taken away at intervals by an attendant.

It will be obvious that the actual details of a sputum technique station are susceptible of many variations; the main point to remember is that the station should not be in a dark corner, but in a well-lighted place. One of the aims of treatment in a sanatorium is to inculcate habits of personal hygiene with the object in view that, when a patient is restored to usefulness after a period of treatment, it has become habitual with him so to conduct himself that he is not a menace to his fellows.

In this connection it may be interesting to note that in going over some plans which were submitted recently by a Sanatorium Superintendent to the Institutional Construction Advisory Service maintained by the National Tuberculosis Association for the benefit of architects and sanatorium authorities, it was pointed out that a sputum technique station had not been provided, the superintendent decided to locate it in the main corridor. It appears that the institution (a city sanatorium) makes a feature of health talks to friends of the patients who are allowed to visit the institution on Sunday afternoons and the superintendent deemed that this evidence of the great care taken in disposing of the sputum of the patients would form a valuable object lesson to the visitors.

[The foregoing article, prepared by T. B. Kidner, was contributed by the Institutional Construction Advisory Service of the National Tuberculosis Association, which is the national headquarters of the fight against tuberculosis in this country. From Thanksgiving Day until Christmas there will be conducted the annual Christmas Seal Sale, which provides the funds for the local, state and national educational work which is slowly but surely ridding the United States of the "Great White Plague."]

Hygienic Exposition at Strasbourg in 1923.

In 1923 it will be one hundred years since the French chemist, Louis Pasteur, was born. It is planned to organize, under the auspices of the Institut Pasteur of Paris, the University of Strasbourg, and the city of Strasbourg, an International Hygienic Exposition at Strasbourg in memory of the famous scientist

at the place where he was professor of chemistry from 1849 to 1854. A feature of this exposition, which will last from May to October, 1923, will be its division on Hygienic Towns, presided over by Vice-Mayor Keppi of Strasbourg. The division will show the latest achievements in the general planning of towns and streets, laborers' gardens, drainage, street-cleaning, removing of garbage, building of houses, arranging of flats and furniture, providing of air, heat, light and water, public and private bathing, the care of the body, how to dress properly, funerals, cemeteries, etc.

Individuals, firms, associations, societies, etc., desiring to secure stands or being otherwise interested in this fair but not having received any personal invitation are asked to apply to the following address:

Exposition Interalliée d'Hygiène,
Strasbourg 1923,
Section: Hygiène Urbaine,
1, Quai Lezai-Marnésia, Strasbourg.

**French Architects
to Teach Design
in America.**

Two distinguished French architects, Albert Ferran and Jean Jacques Haffner, both of them winners of the Grand Prix de Rome, have accepted invitations to come to this country to teach. Mr. Ferran will have charge of design at the Massachusetts Institute of Technology, while Mr. Haffner will hold the corresponding professorship at the School of Architecture at Harvard. The departments at Harvard and the Massachusetts Institute of Technology engage in "conjunctive problems" in architecture, which will give Mr. Ferran and Mr. Haffner a chance to work together. They speak English fluently and are close friends.

Albert Ferran was born at San Francisco in 1886 of French parents, entered the Ecole des Beaux Arts in 1904, took his degree in 1910, and won the Grand Prix de Rome in 1914. He was a pupil of Victor Laloux, and spent a large part of the five years of war at Salonica with the French troops. While there he made measured drawings of the Monastery Laura at Mount Athos, and from these he is now doing the principal work for his "Envois de Rome."

Jean Jacques Haffner is an Alsatian, born in Stuttgart some 36 years ago; and from 1907 to 1913 studied at the Beaux Arts. He was Logiste for the Grand Prix on two separate occasions, and won first prize in three competitions in the Beaux Arts. Like Ferran, he was a pupil of Victor Laloux. He served dur-

ing the war for four years and was severely wounded. At the end of the war he was awarded the vacancy in the Villa Medici at Rome to replace one of the holders of the Grand Prix de Rome who had died during the war. By virtue of this position, which gives him the status of a Grand Prix winner, he holds the honorary position as government architect for the French town of Albert. He is now practicing architecture in Paris.

**Fourth Annual
Own Your Home
Exposition.**

The executive committee of the Fourth Annual Own Your Home Exposition announces that the show will be held in the 69th Regiment Armory, New York City, Lexington Avenue and Twenty-fifth Street, from April 22 to 30. The committee is composed of John A. Baldwin, representing the real estate interests; Arthur E. Lane, of the Arthur E. Lane Lumber Corporation; William D. Carter, president of the Metropolitan League of Savings and Loans Associations; Milton Dana Morrill, representing the architectural interests; David E. Breinig, of Breinig Brothers, and Carl B. Eimer, of the Amsterdam Development and Sales Company.

Sub-committees are being formed on architecture, building and finance, building materials, clay products, concrete house and cement products, household economics, heating and ventilating, houses and home sites, interior decorating, landscape architecture, lumber and wood products, publicity, sanitation, and savings and thrift.


The sub-committees are to aid in directing the policy of the exposition, and will pass on all exhibits. Every phase of home planning, financing, building, equipping, furnishing and landscaping will be shown in an effort to encourage building and to increase the membership of savings and loans societies.

At the 1921 exhibition of the American Institute of Architects two houses were shown by Reginald D. Johnson that were generally admired. These were the residence of J. P. Jefferson, at Montecito, Cal., which was awarded the blue ribbon; and the residence of C. F. Paxton, at Pasadena, Cal. The latter was published in our October issue with the erroneous statement that it was the house premiated by the Institute. The Jefferson residence will be published in an early number of THE ARCHITECTURAL RECORD.

BRASCOLITE

PATENTED AND TRADE MARK REGISTERED

The Ideal Light for Every Purpose



TYPE A.F.

Type A.F.—With wide, all white glazed porcelain enameled reflector and bowl of heavy pressed white glass of low absorption.
 Type A.F.B.—Same, with reflector band finished in leather bronze.

Permits Wiring Building for 1320 Watts for Each 13-Outlet Circuit

Saves cost of running wires for extra circuits.

According to the Underwriter's Laboratories the capacity of a circuit intended for lighting is limited to 13 outlets with a total capacity of 660 watts with the proviso that, where the circuit wires enter the sockets, or wires of equivalent size to the circuit wires lead to the sockets, the wattage capacity of the circuit may be made 1320 watts rather than 660, the limitation as to outlets per circuit remaining at 13.

In view of the fact that BRASCOLITES are arranged for either direct connection to the circuit wires or wire of No. 14 B. & S. size furnished for the wiring, it is permissible when using BRASCOLITES, to arrange circuits with an allowable capacity of 1320 watts, thus materially reducing the number of circuits for the lighting of any area.

The same wiring arrangements are permissible with Elites and Aglites. It should be understood, however, that this 1320-watt capacity is not permitted where fixture wire of a size smaller than No. 14 is used.

Brascolite's efficiency and economy have made it the largest selling lighting fixture in the world. Under present-day building conditions it is the light to specify for economy as well as for service.

Made in a wide range of sizes and designs, harmonizing with any architectural design or period, Brascolite is the ideal light for every purpose.

Our catalogue No. 8 pictures and describes the Standard Brascolite line. May we send you a copy? Our Engineering Department is at your service for any special requirements.

Prepared to estimate on and produce materials of manufacture in

- Metal Stampings
- Porcelain Enameling
- Machining and Spinning
- Brass and Aluminum Founding
- Electroplating and Polishing

THE BRASCOLITE COMPANY

Division of the St. Louis Brass Manufacturing Company, St. Louis, Mo.

BRANCH OFFICES:

Sales and Service

- | | | | | | |
|-------------|---------------|-------------|--------------|---------|-------------|
| Atlanta | Boston | Chicago | Cincinnati | Detroit | Kansas City |
| Los Angeles | Minneapolis | New Orleans | New York | | |
| | Oklahoma City | Omaha | Philadelphia | | |



Canadian Distributor: *Northern Electric Company*

LIMITED

Montreal



Flows easily from the brush

Three points to consider— when you specify paint for ceilings and walls

1. Will it turn yellow—or remain white?
2. Will it flake off—or stay on?
3. Will it collect dirt—or stay clean?

ANY white paint looks well when first applied—but how long will it stand up under actual service conditions? How will it look after it has been on the walls for six months or a year?

These are the questions you have got to answer before you choose the paint for industrial buildings, kitchens, restaurants, or any interiors where light and cleanliness are desirable.

A flat or egg-shell finish paint has a rough, porous surface that is bound to collect dust and dirt. Once soiled it can never be properly cleaned. Washing or brushing merely drives the dirt still deeper into the thousands of little pores and crevices.

In many paints, particularly flat paints, there is not enough non-volatile liquid, or "binder," to get a proper grip on the wall. Such

paints chip off and scale, giving added expense instead of service.

Ordinary gloss surface paints soon turn yellow, thus robbing you of light and necessitating frequent repainting.

By our exclusive process we have produced a paint which avoids all these dangers—a lustrous paint of intense and lasting whiteness.

Remains white longest


We guarantee that Barreled Sunlight—the Rice Process White—will remain white longer than any gloss paint or enamel, domestic or foreign, applied at the same time, under the same conditions. Its smooth, lustrous surface is highly resistant to all forms of dust and dirt, and may be washed clean, like tile.

May be applied by brush or spray method. Sold in barrels, also in cans.

Write for specifications.

Barreled Sunlight

Flat or egg-shell finish paint



Try this test yourself

Rub your finger over the smooth, lustrous surface of Barreled Sunlight. It will not leave a mark. Then note the smudge your finger leaves on the porous surface of flat or egg-shell finish paint.

U. S. GUTTA PERCHA PAINT CO.
22 Dudley Street, Providence, R. I.

See our catalog in Sweet's pages 1092-1093

Barreled Sunlight



The Rice Process White



Why Our Colonial Forefathers Prized Mahogany

PERHAPS no possessions of the American Colonists were as much prized as their Genuine Mahogany. Its possession indicated the "solid citizen"—just as it does today. John Hancock used interior trim of Mahogany in his home as early as 1755 and exquisite newel posts, balusters and railings became fairly universal.

This Mahogany is even more beautiful today than it was eight generations back. The years seem but to accentuate the deep ruddy tones and mellow the lustre of Genuine Mahogany. There is no wood more suited to the exacting demands of the architect and decorator. Once seasoned, Genuine Mahogany never warps nor checks.

The beauty of grain and color of Genuine Mahogany never wearies. Its quiet elegance forms an appropriate architectural setting for the most beautiful furnishings. And while other woods come and go with changing fancies of Fashion, Genuine Mahogany is ever in style—ever in good taste.

Genuine Mahogany is plentiful and for that reason is *not* expensive. If one considers its years of service it becomes one of the very cheapest of building woods.

The Secretary of the Mahogany Association, 347 Madison Avenue, will be glad to furnish information relative to the securing of Genuine Mahogany.

After all—there's nothing like

MAHOGANY

MAHOGANY ASSOCIATION, 347 Madison Avenue, NEW YORK



RITZ CARLTON HOTEL,
ATLANTIC CITY, N. J.
SHOWING ONE OF THE
CRANE EQUIPPED
BATHROOMS

WARREN & WETMORE,
ARCH., N. Y. C.
WELLS & NEWTON CO.,
PLG. CONT.

IN the appointments of the guest chambers of modern hotels, the bathroom equipment is an item of first importance.

CRANE

HOTEL PLUMBING FIXTURES

embody all the essential qualities of comfort and satisfactory service, and can be installed in a comparatively small space.

You are cordially invited when in Atlantic City to make the Crane Exhibit Rooms (1105-1107 Boardwalk) your headquarters. We will be glad to receive any mail addressed to you in our care.

1855

CRANE CO.

1921

836 South Michigan Avenue, Chicago

Branches in 65 leading cities

Works—Chicago and Bridgeport



Entrance Gates and Vestibule Enclosure
The National State Bank, Elizabeth, New Jersey
Dennison & Hiron, Architects

ILLUSTRATED IN THIS ISSUE

HECLA IRON WORKS 118 North 11th Street
BROOKLYN, NEW YORK



U. S. SOLDIERS' HOME HOSPITAL, N.H.D.V.S.
SAWTELLE, CALIF.

W. A. O. Munsell, Supervising Architect, Los Angeles



Pp. 1202-5

Complete catalog of details
and information for archi-
tects upon request—
filing size

Hoffman Casements

The sash are hinged together at the meeting stiles and may be opened several inches at this point in a wide V shape before losing contact at the jambs, thus permitting ventilation by air circulation only and effectually breaking direct draft.

When fully opened the sash fold into small space and may be placed at either side of the opening for the deflection of air into the room or at any intermediate point between the jambs for regulating the amount of air so deflected.

This feature is particularly valuable for hospitals and desirable for all buildings. Our illustrated booklet (free upon request) fully describes many other features which should be considered by home builders.

Andrew Hoffman Mfg Co.

Hoffman Casement Window

901 STEGER BUILDING, CHICAGO

MASTERPIECES IN MARBLE



A series of
advertisements
showing practical
uses of
Appalachian
Marble.



Number Four.
Peoples Savings
Bank, Akron, O.
Nachtgall Mfg.
Co., Grand
Rapids, Mich.,
Designers and
Contractors.

In planning the interior trim for buildings in which you are especially interested, you will unquestionably wish to have those plans executed in something better than ordinary marble.

Appalachian Roseal Marble, with its exquisite finish and variegated beauty, has a richness and

quality of coloring surpassing in beauty many of the most famous imported marbles.

It takes a high polish and will unquestionably satisfy the most exacting requirements.

Write for samples of this and the other high quality marbles which we produce. Address Dept. B.

APPALACHIAN MARBLE COMPANY
KNOXVILLE - TENNESSEE

THORP HOSPITAL DOORS



A Pair of Corridor Doors in Hall of Hillman Hospital, Birmingham, Ala. Harry B. Wheelock, Architect.



Corridor Doors to Staircase Halls, Administration Building, New General Hospital, Cincinnati. Samuel Hannaford & Sons, Architects.

Architects and contractors in increasing number are urging that the way to insure positive safety against hospital fires is to make trim, doors, frames, casing, etc.—all fireproof. The Thorp Door is the pioneer in this class of work and is unexcelled in appearance, construction and durability. It will stand as long as the building stands.

The **Thorp Flush Door** hung in a sanitary jamb accomplishes at once perfect fireproofing, and gives a feeling of positive safety and perfect sanitation. The last is a feature to which physicians and surgeons of hospitals, asylums and sanitariums are giving more and more attention.

Thorp Reference Book of Fireproof Doors sent upon request to Architects.

See our catalogue in Sweet's, pages 692-4.

THORP FIREPROOF DOOR CO.
MINNEAPOLIS, MINN.

See our
catalogue
in "Sweet's"

16th Edition

Pages 1954
and 1955





Linoleum, yes, but not the kitchen variety. A plain gray, waxed and polished, to set off the fabric rug and blend with the paneled walls.

Investing Quiet Charm with a Touch of Unusualness

WHY intrude upon the quiet charm of soft gray walls the discordant yellow tones of ordinary floors? With a floor of Armstrong's Plain Gray Linoleum you can not only have complete color harmony, but a touch of restrained unusualness and a background that will bring out all the beauty of fabric rugs. Moreover, a linoleum floor is quiet, non-slippery and never requires expensive refinishing. When cemented down over felt paper, it is smooth, water-tight and will last for years.

Armstrong Cork Co. Linoleum Department Lancaster, Pa.

Armstrong's Linoleum
CIRCLE A TRADE MARK READ US & PAY OFF
 for Every Floor **A** in the House

R55

A portfolio of colorplates showing some unusually charming interiors built on appropriate linoleum floors will be sent without cost or obligation. Ask for the Architect's edition of "Speaking of Floors."

Aiding the Architect to Solve Vertical Conveying Problems

Dumb-waiters and hand power elevators are today extensively used for many domestic, industrial, commercial, and institutional service requirements.

The machine selected must be so designed and constructed as to

1. Completely and economically satisfy the requirements of the service to which it is to be applied.
2. Facilitate installation of the outfit and its fittings with regard to the structural characteristics of the building at the point where the dumb-waiter or elevator is to be located.

The Architect is responsible for the selection of a machine capable of adequately meeting these requirements and conditions. By specifying

SEDGWICK Hand Power Elevators and Dumb-waiters

Architects may shift the burden of that responsibility to an organization which for more than a quarter century has exclusively specialized on building this class of equipment.

For every class of general service for which hand power elevators and dumb-waiters are adapted, there is a SEDGWICK outfit, which through 30 years of experience has been developed to satisfy perfectly the requirements it is designed to serve.


In advertisements to follow, we shall feature various standard types of SEDGWICK Hand Power Elevators and Dumb-waiters, together with data of interest to Architects relative to the application of these respective types, and their modification to meet special requirements. Service Sheets, Specification Forms, and complete data relative to sizes, recommended uses, and space requirements, furnished on application.

See our advertisement
in Sweet's Catalogue.

Sedgwick Machine Works
148 West Fifteenth St. New York

Specialists in Dumb-waiters and Hand Power
Elevators for more than a Quarter of a Century.

120-54



*Varnish Makers
for 94 Years*

OUR PRODUCTS

have been specified by architects *continuously for ninety-four years*. What endorsement could be greater?

Esco White Enamels

Trade Mark

(Interior and Exterior)

These enamels have reached the pinnacle of perfection. Pure white, free working, elastic, brilliant, great covering properties and made of *finest materials*.

Interior "Esco" is	Exterior "Esco" is
dust free in four	free from dust in
to six hours. Can	eight to ten hours.
be rubbed to a	flat in a few
dead finish in	days.
three days.	

Like all Edward Smith & Company products, which includes varnishes for every use, floor finishes, and floor sheens, Esco White Enamels are *Standard Grade*.

*Have you our booklets?
Request our finished panels.*

EDWARD SMITH & COMPANY

West Avenue, 6th and 7th Streets
Long Island City

P. O. Box 76, City Hall Station
New York City

Western Branch, 3532-34 South Morgan St.
Chicago

Compute the Dollars Actually Saved by Peelle Doors

IN buildings equipped with Peelle Freight Elevator Doors, the actual savings can easily be estimated in dollars.

Whether Regulation Type or Pass-Type, Peelle Doors are approved and labelled by the Underwriters' Laboratories, resulting in lower insurance costs on buildings equipped with these doors.

Peelle Doors assure constant operation of your freight elevators, and eliminate costly tie-ups that occur in elevator shafts equipped with inferior doors. Their ease of operation makes Peelle Doors time and labor savers. And the patented truckable feature solidly bridges the gap between elevator car and sill, and reduces upkeep cost to a minimum.

The sturdy construction of Peelle Freight Elevator Doors enables them to withstand rough handling as long as the building itself remains intact.

Write us today to have our representative call and discuss your elevator door problems.

PEELLE Freight Elevator DOORS

Counterbalanced Truckable

THE PEELE COMPANY
Brooklyn, New York

REPRESENTATIVE OFFICES

Chicago	Canada:
Philadelphia	Toronto
Boston	Montreal
Cleveland	Syracuse
	Winnipeg


K-3 Kalamein
Paneled Door,
three solid
panels in each
half. (Labelled
by Under-
writers' and
Factory Mutu-
al Companies.)



Ceco
Expanded Metal
Reinforcing



Ceco
Rib Reinforcing



Triangle Mesh
Reinforcing



Ceco Reinforcing Bars

Everything in Reinforcing for Concrete

When you use Ceco Reinforcing Materials, you have a dependable source of supply. Delays are eliminated, for all shipments move immediately from the nearest of four warehouses. All standard styles of Reinforcing are furnished.

You get what you want, when you want it. Orders are cut to length and bent. Shop drawings and concrete designs are prepared.

Ceco Reinforcing Service is complete—a distinct asset to you and your work. Send for our literature.

CONCRETE ENGINEERING CO.


OMAHA

Offices:

Kansas City Omaha Chicago
Detroit Oklahoma City
Des Moines Milwaukee

Warehouses:

Kansas City Chicago
Omaha Youngstown



Ceco
Column Spiral



Ceco Reinforcing Bars

PRODUCTS
Ceco

Reinforcing Bars
Column Spirals
Meqer Steelforms
Round Column Forms
Triangle Mesh
Expanded Metal
Rib Reinforcing
Metal Lath
Channels
Corner and Base Beads
Picture Moulding

A Correction:

In the Johns-Manville advertisement which appeared on page 19 of the November issue of The Architectural Record, this paragraph appeared:

“Asbestos Roofing, being all mineral, is subject to **more** of the inherent defects found in so-called ‘rag felt’ roofings.”

This statement, because of a Printer’s mistake, reverses the intended meaning, and we are glad to make this correction. This paragraph should read:

“Asbestos Roofing, being all mineral, is subject to **none** of the inherent defects found in so-called ‘rag felt’ roofings.”

zinc

LEADERS AND GUTTERS neither rust nor stain

Pure Zinc is the most economical of all materials for leaders, gutters, flashings, valleys, ridge roll, shingles, etc.

Zinc costs much less than other metals of equal durability, and very little more than commonly used materials which it outlasts five and six times. This affords a great saving in replacements, both in labor and material costs.

Ask your tinsmith to submit estimate for installing or replacing with spouting "made from Horse Head Zinc."

See that these roofing accessories are installed in accordance with specifications to be found on Page 870, Sweet's Architectural Catalog (16th Annual Edition).

Write for booklet "*Building for Permanence*" and for names of manufacturers.

THE NEW JERSEY ZINC COMPANY

(ESTABLISHED 1848)

160 Front Street

New York City


Mineral Point Zinc Company, CHICAGO: 1111 Marquette Building

PITTSBURGH:
The New Jersey Zinc Co.
(of Pa.)
1439 Oliver Building



CLEVELAND:
The New Jersey Zinc
Sales Co.
1138 Guardian Building

The World's Standard for Zinc Products



KINNEAR

ROLLING • DOORS

Greatest Economy in Operation, Space, Repair.

KINNEAR Steel Rolling Doors work easily and quickly which saves valuable time every day, whether run by hand, mechanically, or by motor. Accidental damage to a few slats can be easily repaired by the replacing of new ones. Compact in construction, traveling only in a vertical plane, they make possible the greatest saving in floor space. Made to fit the building.

Write today for illustrated catalog No. N-10. Our Engineering Department is at your service for unusual problems—our branch offices insure perfect installations.

The Kinnear Mfg. Company
803-853 Field Avenue
COLUMBUS, OHIO

FORD MOTOR CO. SERVICE BLDG. CAMBRIDGE, MASS.



INVISIBLE HINGES

Each year **LEADING ARCHITECTS** continue to specify **SOSS INVISIBLE HINGES**. In many of the most imposing structures, where the charm of line and architectural proportion have been preserved to a nicety, Soss Invisible Hinges will be found.

They fold snugly and silently into mortises in door and jamb. They work easily and smoothly and are a constant source of satisfaction.

We will gladly send you literature showing the weights which various Soss Hinges will carry, blueprints and details on their installations.

SOSS MANUFACTURING COMPANY
774 Bergen Street
Brooklyn, N. Y.

SOSS



"The Noblest of Building Stone"


Cathedral of the Sacred Heart, Newark, N.J.
I.E. Ditmars, Architect.

For Centuries to come - - -


No compromise here with lesser materials. These massive walls and the intricate gothic ornament which embellish them - even to the topmost pinnacle - are of granite. Thus have its far seeing builders made certain that this noble structure, in all its architectural beauty, will successfully meet the test of centuries to come.

NATIONAL BUILDING GRANITE
QUARRIES ASSOCIATION, INC.

H.H. Sherman, Secty. 31 State St., Boston Mass



Detail of a Pinnacle.





RELIANCE KALAMEIN DOORS

Were chosen as a part of the construction which places the laurels for modern office building design upon the NEW HIBERNIA BANK BUILDING. In erecting this structure it was necessary that the most lasting and efficient doors be used. As a consequence the building is equipped with Kalamein doors, jambs and trims, and all elevator doors are Kalamein above the first floor. Special Kalamein doors were designed and installed in the banking quarters. At the entrance to the building are massive copper-covered Kalamein doors. In fact, so thoroughly was this type called for in the specifications that every one of the pipe shaft and elevator cabinet doors are RELIANCE KALAMEIN DOORS.

Mail us your requirements for an estimate

"Look us up in Sweet's," pages 688 to 691.

*Hibernia Bank and Trust Co., New Orleans, La.
Favrot & Livaudais, Ltd., Architects
George A. Fuller Co., New York
General Contractors*

Reliance Fireproof Door Co.

Brooklyn, N. Y.

Represented in All Principal Cities.

Several Recent Publications of Architectural Interest

are listed and briefly
described on pages 35
and 36 of the advertis-
ing section of this issue.

The Architectural Record

ROME Quality



BRASS & COPPER

Striking in beauty
—supreme in service

WHICH way will he turn next? The fancy of this mighty chanticleer is as changeable as the wind, but the material of which he is made is unchanging. On top of the new Heckscher Building, this proud cock maintains a constant vigil through fair and stormy weather. He is unaffected by the elements that sweep around him, for the copper of which he is made is impervious to their attack.

This weather vane, the largest in America (13 feet high and 10 feet wide), is patterned in sheet copper, hammered into shape to the design of Messrs. Warren and Wetmore, Architects. Its eminence and beauty will be everlasting.



This imposing figure is made of Rome Quality Sheet Copper, which was purchased through the U. T. Hungerford Brass & Copper Company. Rome Quality Sheet Copper was selected because of its superior adaptability to shaping and the permanence which its use assures.



The above drawing is reproduced by permission of *New York World* from an illustration appearing in that newspaper under date of October 9, 1921.

ROME BRASS AND COPPER COMPANY - ROME, N.Y.

BRASS **ROME** COPPER



Unused Radiation Is Costly

Keep it down with Dunham Traps

IN the above charts, the area of "Unused Radiation" has been plotted from laboratory data. We are constantly making such tests. They tell us accurately how the Dunham Radiator Trap compares with other traps.

Your interest is ours—and that is the reduction of the "Unused Radiation" area. It will be of mutual interest for us to discuss how Dunham Radiator Traps can do this.

Full details of the Dunham Trap, and other Dunham Specialties, are given in Sweet's Index, and in McRae's Blue Book.

The DUNHAM HEATING SERVICE

C. A. DUNHAM COMPANY
230 East Ohio Street, CHICAGO

52 Branch and Local Sales Offices in the United States and Canada.

Foreign Sales Offices in London and Paris



RODDIS FLUSH DOORS

Bring dignity and distinction to the home, substantial construction for rugged use to the hotel, and sanitary sound-proof values for hospitals. This combination of worth backed by a quarter of century of experience and desire to produce only the best, is your protection. There is a RODDIS FLUSH DOOR for every purpose—very reasonable in cost.

We would like to hear from you.

DOORS STAMPED



YOUR PROTECTION

Represented in Sweet's Catalogue, pages 970 and 971.


Roddis Lumber & Veneer Co.

TWENTY-SEVEN YEARS

MARSHFIELD

::

WISCONSIN



When You Plan a Garage

THE greatest advantage of McKinney Complete Garage Sets to Architects and Builders is that they promote rather than limit a wide range of design. When you plan a garage with these sets in mind, you know your plan will be followed down to the last line and your client satisfied.

These sets contain all the hardware necessary for garage doors—even the track. With drawings and directions, they are packed complete in a box—no odds and ends to buy afterward. The doors may be the swinging, sliding-folding, or, if space is particularly limited, “around-the-corner” type. There is a set for any size or any style doors you wish used.

McKinney Complete Garage Sets have been given the same careful attention that is responsible for the worth and work of McKinney Hinges and Butts. Fifty years of association with the development of builders’ hardware serves advantageously in meeting the needs of the Architect and Builder.

McKinney hung garage doors are pictured and explained in book form. This book shows how easily the sets are installed and how they make better looking, stronger and more protective doors possible. It not only points a way toward lower building costs but illustrates the possibility of varied designs. This book and the McKinney Catalog will be forwarded upon request.

MCKINNEY MANUFACTURING CO., Pittsburgh
Western Office, Wrigley Bldg., Chicago. Export Representation.

MCKINNEY *Hinges and Butts*

Also manufacturers of McKinney garage and farm building door hardware, furniture hardware and McKinney One-Man Trucks



VALUE *plus*—

As a user of "Sweet's," what does this *plus* mean to you?

ALL ARCHITECTS recognize that "Sweet's" has a value to them as a conveniently arranged source of information.

SOME ARCHITECTS, through complete familiarity with the contents of "Sweet's" and daily use of its detailed data, get out of it all the value there is in it.

More than nine hundred manufacturers of more than fifty thousand articles that enter into building operations have undertaken to give the architects, in the Sixteenth Edition of "Sweet's," the character of detailed information concerning their products that architects say they want.

The Sixteenth Edition contains a greater amount of detail drawings, specification data and general practical information than any previous edition.

The scale drawings of architectural and structural details have been prepared by architectural draughtsmen of the highest ability.

Typical examples of catalogues showing structural details drawn to scale are those of the Philip Carey Company, The Fairfacts Company, Incorporated, the Richards - Wilcox Company, The Watson Manufacturing Company, Allith-Prouty Company and the Reliance Fireproof Door Company—to mention only a few. George Rackle & Sons Company show a catalogue with scale drawings of architectural details.

For thorough presentation of descriptive and specification data note the catalogue of the Kelley Island Lime and Transport Company.

Types of catalogues giving general information of the highest order are those of the Common Brick Manufacturers' Association of America and the National Building Granite Quarries Association.


Familiarize yourself with the new "Sweet's" and extract **VALUE** *plus* from its pages every day.

SWEET'S CATALOGUE SERVICE, Inc.


119 West Fortieth Street, New York

THE INCOMPARABLE NIEDECKEN SHOWERS

PATENTED



THE INCOMPARABLE
NIEDECKEN MIXER
IS USED AS A
SUPPLY CONTROL
ON
NIEDECKEN
SHOWERS



NC1580

THE NIEDECKEN COMBINATION SHOWER, BATH SUPPLY AND WASTE FIXTURE

Especially designed for use with the Built-in Bath Tub.

The Ideal Residence or Apartment Installation.

The **NIEDECKEN MIXER** is accessible from the front.

THE FIRST COST
IS PRACTICALLY
THE LAST

Write for Bulletin R120

HOFFMANN & BILLINGS MFG. Co.
MANUFACTURERS SINCE 1885.
MILWAUKEE, U. S. A.

The BILTIN

CHINA

BATHROOM ACCESSORIES

Patented




QUALITY EQUIPMENT

Fairfacts Bathroom Accessories are specified regularly by many distinguished architects and are in use now in many of the finest homes in this and other countries. The various fixtures are designed to meet every requirement of good taste.

The Fairfacts Company
INCORPORATED

234 WEST FOURTEENTH ST.
NEW YORK, U.S.A.



FRIGIDAIRE, the electrical home refrigerator will contribute in a large measure to the convenience and comfort of your clients' homes. It is self-contained and automatic. It eliminates the bother and uncertainty of an outside ice supply. It maintains a dry, constant temperature, at least ten degrees colder than is possible with ice.

Frigidaire provides ice cubes for table use and delicious desserts are frozen as needed in the freezing compartment.

It keeps meats, vegetables, fruits and dairy products delightfully fresh and wholesome.

Frigidaire is a product of General Motors Corporation and is thoroughly dependable.

It is made in finishes to harmonize with the treatment of the kitchen. It measures $24\frac{3}{4}$ inches deep by 39 inches wide by $67\frac{1}{4}$ inches high. Our branch offices, and Delco-Light distributors in all principal cities, are now demonstrating Frigidaire.

A catalog with complete specifications will be mailed to architects on request.

DELCO-LIGHT COMPANY

Dayton, Ohio

The price of Frigidaire has recently been reduced from \$775 to \$595 f. o. b. Dayton



Frigidaire

CLEAN DRY ELECTRICAL REFRIGERATION



A fence that endures—because it is *made* to endure. The U-bar posts of high-carbon steel, with their Anchor Post anchorage, are permanent as tree-trunks. The strong chain-link fabric is so taut as to obviate a top rail. Thoroughly galvanized, no part can weaken by rust, for decades.

A range in heights to satisfy individual requirements.

We are prepared to mail our special Catalog 56 to Architects on application to any address below.

ANCHOR POST IRON WORKS

Hudson Terminal Bldg.

52 Church St., New York, N. Y.

Sales and Erection Offices in

Boston, 79 Milk St.	Minneapolis, L.I., N.Y., Jericho Turnpike
Chicago, 8 S. Dearborn St.	Pittsburgh, 2011 Penn Ave.
Cleveland, Guardian Bldg.	Philadelphia, Real Estate Trust
Hartford Conn., 902 Main St.	Richmond, 119 Mutual Bldg.
Rochester, N. Y., 1604 Main St., East	2372-G

ANCHOR POST *Fences*

The Roycroft Inn



THE ROYCROFT INN


East Aurora, N. Y.
(Elbert Hubbard,
II, Host)

where there is an atmosphere of friendliness and good cheer that kills the glooms and causes the joy germs to jingle instead.

Each succeeding year sees The Roycroft Inn made the rendezvous of old friends who have experienced its comfort, cheerfulness and hospitality—its unique associations—its restfulness and inspiration. And many new friends come along. Brides and grooms seem to have gotten the habit, and they are especially welcome!

East Aurora is thirty minutes from Buffalo on the Pennsy. And a splendid brick highway from that city to East Aurora makes motoring a pleasure. American Plan. Send for Roycroft Inn booklet.

Gothic Windows



Design No. 21



THERE is something peculiarly fascinating about a beautiful Gothic window. Its perpendicular lines may suggest the stalks and stems of the flowers which seem to come into bloom among the tendrils of the interlacing tracery above, or the entire effect may be more like the "frozen lace" so frequently mentioned. But whatever result is produced, such a window is full of interest.

It is well to know that the best material for producing Gothic windows is Rackle Artstone which can be made into any shape, no matter how delicate or intricate, and which is strong and everlasting.

Rackle Artstone in the specifications means a great deal, whether for windows or for any other suitable purpose. It means forming a connection with the firm which originated Artstone and which for a half century has steadily improved its product until today it is the recognized leader in its class. It means that the architect's designs will be carried out as they should be carried out, faithfully, sympathetically, artistically. It means economy in cost of material and in cost of placing the material in the building.

The little leaflet about Gothic windows, which is mailed free on request, is found very useful by architects. It shows how beauty and economy may be made to harmonize, through the adoption of the Rackle designing system, and gives a number of typical designs.

Estimates on any kind of exterior or interior work furnished.

The Geo. Rackle and Sons Co.

Cleveland

Ohio

Established 1870



No. 1482

Provide Plenty of Convenience Outlets

to take care of the many electrical appliances which are bringing happiness into every home.

It is an excellent plan to standardize in your specifications on

PAISTE Duplex RECEPTACLES

They take standard plugs, are very attractive in appearance and allow two electrical devices to be connected up at one time.

Write for full specifications for your files.

THE HART & HEGEMAN MFG. CO.
HARTFORD, CONN., U.S.A

20-22

PAISTE

The VENDOR SLATE CO.

ROOFING SLATE AND ARCHITECTURE



VENDOR FACTS

The Vendor Slate Company carries at all times a larger stock and ships more slate than all other American producers and shippers of Roofing Slate combined.

VENDOR SERVICE

Its Department of Architectural Slate is now personally directed by Howard B. Burton, B. Arch., under whose direction much of the country's best roof work has been produced.

The loan of drawings procures a roof suggestion, material only or complete in place. Send professional letterhead for Catalogue B.



• Largest Shippers of Roofing Slate in the World •

VENDOR SLATE CO. INC.

• EASTON-PENNSYLVANIA •





SUPREMIS FLOOR FINISH--
The first varnish ever designed exclusively for floor finishing.

It's The Finish You See

SUPREMIS brings out the latent charms hidden in a hardwood floor. **Supremis** intensifies the beauty of grain and enhances its contrasting colors. **Supremis** gives beauty to the floor.

And with the finish playing such an important part, more discrimination should be exercised and that varnish chosen which best obtains these desired results.

Du Pont **Supremis** Floor Finish was the first

varnish designed especially for use on floors. Its lustre is lasting.

Hard service, scuffs and scratches have little effect on its tough, mirror-like surface.

Supremis will not turn white from heat or dampness. Its coating will not crack or chip.

Our service department will furnish free of charge, specifications for all the paints and varnishes required for a project. These may be incorporated into the working specifications.

E. I. du Pont de Nemours & Co., Inc.

Sales Dept. : Paint & Varnish Division
 WILMINGTON, DEL.

Branch Offices and Warehouses: Boston, Philadelphia, Chicago,
 Kansas City, Minneapolis, San Francisco



*See our
 catalog
 in Sweet's*



An Excellent Combination for Hospitals

Plate 110 is an excellent combination for use in hospital construction.


Mechanically it is of the same high standard of quality that characterizes all HAAS products and has, among other features especially adapted to hospital use, an open seat front and back, with extended sanitary lip at the front of the bowl. The left hand side inlet spud is unusually convenient to the hand and easily operated from a sitting position.

Plate 110 has a vitreous syphon jet bowl; roughs in at 12 inches from finished wall line; the overall measurements are depth 28 inches, width 14½ inches; and comes equipped with the oscillating lever type of the famous

HAAS FLUSH VALVES

The HAAS valve is the only self-cleaning valve on the market. It never sticks nor clogs, cannot leak, is quiet in operation, and insures perfect flushing action. An integral cut-off gives independent control and individual valves can be shut off without cutting off the entire supply line.

On pages 1430-32 of the 16th Edition of "Sweet's" you will find a full description of HAAS products—or we would be glad to provide a copy of our latest catalog for your files.



Philip Haas Company
122 Webster Street
Dayton, Ohio

SHELDON SLATE



SHELDON'S Slate invites preferred consideration on the score of permanency, economy and exclusive color tones and textures. Our facilities for creating and assisting architects in the creation of remarkable roofing effects are exceptional, and we invite the profession to avail themselves of the cooperation of our experts. It has long been stated with authority that Slate is the BEST roof. It is now widely agreed that a "Sheldon" is the BEST SLATE roof.

"A special type of roof for every building."

Represented in Sweet's Catalogue, Page 239

F. C. Sheldon Slate Company
Granville, N. Y.

New York, 101 Park Ave.
Cincinnati, 534 Main St.
Columbia, S. C.
312 I. & E. Bldg.
St. Louis, Mo.
2144 Railway Exch. Bldg.



Chicago, Marquette Bldg.
Richmond, Va.
P. O. Box 1151
Detroit, Mich.
1309 Virginia Pk.
Dallas, Tex.
Scollard Bldg.



ROCKPORT SEA-GREEN GRANITE, eight cut finish, was used exclusively in the construction of the Winters National Bank, Dayton, Ohio. This is but one of the many splendid and recent undertakings where ROCKPORT GRANITE has been specified and used. The building was designed and erected by FRANK HILL SMITH, INC., ENGINEERS, New York City and Dayton, Ohio.

See "Sweet's" for reproductions of Rockport Granite in color

ROCKPORT GRANITE COMPANY

C. Harry Rogers, Treasurer and General Manager

ROCKPORT

::

::

::

::

MASSACHUSETTS

LUCIAN E. SMITH
AND
HARRY E. WARREN
Associated Architects



LOMBARD
ROMANESQUE
PANEL IN
COLORS
BROWN, GREEN
AND GOLD.
TYPICAL
OF THE
TERRA COTTA
ORNAMENT OF
FIRST M. E.
CHURCH
ASBURY PARK
NEW JERSEY

THE NEW JERSEY TERRA COTTA COMPANY

Office:
SINGER BLDG., N. Y. CITY

Established 1888

Works:
PERTH AMBOY, N. J.

Kawneer
STORE FRONTS

Recognized Standard because of
Permanence—Well Balanced Pleasing
Lines—Narrow but Sturdy Members

- Positive Ventilation
and Drainage Control
- Resilient but Firm
Glass Grip

Kawneer
STORE FRONTS
NILES, MICH.



A.F.B.A.
 USE FACE BRICK
 — it Pays

Puerta del Sol
 Toledo, Spain

IN SUNNY SPAIN, too, the early builders used brick with striking effects—both by itself and in combination with other materials.

Puerta del Sol is a fine example of the character and interest that can be given

to the wall in combining the use of brick and stone.

Any member of this association is at all times ready to discuss the architect's face brick problems with him; and to cooperate with him to the fullest extent.

AMERICAN FACE BRICK ASSOCIATION

1156 WESTMINSTER BUILDING • CHICAGO, ILLINOIS

You Can Always Identify
STIPPLED BRICK

by the stippling—slight, longitudinal incisions irregularly but evenly distributed over the faces, producing a soft, refined texture of a distinctive and individual character.

This stippled texture, protected from imitation by patent rights, has proven most effective in diffusing light to bring out the utmost beauty of the color shades.



Write Dept. 212 for a booklet on
Stippled Brick.

DORIC Shades

The Doric shades in Stippled Brick comprise six tones of buffs and tans, ranging from beautiful light, delicate buffs with a pinkish tinge, through olive buffs, golden-tans, deep browns, to very dark purplish browns and black.

GOTHIC Shades

The Gothic shades offer rich colorful reds and browns in five variations—red with subtle old rose tints, brownish-red mixtures, dark rich browns, very dark browns, and blacks.

These exceptionally delightful colors, enhanced by the stippled texture, provide a finishing material of the highest order, suitable for any kind of building—the modest dwelling or the monumental structure.

**WESTERN BRICK
 COMPANY** DANVILLE
 ILLINOIS

*Capacity One Hundred Millions
 Annually.*


The Greatest Triumph IN PANEL BOARD HISTORY

In keeping with the Frank Adam Idea of always being in the lead we announce the new Triumph "T-P" Panel Board. Unusual design never before equalled.

*Ready for shipment January 1st. Steel
 Cabinets ready now. Buy or specify.*

FRANK ADAM ELECTRIC CO.
 ST. LOUIS, MO.

Detroit Minneapolis New York Dallas
 Cincinnati New Orleans Kansas City
 San Francisco Los Angeles Seattle



OLD EUROPEAN SLATE ROOFS

A stone roof of rough texture,
 strong outlines and beautiful
 color combinations.

Estimates on application.

Specification suggestions supplied.


*"Look us up in Sweet's,"
 pages 236 and 237.*

KNICKERBOCKER SLATE CORP.

E. J. JOHNSON, President

153 East 38th Street, New York

STRUCTURAL SLATE—BLACKBOARDS



“—the last word on hospital planning”

IF you are interested in Hospital Planning, here is the book you have been looking for. It contains the latest information regarding developments in American hospital planning and also illustrates many of the most successful modern institutions of Europe.

ON TEN DAYS' APPROVAL

The Revised Edition of

**“The American Hospital
of the
Twentieth Century”**

By EDWARD F. STEVENS, Architect

Member American Institute of Architects. Member Royal Architectural Institute of Canada. Member American Hospital Association.

380 Pages, 480 Illustrations and Floor Plans. Price \$7.50 Net

Originally published in 1918, this book promptly became the recognized authority on the subject of Hospital Planning and the first edition was sold out in a little over two years.

The revised edition has been entirely re-written and much new material has been added. Instead of 274 pages with 350 illustrations and floor plans, it consists of 380 pages with 480 illustrations and plans. It will be invaluable to everyone interested in Hospital Planning whether or not he possesses the first edition.

It discusses every ward and department of a modern hospital, including the Kitchen and Laundry, devotes special chapters to Heating, Ventilation and Plumbing—Details of Construction and Finish—Equipment—Landscape Architecture as Applied to Hospitals—and concludes with a chapter devoted to War Hospitals.

THE ARCHITECTURAL RECORD, 119 West 40th St., New York.

A.R. 12-21

- I am a practicing architect.
- I am a subscriber to The Architectural Record.

Send me on approval a copy of “The American Hospital of the Twentieth Century” (Revised Edition). I agree to remit \$7.50 for it or to return it postpaid within 10 days.

NAME
ADDRESS

**Mail
This
Coupon
Today**

NOTE.—If not a subscriber to The Architectural Record or a practicing architect, give business references in margin. Books sent on approval in U. S. A. only.

Corridor in the Hotel Ambassador. Note the inlet valve in the baseboard at the right.



THE SPENCER TURBINE SYSTEM of Vacuum Cleaning was specified and installed in the Hotel Ambassador, New York City (Warren & Wetmore, Architects)—and thus adds yet another first-class modern hotel to the already extensive list of recently built and splendidly equipped buildings of every kind where the SPENCER System has been selected—on its merits. This list, by the way, is most interesting. We should like to send it to you.

Our booklet on the theory of Vacuum Cleaning is full of vital facts. May we send it?

**The Spencer
Turbine Company**
Hartford, Connecticut



SPENCER Magazine Feed HEATERS

*Your Client Will Appreciate
a Heater That Requires
so Little Attention*

The Magazine Feed of the Spencer Heater operates automatically and assures a constant even heat. It requires filling only once in from 12 to 24 hours.

Another advantage of the Spencer Magazine Feed Heater which your client will appreciate is that it burns No. 1 Buckwheat Coal and no more tons of this cheaper coal than other heaters burn of larger more expensive coal.


For the busy architect in his individual heating problems, we have representatives in New York, Boston, Philadelphia, Baltimore, Buffalo, Detroit and Chicago.

We will be pleased to be of service to you.




**STANDARD
HEATER COMPANY**

Williamsport, Pa.



*Successfully Burns
No. 1 Buckwheat*



Steubenville Bank and Trust Company, Steubenville, Ohio
Peterson and Clarke, Architects, Steubenville, Ohio
E. R. Kitchen & Company, Contractors, Wheeling, W. Va.

When a bank builds a home it builds a permanent building. Bank architects are choosing Carey Roofings for banks because they are permanent.

For exact specifications on this and other bank buildings write for the Carey Architects Specification Book.

THE PHILIP CAREY COMPANY


506-526 Wayne Ave. Lockland, Cincinnati, Ohio, U. S. A.

"A Roof For Every Building"



Asbestos and Asphalt Built-Up Roofs, Roll Roofings and Asfaltslate Shingles





WEISTEEL COMPARTMENTS were specified and installed in the Winters National Bank at Dayton, Ohio. Frank Hill Smith, Inc., Architects, Dayton, Ohio.

WEISTEEL TOILET COMPARTMENTS

have been so often selected, specified and installed for high class buildings of almost every kind, that a full list of them reads like a "Blue Book" of all that is most modern and up-to-date in the construction of the day. For toilets, showers and dressing rooms they provide the maximum obtainable on the score of sanitation, appearance, lifetime service and low first and final cost. We consider them superior to any others on the market, and should be glad of the opportunity to prove it to your satisfaction.

Booklet with complete information sent upon request—or "Look us up in Sweet's," pages 1410 and 1411.

HENRY WEIS MFG. COMPANY

Factory and General Sales Office
ATCHISON, KANSAS

Chicago: 455 Peoples Gas Bldg. Boston: 24 Milk St.
New York: 103 Park Ave. Cleveland: 523 Union Bldg.

What Style of *Ceco* Metal Lath Shall I Use ? on this Suspended Ceiling •



Send today, on your letterhead, for this handbook.

Architects, contractors and dealers have asked us many similar questions.

Definite detailed information on how to use Ceco Lathing Materials had never been generally available.

But now our new handbook, "How to Use Ceco Lathing Materials," tells you how, and where, and when to use these materials.

Definite specifications, construction details, practical instructions for the erection on the job, are all contained in this handbook. You will find it useful in your daily work.

Ceco Lathing Materials are available in your territory. Any order is shipped promptly from the nearest of our four warehouses, or furnished by your local building supply dealer.

Ceco PRODUCTS
Reinforcing Bars
Column Spirals
Major Shapes
Round Column Forms
Triangle Mesh
Expanded Metal
Rib Reinforcing
Metal Lath
Channels
Corner and Base Beads
Picture Moulding

CONCRETE ENGINEERING CO.

OMAHA

Offices:

Kansas City Omaha Chicago Detroit
Oklahoma City Des Moines Milwaukee

Warehouses:

Kansas City Chicago
Omaha Youngstown

Fire proof no longer means the building of massive brick or concrete with bare walls, cumbersome fire doors and unattractive metal trim, because the aesthetic questions of architectural genius are answered by wire lath. Wire lath used in the construction of partitions, ceilings, cornices, and exterior stucco work is ideal in its adaptability to highly ornamental shapes and designs and has made possible the execution of architectural effects in strict accordance with architectural drawings. Clinton Wire Lath makes fireproofing practicable without the sacrifice of ideals in architecture.

WICKWIRE SPENCER STEEL CORPORATION

Worcester, Mass.

Buffalo, N. Y.

Boston New York Philadelphia Detroit Chicago Tulsa San Francisco



No stooping—the slightest touch of the foot operates the valve.

A Quarter Turn of the Handle

OPENS OR CLOSES THE

GORTON QUARTER TURN VALVE

It is the easiest operating valve in the world, and users will regulate heat in a room by opening and closing the radiators, saving steam.

With the old time valve requiring five or six turns of the wheel to open or close the valve they open the windows to cool a room, an immense waste of steam.

Wasted steam is wasted coal.

Equip your radiators with Gorton Valves and save money on your Coal Pile.

GORTON & LIDGERWOOD CO.

Write
for
Catalogue

FISHER BUILDING, CHICAGO, ILL.

94 Liberty Street, New York, N. Y.

See Sweet's Architectural Catalogue, Page 1502, for Specifications.

"In selecting a cement," says John C. Trautwine, Jr., "a reputation gained by years of successful use and experiment is of greater value than the results of a few tests."

IN USE SINCE 1889



Dragon

PORTLAND CEMENT

OVER 23,000,000 BARRELS USED SINCE 1889
ON GOVERNMENT — STATE — MUNICIPAL —
RAILROAD AND OTHER IMPORTANT WORK.

SALES OFFICE:
THE LAWRENCE CEMENT COMPANY

Business Established 1832
302 Broadway, New York, N. Y.



WHAT EVERY ARCHITECT WANTS TO KNOW

No. 3—How to determine the waterproofing efficiency of a built-up roof.



GENASCO LINE

- Trinidad Lake Asphalt
(For streets and roofs)
- Standard Trinidad Built-Up Roofing
- Bermudez Road Asphalt
(For road building)
- Genasco Roll Roofing
- Genasco Sealbac Shingles
- Genasco Latite Shingles
- Genasco Vulcanite
- Mastic Flooring
- Genasco Acid-Proof Paint
- Genasco Industrial Paint
- Genasco Boiler Paint
- Genasco Asphalt Putty
- Genasco Asphalt
- Pipe Coating
- Genasco Asphalt Fibre Coating
- Genasco Tile Cement
- Genasco Waterproofing Asphalt
- Genasco Waterproofing Felts and Fabrics
- Genasco Battery
- Seal Compound
- Genasco Mineral Rubber
- Genasco Mineral Spirits
- Genasco Base Oils
- Genasco Flotation Oils
- Genasco Motor Oils
- Genasco Soluble Oils
- Genasco Saturated Asphalt Felt
- Genasco Deadening Felt
- Genasco Insulated Paper
- Genasco Red Sheathing Paper
- Genasco Stringed Felt
- Genasco Wall Lining
- Iroquois Road-building Machinery

Waterproofing efficiency—the real value of any built-up roof—is not a matter of weight or thickness. They affect its cost only.

Waterproofing efficiency depends on the kind of waterproofing material used, its percentage by weight and what is used to reinforce it.

That is why an architect must know whether the waterproofing factor is Trinidad Lake Asphalt, oil asphalt or coal tar residuum.

Also whether the reinforcing factor is all-rag felt, paper-rag felt or asbestos felt.

STANDARD TRINIDAD Built-Up Roofing contains 85 per cent by weight of TRINIDAD LAKE ASPHALT—a product storm-beaten and seasoned in the tropics for ages—the most effective waterproofing material known to science.

STANDARD TRINIDAD is reinforced by 15 per cent by weight of all-rag felt—chosen because of its great tensile strength, mullin strength and power of absorption.

STANDARD TRINIDAD requires no mineral surfacing. That's why it weighs only 150 pounds per square against 625 pounds for mineral-surfaced roofing—why it is applied in six labor operations, or only one half required for a mineral-surfaced roof.

Complete specifications for applying STANDARD TRINIDAD are supplied architects free on request. Write for them before you specify another built-up roof.

New York
Chicago
Pittsburgh

THE BARBER ASPHALT
COMPANY
PHILADELPHIA

St. Louis
Kansas City
Atlanta
San Francisco

Genasco

Asphaltic Roofing, Flooring, Paints and Allied Protective Products



Mississippi Polished Wire Glass

The Real Worth of a Building Is In Its Construction

if it is to be a permanent investment built for real service, with maintenance cost reduced to a minimum, so as to secure the maximum of service and income.

It Must Be Fireproof

for such construction cannot be perishable. Therefore, the cost of maintenance must be low, so don't be influenced entirely by first cost, but bear in mind the future, and remember:

No building of fireproof construction is completely equipped unless it has approved metal frames and

Wire Glass Windows

To secure the standard which is always preferable, specify the product of

Mississippi Wire Glass Co.

220 Fifth Avenue, NEW YORK

CHICAGO

ST. LOUIS



The Crerar Library Uses This Electric G&G Hoist

WHEN Messrs. Holabird and Roche, Architects, Chicago, Illinois, planned the Crerar Library building in that city, they specified the G&G Model D Telescopic Hoist (Electrically operated), with complete equipment.

Messrs. Holabird and Roche have repeatedly specified the G&G Telescopic Hoist for the removal of ashes because these hoists have proven so entirely satisfactory in operation, using less labor, insuring greater safety and doing the work more rapidly than substitute methods for the handling of ashes.

Our new catalogue has been sent you if not received, please inform us.

See specifications in Sweet's Catalogue and American Architect Specification Manual.

GILLIS & GEOGHEGAN

550 West Broadway, New York



Telescopic Hoist

UNION METAL COLUMNS



UNION METAL COLUMNS AT ENTRANCE TO ALBERTINA KERR NURSERY HOME, PORTLAND, ORE.

Johnson-Parker-Wallwork, Architects, Portland
Lorenze Bros., Contractors, Portland

Beauty and Permanence Go Hand in Hand

Nothing adds so much to the beauty of a home or public building as the dignified use of classical columns.

With Union Metal Columns, it is possible to obtain that beauty together with permanence and fire-proof qualities not possible with wood.

Union Metal Columns protect your good work against the ravages of time:—They relieve you of all splitting, rotting, and warping always present with wood columns.

Made of enduring, copper-bearing steel, they last as long as the building itself. All designs and sizes from 8" to 36" diameters and from 5' to 32' high.



Let us send you complete catalog.

Union Metal Columns and Lighting Standards are listed in Sweet's.

**The Union Metal Manufacturing Co.
Canton, Ohio**

Union Metal
Design 237
Modern Ionic

Union Metal
Design 240
Plain Doric



"The Ones That Last A Lifetime"




Bayley-Springfield A A WINDOWS

are made in a full range of sizes and may be installed in either wood or masonry. Note the skilfully designed hardware, concealed hinges and large panes. The ventilators are so designed and so placed that they shed rain when open and also act as air deflectors to direct the currents upward. Widely accepted by architects of repute as ideal for offices, school-houses, and finished buildings of many other kinds. We sincerely believe them the best and most practical for the purpose for which they are devised.

We should like to have your address so that we can send the data necessary to keep your files up to date.

The
William Bayley Company
Springfield, Ohio
Box A-12

New York 110 W. 40th St. Chicago 6 N. Michigan Blvd.
Boston: 73 Tremont St.
Sales Agencies in 60 Cities.



PARAGON

—the self-closing work
with the “Samson Lock”

—is the last word in self-closing faucet construction. The geared sleeve, slipped over the geared right and left hand nuts, is an absolutely effective and strong locking device, eliminating all possibility of lost motion and securing at all times the proper rotation of the balls in their respective inclines. The SAMSON Patent Lock permanently holds all parts of the faucet together and adds the final touch of perfection to sterling workmanship, materials and design.

May we send you our catalogue of PARAGON products?

**The VULCAN BRASS
MFG. CO.**
Cleveland Ohio



New York Representative
MELVIN A. ROSENBERG, 110 West 34th St.




The adaptability of Indiana Limestone to ecclesiastical purposes and sculptural treatment is shown in the illustration of the exquisitely carved Baptismal Fount in Saint Paul's Cathedral, Toronto, Ontario, Canada.

*Booklets on Indiana Limestone
will be mailed on request*



Indiana Limestone Quarrymen's Association
Box 768, Bedford, Indiana

Metropolitan Service Bureau, 489 Fifth Avenue, New York City



Insert the B. & B. MULTIFLEX

The BELLOWS with the solid head, fourteen corrugations with twenty-eight surfaces. Has expanded and contracted over 5,000,000 times at a 5/16" stroke without fracture. Easily adjusted and is fully guaranteed.

THE BISHOP & BABCOCK CO.
Cleveland, Ohio



Illustration above shows detail of an organ screen executed in colored mat glazes

ROOKWOOD

Makers of Artistic
Pottery and Tiles

Call upon our agent in your locality
or write for illustrated matter.

THE ROOKWOOD POTTERY CO.

Tile Department
CINCINNATI, OHIO




Beats the Dutch
for Whiteness



SHERWIN-WILLIAMS



Old Dutch Enamel




DELICATE BEAUTY

WHEN the interior decorations call for fine residential lighting equipment, then the creative ability of Beardslee designers and artisans finds its greatest expression.

This nine-light Beardslee chandelier has candelabra lamps and candles supported by long sweeping slender arms decorated with cast candle cups and bobèches. The body and arms are trimmed with crystal pendants and draped cut glass jewels.

Consult Beardslee on lighting equipment for the next fine residence you have.

BEARDSLEE CHANDELIER MFG. CO.
222 So. Jefferson St. Chicago



Bearers of Gifts and Bearers of Health

As the wise men of old went forth with their gifts, just so is the spirit of human helpfulness conveyed by the carriers of Christmas Sealed Christmas mail.

Each Christmas Seal on your letters and packages is a symbol of blessing to the victims of tuberculosis, heralding a winning fight for the thousands who, without the scientific aid made possible through your kindness, might perish.

your
Christmas Seal  **Christmas Mail**

The National, State and Local Tuberculosis
Associations of the United States



Technical High School,
St. Cloud, Minn.
Tyrle & Chapman, Architects.
Laurence Construction Co.,
General Contractors.

Roemer Hall (Administration Building),
Lindenwood College, St. Charles, Mo.
Labeaume & Klein, Architects.
W. M. Sutherland Bldg. & Contr. Co.,
Contractors.

Community High School,
Granite City, Ill.
Wm. B. Ittner, Architect.
R. B. Higgins Const. Co.,
Contractors.

*Carney's Cement is producing uniformly solid walls in
hundreds of school buildings throughout the country.*

Better Walls at Lower Cost

How good and how economical are standards by which construction materials are now specified and used. Better Wall Work at Lower Cost vitally interests architects, contractors and building owners.

Lower cost from foundation to roof is the universal experience where Carney's Cement is used for brick and tile mortar. Only two materials to mix—Carney's Cement and sand; no labor, time and trouble required in slaking and mixing lime.

Plastic, smooth-working qualities allow masons to work faster and with less effort, resulting in more work from men, more bricks per barrel, and more per day.

These and many other advantages have made Carney's Cement the choice of leading architects and contractors for brick and tile work in many of the nation's best buildings.

*One part Carney's Cement, 3 parts sand, no lime, is the Bond that
Guarantees the Wall.*

Carney's Cement Company, Mankato, Minn., Cement Makers Since 1883

DISTRICT SALES OFFICES:

The Carney's Cement Sales Co.: Leader-News Bldg., Cleveland, O.; Omaha National Bank Bldg., Omaha, Neb.; Chamber of Commerce Bldg., Chicago, Ill.; Syndicate Trust Bldg., St. Louis, Mo. Jas. Quinn, Jr.: Book Bldg., Detroit, Mich. Carney's Cement Co.: Builders' Exchange, Minneapolis, Minn.

CARNEY'S CEMENT

For Brick and Tile Mortar

"GIANT METAL"
"RED METAL"
AND
STEEL



SASH CHAINS



CABLE CHAINS

In some cases for especially heavy sash, Government architects have specified our Copper or Steel Cable Chains. Over 30,000 ft. of our Nos. 10 and 30 Copper Cable Chain was used in the construction of the Chicago Federal Bldg. (Postoffice), which covers a full city block.

See Page 1092, Sweet's Catalog



CHICAGO FEDERAL BLDG., CHICAGO, ILL.

The SMITH & EGGE MANUFACTURING COMPANY
BRIDGEPORT, CONNECTICUT
ORIGINATORS OF SASH CHAIN

Stairs of Slate


*Plymouth Township
Consolidated School,
Montgomery Co., Pa.*

*C. E. Shermerhorn and Watson K. Phillips
Associate Architects*

Drawings of this and various other types of stairways with illustrations and valuable informative data is contained in Chapter 3 of a Series on Structural Slate.



THE STRUCTURAL SLATE COMPANY, Pen Argyl, Penn.



Sturtevant

PUTS AIR TO WORK

Ventilation and Decoration


IT is not often that the ventilating scheme of a building is the determining factor in its decoration, yet here is an example where the ventilating requirements have been frankly met and a notable interior achieved.

This large assembly room in the Rochester Chamber of Commerce is fully ventilated with

Sturtevant Equipment

The warm air enters through attractive grilles in the oak paneling on the lower walls and the vitiated air is drawn through the perforated plaster ceiling. This combination of utility with beauty meets all architectural demands and develops the full efficiency of the ventilating system.


Illustrations show details of ventilating perforations in ceiling of Assembly Room in Chamber of Commerce, Rochester, N. Y. Claude Bragdon and Foster & Gade, Associate Architects



DETAIL OF CENTER OF CEILING



DETAIL OF SIDE OF CEILING



B. F. STURTEVANT COMPANY

HYDE PARK, BOSTON, MASS.
STURTEVANT BRANCH OFFICES

- | | | |
|--|--|--|
| ATLANTA, GA.
306 Walton Bldg. | HARTFORD, CONN.
36 Pearl Street | ST. LOUIS, MO.
2086 Railway Exchange Bldg. |
| BOSTON, MASS.
555 Mass. Trust Bldg. | KANSAS CITY, MO.
707 Mutual Bldg. | SALT LAKE CITY, UTAH
818 McIntyre Bldg. |
| BUFFALO, N. Y.
100 Bedford Ave. | LOS ANGELES, CALIF.
411 Hollingsworth Bldg. | SAN FRANCISCO, CALIF.
759 Monadnock Bldg. |
| CHICAGO, ILL.
530 So. Clinton St. | MINNEAPOLIS, MINN.
804 Met. Life Bldg. | SEATTLE, WASH.
1105-1106 White Bldg. |
| CINCINNATI, OHIO
604 Provident Bank Bldg. | NEW YORK, N. Y.
52 Vanderbilt Ave. | WASHINGTON, D. C.
1006 Loan & Trust Bldg. |
| CLEVELAND, OHIO
330 Guardian Bldg. | PHILADELPHIA, PA.
135 No. Third St. | B. F. STURTEVANT CO.
OF CANADA, LTD. |
| DALLAS, TEXAS
3411 Knight St. | PITTSBURGH, PA.
711 Park Bldg. | GALT, ONT.
MONTREAL |
| DETROIT, MICH.
406 Marquette Bldg. | ROCHESTER, N. Y.
1024 Granite Bldg. | 404 New Birka Bldg.
TORONTO 210 Lumsden Bldg. |

MCCRAY

REFRIGERATORS FOR ALL PURPOSES

As your clients have confidence in your ability and depend upon your judgment, so architects—who know us—depend upon McCray Refrigeration.

FREE PLANS.—Send us a rough sketch of your client's refrigerator requirements—we will gladly make up blue prints and draw up specifications.

Send for catalog—


No. 95 for Residences; No. 53 for Hotels, Clubs, Hospitals, etc.; No. 72 for Grocery Stores; No. 64 for Meat Markets; No. 75 for Florist Shops.

McCray Refrigerator Co.

2162 Lake Street

Kendallville, Ind.

Salesrooms in all Principal Cities



Exterior Lighting Fixtures

Frequently in designing a building, the Architect feels that EXTERIOR LIGHTING FIXTURES would add appreciably to the beauty of his creation.

But the expense of specially designed fixtures is prohibitive.


To meet such contingencies we issue a catalogue of over 300 designs of Standards, Lanterns and Brackets.

Write for Catalogue.

Smyser-Royer Co.

Main Office and Works:
YORK, PA.

Philadelphia Office
1609 Sansom St.



No. 149

6' 5" to Bottom of Globe



Hard-n-tyte

is easy to apply, costs little and makes concrete floors durable and dust free. The Hard-n-tyte Specification has been prepared for your assistance. It covers every detail of finished floor construction and Hard-n-tyte application.

Write for your copy.

General Chemical Company
25 Broad Street New York

GC-34

CHESLEY DOORS

FIRE PROOF STANDARDIZED
SHIPPED FROM STOCK

WHEREVER either law or client demands fireproof doors beauty and safety may be gained most economically with Chesley Doors.

Chesley Doors have no rivets, bolts, open joints, or separate moldings. Easily finished to harmonize with interior. Light weight but absolutely fire-safe. Cost only slightly more than wood; much less than hollow metal. Large stocks in all centers insure prompt delivery. See Sweet's and write.


A. C. CHESLEY CO., Inc.
3704 E. 133rd St., N. Y. C.



Von Duprin

Self-Releasing Fire Exit Latches

C R O W D S



Crowds are responsible for fire-panics.

A handful of people will get out of a burning building unharmed, yet the mere cry of "Fire" will often start a panic among a crowd.

The safe way, the sure way, to practically eliminate the menace of injury or loss of life from fire-panics is to equip all buildings in which large numbers of people are housed with Von Duprin Self-Releasing Fire Exit Latches.

A touch on the cross bar of these reliable devices instantly opens the way to safety.

Let us send you Catalog 12-M, or see "Sweet's," 16th Edition, pages 1212-1216.

VONNEGUT HARDWARE CO.
Indianapolis, Ind.

Knitting Mill for Pabst Corporation, Milwaukee, Wis. W. Brockmann, Architect.





Send for a copy of our booklet with all the facts.

VICTOR

DOUBLE DRAINAGE SHOWER TRAPS

are constructed for long service and dependability. Brass in all parts where rust or corrosion is possible, and proof against leakage to the ceiling below. Installation cost cut down to 60% and repairs eliminated.

Licensed under Patent 855,017
THE VICTOR BRASS MFG. CO.
 Cleveland, Ohio

White Brasscrafters

Symbol of Bathroom and Lavatory Accessories

With CONCHA-HEAD

REG. U. S. PAT. OFF.
 Screws and guaranteed WHITE finish.

CROSS SECTION



White

Products continue to reflect credit for many years on the architect who specifies them.

Send for sample of CONCHA-HEAD

REG. U. S. PAT. OFF.
 Screw and copy of our catalog of Medicine Cabinets, Mirrors, Paper Holders, Towel Bars, etc.

See Sweet's, Page 1466

J. P. Eustis Mfg. Company

TRADE MARK
The Brasscrafters

16 AMES STREET
 CAMBRIDGE "A" BOSTON 39, MASS.


STEARNS

Florida Gulf CYPRESS

—an extraordinarily versatile wood that not only yields exceptional results when used for interior trim, but also gives practically everlasting service on the outward parts of the home that are exposed to the elements and to insect pests. Insist, however, on "STEARNS" if you wish your clients to realize 100% on their investment.

Catalog on request or "Look us up in Sweet's," page 1907.

THE A. T. STEARNS LUMBER COMPANY
 Neponset, Boston, Mass.



MURALITE

Those clients who demand quality with economy in the interior decoration of their buildings will be glad to know about **Muralite**—the hot water wall finish. It's sanitary, durable, combines great opacity with large covering power, and lends itself to innumerable artistic effects. **Muralite** gives perfect results over any surface, at a fraction of oil paint cost. A trial specification is sure to develop others. Write for data.

M. EWING FOX COMPANY
 NEW YORK CHICAGO

The Sharp Rotary Ash Receiver



For the Public Building Or the Private Residence

THIS ash disposal device is just as necessary in the public building as it is in the home. It provides a cleaner, more spacious cellar for storage purposes, it eliminates fire risks and reduces the labor of shovelling ashes. Ashes are no longer a bother when a Sharp Rotary Ash Receiver is installed.

It is necessary to remove the ash cans only once in a few weeks. For apartments, residences, hotels, schools and office buildings it is an economy and a necessary convenience.


*Send for copy of our descriptive catalog.
Territory now being established. Write for Agency.*

Sharp Rotary Ash Receiver Corp.

Dept. 756

**396 Bridge Street
Springfield, Mass.**

The cellar as
clean as



the rest of the
house.





..Nothing fancy about "GLOBE" Ventilators

...No thing-a-majigs or do-dads to fuss with—nothing wiggles or turns or wabbles or twists or grinds or creaks or groans.

....Nothing to wear or rot or break or bend.

...."GLOBE" Ventilators are just honest metals substantially put together to form the staunch, durable ventilator with an unusual exhaust capacity that gives thorough SATISFACTION on "every type of building under the sun."

....May we send you information?

GLOBE VENTILATOR CO., Dept. E
TROY, N. Y.



REPRODUCTIONS OF EARLY AMERICAN AND ENGLISH MANTELPICES AND FIRE- PLACE ACCESSORIES

Booklets on Request

ARNOLD & NORTH, Inc.
124 East 41st Street : : New York City

American Wire Rope

Booklet fully describing—free.

**American Steel & Wire
Company**

Chicago—New York



STANDARD OIL BUILDING BALTIMORE, MD.

Architect—
Mr. Clyde N. Friz,
Lexington Bldg.,
Balto., Md.

Builders—
J. Henry Miller, Inc.,
Miller Bldg., Balto., Md.
All window and door
frames in the exterior
walls calked with Pecora
Calking Compound
installed by the Ev-Air-
Tight Pneumatic Method.
Ev-Air-Tight Calking
Co., Inc.,
1524 Chestnut Street,
Philadelphia, Pa.,
Calking Contractors.



PECORA

Calking & Glazing Compound

When properly installed, is a positive and permanently flexible seal against leakage between window and door frames and the surrounding masonry. It forms a tough hide or skin on the exposed surface but remains soft and pliable underneath. It means increased comfort and decreased operating expenses for any class of building.

*See Sweet's Catalogue
Write for model of installation*

PECORA PAINT COMPANY
Sedgley Avenue and Venango Street
Philadelphia

Mfrs. of Pecora Mortar Stains, etc.



The HUMPHREY
Radiantfire



No. 115

The Final Touch in Making a Home Beautiful

When you take a final look at your handiwork before turning over to the owner a home you have just completed, just give the fireplace a thought.

The mantel itself may be a work of art, but how about the black, dismal hole that has been left for the grate? Does it add to the beauty of the room? Does it complete the perfect picture you had hoped for?

Once you have seen a Radiantfire in the setting of an attractive fireplace, you are spoiled for anything else. Beautiful alike when unlighted as when in use, it offers the only way to complete fireplace satisfaction. It is the perfect auxiliary heating device; burns manufactured or natural gas.

There is a Radiantfire to harmonize with every interior. Write for booklet showing our line of art models or ask your dealer.

GENERAL GAS LIGHT COMPANY

KALAMAZOO

NEW YORK

SAN FRANCISCO

ARCHITECTS: Scarlata's New Method of Architecture

A new method of determining the proportions of the parts of the five orders of architecture.

Instead of using the *Module* and *Modular Measurements* of Vitruvius and Vignola with laborious computations for each detail, repeated for each variation in size or scale, Scarlata's "New Method" presents a system whereby each detail of any order is determined in feet or meters from the height of the order by multiplying the height by a *FACTOR*, which, for that order and that detail, never varies. The labor of computing the dimensions to obtain proper proportions is vastly shortened and simplified, as the *FACTOR* for any part of any order can be taken from a clearly presented table, and, if the *height* has been determined, the correct proportion of that part is at once obtained by a simple multiplication.

ILLUSTRATION: Suppose the height of a Tuscan Order with Pedestal has been determined as 30 feet (equals 360 inches) and it is desired to obtain the height of the details,

From the table for this order we take the following factors:

Height of entablature....	.157895
Height of column.....	.631579
Height of pedestal.....	.210527

The total height of the order multiplied by each of these factors gives at once the correct height of the detail in question, which will be found to

correspond exactly with Vignola's proportions, but obtained by a vastly simplified method, as follows:

Detail	Total Height × Factor	Height of Detail
Entablature	360 × .157895 =	56.84 inches
Column	Vignola's Proportions 1/2 of column	
Column	360 × .631579 =	227.37 inches
Pedestal	360 × .210527 =	75.79 inches
	Vignola's Proportions 1/3 of column	

Total height = 360.00 inches

For each order the *New Method* gives tables of factors for every detail, from which all proportions of every major and minor part, including beads, fillets, dentils, modillions, or acanthus leaves can be obtained as easily as in the above illustration. Every architect should use the *NEW METHOD*. It is indispensable to every student of architecture, to every draughtsman, sculptor, painter or designer.

\$15
Post-paid

160 pages, 41 tables, 50 problems, 34 plates

F. SCARLATA

805 Superior St. Port Huron, Mich.



Another Room—

Without the Expense of Building It!

Write Today

about our service to architects. It includes the co-operation in working out your floor plan scheme at no charge or obligation. Ask for complete information and literature to augment your own ideas.

The MURPHY IN-A-DOR BED

*There is only one "In-a-Dor" Bed
"It's a Murphy"*

MURPHY DOOR BED COMPANY

Offices in all principal cities.

- 22 West Monroe Street.....Chicago
- 1534 Blake Street.....Denver
- Crocker Building.....San Francisco
- 1140-1142 Hanna Building.....Cleveland
- 204 Peach Tree Arcade.....Atlanta, Ga.
- Chemical Building.....St. Louis
- 912 Kresge Building.....Detroit, Mich.
- 709 Second Ave.....Seattle, Wash.
- 1021-23 Grand Ave.....Kansas City
- 469 Fifth Avenue.....New York
- 205 O'Connor Street.....Ottawa, Canada
- 220 N. St. Paul St.....Dallas, Texas

COMPLETE IN A SACK!

ELASTICA is now shipped Complete in a Sack.

For full particulars, write

Wisconsin Lime & Cement Company
Conway Building, Chicago

American Materials Company
101 Park Avenue, New York City

Art Stucco Materials Company
12854 Oakland Ave., Detroit


ELASTICA
THE IDEAL EXTERIOR WALL COVERING

The Bunsen Burner Idea Used In Heating Systems

SUPER-SMOKELESS BOILERS

Admit fresh air into the very heart of the fire. This produces a blue-white, intensely hot flame that consumes the smoke and all combustible gases. They burn soft coal without smoke and have a remarkable heating capacity.

List of installations and descriptive catalog on request.



Utica Heater Company
UTICA, N.Y.

218-220 West Kinzie St., Chicago, Ill.
Branches In Principal Cities



The Fort Steuben Hotel, Steubenville, Ohio: Frederic Webber, Phila., Architect; J. D. Johnson Co., Inc., Phila., Jobbers; Modern Plumbing & Heating Co., Phila., Plumbers


KOHLER

And FORT STEUBEN HOTEL

Even the smaller cities are learning that a fine hotel is a civic asset and worthy of the best in architecture and equipment. Witness, for instance, the Fort Steuben Hotel, Steubenville, Ohio. Here, as in so many other modern hotels, large and small, Kohler Enameled Plumbing Ware — snow-white, glistening, easily cleaned — was selected for its famous qualities of beauty, durability and utility. This public favor extends also into homes, clubs, apartments and institutions throughout the land.

* * *

Our handbook, "KOHLER of KOHLER," illustrating and describing Kohler Enameled Plumbing Ware, contains much information of interest to architects. We shall be very glad to send a copy on request.



Kohler "Viceroy" Built-in Bath
Recess Pattern

KOHLER of KOHLER

Kohler Co., *Founded 1873*, Kohler, Wis.
Shipping Point, Sheboygan, Wis.

BRANCHES IN PRINCIPAL CITIES

MANUFACTURERS OF ENAMELED PLUMBING WARE AND KOHLER AUTOMATIC POWER AND LIGHT 110 VOLT D. C.



**PERFECT HEATING COMFORT
AT 20 TO 30% COAL SAVING**

AdSCO Heating gets the utmost out of the coal burned because no steam is wasted. The AdSCO Graduated Valve at top of each radiator controls use of steam with great precision. Any desired amount of the radiator's surface can be used. This perfect control saves 20 to 30% of all fuel cost.



AdSCO Graduated Radiator Valve

The condensate returns to boiler at so low a temperature that return mains need not be covered. No air valves. No radiator or return traps. No vacuum pumps. No noise. No odors—Just perfect heating. Change hot water systems to better-controlled, more-economical AdSCO Heating (Bulletin No. 147-AR tells how). Ask about AdSCO Heating for individual buildings, Bulletin 150-AR; for AdSCO Community Heating of a group of buildings from Central Station Steam Plant—Bulletin 20-AR.

AMERICAN DISTRICT STEAM COMPANY

GENERAL OFFICES AND WORKS

NORTH TONAWANDA, N.Y.


AGENCIES:

First National Bank Bldg., Chicago
1777 Woolworth Bldg., New York
Hoze Bldg., Seattle

2A Park St., Boston, Mass. 1101 Arrott Bldg., Pittsb'g, Pa.

ADSCO HEATING

FINE FIREPLACE FITTINGS



Fireset B-747
Height 31"—\$16.00

Andirons B-841
Height 22"—\$18.00

The above are in Wrought Iron, old steel finish. We have the best antique models in Colonial and other styles, in Brass and Iron.

Catalog sent upon request

"Look us up in Sweet's," pages 526 and 527

THE H. W. COVERT COMPANY

Makers of the
Covert Fireplace Dampers

137 E. 46th Street
New York

Jones' Lock Joint Columns

OUR COLUMNS ARE GUARANTEED. Specify them not only on account of their attractiveness, but for permanency as well.

Catalogue No. R-33 and R-47 on request.

HARTMANN-SANDERS COMPANY
Main Office and Factory: 2187 Elston Ave., Chicago
Eastern Office: 6 East 39th St., New York

AMERICAN BRIDGE COMPANY

Hudson Terminal, 30 Church Street
NEW YORK

Manufacturers of Steel Structures
of all classes, particularly

Bridges and Buildings

SALES OFFICES:

NEW YORK, N. Y.

Philadelphia, Pa.

Boston, Mass.

Baltimore, Md.

PITTSBURGH, PA.

Buffalo, N. Y.

Cincinnati, Ohio.

Atlanta, Ga.

Cleveland, Ohio.

Detroit, Mich.

CHICAGO, ILL.

St. Louis, Mo.

Denver, Colo.

Salt Lake City, Utah

Duluth, Minn.

Minneapolis, Minn.

Pacific Coast Representative:

U. S. Steel Products Co., Pacific Coast Dept.

San Francisco, Cal.

Portland, Ore.

Seattle, Wash.

Export Representative:

United States Steel Products Company

30 Church Street, New York



Webster

ESTABLISHED
-1888-

WEBSTER SYSTEMS OF STEAM HEATING



The Queen Anne High School, Seattle, Washington, equipped with a Webster System of Steam Heating.

A
*necessary
refinement*

THE heating system requirements of a building used for educational purposes are naturally severe, for the maintenance of proper temperature in class rooms is of fundamental importance.

The satisfactory manner in which Webster Systems of Steam Heating meet these requirements is indicated by the hundreds of school and college buildings in which they assure a comfortable, readily adjustable and economical warmth.

Webster Steam Heating Systems have proven equally successful in every other type of building, as is being demonstrated in over 17,000 installations.

Let the Webster engineers help you plan your next installation. This consultation service is offered without charge or obligation and covers every step of the planning, erection and operation of each Webster installation to help assure heating equipment that will be permanently satisfactory and a credit to all concerned.

Send for bulletins

138

WARREN WEBSTER & COMPANY

Camden, N. J.

31 Branch Offices



FOR UNDERGROUND STEAM OR HOT WATER PIPES
THE SIMPLE RIC-WIL METHOD

means the practical elimination of heat losses. Ric-wil installations commonly show efficiencies of 85%—there are cases where it has shown better than 90%. And not for a week or a month, but continuously, and after years of service. This means just one thing—economy—conservation of the coal pile. Economy is the **only** reason why underground pipes are insulated at all: it is the **best** reason why they should be insulated by the RIC-WIL METHOD.

Write to-day for our catalogue.

SEE OUR CATALOGUE IN SWEET'S



The Ric-wil COMPANY CLEVELAND

Slates of Quality

BEAUTIFUL roofs are the result of individual artistic roof treatment—using our charming Weathering Green of buffs and browns—or our soft toned Mottled Purple and Green, a creation of shadowy tints and mottlings. Let us submit you proofs—our book, "Above All," is vital and interesting.

"Look us up in Sweet's." page 231.

THE AULD & CONGER CC.
 Cleveland Established 1870 Ohio

TRADE **SIMCORE** MARK

National Electrical Code Standard



Every completed length of Simcore wire or cable, according to its size, is subjected to a voltage test from 33 1-3 to 100% in excess of Underwriters' requirements.

SIMPLEX WIRE & CABLE CO
 MANUFACTURERS
 201 DEVONSHIRE ST. BOSTON 9
 CHICAGO SAN FRANCISCO

2104



MAKE sure those beautiful models of your architectural genius will retain their original appearance and withstand the tooth of time—make them lasting monuments to your creative skill and farsightedness by putting into them the invincibility of the ancient pyramids—specify—

KELLASTONE
IMPERISHABLE STUCCO

—the man-made stone of science that defies the evils of heat, cold, water, frost, fire and excessive settling strains. Bonds to all surfaces—contains no lime, gypsum or portland cement—is not mixed with water—can be applied in zero weather. KELLASTONE is the original all-mineral magnesite stucco. Ask for booklet.

National Kellastone Company
 Room 535, 155 E. Superior St., Chicago, Ill.
 New York Office, 302 Park Row Bldg.

TRADE
JENKINS
 MARK



Residence of K. B. C. Smith, Esq., Tenafly, N. J., equipped with Jenkins Radiator Valves. R. C. Hunter and Bro., New York City, Architects.



Carry the
JENKINS "DIAMOND MARK"
 into the home

To keep GOOD a good heating system in residences as well as in large structures and industrial work, Jenkins Valves are specified and installed.

A cheap lightly constructed radiator valve will play havoc with the best heating system.

Jenkins Radiator Valves are heavy, substantial, carefully made, and designed to give satisfaction not only for the first season, but for years afterwards.

Architects generally agree that a sturdy, serviceable valve is of utmost importance in residence work on account of the lack of "skilled" attention bestowed upon it when in service. It must be built for wear and tear.

Jenkins Valves give service without "attention." They open easily and close tightly; do not leak and facilitate the proper regulation of heat.

Jenkins Valves keep a heating system at its best.

JENKINS BROS.

New York Boston Philadelphia Chicago
 Montreal London Havana

FACTORIES:

Bridgeport, Conn.; Elizabeth, N. J.; Montreal, Canada




Residence of D. Arthur Johnson, Esq., Tenafly, N. J., equipped with Jenkins Radiator Valves. R. C. Hunter & Bro., New York City, Architects.



Residence of H. L. Bralsted, Esq., Englewood, N. J., equipped with Jenkins Radiator Valves. R. C. Hunter & Bro., New York City, Architects.

Jenkins Valves
 SINCE 1864




ONE PLANT Makes Homes Modern

Electric Light—running water—modern conveniences for your country home for a lifetime are the gift of one Combination Kewanee System. Kewanee Plants are *real private utility plants*, built by expert engineers. There are more than 150 styles and sizes of Kewanee Systems—the result of nearly a quarter of a century's experience in building private utilities for farms, country homes, clubs, etc. There is a Kewanee plant to fit your needs. Kewanee Engineers will help in planning installation. Write for booklet describing Kewanee Combination Water, Light and Sewage Systems. FREE to Home Owners.

KEWANEE PRIVATE UTILITIES CO.
426 South Franklin St., Kewanee, Ill.



KEWANEE



TRIUMPH
LOCK
JOINT
COLUMNS

Good Columns **SHOULD** Last a Life Time
TRIUMPH COLUMNS **WILL**

Sold by THE FIREPROOF PRODUCTS CO.
257 East 133rd Street New York City

See pages 1012-1014 in Sweet's Architectural Catalog, 16th Edition



Parker Pen Co., Janesville, Wis., Frank Carpenter, Arch.

The Floor for Service

To assure your clients a maximum of satisfaction and service for their floors—durability, economy, comfort, and healthfulness—specify

T·M·B FLOORING

THE Mastic Floor


Applied in plastic form over new or old floors of cement, composition, or wood. T-M-B Flooring forms a sanitary, seamless floor of resilient texture, that will not crack or loosen. The cost of installation and maintenance are both low.

Write Department 3 for complete information
THOS. MOULDING BRICK COMPANY
133 W. Washington Street CHICAGO




Cahill Fireplace Fixtures

Wrought Iron Reproductions
of Authentic Design



DE LUXE FOLIO ON REQUEST

Chattanooga Roofing & Foundry Co.
Chattanooga, Tennessee



For Bathroom and Kitchen

BATHROOMS and kitchens that are all-white are not a fad. They are refinements of sanitation—visible evidence that what looks clean actually is clean. The beauty of white cleanliness is outside the realm of style.

ALLWITE Basin Cocks and Sink Bibbs remove the last spots of metal from all-white bathrooms and kitchens. They are being chosen more and more for well made homes of all kinds.

They last. Their vitreous china surface is practically unbreakable. They serve faultlessly. QUICK-PRESSION mechanism, opening to full flow in a quarter turn, sees to that.

*We suggest them for the next
residence you design*

The **CENTRAL BRASS** MFG. CO. of
CLEVELAND

"HOME OF **QUICK-PRESSION**
PATENTED FAUCETS"

"The World's Most Famous Pencil"

VENUS PENCILS

The largest selling Quality pencil in the world

First in the estimation of architects because of the dependable smoothness, firmness and uniformity of leads.

17 black degrees, 3 copying

For bold heavy lines
6B-5B-4B-3B

For general writing and sketching
2B-B-HB-F-H



For clean fine lines
2H-3H-4H-5H-6H

For delicate thin lines
7H-8H-9H

Plain Ends, per doz., \$1.00
Rubber Ends, per doz., 1.20

At stationers and stores throughout the world.

American Lead Pencil Co.
224 Fifth Ave., N. Y.
and London, Eng.

26 pages.
Size 8 1/2 x 11 inches.
Profusely illustrated with blueprints and halftone engravings.

This Catalogue

—which is distinguished as "20-A"—contains a wealth of informative data on the problem of natural roof-lighting by means of skylights, for factories and similar buildings, with special reference to the Drouve Anti-Pluvius Puttyless Skylight. Every architect and contractor will be glad to place a copy in his reference files. To what address may we send yours?

Represented in Sweet's, pages 888 and 889

The G. DROUVE CO.

BRIDGEPORT, CONN.


ARCHITECTS

demanding the use of materials of unquestioned reputation in their work, can make no mistake by specifying

YOUNGSTOWN

Pipe, "Copperoid"
Steel Sheets, Conduit
and Flexible Steel
Armored Cable.

The YOUNGSTOWN SHEET
& TUBE COMPANY
YOUNGSTOWN, OHIO



HOT WATER AT LOWEST POSSIBLE COST

Specify the EXCELSO WATER HEATER


Sectional View

Meet the demand for constant supply of hot water—
without cost for extra fuel
without the inefficient fire-pot coil
without trying some unknown device.

The Excelso connects on outside of any steam or vapor heating boiler. Endorsed and sold by all prominent boiler manufacturers and plumbing supply jobbers. Fully guaranteed.

See Sweet's Catalog
Or write for Folder No. 118

Excelso Specialty Works
119 Clinton Street, Buffalo, N. Y.



Typical Installation

EXCELSO



Bradley Washfountain

Putting an old principle to new use

THE fountain principle has been applied to the wash room —for factories, schools, and all public lavatories.

SAVING is effected in space and installation expense, replacing individual bowls and piping. The sanitary improvement is also one that must not be overlooked.

WASH IN THE FOUNTAIN


The Bradley Washfountain comes in two sizes, 54 inches and 32 inches. It is made of Marmorite, a composition of marble possessing great lustre and durability. Catalog on request.

Bradley Washfountain Co.
373 Broadway, Milwaukee

**PARKER'S
ART IN
SHINGLE STAINS**

These stains are the highest quality Shingle Stains made. Colors of extreme tone and richness and absolute purity, combined with Pure Linseed Oil and our Special Waterproof Liquids. Provide an impervious coating and increase the life of the shingle four-fold. Free from creosote and objectionable odor. Color Folder furnished upon request.

Manufactured by
Parker, Preston & Co.
Incorporated
Norwich, Conn., U. S. A.



Beauty with Permanency

Whether used as roofing or siding, "CREO-DIPT" Stained Shingles, either in variegated or in plain color tones retain their charm and worth after years of weather wear.

On this house "CREO-DIPT" 16-inch "Moss Green" Stained Shingles used on the roof charmingly harmonize with the Colonial White effect made possible by "CREO-DIPT" 24-inch "Dixie White" Stained Shingles used on the side walls.

Their economy is an important item too — for the open market does not afford such quality in shingles or stains.

Send today for Portfolio of Fifty large Photographs of Homes by Prominent Architects as well as color samples. Ask about "CREO-DIPT" Thatch Roofs and 24-inch "Dixie White" Side Walls for the true Colonial White effect.

CREO-DIPT COMPANY, Inc.
1024 Oliver St. North Tonawanda, N. Y.

"CREO-DIPT" Stained Shingles used on roof and side walls of Home in Rockford, Ill., by Bliss Design Co., Rockford, Ill.



Portfolio of Homes

"CREO-DIPT"
Stained Shingles




Sollie Arronson, Owner
Errdman & Barnett, Architects
Los Angeles, Calif.

It Beautifies

Bay State Brick and Cement Coating truly expresses the architect's ideas of beauty for cement and stucco buildings. Many leading architects specify it.

It waterproofs all walls of brick, cement, and stucco. It is a permanent seal against dampness and rain. See information in Sweet's Catalog. Write today for samples in white and a complete range of colors and booklet No. 6.

Wadsworth, Howland & Co., Inc.
Paint and Varnish Manufacturers
Boston, Mass.

New York Office Philadelphia Office
Architects' Bldg. 1524 Chestnut Street



BAY STATE
Brick and Cement Coating

ANDORRA


Ornaments exclusively distinctive in quality and variety, for street, park and all civic planting

We cater to the most discriminating trade.



ANDORRA NURSERIES
Chestnut Hill, Pa.

Have you seen ANDORRA?



In the Du Pont Hotel and Office Building,
Wilmington, Del.
Architects: Du Pont Engineering Dept.,
Wilmington, Del.
Plumbing Contractors: Alexander Bryant
Co., New York.
Plumbing Jobbers: Speakman Company,
Wilmington, Del.



Plumbing equipment that costs less in the long run

The Du Pont Hotel and Office Building, modern in design and in construction, is modern also in sanitary appointments. It is equipped throughout with Thomas Maddock plumbing fixtures.

Plumbing fixtures that save labor throughout a lifetime of service are worth more than the ordinary kind. Yet, in the long run, such equipment costs less because it saves the repair bills that are invited when inferior fixtures are installed. That is one reason why Maddock plumbing fixtures are used in so many of the country's finest buildings.

Any architect who does not have a complete file of Maddock literature, should write for our architect's catalog which describes fully the latest Maddock fixtures suitable for home, public building, medical and other special requirements.



Thomas Maddock's Sons Company, Trenton, N. J.

OLDEST - SANITARY - POTTERS - IN - AMERICA - ESTABLISHED 1859

Manufacturers of sanitary earthenware plumbing fixtures for bath, kitchen and laundry work in the home, also sanitary ware for medical, industrial, commercial and public building installations

Branches: New York - Philadelphia - Chicago - San Francisco - St. Louis



The fixture shown in the panel above is the Madera-Silent, which is made throughout, excepting the white celluloid-covered seat, of vitreous china. Massive in appearance, silent in operation and "all white" in color, this fixture combines advantages that will add character to any bathroom.

First in the industry — foremost since



Photograph showing Ja-Nar installed over radiator in bedroom. Also made in window seats of standard height and width that can be specified for any length and built right into the house. Hand or automatic temperature control can be furnished in each Ja-Nar at moderate extra cost.

"If we could only leave out those ugly radiators!"

The architect smiled. "I am afraid that is impossible, Mrs. Gregory, but we can really make them very attractive."

"Here are some photographs of the Ja-Nar, a pressed steel radiator cover that slips right over the radiator. Finished at the factory to match your woodwork, the problem of appearance is solved."

"That would be splendid," exclaimed his client, after careful examination, "but won't that shut off some of the heat?"

"No," replied the architect. "There is positively no loss of radiation through the adjacent walls of the building, because the Ja-Nar is insulated. Then, too, it prevents currents of air from passing up behind the radiator, which so discolors your walls and draperies."

"Then," said Mrs. Gregory, after a moment of thoughtfulness, "I believe we had better put in the Ja-Nar."

THE FULTON COMPANY

KNOXVILLE, TENN.

NEW YORK
Hudson Terminal Bldg.
50 Church St.

DETROIT
Book Bldg.
1247 Washington Blvd.

CHICAGO
Wrigley Bldg.
400 N. Michigan Ave.

Representatives in all the larger centers

The Ja-Nar

THE FULTON CO., (Coupon)
Dept. D, Knoxville, Tenn.

Please send me the special blue prints of the Ja-Nar which you have prepared for architects. This is to put me under no obligation of any kind.