


YMCA BY TAC: A CATALYST FOR NEIGHBORHOOD RENEWAL BUILDING TYPES STUDY: DESIGN FOR THE CAMPUS THE EVOLVING ARCHITECTURE OF ULRICH FRANZEN HOW MATERIALS REACT TO SOLAR HEAT FULL CONTENTS ON PAGES 4 AND 5

ARCHITECTURAL RECORD

MAY 1966 A McGRAW-HILL PUBLICATION TWO DOLLARS PER COPY



Armstrong offers the widest variety of resilient floors. The best is the one that suits your design.

Haydon Burns Library, Jacksonville, Florida. Architect: Hardwick & Lee, Jacksonville. General Contractor: The Auchter Company, Jacksonville. Flooring Contractor: Phillips Floor Service, Jacksonville Beach. Interiors: Hardwick & Lee.



Here, the best is Tessera Vinyl Corlon.

The architects for the new \$2.5 million Haydon Burns Library in Jacksonville chose Armstrong Tessera Vinyl Corlon for the main floor, third floor, and mezzanine areas. One reason: Tessera Corlon has a clear, classic design, like the contemporary interiors of the building itself.

Second reason: Tessera Corlon requires little maintenance. Its subtly textured vinyl surface helps hide scuffs, scratches, heel and traffic marks. And because it is a sheet vinyl floor and almost seamless, it's easier to clean, stays better looking longer.

Third reason: By combining Armstrong Vinyl Corlon Decorator Strips with the Tessera floor, the architects added a distinctive, modern look—complementing the library's bold design.

Because Armstrong offers the widest variety of resilient floors, your Armstrong Architect-Builder-Contractor Representative can make an objective recommendation on the floors best suited to your design. For more information on any Armstrong floor, call your Armstrong representative, or write Armstrong, 305 Rock Street, Lancaster, Pennsylvania.

SPECDATA, TESSERA VINYL CORLON. Design: colored vinyl chips inlaid in translucent vinyl all the way to the backing. Available: in 11 colors. Sheet material 6 feet wide up to 90 feet long; .090" thick. Performance: excellent durability, ease of maintenance, resistance to heel damage; superior grease, stain, and chemical resistance. Has moisture-resistant Hydrocord backing. Installation: above, on, or below grade. Suitable for installation with Armstrong Perimiflor Installation System. Load limit: 100 lb. per sq. in. bearing surface.

Hydrocord®, Perimiflor, Tessera®, and Corlon® are trademarks of Armstrong Cork Company.



Dover Elevators.





Above: MUSEUM OF ARTS AND SCIENCES, Evansville, Ind. Architect: Victor Gruen Associates, Los Angeles. General Contractor: Thorp Construction Co., Evansville. Dover Oildraulic Elevator installed by Ceder Elevator and Equipment Co., Evansville.

Top right: KAUFMANN'S DEPARTMENT STORE, Monroeville, Pa. Architect: John Graham, A.I.A., New York City. General Contractor: Ragnar Benson, Inc., Pittsburgh. Two Dover Oildraulic Elevators installed by Marshall Elevator Co., Inc., Pittsburgh.

Right: VANDERVEER BUILDING, Seattle, Wash. Architects: Mandeville and Berge, Seattle. General Contractor: Strand Incorporated Seattle. Dover Oildraulic Elevator installed by Sound Elevator Co., Seattle.



engineered for busy buildings





Ride Control Center, an exclusive feature of Dover Oildraulic® Elevators, provides the programmed starting and stopping patterns demanded for maximum passenger comfort. Nine separate functions are incorporated in the unitized controller engineered specifically for hydraulic elevator service. Included are two-way leveling, smooth speed transition, constant down-speed, controlled stops under power without "drift". Dover offers Oildraulic elevators with speeds to 200 FPM for buildings to seven stories and traction elevators for high speeds and rises. Write for catalogs. Dover Corporation, Elevator Division, Dept. A-3, P. O. Box 2177, Memphis, Tennessee-38102.






Cover: Roxbury Branch YMCA, Boston, Massachusetts

Architects: The Architects Collaborative

Photographer: Louis Reens

FEATURES





127 THE SEARCH FOR APPROPRIATE FORM

A group of new designs by Ulrich Franzen reflect his continuing concern for visually comprehensible forms that are appropriate to the character and requirements of individual situations.

141 A NEW PLANNING PROCESS WITH BUILT-IN POLITICAL SUPPORT

Cincinnati and its consultants, Rogers, Taliaferro, Kostritsky, Lamb, have evolved a new method of city planning in which city officials and citizens participate in the decision-making process at the right time.

147 FIVE SMALL OFFICE BUILDINGS

A group of buildings small in scale but high in quality; each conscious of its immediate environment.

157 ROXBURY YMCA: BOLD START FOR A RENEWAL

This bold and tough and vigorous design by The Architects Collaborative brings color and freshness—and even some art—to a blighted neighborhood.

161 MOUNTAIN PAVILION MAKES USE OF LOCAL MATERIALS

Sensitive use of locally quarried granite and natural finish cedar, oak and redwood lend sophistication to umbrella-roofed house by John Rex.

BUILDING TYPES STUDY 358



168

DISTINGUISHED ARCHITECTURE FOR A STATE UNIVERSITY

The University of Massachusetts because of rapidly expanding enrollments must build new facilities at a faster rate than most other colleges and universities, public or private. Skillful master planning and good architecture are an essential part of this school's fast-paced program.



SOUTHWEST DORMITORY AND DINING HALL COMPLEX Hugh Stubbins and Associates, Inc., architects.

170 ORCHARD HILL DORMITORIES AND DINING HALL

Hugh Stubbins and Associates, Inc., architects.

172 STADIUM

Paul Weidlinger, engineer; Skidmore, Owings & Merrill, architects.



ARCHITECTURAL RECORD, May 1966, Vol. 139, No. 5. Published monthly, except May, when semi-monthly, by McGraw-Hill, Inc., 330 West 42nd Street, New York, New York 10036. CORPORATE OFFICERS: Donald C. McGraw Chairman of the Board; Shelton Fisher, President; John J. Cooke, Vice President and Secretary; John L. McGraw Treasurer. SUBSCRIPTION RATE: for individuals in the field served \$5.50 per year in U.S., U.S. possessions and Canada; single copies \$2.00; further details on page 6. THIS ISSUE is published in national and separate editions. Additional pages of separate edition numbered or allowed for as follows: Western Section (including Western Architect and Engineer) 32-1, through 32-18. PUBLICATION OFFICE: 1500 Eckington Place, N.E., Washington, D.C. 20002. Second-class postage paid at Washington, D.C. POSTMASTER: Please send form 3579 to Fulfillment Manager, ARCHITECTURAL RECORD, P.O. Box 430, Hightstown, N. J. 08520.

ARCHITECTURAL RECORD

CONTENTS: MAY 1966

174	CONTINUING	EDUCATION	CENTER	
	Marcel	Breuer and Asso	ciates, Inc.,	architects.

- ADMINISTRATION BUILDING 176 Campbell, Aldrich and Nulty, architects.
- GRADUATE RESEARCH CENTER 177 Campbell, Aldrich and Nulty, architects.
- UNIVERSITY LIBRARY 178 Edward Durell Stone, architect.
- 180 FINE ARTS CENTER Eero Saarinen and Associates, Inc., architects.
- WOOD-FRAME BUILDINGS FOR A WEST COAST CAMPUS 184 Weese designs a sports center and community building for Reed College.

ARCHITECTURAL **ENGINEERING**

PERFORMANCE CRITERIA—A SYSTEM OF COMMUNICATION 191

The New York State University Construction Fund is enlisting private resources in developing a library of criteria that may point the way to design freedom in public work and to increased construction productivity.

HOW MATERIALS REACT TO SOLAR ENERGY 196


Solar energy expert John Yellott tells how various materials used for walls and roofs absorb and lose the sun's heat. This background can help the architect avoid some of the expansion and contraction problems that have plagued some buildings in recent years.

BUILDING COMPONENTS 205

Advances in glass technology make possible a wide range of panels for lighting fixtures-to diffuse and control light rays, to reflect and resist heat from lamps, and to vary appearance.

- PRODUCT REPORTS 207
- OFFICE LITERATURE 209
- 293 READER SERVICE INQUIRY CARD

THE RECORD REPORTS



9 BEHIND THE RECORD

"What Is Suitable Art for Public Buildings?" by Emerson Goble.

- THE RECORD REPORTS 35
- BUILDINGS IN THE NEWS 40
- CURRENT TRENDS IN CONSTRUCTION 44
- BUILDING CONSTRUCTION COSTS 46
- REQUIRED READING 62
- 118 LETTERS
- CALENDAR AND OFFICE NOTES 284
- ADVERTISING INDEX 328

ARCHITECTURAL RECORD STAFF

EMERSON GOBLE, A.I.A.

EXECUTIVE EDITOR

WALTER F. WAGNER, JR.

MANAGING EDITOR

JEANNE M. DAVERN

SENIOR EDITORS

ROBERT E. FISCHER JAMES S. HORNBECK, A.I.A. MILDRED F. SCHMERTZ, A.I.A. HERBERT L. SMITH, JR., A.I.A. ELISABETH KENDALL THOMPSON, A.I.A.

ASSOCIATE EDITORS

WILLIAM B. FOXHALL IONATHAN BARNETT

ASSISTANT EDITORS

SIDNEY A. ABBOTT MARY E. ARENDAS SUSAN BRAYBROOKE JOHN SAMUEL MARGOLIES

DESIGN

JAN WHITE, Consultant ALEX H. STILLANO, Associate SIGMAN-WARD, Drafting

EDITORIAL CONSULTANTS

EDWARD LARRABEE BARNES, A.I.A. WALTER GROPIUS, F.A.I.A. ROBERT F. HASTINGS, F.A.I.A. PAUL RUDOLPH, A.I.A.

INDUSTRY CONSULTANTS

GEORGE A. CHRISTIE, JR., Economics CLIFFORD G. DUNNELLS, JR., Field Research ERNEST MICKEL, Washington MYRON L. MATTHEWS and WILLIAM H. EDGERTON, Building Costs

McGRAW-HILL WORLD NEWS

JOHN WILHELM, Director DOMESTIC NEWS BUREAUS - Atlanta, Chicago, Cleveland, Dallas, Detroit, Los Angeles, San Francisco, Seattle, Washington, D. C. INTERNATIONAL NEWS BUREAU - Bonn, Brussels, London, Mexico City, Milan, Moscow, Paris, Rio de Janeiro, Tokyo

PUBLISHER

EUGENE E. WEYENETH

ASSISTANT TO THE PUBLISHER

BLAKE HUGHES

CIRCULATION MANAGER HENRY G. HARDWICK

ADVERTISING SALES MANAGER JAMES E. BODDORF

COMING IN THE RECORD

NOTABLE INTERIORS FOR THE NEW CBS SKYSCRAPER

The headquarters building for the Columbia Broadcasting System, designed by the late Eero Saarinen, is distinguished for its interior design as well as its architecture. Florence Knoll was responsible for the design of the CBS executive floor interiors which will appear next month in a series of unusually fine color photographs by Robert Damora and Scott Hyde.

PRACTICE TECHNIQUES FOR INDUSTRIAL BUILDINGS

Next month's Building Types Study will provide a checklist guide to the factors involved in industrial site selection, a review of the latest theories about plant layout and materials handling, and case studies showing how different architects handle problems of cost control and speed of construction







McGraw-Hill Audit Bureau of Circulation ARP American Business Press, Inc.

ARCHITECTURAL RECORD (combined with AMERICAN ARCHITECT and ARCHITECTURE), April 1966, Vol. 139, No. 5. Title ® reg. in U.S. Patent Office, ® copyright 1966 by McGraw-Hill, Inc. All rights reserved including the right to reproduce the contents of this publication either in whole or in part. Quotations on bulk reprints of articles available on request. Indexed in Reader's Guide to part. Quotations on bulk reprints of articles available on request. Indexed in Reader's Guide to Periodical Literature, Art Index, Applied Science & Technology Index, Engineering Index, and the Architectural Index. Architectural Record is a McGraw-Hill publication, published monthly, except May, when semi-monthly, by McGraw-Hill Publications, a division of McGraw-Hill, Inc., 330 West 42nd Street, New York, New York 10036. James H. McGraw (1860-1948), Founder.

EXECUTIVE, EDITORIAL, CIRCULATION AND ADVERTISING OFFICES: 330 West 42nd Street, New York, New York 10036. Western Editorial Office: 255 California Street, San Francisco, California 94111. PUBLICATION OFFICE: 1500 Eckington Place, N.E., Washington, D.C. 20002; second-class postage paid at Washington, D.C.

OFFICERS OF McGRAW-HILL PUBLICATIONS: Joseph H. Allen, president; vice presidents: Robert F. Marshall, operations; John R. Callaham, editorial; Ervin E. DeGraff, circulation; Donald C. McGraw, Jr., advertising sales; Angelo R. Venezian, marketing.

CORPORATION OFFICERS: Donald C. McGraw, chairman of the board; Shelton Fisher, president; L. Keith Goodrich, Hugh J. Kelly, Robert E. Slaughter, executive vice presidents; John J. Cooke, vice president and secretary; John L. McGraw, treasurer.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

SUBSCRIPTIONS: Available only by paid subscription. Publisher reserves the right to refuse non-qualified subscriptions. Subscriptions solicited only from architects and engineers. Position, firm connection, and type of firm must be indicated on subscription orders forwarded to Fulfillment Manager, Architectural Record, P.O. Box 430, Hightstown, New Jersey 08520. Subscription prices: U.S., Possessions and Canada: \$5.50 per year; other Western Hemisphere countries, to those who by title are architects and engineers, \$12.00 per year for 12 monthly issues not including Mid-May issue. Subscription from all others outside U.S., U.S. Possessions and Canada for 12 monthly issues, not including Mid-May issue. \$24 per year. issues, not including Mid-May issue, \$24 per year.


SUBSCRIBERS: Address change of address notice, correspondence regarding subscription service or subscription orders to Fulfillment Manager, Architectural Record, P.O. Box 430, Hightstown, New Jersey 08520. Change of address notices should be sent promptly; provide old as well as new address; include zip code or postal zone number if any. If possible, attach address label from recent issue. Please allow one month for change of address to become effective.

UNCONDITIONAL GUARANTEE: The publisher, upon written request, agrees to refund the part of the subscription price applying to the remaining unfilled portion of the subscription if service is unsatisfactory

OTHER McGRAW-HILL SERVICES TO THE BUILDING AND CONSTRUCTION INDUSTRY: Chicago Construction News-College and University Business-Construction Methods and Equipment-Daily Construction Reports (Los Angeles)—The Daily Journal (Denver)—Daily Pacific Builder (San Francisco) Dodge Construction Statistics—Dodge Mailing Service—Dodge Reports—Dow Building Cost Calculator—Engineering News-Record—Home Planners' Digest—Hospital Purchasing File—House & Home—The Modern Hospital—The Nation's Schools—Real Estate Record & Builders Guide—Southwest Builder and Contractor—Sweet's Catalog Services—Sweet's Canadian Construction Catalogue Services—Sweet's Industrial Catalogue Services (United Kingdom).



New! Kentile Gemstone Asphalt Tile $-9" \times 9" \times 1\%"$. Shown here with feature strip. Easy to maintain. Gemstone is economical and long-wearing for residential and commercial floors.



New Gemstone! Rich appearance that's a "first" in asphalt tile!

The exceptional surface of this asphalt tile actually rivals more expensive floors. Kentile Gemstone comes in six luxury colors—for modern and traditional settings. Samples? Call your Kentile® Representative.



General Portland Cement Company

OFFICES: CHICAGO · CHATTANOGA · DALLAS · FORT WORTH HOUSTON · FREDONIA, KAN. · FORT WAYNE · JACKSON, MICH. · KANSAS CITY · TAMPA · MIAMI · LOS ANGELES



WHAT IS SUITABLE ART FOR PUBLIC BUILDINGS?

One of the topics that generates much conversation around the office is Art and Architecture. Meaning, of course, the inclusion of the other arts in buildings. We seem to talk a lot about it and do very little, but it wouldn't be the first topic that got that sort of treatment. The reason is not mysterious.

The general situation was beautifully summed up by Emily Genauer in a recent issue of the New York section of the Sunday New York Herald Tribune. I trust she will not object to my giving it to you here:

"It's possible to drown in a sea of milk and honey. The other day, sitting in on a meeting at City Hall of the recently appointed Committee to Beautify New York City, the waves of good will oozing across the room left me gasping for air-and some evidence of real comprehension of the enormous and particular problems facing this dedicated group . . ."

The mayor had called the meeting, with the park commissioner, to discuss with architects and artists an executive order calling for one-half to 1 per cent of the cost of public buildings to be spent for fine arts-painting, sculpture, landscaping, and so on.

"How fine," continues Miss Genauer, "it will be when citizens are confronted at every turn by enriching and ennobling art! How constructive that hereafter the art conceived as embellishment for public buildings will figure in their architectural planning from its very inception, instead of being dragged in as an afterthought! How splendid that architects, rather than well-meaning but ill-informed public officials, too often susceptible to art pressure groups, will have the responsibility of selecting the artist! How important it will be to work on a neighborhood level," etc., etc.

". . . But if anyone at that meeting had the faintest idea of what art's really like these days, and of the problem that will be involved in bridging the tremendous gap between what some of the most imaginative artists in New York are doing and what the public expects in public buildings-or, in fact, what public officials and architects will accept - he was keeping his mouth shut."

". . . There are, as I see it, some very tough problems the committee must face up to, and I'm not reassured, judging from what I heard the other day, that the architects who will make the decisions even recognize them."

Well, I think that architects will recognize them all right, but they will certainly agree with Miss Genauer that coping with them is something else again. You see, architects are about as sympathetic as she is to imagination, vitality, experimentation, or whatever it is that motivates the hot young artists who make the shows. And if she is going to insist that "the new life in the new art makes it a natural for most new buildings" architects will have to fight their natural orientation if they disagree with her.

Miss Genauer makes a positive point in saying that, even if paradoxically, frequently the most novel works gain, not lose, significance with time. But there is a slight difficulty herethey will not gain significance just because they are novel. How do you pick the novel work that will make history?

She doesn't have much faith that most artists would respond with a sense of responsibility, that the artist would "willingly abandon his lonely quest." She doesn't believe, either, that most architects would "be visionary enough to select good art for their projects." She mentions some rather bad examples which we all have seen and talked about.

Well, nobody needs to remind her that architects are having their own troubles in their own field, when it comes to agreement on "good art." And if there is trouble in determining what is destined for history, in a field much more attuned to public responsibility than those of painters and sculptors, surely making selections in other arts is a real challenge.

Miss Genauer makes one suggestion: "The fact is that everybody needs education in this direction-public officials, architects, artists and the public, and that with so much at stake and time growing short, the education ought to start right now."

Architects are pretty well educated in the arts, Miss G, and if they have trouble, I don't have much faith in fast public education.

Perhaps it would be more hopeful to remind ourselves that while buildings might be around for 50 years, we usually can change the art with which we embellish them. -Emerson Goble



"Sheer genius! What Pollock did for painting he's doing for architecture—"

Never mind the balconies, they're just too dirty

Some time ago (March 1963, page 9) I had something to say about balconies. I was fussing about architects pretending that balconies were really functional when they weren't ever used. I said quite a bit about acrophobia, and I still feel that many people are uncomfortable on open balconies at great height.

But a much more cogent reason for their disuse comes from a series of articles in the New York Herald Tribune—air pollution. The air in Manhattan is simply so dirty, so full of fly ash especially, that you just can't use any outdoor space, be it back yard, penthouse terrace or balcony. Your cocktail has soot specks in it before you can drink it down. You can't sit on the chairs, and grit grinds under your shoes. So you go back inside and forget it, that is if you haven't already made that decision long ago.

Construction budgets are for staying under

One of the difficulties of governmental efforts to improve buildings is that the government always has one hand to slap the other hand. The Comptroller General is in again with some remarks about costs in public housing projects, in a report to Congress entitled: "Inclusion of Balconies and Use of High-cost Brick in Constructing Low-rent Public Housing Projects." A few bits:

"Under the current Public Housing Administration policy, the local housing authorities are encouraged to improve housing through the use of new designs and better materials without necessarily increasing costs. We recognize the advantages of such a policy, where this can be economically accomplished; however, we believe that the incurrence of substantially higher costs for esthetic features not related to providing decent, safe, and sanitary housing is inconsistent with the legislative history . . . of the housing act."

Clearly those esthetic features are not related to decency.

"In our opinion, the increase in project development costs due to the inclusion of balconies and the use of high-cost brick is inconsistent with the legislative intent . . . and further demonstrates the need for adequate criteria" for the most inexpensive construction.

There is a challenge for Dr. Weaver; let's have some criteria for minimum-cost construction to demonstrate how wonderful our cities can become.

Or, "we believe that the practice . . . of using the maximum cost limitation as the sole criterion for developing projects in an economical manner permits the expenditure of all available monies without giving proper regard to the propriety of individual items . . ."

Somehow reminds me of Gilbert and Sullivan.

Auto design by committee with grey-flannel suits

Some years ago I attended a "design conference" at Ann Arbor. I wasn't exactly starry-eyed when I arrived, and anything but that when I left. For automobile designers were heavily represented, and their working philosophies were well exposed. I remember asking the chief designer for Packard what Packard was doing this time; he answered: "What General Motors is doing, naturally."

I was brought up to date on auto design recently by a piece in the Wall Street Journal; I can't do better than quote it directly:


"At Ford Motor Co. . . . the styling staff comprises more than 100 stylists, 250 clay modelers and 450 other persons in engineering, fabrication and administrative jobs. The four major U.S. auto makers as a whole have about 700 stylists and styling supervisors and hundreds more in the modeling and related fields. One man seldom designs much more than a taillight on any one car.

"If all this suggests the highstrung, smock-garbed maverick designers of the past are being replaced by young grey-flannelled-suit corporate types, the impression is correct. The typical stylist now has a college degree in industrial design, works under tight management rein and has his sights set on climbing the corporate ladder . . .

"The stylists, who currently are working on the 1968 and 1969 models while putting the finishing touches on the '67s, are responsible for convincing the car buyer that his new gleaming Beauty will be hopelessly out of date by fall. . . As such they're apparently doing a good job. Most everyone here agrees that styling was the main stimulant in boosting last year's car sales 15 per cent to a record 8,750,000."

Architectural vitality extraordinarily high

While quoting from recent reading in other publications, I must not withhold one comment from the august New York Times about the architecture of our times. You will be encouraged, as I was, to learn this is an "age of exceptional architectural vitality, when the average of brilliant and even beautiful solutions to urgent building needs is extraordinarily high. . . ." E.G.





ROLLING

Regardless of innovations in building structures that current economic trends require, Kinnear Rolling Doors play a vital role in building efficiency. Just as they have the past 70 years!

The interlocking slat curtain that coils over the lintel-a principle of operation originated by Kinnear — has proven so practical from every standpoint that it has never been excelled for door efficiency. Just as fundamentally good for nighttime closure of the modern shopping center store (shown above) as for all other categories of buildings for which they've been used throughout the world since their inception. In addition to their qualities, they're completely out of the way when open. All floor, wall and ceiling space around the door is clear and usable. And their very design makes them especially suited for

time-saving electric motor operation.
The test of time has proven the durability of the all-steel, extra-rugged—heavily galvanized and paint-bonded — construction of Kinnear Rolling Doors. Even so, every door is REGISTERED—an original Kinnear Service that insures lifetime service and availability of original parts on every Kinnear Door built. Whether you're designing a fine retail store or a factory building for heavy industry, consider many extra values Kinnear Door efficiency offers you.

ROLLING DOORS

inherent weather, fire and theft protective

Saving Ways in Doorways Since 1895


The KINNEAR Manufacturing Co.

and Subsidiaries

1866-80 Fields Avenue, Columbus, Ohio 43216
FACTORIES: Columbus, Ohio 43216
San Francisco, Calif. 94124 • Toronto, Ont., Canada

Offices & Representatives in All Principal Cities — listed in Yellow Pages under "Doors" and in Sweet's Architectural File. For more data, circle 5 on inquiry card

A protective closure for even today's most advanced architectural needs



... from piers to stadiums



... from schools to power houses



. from factories to shopping centers

Also manufacturers of Power Operators, Automatic Rolling Fire Doors and Shutters, Rolling Grilles, Rolling Counter Shutters and RoL-TOP (overhead type) Wood or Metal Doors.





Dimensional Fiberglas* acoustical products are made with beauty in mind. Textured with deep grains and roughness variations. And now in a great new line of Glass Cloth Faced Designs. Like "Nubby," star of the line. With a new depth in texture that's abuse and damage resistant. Means lasting beauty. Won't shrink, warp, buckle. Guaranteed. Quiet beauty. Acoustical rating is tops. Look to us on your next job. Make it a Nubby beauty.

To find out more about our glass cloth finishes and the Nubby finish, write Owens-Corning Fiberglas, I & C Division, 717 Fifth Avenue, New York, N.Y. 10022



proving building performance. *T-M (REG. U.S. PAT. OFF.) O-C. F. CORP.

For more data, circle 6 on inquiry card

Plan now the vacation you'll always enjoy.



GET IN THE SWIM. So many modern hospitals are solving all of their laundry problems this way.



ENJOY SMOOTH SAILING with reliable linen supply service.



Linen service that SUITS YOU TO A TEE.



SAVE ENOUGH FOR A PARIS JAUNT ... or for extra usable hospital space.



WHEREVER YOU ARE... there's a Linen Supplier near.

Now is the time to get away from it all. Relax. Escape forever from the many problems of an in-hospital laundry facility: investment, equipment, personnel, maintenance, management, and such.

Discover the carefree pleasure of regular linen supply service, providing you with sheets, pillowcases, uniforms, surgical needs, towels, *everything* — when you want them. All for one low monthly charge.

And revel in the sheer luxury of the extra space you will be able to use. Needed space. For beds, operating rooms, prep rooms, offices, storage.

So, let yourself go—to your nearest telephone. Phone your local linen supplier. (He's listed in the yellow pages under "Linen Supply" or "Towel Supply".)

Tell him you want a vacation from laundry problems.


He'll arrange everything.

LINEN SUPPLY ASSOCIATION OF AMERICA • 975 Arthur Godfrey Rd., Miami Beach, Fla. 33140









Western Electric Co., Inc. Architect: Eero Saarinen and Associates.


mirror, mirror, on the wall...

How better can a structure harmonize with its environment than by reflecting that environment from its walls — changing with it hour by hour, season by season — yet preserving the purity of the architect's original design. Kinney architectural glass s precision vacuum coated with a metallic film. From the interior, one sees an unobstructed view through its transparency. From the exterior, a gold or silver mirror reflects the surroundings concealing the full range of interior activities. And it's as practical as it is beautiful. This glass rejects up to seventy percent of the solar heat!




KINNEY VACUUM COATING DEPT.

Kinney Vacuum Division The New York Air Brake Company (1) 7030 Colonial Highway (Airport Industrial Park) Pennsauken, New Jersey 08109 Tel. 609-665-9364




As you can see, Von Duprin 55 exit devices were designed with narrow stiles in mind. The cases are a mere 1%" wide, for stiles as slim as 1¾". But they're ruggedly built, with walls fully ½" thick. Rim and concealed vertical rod devices, in stainless steel, bronze or aluminum. We invite you to write for Bulletin 632. And we urge you to compare the Von Duprin 55 rim and vertical rod series with any other narrow stile devices made. You'll see: no other narrow stile devices
"measure up" to the style or strength in the 55 series.

VON DUPRIN DIVISION • VONNEGUT HARDWARE CO. • 402 WEST MARYLAND • INDIANAPOLIS 25, IND.





Bell Telephone Laboratories, Holmdel, New Jersey. Plant Design and Construction: Western Electric Co., Inc. Architect: Eero Saarinen and Associates.



...who's the fairest of them all

Kinney architectural glass reflects — not absorbs. Up to seventy percent of the solar heat striking the surface is rejected. This fact alone will affect your air conditioning design requirements, reducing installation, maintenance and operating costs and minimizing the need for exterior or interior shading. Full utilization of interior floor space is possible because peripheral areas are usable in full sunlight and furnishings can not be seen from the outside. Available in silver, gold and deep gold. Kinney glass has been extensively tested and the comparisons shown above are confirmed by five years of prominent installations. Kinney glass is manufactured in ½", ¾" and ½" thicknesses, 60" x 96" maximum size, in laminated safety glass.



KINNEY VACUUM COATING DEPT.

Kinney Vacuum Division
The New York Air Brake Company
7030 Colonial Highway
(Airport Industrial Park)
Pennsauken, New Jersey
Tel. 609-665-9364

ASA announces approval of AAMA

AMERICAN STANDARDS ASSOCIATION, INC.

-the respected authority for all industry-now fully approves AAMA specifications for aluminum windows and sliding glass doors.

AAMA specifications now become American Standard specifications for aluminum windows ASA A134.1-1966 and American Standard specifications for aluminum sliding glass doors ASA A134.2-1966.



by Frank S. Fitzgerald Technical Director Architectural Aluminum Manufacturers Association

What does this mean to you?

The decisions you make are dependent on your source of information. These AAMA specifications are the culmination of 20 years work by the AAMA Technical Committees, made up of industry technical authorities.

And now, these specifications have the advice and support of all the nationally recognized building industry organizations—a prerequisite to becoming American Standards.

Use these aluminum prime window and sliding glass door specifications with confidence in drawing your contract documents. They provide instructions for the proper incorporations by reference. By doing this, without exception, you have the additional insurance of AAMA's inspector in the manufacturer's plant. He helps you ascertain that you are getting what you specified.

You need only specify the window type, the ASA designation, and that the product be AAMA certified, in accordance with ASA Z-34.1 American Standard Practice for Certification Procedures.

specifications as American Standard!

TECHNICAL LITERATURE for ARCHITECTS



ASA A134.1-1966

This definitive publication gives complete specifications for Quality Certified prime windows produced by members of Architectural Aluminum Manufacturers Association. Architects consulting this file will find short and long form specifications, master specifications, general and specific requirements and high wind local specifications.

ASA A134.2-1966

Sliding glass doors, with their inherent design and functional values to the architect, are fully covered by these specifications. Included is a high windload specification and wind zone map.

Other professional publications are available from AAMA on curtain walls, the fire hazards of windowless buildings, thermal performance, and others.



For this literature, write:



ARCHITECTURAL ALUMINUM MANUFACTURERS ASSOCIATION

35 E. WACKER DR. . CHICAGO, ILL. 60601




the mark of aluminum

No. 1.

You have to be best to be first. **Everyday, there is more** cast iron soil pipe installed for drain-waste-vent and sewer systems than any other material. Not just because it's good, but because we're always finding ways to make it easier for you to use. New and quicker ways to install it. And constantly improved standards of quality. We'll never stop trying, because we always want to be No. 1

Specify **G**; there is nothing better...why accept anything less? Cast Iron Soil Pipe Institute 1824-26 Jefferson Place, N.W., Washington, D.C. 20036



This complete Specification Guide for Architects and Engineers opens new doors to long life protection!

Much more than a specifications guide, this important manual pinpoints coating problems by material, location, use and service conditions. Then—it pinpoints the answers including recommendations for Rust-Oleum coating systems, surface preparation, application, short form specifications and a selection of almost 150 color standards.



From primers to top coats, there's a long life Rust-Oleum coating system for almost every need—all with a worldwide reputation for lasting economy. Your Rust-Oleum Field Engineer will be happy to work with you on your specifications—and will follow through on jobsite application. Clip coupon to your letterhead for the facts.

RUST-OLEUM




Rust-Oleum Corporation, Evanston, Illinois Haarlem, Holland Rust-Oleum Corporation, 2421 Oakton Street Evanston, Illinois 60204

•CLIP COUPON TO YOUR LETTERHEAD• • •

Gentlemen:

- Please send me _____ free copies of the Rust-Oleum Specifications Guide For Architects and Engineers (form No. 6408). Also include ____ free copies of "Long Life Facts."
- Please have a Rust-Oleum Field Engineer call.





People are systems.

(So are our ceilings)

People systems see, breathe, speak and hear. And since they do these things under our ceilings, we're concerned.

So much so, that we call our ceilings systems. Lighting, air-distribution and acoustics are coordinated in a single package. Just like people.

You choose your actual

lighting fixtures from the broadest, most versatile line in the business. Unique Modu-Flo® linear air bars supply the most uniform air patterns on the market. Makes people more comfortable.

Tomorrow the partitions may be moved. With Sunbeam Lightings' incredible modular capability, you're flexible.

Finally, there's your Sunbeam Lighting representative. You can't talk to a more qualified and knowledgeable interior systems man.


He knows about people.

For more information on Sunbeam Lighting's ceiling systems, write:

Interior Systems Division

Sunbeam Lighting Company

Los Angeles, California / Gary, Indiana • 777 East 14th Place, Los Angeles, Calif. 90021



OCKWOOD Locks Stand Sentry t THE THRESHOLD OF SPACE


Some call it Space Port—the techcal name is Vehicle Assembly Building. rises out of the scrubland of Florida's erritt Island, at the National Aerotics and Space Administration's John Kennedy Space Center.

This is the world's largest building in ume—so large in fact, that an intrite system of atmosphere control had be perfected to prevent the formation clouds inside the building—so large at the volume of the Pentagon and icago's Merchandise Mart could both swallowed up within its walls with the most to spare. Within the building, giant collo-Saturn V launch vehicles will be

assembled in an **upright** position. From here they will be transported aboard huge ground vehicles to the launching pads. The next step—the moon.

As with all NASA construction projects, designed and built under supervision of the Canaveral District of the U.S. Army Corps of Engineers, the door hardware had to satisfy two rigid standards—SECURITY and DEPENDABILITY. Lockwood's Heavy Duty Mortise locksets and Ball Bearing Door Closers came up with the right answers for both.

When you're looking for security and dependability in hardware, look to Lockwood. We've found our place in the stars.




dware Supplied by: A. H. Brownell Co., Inc. hitects: Urbahn—Roberts, Seelye, foran—in conjunction with the U. S. Army

Corps of Engineers htractors: Morrison—Knudsen—Perini— Hardeman




Fitchburg, Massachusetts

BY UNITE



STATES GYPSUM O



Truly effective sound control is a six-sided problem. United States Gypsum research laboratories have developed advanced sound control systems that stop noise from any direction: the four walls, the ceiling, the floor. To control sound in any kind of construction, you can depend upon the materials and total sound control information available from U.S.G.

Six-sided Sound Control ...


another breakthrough by

UNITED STATES GYPSUM

Chicago, Illinois

For more data, circle 15 on inquiry card

Write Dept. AR-65, 101 S. Wacker Dr., Chicago, III. 60606 for 48-page booklet on sound control principles, practices, materials, systems, and construction. Ask for "Basics of Sound Control."



The largest elevator maintenance force in the world never shone more brightly.

On November 9, 1965, at 5:28 P.M., everything went black throughout the Northeast United States.

And everything electric stopped. Even Otis elevators. But within a half hour, the Otis maintenance force was getting people out of elevators.


Fortunately, they had the know-how, facilities and

equipment right at hand. Because only Otis has a maintenance force of 2,000 men. In 290 offices from

coast to coast. Emergencies or not. Ready day, night and holidays for your elevatoring convenience.



Electric and Hydraulic Passenger and Freight Elevators • Escalators • Moving Walks • Dumbwaiters • Elevator Modernization and Maintenance Military Electronic Systems • Gas and Electric Trucks by Baker Division • Otis Elevator Company, 260—11th Avenue, New York, New York 10001




New 3-in-1 Recessed Unit for use with wall to wall mirrors

These new Bobrick stainless steel Multi-Purpose Units are ingeniously recessed behind a conventionally mounted, continuous mirror. Combined in each unit are a paper towel dispenser, shelf and soap dispenser. Paper towels are loaded

into a compartment, concealed behind mirror, by opening the locked towel tray above shelf.

For detailed information on this new 3-in-1 unit and 300 other matching stainless steel washroom accessories, write for A.I.A. File 29-J.

THE BOBRICK CORPORATION Brooklyn, New York 11225 . Los Angeles, California 90039 Since 1906 Designers and Manufacturers of Washroom Equipment





Are the bugs out of all plastic flashings? Just one—Saraloy 640R.

There's nothing new about flexible flashing, but perfected flexible flashing—that's new, and Dow has it. For flashing applications that will move, it makes good sense to use a flexible flashing, if the flexible flashing will stand up to extreme heat without weakening and thinning out... and to cold without getting brittle.

Saraloy® 640R plastic flashing can.

Another question: will it last? Saraloy 640R will—practically forever.
Saraloy 640R flashing is ideal for roof expansion joints, particularly when used in conjunction with Ethafoam® expanded polyethylene foam. (See the detail below.) It makes for a thoroughly waterproof, thoroughly weather resistant expansion joint that will last, the life of the roof.


By the way, the contractors like it, too, because it's solvent weldable and so easy to handle and install.

Want more information about Saraloy 640R...perfected flexible flashing?

We have it for you.

Write The Dow Chemical Company, Plastics Sales Department,

Midland, Michigan 48640. Or consult Sweet's Architectural File 8g/Do.



100% greater freedom of ceiling design; 100% greater efficiency and flexibility of air distribution!





T-LINE air diffusing / ceiling suspension systems!


Here, from Titus, is today's first architecturally-engineered ceiling system!

No other ceiling system provides such freedom of architectural ceiling design — for any shape, any size space. T-LINE can be furnished in any size module — can be used with any kind or size ceiling panels, or any type lighting that you specify.


No other ceiling system provides such efficiency and flexibility of air distribution to fully satisfy any present or future room requirements. T-LINE features exclusive Titus fully-adjustable linear air diffusing vanes which make it possible to adjust the air pattern a full 180°—from horizontal discharge, left or right—to a vertical discharge—or any pattern in between.

The same set of vanes also provide complete air flow rate control, including blank-off.


These air diffusing vanes are available in Titus Engineered Diffusers which simply plug into the Main-T sus-



pension members, or may be installed (at factory or in the field) inside the suspension members themselves, with a choice of round, rectangular or triangular snap-on ducts supplying the air.



Titus Modular-Type T-LINE shown with Titus Engineered Diffusers which simply plug into Main-T suspension members.



Titus Linear-Type T-LINE shown with round snap-on ducts (air diffusing vanes located in Main-T suspension members.)


by

NEW, FREE, FULLY-ILLUSTRATED
T-LINE CATALOG.
MAIL COUPON TODAY

TITUS

TITUS	MANUFACTURING	CORPORATION,	Waterloo, Iowa 50704
☐ Ple suspens	ese rush new coion systems.	atalog on Titus Have Titus rep	T-LINE air diffusing/ceiling resentative call on me.
NAME .		••••••	
TITLE .		Minutes and	
COMPA	IY		
ADDRES	S		
		The Table of the Control of the Cont	

For more data, circle 19 on inquiry card






Happiness is.

these Ceramic Cartridges*


which make Price Pfister's Flow-Matic Single Handle

Mixing Valves and Faucets -So Completely Service-Free!









Flo-Matic's exclusive ceramic cartridge* uses

- · no lubricants
- no washers
- no springs
- no "o" rings that are subjected to friction.

This ceramic material assures corrosion-free use under the worst water and atmospheric conditions!

> Next time you order plumbing brass be sure to specify service-free Flow-Matic by Price Pfister. It'll make you happy.



PRICE PRISTER BRASS MFG. CO.

Sold only through wholesalers. Warehouses in these principal cities: Pacoima, California; Elizabeth, New Jersey.

PRICE PFISTER'S PRODUCTS . . . INSTALL EASIER, WORK BETTER, LAST LONGER. Manufactured by Coors Porcelain Co. using Alcoa Alumina — developed by Aluminum Company

For more data, circle 20 on inquiry card

WESTERN REPORTS

INCLUDING WESTERN ARCHITECT AND ENGINEER

Freeways: No!

To the delight of many and the despair of some, San Francisco has once again turned down two controversial freeway routes, the Panhandle and the Golden Gate freeways. Each would have affected a large section of the city. And neither would have been more than a partial solution to the traffic problems which plague the city. But there was a strong faction which supported these freeways. It took a lot of emotional, vocal expression to make clear that the freeways were unpopular - unpopular enough to make them an interesting political issue.

It would be nice to think that this unpopularity was due to the unhappy esthetic effect which the freeway routes would have on the city. But it is only realistic to recognize that much of the opposition had little if anything to do with esthetics. The issue was more politcal than esthetic, more influenced by economics than by planning.

But the fact remains that for the second time in seven years, San Francisco has turned its back on Statemposed routing of freeways and has purned large federal funds. In so doing t has bought, however dearly, a second chance to do what it-and other cities like it, especially metropolitan cities-should have done in the first place: forge a master transportation olan for the city taking into account people as well as cars, neighborhoods is well as commuters, traffic impact as vell as traffic pattern.

'Not who likes what, but why"

One of the esthetic problems in freeways is that there is a basic lack of inderstanding-or perhaps it is a mis-

understanding-of architects by highway engineers, and of highway engineers by architects. At the annual California Street and Highway Conference in January, Wayne Snowden, a research engineer at the University of California's Institute of Transportation and Traffic Engineering, tackled the problem of explaining to highway engineers some of the esthetic aspects of highway design in a paper which he called, paradoxically, "Formulas for Beauty." Paradoxical because he makes it clear that he does not believe that beauty can be had through use of a formula. But he does believe that beauty can be achieved, and he points out a few means to that end:

"Understanding the novelty-familiarity fundamental of visual design provides the only possible basis for responding sensibly to the often-heard criticism that highway overpasses all look like boxes and all look alike. To this writer's eye, none look like boxes, few look alike and many are magnificent. The question, however, is not who

THIS MONTH'S WESTERN PEROPTS

THIS MOITH S WESTERN REPORTS.				
Buildings in the News 32-2				
Utah A.I.A. chapter honors 10 32-4				
Buildings win honors for concrete				
design 32-5				
Western Topics 32-5				
Western Events 32-5				
Western Construction Trends 32-9				
Estimator's Guide:				
San Francisco Bay Area 32-				

likes what, but why. If square legs are replaced by round legs, someone is going to ask why all are round. And if each structure is endowed with a unique form, someone is going to ask why all are different. But if overpasses are conceived as a class, all sharing an identical function, and all sharing a style reflecting the physical standards that serve that function, and if-at the same timeeach is conceived as fitting its environment, criticism of the results will be confined to differences in individual tastes and to shortcomings arising from the fact that very few things are done perfectly.


"If they are not done that way, the countryside will be dotted - at great waste of public funds-with curiosities which are mainly designed to counter current fashions in criticism, and which will be more criticized, quite rightly, in years to come. Examples are already in being.

"The real difficulty...is that since the end product of visual design is a feeling or an emotion, its description must be at least partly subjective. This leads to statements which from the engineering viewpoint seem at first glance to be anything from vague to meaningless. If, however, the engineer understands that the visual designer is forced to speak in parables, the message may come through."

Visual beauty and structural beauty can be achieved in one structure, but not without this willingness to understand the aims and methods and language of each of the essential elements. And what goes for highways goes equally for freeways. And for buildings.

-Elisabeth Kendall Thompson

Western **Buildings** in the News



Disney wins lease for all-year resort in unspoiled Sierra





Walt Disney has been selected from a field of six bidders to develop the fabulously beautiful, untouched and almost unknown alpine valley of Mineral King in California's High Sierra. The resort—"a recreation project, not an entertainment center," Disney stresseswill be developed on a lease of the land from the National Forest Service, which reviewed the bidders and their proposals. Included in Disney's plans are two large hotels, restaurants, cabins, ice skating rink, shops, conference center, hospital and a heliport. The last is especially important since there is only a one-way summer road into the valley,

and even if crash funds were made available for development of an all-year road, it could not be opened for at least five years, according to state officials. Helicopter service would permit winter use of the excellent ski runs and bowls in the High Sierra area. The architects are: Ladd and Kelsey.




The Sunnyvale branch of the Bank of Califor nia reflects the bank's program of inviting informal buildings for its new Bay Area branches. Exposed rough-sawn heavy timbers stained dark, form the frame. Exterior wall are heavily textured stucco with redwood trim. A well, formed by opening the roo ridge, permits housing the mechanical equip ment out of sight, and admits light through clerestory windows to the main banking room. A covered walkway connects with wood pergola which surrounds the land scaped entry court. Architects: Richard C Marshall and Chester Bowles, Jr.

New studios for television station KTLA-5 in the Los Angeles area will provide headquarters for the Golden West Broadcasting Company. Located in North Hollywood, the \$4.5-million complex contains executive and operational offices, two 100-square-foot, clear-span studios, and all the attendant facilities for television production. The three-story building has been designed to allow expansion without interruption of production activties. The roof composed of two levels, has a landing pad for the station's helicopter. Architects and engineers: Welton Becket and Associates; contractor: Del S. Webb.



Welton Becket Associates




Scientific Data Systems, Inc. is building the irst of several structures which will make up ts new plant in El Segundo, California. The one-story building now under way is of tiltup construction, but with some special feaures: the exposed aggregate panels are precast with steel channels for forming frames which are left in position to become permanent frames and to simplify connection between panels and at floor-slab and roofdeck junctions. The building has an exposed steel frame. The structure encloses an area

equal to four typical city blocks. Designers: Craig Ellwood Associates, Normal N. Rosen, associate architect; structural engineers: Mackintosh and Mackintosh; mechanical engineers: Starnel Engineers; electrical engineers: Sarvasy & Assocs.; contractor: C. L. Peck.





The University of Hawaii will add a new \$3.3million building group to its Manoa (Honoulu) campus to house the College of Business Administration, in accordance with the University's recently announced long-range development plan. The college will consist

of a number of closely related structures arranged around an informal court. Open corridors and winding steps will offer varied circulation and unusual spatial experiences throughout the multi-level complex, and cantilevered balconies off classrooms and



offices will overlook views of the interior court or of Honolulu. The college is being designed to take a student body of 2,000 by 1975. Architects: long-range plan, John Carl Warnecke & Associates; College of Business Administration, Leo S. Wou & Associates.













Utah A.I.A. chapter honors ten

Two buildings—a residence and a public library—have won honor awards in the 1966 honors program of the Utah chapter, A.I.A. Four other buildings received merit awards and the jury gave special recognition to four additional buildings: Springville City Hall, Springville, Utah, architects: Dixon and Long; Industry Supply Company, Salt Lake City, architects: Scott and Louie; transmitter building for Radio Station KWIC, Salt Lake City, architect: Boyd A. Blackner; Electro-Ceramics Factory remodeling, Salt Lake City, architects: Brixen and Christopher.

Jury chairman was Claude Stoller of San Francisco. Other jurors were John O. Merrill Jr., and Norman Klein, also San Francisco architects. In common with other recent juries, the jury rendered a report which was evaluative as well as complimentary.

Honor awards: (1) Salt Lake City Public Library. Architects: Edwards and Daniels; structural engineer: Joseph F. Patrick; contractor: Culp Construction Company; (2) Residence, Salt Lake County. Architect: Boyd A. Blackner, contractor: Glendale Zerull. Meri awards: (3) First Security Bank of Utah Cottonwood Branch. Architects: Dear L. Gustavson & Associates; structural engineers: Hoffman C. Hughes, Page and Associates; contractor: Jericho Construction Company; (4) Residence, Salt Lake City. Architect: James W. Christophe of Brixen & Christopher; structural engineer: Edmund Allen; contractor: Ranch Snow Kimball; (5) Logan Avenue Townhouses, Salt Lake City. Architect: Gler Ashton Lloyd; contractor: Research Homes Construction; (6) Western Sav ings and Loan Company, Portland, Ore gon. Architects: Dean L. Gustavson & Associates; R. Evan Kennedy; contrac tor: Teeples & Thatcher, Inc.



George Lyons



El Centro City Hall. Architects: Bryant, Jehle & Assocs.; contractor: Cotton Construction Corp.



Ryan Library, California Western University. Architects: Richard J. Lareau & Associates; structural engineers: A. J. Blaylock & Associates; contractor: T. A. Stanfield Company.

Bureau of Fisheries Oceanography Building, La Jolla. Architects and engineers: Frank L. Hope & Associates; contractor: M. H. Golden Construction Company.

Buildings win honors for concrete design

Seven buildings in the San Diego area have been selected for honors by the Portland Cement Association for their "unusual design ideas, structural innovations and construction techniques." The awards are the first in a new program intended by the Association to "recognize architects, engineers and contractors and to honor and promote progressive architecture, quality construction and new building techniques."

In addition to the buildings seen, the following were also honored: Center City Parking Structure, San Diego. Architects: Tucker, Sadler & Bennett; prestress consultant: James R. Libby & Associates; contractors: F. E. Young Construction Company.

Hillcrest North Medical Center, San Diego. Architects: Deems, Lewis, Martin & Associates; structural engineers: A. J. Blaylock & Associates; prestress consultant: James R. Libby & Associates; contractors: Peter Kiewit and Sons Construction Company.

Southwestern College, Chula Vista. Architect: George D. Foster; structural engineer: John Ruskin; contractors (joint venture): O. L. Carpenter, G. L. Cory, Cotton Construction Corporation.

La Jolla Branch, San Diego Trust & Savings Bank. Architects: Robert Mosher and Roy Drew; structural engineer: George R. Saunders; contractor: C. A. Larsen Construction Co.

WESTERN TOPICS

FLW's Marin court house under way

Two sets of bids had to be called for on the court house in Marin Center, north of San Francisco, because of a possible irregularity in one of the first bids, but the problems were ironed out and the second phase of the Center, which was one of Frank Lloyd Wright's last designs, finally got under way by mid-February. The irregularity was due to a first-round bidder having failed to list all subcontractors whose work would exceed one-half of 1 per cent of the total bid, as required by California law. The bidder argued that his firm was qualified to do the work and therefore did not require subs. Since the low bid was over the architects' estimate by 5 per cent, the county threw out all bids, cut down some of its requirements and reissued its call for bids. On the second round, the first low bidder came in high, the first high bidder was low.

The contract for \$8,959,560 went to

Robert E. McKee Corp. of South San Francisco. William Wesley Peters of Taliesin Associated Architects, and Aaron

Green of San Francisco, associate architect, have carried on the work since Mr. Wright's death.

WESTERN EVENTS

MAY

21-22 "Creative Arts-the Living Culture of California." Presented by California State Arts Commission. St. Francis Hotel, San Francisco.

26-28 Urban Design Short Course West, 1966 Workshop, sponsored by American Institute of Architects. College of Environmental Design, University of California, Berkeley. Further information from University Extension, 2223 Fulton Street, Berkeley, California.

JUNE

3-5 Second annual conference, Parking Area Improvement Association. Doric Motor Hotel, Los Angeles.

7-9 Eighth annual Pacific Coast Builders

Conference. Fairmont Hotel, San Fran-


11 Opening, Oriental Wing, M. H. de Young Museum. Golden Gate Park, San Francisco.

15-16 Third annual Forest Industries Marketing Conference. Forest Industries Management Center, School of Business Administration, University of Oregon, Eugene, Oregon.

19-24 International Design Conference. Aspen, Colorado.

National Convention, Association of Collegiate Schools of Architecture. Hilton Hotel, Denver.

26-July 1 National convention, American Institute of Architects. Hilton Hotel. Denver.



Design with freedom

FREE valuable space required by other heating systems.

FREE yourself of costly future maintenance expenses.

FREE finances with low first cost electric heating installations.

For more data, circle 21 on inquiry card

For information on low first costs of electric heating write to any listed members in care of EGIA:

> CHROMALOX ELECTROMODE -**Climate Control Division EMERSON ELECTRIC** FEDERAL PACIFIC GAR WOOD GENERAL ELECTRIC HOTPOINT HUNTER DIVISION JOHNS-MANVILLE MARTIN PREMIUM BRAND INSULATIONS RAMCO THERMADOR

WESIX

ELECTRIC & GAS INDUSTRIES ASSOCIATION


1355 MARKET STREET . SAN FRANCISCO, CALIF. . 94103

THESE ARE SIX OF THE WEST'S OUTSTANDING COLLEGE LIBRARIES...and Ames is there!



NORTHERN CALIFORNIA

Dominican College, San Rafael, California. 100,000 Volumes. The Archbishop Alemany Library. Architects: Schubart and Friedman, San Francisco.




NEVADA

University of Nevada, Reno, Nevada. 400,000 Volumes. The Noble H. Getchell Library Architects: David Vhay, Reno; Robt. E. Alexander, Los Angeles.



UTAH

Brigham Young University 1,000,000 Volumes. Architect: Lorenzo S. Young, Salt Lake City, Utah.



SOUTHERN CALIFORNIA

Mount San Antonio Library, Walnut, California. 100,000 Volumes. Architects: Austin, Field and Fry, Los Angeles.



OREGON

Oregon State University, Corvallis, Oregon. 510,000 Volumes. The William Jasper Kerr Library. Architects: Martin & Hamlin, Eugene, Oregon.



WASHINGTON

Central Washington College of Education, Ellensburg, Wash. 225,000 Volumes.

Architects: Bassetti & Morse, Seattle, Washington.



In thousands of colleges and schools in the Western States, Ames Library Shelving is specified. For complete information on concepts, designs and colors in modern Steel Library Shelving, write Department A.

W. R. AMES COMPANY · SHELVING DIVISION


1001 DEMPSEY ROAD • MILPITAS, CALIFORNIA 95035 • (408) 262-1000

We've handed out quite a few "medals" lately.





Broadway Department Store Whittier, California Architect: Charles Luckman Associates





Holiday Inn Montebello, California





140 West Building Covina, California Architect: David Jacobson, Jr.





First Federal Savings Building San Marino, California Architect: Robert Clements Associates





Medical Building 4155 Outer Circle Drive Long Beach, California Architect: Richard O. Prior





Fontana City Hall Fontana, California Architect: Grover W. Taylor

The word about all-electric buildings must be getting around.

Last year we gave out more than 1000 All-Electric Building Awards in Southern California (including the six "medal winners" above).


These latest all-electric buildings combine heating, lighting and air conditioning, which saves plumbing, ducting and space.

If you'd like a complete rundown of all the reasons

you would be money ahead building all-electric, write or call Marketing-Engineering, P.O. Box 62, Terminal Annex, Los Angeles 90051.



Southern California Edison



Western construction trends

Total contracts include residential, nonresidential and non-building contracts

FOR ANALYSIS OF CONSTRUCTION TRENDS NATIONWIDE SEE PAGE 44

Construction activity in the 11 Western states experienced what must be called a major setback during February. Minus signs were the order of the day, as the value of construction contracts totaled only \$616 million, a figure 24 per cent below a by-no-means-exceptional February 1965.

Most of the loss resulted from a huge decline—minus 53 per cent— in the nonbuilding category, last year's high flyer. The torrent of large projects that made 1965 such an exceptional year for nonbuilding construction in the West (by this time last year there were \$187 million worth of projects individually valued at \$10 million and over) has been reduced to one \$16 million droplet so far in 1966, and that occurred in January.

A healthy 4 per cent gain in the nonresidential building category added some luster to the Western picture in February. The \$215 million worth of nonresidential building contracts was primarily a reflection of the sharp gains made by the business-oriented components, commercial and manufacturing.

The West's economy, heavily dependent on the fortunes of the aerospace industry, has responded quite favorably to the recent turn-around in this vital area. Between late 1962 and the first quarter of 1965, Western aerospace firms, suffering from sharp cutbacks in government contracts, reduced their total work force by some 15 per cent. Approximately half of this decline had been restored by the end of last year, however, as a flood of private orders, mainly for commercial jets, moved in to plug the gap.

The effects of these and similar events have been filtering through the West's economy for several months now, creating a business climate that is much different from the one that existed a year ago. A key indicator of

an economy's performance, the number of persons unemployed, has declined nearly 17 per cent in the 11-state region since February, 1965.

F. W. DODGE CORPORATION

These more buoyant economic conditions will certainly exert a direct upward pressure on commercial and manufacturing contracts in the months ahead, and have indirect effects on those building types more remotely related to business conditions. Residential construction is another question, however. Here, the effects of the credit tightening loom large as a negative factor. The February figure for residential contract value, down 18 per cent from the year-ago month, is certainly not encouraging, but the first quarter of 1965 was last year's strongest for Western housing. The picture will become clearer as the year unfolds.

James E. Carlson, Associate Economist F. W. Dodge Company, A Division of McGraw-Hill, Inc.

Estimator's Guide: San Francisco Bay Area The Southwest

The Estimator's Guide alternates monthly among four Western areas. The prices at right are compiled from average quotations received by LeRoy Construction Services for commercial work of approximately \$100,000-\$250,000 total value. Except as otherwise noted, prices are for work installed including all labor, material, taxes, overhead and subcontractors' profit. Material prices include local delivery except as noted, but no state or local taxes.

EXCAVATION	BRICKWORK & MASONRY
MACHINE WORK IN	Back Up Common 8"SF 2.70
COMMON GROUND Large basementCY .80-1.10	Back Up Common 12"
Small pits	Back Up Jumbo 4"
TrenchesCY 1.75-2.50	Grouted Walls 10"
HAND WORK IN COMMON GROUND Large pits & trenchesCY 8.00-12.00	6" wallsSF 1.75
Small pits & trimming CY 12,00-16.00	8" wallsSF 1.90
Hard clay or shale, 2 times above rates. Shoring, bracing & disposal of water not	12" walls
included.	GLAZED STRUCTURAL UNITS
	Facing 2"
SEWER PIPE MATERIALS	Partition 4"
VITRIFIED Standard 4"LF .33	BRICK VENEER
Standard 6"LF .63	4" Select Common SF 1.60 4" Roman SF 2.10
Standard 8"LF .92	4" NormanSF 2.10
Standard 12''LF 2.03 Standard 24''LF 8.12	3" JumboSF 1.30
CLAY DRAIN PIPE	DIMEDIC PLANS
Standard 6"LF .32 Standard 8"LF .46	BUILDING PAPERS & FELTS
Rate for 100 LF FOB Warehouse	BUILDING PAPER 1 ply per 1,000-ft roll4.20
	2 ply per 1,000-ft roll6.40
CONCRETE & AGGREGATES	3 ply per 1,000-ft roll
GRAVEL, all sizes	SHEATHING PAPERS
TOP SAND	Asphalt sheathing, 15-lb
CONCRETE MIXTON 4.10	324 SF roll
CRUSHED ROCK '/4'' to '/4''TON 4.00	Dampcourse, 216-ft roll
74" to 74"	FELT PAPERS
Lightweight aggregateCY 10.75	Deadening felt, 4-lb, 50 s.y. roll3.00
ROOFING GRAVELTON 4.10	1-lb, 50-s.y. roll
SAND (#1 & 2)TON 5.00	ROOFING PAPERS Standard grade, smooth surface
Cement Common, all brands (paper sacks)	432 SF roll,
Small quantities Per Sack 1.40	Light, 45-lb
Large quantities Per BII 4.45 Atlas White Per Sack 3.80	Heavy, 65-lb2.85
Concrete Mix	Mineral surfaced 216 SF Roll3.50
6 sacks in 5-cy loadsPer Cy 15.65 Lightweight 105= cyPer Cy 19.80	LUMPED
CURING COMPOUND	LUMBER DOUGLAS FIR
Clear, 5-gal drums Per Gal 1.45	Construction 2x4-2x10 MBM 98.00-106.00
	Standard2x4-2x10 MBM 95.00-100.00
STEEL MATERIALS	Utility2x4-2x10 MBM 80.00- 88.00 Economy2x4-2x10 MBM 60.00- 70.00
SHEETS Hot rolledLB .11	Clear, air dried MBM 200.00-240.00
Cold rolledLB .12	Clear, kiln dried MBM 235.00-270.00
GalvanizedLB .12	Foundation grade MBM 135.00-145.00
PLATELB .11	Construction Heart MBM 120.00-130.00
STRIPSLB .13 STRUCTURAL SHAPESLB .115	A Grade MBM 230.00-270.00 Clear Heart MBM 260.00-290.00
BARS	PLYWOOD (DOUGLAS FIR) MSF
Hot rolledLB .11	¼" ABMSF 90.00
Cold finishedLB .15 ReinforcingLB .105	¼" AD
REINFORCING MESH	%'' ABMSF 105.00
6 x 6" #10 x #10SF .04	%" AD
6 x 6" #6 x #6	½" AB MSF 140.00
Job Darchouse	½" AD
STRUCTURAL STEEL	%'' ABMSF 156.00
\$375.00 and up per ton erected when out	%'' ADMSF 136.00
of mill. \$400.00 and up per ton erected when out	%'' CD
of stock.	¾" AD MSF 158.00
nnick a proces	%'' CD
BRICK & BLOCK	SHINGLES Square
BRICKS Common 2½ x 3¾ x 8¼" M 59.00	Cedar #1Square 17.00-19.00
Jumbo 3½ x 3 x 11½"	Cedar #2Square 14.00-17.00
Norman Red 3 x 2½ x 11½"M 87.50	SHAKES Cedar
Norman Buff	1/2" to 3/4" butt Square 19.00-22.00
Antique (used) Brick	3/4" to 11/4" buttSquare 21.00-24.00
MANTEL FIRE BRICK	Redwood %" to 11/4" butt Square 21.00-24.00
2½ x 9½ x 4½"	The second of th
GLAZED STRUCTURAL UNITS 2 x 6 x 12" Furring	INSULATION & WALL BOARD
4 x 6 x 12"-1 sideSF .91	FOB Warehouse FIBRE GLASS INSULATION
6 x 6 x 12''-1 side	foil backed Per M SF
4 x 6 x 12"—2 sides	1½" thick 40.75
CONCRETE BLOCKS	2½" thick
4 x 8 x 16"	SOFTBOARDS-wood fiber
8 x 8 x 16"	1/2" thick
8 x 8 x 16" EA .34 12 x 8 x 16" EA .51 Add for color FA .02	3/4" thick
Add for colorEA .02	ALUMINUM INSULATION 35# Kraft paper with alum. foil
AGGREGATE Haydite or Basalite	1 side only
All sizes in bulkCY 6.80	2 sides 30.00

HARDBOARDS-wood fiber	FINISH CARPENTRY	LATH & PLASTER WORK	Crystal
%" thick, sheathing 58.00	EXTERIOR TRIM	CHANNEL FURRING	¼'' Plate
3/16" thick, sheathing	Fascia and molds BM .5060	Suspended ceilingsSY 3.10-3.35	%" Heat absorbing
%'' thick, tempered	ENTRANCE DOORS & FRAMES	WallsSY 2.90-3.25	1/4" Tempered plate SF 4.75
3/16" thick, tempered105.00	Single	METAL STUD PARTITIONS	1/2" Tempered plateSF 9.00
CEMENT ASBESTOS BOARD	INTERIOR DOORS & FRAMES	3¼" studs	\(\frac{\pi'}{\pi'}\) Wire plate, clear
%'' flat sheets145.00	Singles	Over 10-0 high, addSY .2535	Wire plate, rough
3/16" flat sheets	Pocket sliding	3.4# METAL LATH & PLASTER	DAIN'T MATERIALS
1/4" flat sheets	Closet sliding (Pr.)52.00 & up	CeilingsSY 4.60-5.40	PAINT MATERIALS
DOLLGIL CARRENTEN	WINDOWS	Walls	All prices FOB Warehouse Thinners 5-100 gal
ROUGH CARPENTRY	D/H sash & frames SF 2.00 & up Casement sash & frames SF 2.30 & up	ROCK LATH & PLASTER	Turpentine 5-100 gal
FRAMING Floors	SHELVING	CeilingsSY 3.45-3.95	Linseed oil, raw
WallsBM .3137	1 x 12 S4SBM .3050	WallsSY 3.55-4.05	Linseed oil, boiled
CeilingsBM .3442	³¼'' plywoodSF .4060	WIRE MESH & "" STUCCO	Primer-sealer
Roofs	STAIRS	WallsSY 4.60-5.80	Enamel
Furring & blockingBM .4264 Bolted framing, add 50%	Oak steps, D.F. risers	STUCCO ON CONCRETE	White lead in oilLB .36
	Under 36" wide Riser 14.00 Under 60" wide Riser 19.00	Walls	Red lead in oilLB .36 LitherageLB .32
SHEATHING 1 x 8" straight	Newel posts and rail extra	THE MEDICAL CONTROL OF THE PROPERTY OF THE PRO	timerage
1 x 8" diagonalBM .2631	WOOD CASES & CABINETS	DRYWALL	PAINTING
5/16" plyscord SF .1924	D.F. wall hungLF 15.50-20.60	METAL STUD PARTITIONS	PAINTING
%'' plywood CC	D.F. countersLF 18.50-25.75	15%" studs	EXTERIOR Stucco wash,
SIDING	HARDWOOD FLOORING	2½" studs	1 coatSY .48
1 x 8" bevel	MATERIALS	35%" studs	2 coatsSY .80
Bolted framing, add 50%	OAK 5/16" x 2" STRIP	DRYWALL ½" Nailed on	Lead & Oil, 2 coats
	Clear	½" Screwed on	3 coats
DAMPROOFING &	Select	%'' Nailed on	INTERIOR
WATERPROOFING		%'' Screwed on	Primer-sealerSY .45
MEMBRANE	OAK 5/16" RANDOM PLANK Select & better		Wall paint, 1 coatSY .54
1 layer 50-lb. felt	#1 Common	TILE MATERIALS	2 coatsSY .98
4 layers dampcourseSQ 15.00 Hot coat wallsSQ 9.00	OAK 25/32" x 2-1/4" T&G	FOB Warehouse	Enamel,
Tricosal added to concreteCY 1.00	Select	CERAMIC TILE	1 coat
Anti-Hydro added to concreteCY 1.50	#1 Common	41/4 x 41/4" glazed	Doors & trimEA 14.00
	MAPLE 25/32" x 24" T&G #1 Grade	4¼ x 4¼" hard glazed	Sash & trim
ROOFING	#2 Grade	6 x 2" capEA .31	Base & moldsLF .18
STANDARD TAR & GRAVEL Per Sq	#3 Grade M 230.00	6" cove baseEA .31	Old work, add 15-30%
4 ply	NAILS-1" FLOOR BRADSKEG 18.00	¼" round beadLF .18	
White gravel finish-Add 2.00- 4.00		QUARRY TILE 6 x 6 x ½" red	VENETIAN BLINDS
Asphalt compo, shingles20.00-24.00	HARDWOOD FLOORS	6 x 6 x ¾'' red	COMMERCIALSF .45 & up
Cedar shingles24.00-28.00	Select Oak	6 x 9 x ¾" redSF .65	VERTICALSF 1.25 & up
Cedar shakes	Filled, sanded, stained and varnished 5/16" x 21/4" stripSF .5055	6 x 6" cove baseEA .23	The state of the s
Clay tiles50.00-80.00	5/16" random plant SF .6065		PLUMBING
	½" x 2" stripSF .6575	TILE & TERRAZZO WORK	LavatoriesEA 250.00-300.00
SHEET METAL	25/32'' x 2¼'' T&GSF .7590	CERAMIC TILE, stock colors	ToiletsEA 310.00-400.00
ROOF FLASHINGS	MAPLE 2nd grade and better	Walls	Bath tubsEA 370.00-400.00
18 ga galv steelSF .85-1.25	Filled, sanded, stained & varnished	Cove baseLF 1.25-1.60	Stall showerEA 200.00-250.00
22 ga galv steelSF .75-1.15	25/32" x 2½" T&GSF .85-1.00	QUARRY TILE	Sinks EA 240.00-300.00 Laundry trays EA 135.00-200.00
26 ga galv steel	Wax finish, addSF .10 Dark stains, addSF .05	6 x 6 x ½" floors	Water heaters EA 125.00-385.00
22 ga aluminumSF 1.10-1.25	Dain statis, and	TERRAZZO	Prices based on average residential
26 ga aluminumSF 1.00-1.15	RESILIENT FLOORING	Terrazzo floors	and commercial work. Special fixtures and excessive piping not included.
24 oz copper	MATERIALS	Cond. Terrazzo floorsSF 2.30-2.80	
16 oz copperSF 1.85-2.35	Linoleum, standard gageSY 2.65-2.85	Precast treads & risersLF 3.60-4.60 Precast landing slabsSF 3.00-4.10	HEATING
26 ga galv. steel	Linoleum, battleshipSY 2.95-3.10 1/6" Asphalt tile, darkSF .1011	rrecast landing stabs 31 3.00-4.10	HEATING
4" OG gutterLF 1.20-1.45	%" Asphalt tile, lightSF .1416	WINDOWS	Furnaces-Gas-Fired, Average Job FLOOR FURNACE
Mitres and DropsEA 2.00-4.00	1/8" Rubber tileSF .4044	STEEL SASH	25,000 BTUEA 130.00-155.00
22 ga galv. louvers 22 oz copper louvers	.080 Vinyl tile	Under 10 SFSF 2.50 & up	35,000 BTU 140.00-165.00
	%" Vinyl tile	Under 15 SF SF 2.00 & up	45,000 BTUEA 160.00-185.00 Automatic control,
CHIMNEYS, PATENT	4" base, black LF .1011	Under 20 SF	addEA 36.00- 45.00
FOB Warehouse	4" base, colored LF .1115 Rubber treads LF 1.60-2.30	ALUMINUM SASH	DUAL WALL FURNACE
6"LF 1.45	Linoleum pasteGAL .7590	Under 10 SF SF 2.75 & up	25,000 BTUEA 170.00-200.00
8"LF 2.05		Under 15 SF SF 2.25 & up	35,000 BTUEA 177.00-210.00 50,000 BTUEA 206.00-230.00
10" LF 2.85 12" LF 3.50	FLOORS	Under 20 SF SF 1.75 & up Under 30 SF SF 1.25 & up	Automatic control,
Rates for 10-50 LF	1/4" Asphalt tile, dark colors. SF .2328	Above rates are for standard sections and	addEA 48.00- 60.00
AND DESCRIPTION OF THE PARTY OF	1/4" Asphalt tile, light colors SF .2530 1/4" Rubber tile	stock sizes, FOB Warehouse	FORCED WITH DUCTS
MILLWORK	.080 Vinyl asbestos tileSF .3540	CLASS CUT TO SIZE	60,000 BTUEA 390.00-505.00 80,000 BTUEA 455.00-540.00
All Prices FOB Mill	.080 Vinyl tileSF .7585	GLASS—CUT TO SIZE	100,000 BTUEA 500.00-650.00
D.F., clear, air dried S4S MBM 220.00-250.00	Linoleum, standard gageSY 3.75-4.25 Linoleum, battleshipSY 5.25-5.75	SSB Clear, aver 4 SF	120,000 BTUEA 580.00-690.00
D.F., kiln dried S4S MBM 225.00-275.00	4" Rubber baseLF .2535	DSB Clear, aver 7 SF SF .28	HEAT REGISTERS
DOOR FRAMES & TRIM	Rubber stair treads LF 2.25-2.75	Crystal, aver 16 SF SF .35	Outlet 15.00-38.00
Residential entrance17.00 & up	LATH & PLASTER MATERIALS	'4'' Polished plate, aver 50 SF SF .90 '4'' Obscure, aver 7 SF SF .35	FLECTRIC WIRING
Interior room entrance 9.00 & up	METAL LATH	%" Ribbed, aver 7 SFSF .45	ELECTRIC WIRING
DOORS	Diamond 3.4# copper-bearingSY .49	1/8" Rough, aver 7 SF	Per Outlet Knob & Tube
1%" hollow core 8.00 & up	Ribbed 3.4# copper-bearingSY .53	'A'' Wire plate, clear, aver 40 SF SF 1.90 'A'' Wire plate, rough, aver 40 SF SF 90	Armor
13/4" solid core	ROCK LATH	1/8" Heat absorbing, aver 7 SFSF .90	ConduitEA 24.00
13/4" Birch solid core22.00 & up	%' thickSY .36	1/4" Tempered plate, aver 40 SF SF 3.60	110-V Circuit
WOOD SASH	METAL 3/4" Standard channelLF .038	1/2" Tempered plate, aver 40 SF SF 6.40	220-V Circuit RangeEA 116.00
D/H in pairs (2 lts)SF .55	1½" Standard channelLF .053	GLASS BLOCKS	
Casement (1 lt)SF .65	31/4" Steel studsLF .088	6''EA .70 8''EA 1.15	ELEVATORS & ESCALATORS
WOOD CABINETS	4" Steel studs LF .098 Stud shoes EA .03	12"EA 3.10	Prices vary according to capacity,
3/" D.F. plywood with	PLASTER		speed and type. Consult elevator companies.
'4'' plywood backs: Wall hungLF 10.00-15.00	Browning, hardwallSack 1.58	GLASS & GLAZING	Slow speed apartment house elevators
Counter LF 12.00-17.00	Finish, hardwallSack 1.75	SSB ClearSF .55	including doors and trim about \$3,500 per floor.
Birch or maple, add 25%	StuccoSack 2.50	DSB ClearSF .80	per noor.



6500 custom-made steel ribs—enduring strength for a long, tough, rapid transit tunnel.



PROBLEM: Drive a twin-bore tunnel more than three miles through highly faulted earth zones—to carry people safely through the Berkeley Hills. Do it economically, quickly, and safely.

SOLUTION: Use steel tunnel support ribs—ribs made from rolled sections specially designed by Kaiser Steel for

the new Bay Area Rapid Transit system. RESULT: "This has been one of our roughest tunnel jobs because of its length and the type of terrain, but so far we're right on schedule. Kaiser Steel has provided us with everything we need in design assistance and finished product," says Ed Shea, Project Manager.



Twin-bore tunnel through Berkeley Hills for Bay Area Rapid Transit. General Contractor: Shea-Kaiser-Macco. A joint venture sponsored by J. F. Shea Co., Inc.



Kaiser Steel has produced 6500 of these tunnel ribs, 19 feet in diameter, at new production line rates to meet exacting delivery schedules. In addition to tunnel ribs, Kaiser Steel is furnishing more than 17,000 steel liners for bored subway tunnels for this world-recognized transit system. On this and other major tunnel

jobs, Kaiser Steel has provided—and will provide on future requirements—design consultation service on the fabrication and application of tunnel ribs and liners. For answers to your tunnel problems call Kaiser Steel Fabricating Division: Telephone 415/271-2703 (Oakland) or 213/685-4930 (Los Angeles).

KAISER

ACTION -TO SERVE THE GROWING WEST

For more data, circle 24 on inquiry card

GAS AIR CONDITIONING







(or a nursery)

Gas absorption air conditioning is the nicest thing that's happened to the climate inside of buildings since windows. Since it cools air with a minimum of moving parts, a gas system is quiet. Maintenance costs are low, too. And it's durable. A home gas cooling and heating system, for example, is estimated to last the mortgage life of the house. No wonder more and more homes, stores, motels, and large buildings have gas air conditioning. For free booklets on gas air conditioning, PG and E plus facts on equipment and service, just give us a call. Pacific Gas and Electric Company

425-PG-466

WHAT'S NEW IN ARCHITECTURAL **CERAMICS**





This pattern: Iron Cross

The newest and most flexible facade material, Contours® CV, recently introduced by INTERPACE. This facing has the authentic burned-earth look you find in INTERPACE ceramics. Its three-dimensional textures capture the intricate interplay of light and shadow, to add beauty and interest to interior and exterior walls. There is a wide choice of colors and patterns, to help you individualize designs. Or INTERPACE, with its talented design team, will work with you, if you wish, to develop original pieces from your own ideas.

Lightweight Contours CV is 113/4" x 113/4", with a nominal half-inch thickness and the advantages inherent in chemically inert ceramics. It is applied in the same way as adhesion CV or wall tile, and is priced to fit the budgets of most jobs. For helpful data on all architectural ceramics, both standard items and exciting new products, see the man from INTERPACE.



INTERNATIONAL PIPE & CERAMICS CORPORATION

Los Angeles - San Francisco - San Diego - Sacramento - Santa Clara - Portland - Seattle - Spokane - Salt Lake City - Denver - Phoenix - Honolulu (American Factors)

More Architects and More Engineers Subscribe to the Record.

... more than any other architectural publication. These same subscribers plan over 85 per cent of the dollar volume of all architect-designed building as documented by Dodge Reports.

For a complete study on the Record's top verifiable market coverage in the West and the rest of the country, write to: Architectural Record, Box 10, 330 West 42nd Street, New York, N. Y. 10036.





Put your best front forward with SUNBRELLA®

specify Sunbrella 100% Acrilan® outdoor fabric. They'll "out-look" everything on the market with their soft, your specifications by your local awning subtle colorings and patterns, their supple hand that drapes and tailors so well. which was a specification of the supple hand that drapes and tailors so well.

When you want an awning installation They'll "out-perform" all the others, that will enhance your exterior design, too. Glen Raven guarantees the fabric for 5 years from date of installation. Sunbrella awnings can be fabricated to





Glen Raven Cotton Mills, Inc., Glen Raven, North Carolina

For more data, circle 27 on inquiry card

Architecture's Most Experienced Editorial Staff...



...brings to its work on Architectural Record over 250 years' background in architecture, journalism, engineering, teaching and graphic arts.

With this depth of experience, the Record's 15 full-time editors have created an editorial climate which is unquestionably preferred by readers.

For your copy of 213 independently sponsored readership surveys, write to: Architectural Record, Box 10, 330 West 42nd St., New York, N. Y. 10036.

WITH GAS ABSORPTION AIR CONDITIONING:

"NO ACOUSTIC OR VIBRATION PROBLEMS...SAVES VALUABLE BASEMENT SPACE"

... says Building Supervisor

Bernard L. Probert

"Our gas-energized air conditioning equipment changes the air in our 200,000 sq. ft. building every 7 minutes, 24 hours a day, 7 days a week, quietly and without a quiver," says Bernie Probert, Building Supervisor for the Blue Cross Building in Los Angeles. "Because this equipment creates no acoustical or vibration problems, we were able to put the chiller on the roof, saving valuable basement space. That's partly why the owners switched to gas absorption air conditioning when they put up this building." The other reason? "Operating economy," Mr. Probert answers. "Including energy cost and



How Much Will it Cost?

It is common practice for the architect to employ consultants to advise on factors in the design of a project that requires a highly specialized knowledge.

One of the most important and most difficult of these to assess is the final cost.

The estimate of the cost of a building complex is a task that can be performed properly only by specialists who have been trained for it and who have practised both in the field of professional quantity surveying and in the estimating departments of general contractors' offices.


LeRoy Construction Services employ staff with this training and experience and offer a service that covers the full range of estimates, from those for comparative and preliminary purposes to fully detailed and priced final cost estimates.

LeRoy Construction Services

Quantity Surveyors & Estimators

768 BRANNAN STREET SAN FRANCISCO 3 UN 1-2483

ZIP CODE **SPEEDS** YOUR **PARCELS**



- 1. Packages are shipped by more direct route.
- 2. They are handled fewer times.
- 3. There is less chance of damage.

ZIP Codes keep postal costs down but only if you use them.



THE BEST THINGS IN LIGHT ARE G.E.















General Electric has freed you from the limits of tubes or points of light. Now you can actually have light "by the square foot" . . . from the G-E Panel Fluorescent, the world's only square lamp.

Coffered ceilings small openings signs mobile units can use from the G-E Panel Fluorescent, the world's only square lamp. Coffered ceilings, small openings, signs, mobile units can use these new Panel Fluorescent lamps. Only General Electric makes them. Find out more about them from your G-E Large Lamp Agent or write: General Electric Co., Large Lamp Dept., C-604, Nela Park, Cleveland, Ohio 44112.

GENERAL & ELECTRIC



Architect: Abbott, Merkt & Co., New York City

BORDEN ARCHITECTURAL DECOR PANELS: DECA-GRID

Shown above: Custom-designed Borden Deca-Grid panels with tilted spacers, used to separate and screen the service area at Saks in Garden City, Long Island.

With the Deca-Grid style, specifications for spacings and spacer bar positions may be varied almost indefinitely. Another variation available for Deca-Grid is known as the Slant-Tab variation—here the spacers are mounted at angles of 30°, 45°, 60° or 90° and the spacers (called Slant-Tabs) may be altered in length, depending

on angle of mounting selected.

All the Borden Decor Panel styles, including Deca-Grid Deca-Gril, Deca-Ring and Decor-Plank, are highly versatile in design specification and in application such as for facades, dividers, grilles, fencing, refacing of existing buildings, etc. Fabricated in standard or custom designs in sturdy, lightweight aluminum, Borden Architectural Decor Panels provide a handsome, flexible, maintenance-free building component.

Write for latest full-color catalog on Borden Architectural Decor Panels.

another fine product line of

BORDEN METAL PRODUCTS CO.

MAIN OFFICE: 822 GREEN LANE, ELIZABETH, NEW JERSEY

Elizabeth 2-6410

PLANTS AT: LEEDS, ALABAMA; UNION, NEW JERSEY; CONROE, TEXAS

When in New York City, see our exhibit at Architects Samples, 101 Park Avenue

For more data, circle 30 on inquiry card





Landscape firm wins competition for Copley Square in Boston

The firm of Sasaki, Dawson, Demay Associates has been named winner in Boston's Copley Square competition, for design of a major urban space in that city. According to the designers, "The proposed plaza design recognizes the need for each building to have its own setting, yet relate to the Square. The symmetrical facades of the library and the hotel are acknowledged and brought into the composition. The offset siting of Trinity Church [designed

by H. H. Richardson] is balanced by the sunken pool and fountain. Diagonal pedestrian movement is encouraged; the cascading steps gently entice the pedestrians visually and actually into the Square. While views from all sides into the plaza are unimpeded, once within the space, a sense of enclosure is provided . . .'

Second award went to Cooper & Auerbach, architects; third award to William A. Gould & Associates; first honorable mention to Herbert L. Hamilton Jr., Geoffrey Freeman, Peter Roudebush; and honorable mentions to Richard Foster, architect, and Earl L. Flansburgh & Associates.

Members of the jury were: Pietro Belluschi (chairman), Dan Kiley, Hugh A. Stubbins, Asa S. Knowles, Wilhelm V. von Moltke, Sidney N. Shurcliff, H. Russell Beatty, José Luis Sert, Roger C. Damon and Bryan E. Smith. Professional adviser was Charles G. Hilgenhurst.

Business and the arts combine interests in New York City

The holding of a conference, "Business and the Arts," at Lincoln Center in New York City on March 28 focuses attention on The New York Board of Trade, an organization nearly 100 years old, comprised of 1,200 major domestic and international companies based in the New York area. James T. Gill, vice president of Manufacturers Hanover Trust Company, is president of the organization. The Board's interest includes, but goes beyond, the maxim that "good design is good business," and it is actively involved in many programs to improve the total environment of the city and the region.

The Board of Trade (which, with Esquire Magazine, co-sponsored the recent conference) implements its objectives through two advisory councils: the Architectural Advisory Council and the Arts Advisory Council.

The Architectural Advisory Council, founded in October 1964 under the leadership of architect Max O. Urbahn,

THE RECORD REPORTS ON:

Twenty-story office building will blend gold-colored elements	111
Space research center has modular flexibility	111
Office building consists of two superimposed blocks	318

its first chairman, has concerned itself with such projects as a master plan for the city, waterfront development, and upgrading of neighborhoods. Mr. Urbahn saw its purpose as "largely educational in making business, industry, municipal agencies and civic groups more aware of the need for and the best means of making New York a more beautiful, efficient and inviting city for the millions of people who live and work here and for visitors around the globe."

Current chairman of the council is architect Lathrop Douglass. Other members include P. Whitney Webb, The Office of Max O. Urbahn, Architect, vice chairman; Morris Ketchum Jr., president of the American Institute of Architects; S. Hart Moore of Frederick

Frost Jr., and Associates; Max O. Urbahn, now president of the New York Chapter, A.I.A.; and William E. Delehanty of Evans and Delehanty, Architects.

The Arts Advisory Council, founded in July 1965 as a result of a proposal made by Arnold Gingrich, publisher of Esquire Magazine, in an address at the Board of Trade's first annual "Business in the Arts" Awards Luncheon last June, has four objectives: to define a corporation's opportunities and responsibilities for improving the cultural life of the general community, including civic beautification; to provide management with guidelines on the formation of company policy on cultural affairs and the implementation of specific programs; to act as a clearing house for providing information on specific projects and programs in the fine and performing arts; and to provide professional art and cultural organizations with opportunities for management counsel in financial and organizational methods and proceedures.

Clyde Matthews, president of The Public Relations Board, Inc., New York is chairman of the council, which is made up of 25 members, most of whom are prominent members of the business community.

At an informal meeting last month, when Thomas P. F. Hoving, New York City Parks Commissioner, addressed both councils, it was decided that a special committee of The New York Board of Trade should be established to act as a liaison between the business community and Mr. Hoving to come up with creative ideas to implement solutions for the beautification and improvement of city recreational facilities. P. Whitney Webb will head the liason committee.

A competition is likely for design of V.P. residence

The Vice President of the United States will eventually have a \$750,000 official residence in Washington, D.C., butbecause of the administration's anti-inflationary policy-not in the near future. Last month Congress authorized the funds to build an official home on the 10-acre rolling hillside of the present naval observatory tract along embassy row. Senator Mike Monroney (Democrat, Oklahoma), author of the bill, says: "I am sure that the GSA will secure, through appropriate procurement procedures, the services of highly talented architects to assist in the planning of this residence. This project should inspire a public design competition of unusual proportions. Certainly, many of the leading architects of the nation will want to submit their ideas for a residence of this kind. And certainly, the Fine Arts Commission, whose members are well qualified to pass judgment on matters of this kind, should be consulted. The Commission's expertise will help insure a final design choice that will reflect the best, most artful resources now available in this country."

President Johnson said on April 10, agreeing with an earlier statement by Vice President Humphrey, that this was not an appropriate time to go ahead and he would so advise Congress.

Speakers and more honorees named for A.I.A. convention

Final plans are being completed for the 98th annual convention of the American Institute of Architects to be held in Denver from June 26 to July 1. The theme of the convention, "Technology, Environment and Man," will be expanded upon by a speaker for each topic-Isidor I. Rabi, winner of the Nobel Prize in Physics, on "Technology"; Robert C. Wood, under secretary of the Department of Housing and Urban Development, on "Environment"; and Sterling Moss McMurrin, provost and, E. E. Ericksen distinguished professor of philosophy at the University of Utah, on "Man." John Kenneth Galbraith, economist, social philosopher, and Harvard University professor, will be the keynote speaker. As previously announced, Dr. Nathan M. Pusey, president of Harvard University, will give the second annual Purves Memorial Lecture.

A series of 10 professional practice workshops will be presented during two afternoons of the convention. To be held concurrently on June 28 will be sessions dealing with organization for practice; utilizing construction systems; supporting personnel; community action; and "the image of the city." The five workshops which will be presented concurrently on July 1 are: "urban design short course"; emerging techniques; A.I.A. documents; legislation; and "industrial architecture 1966."

The winners of four more annual medals have been announced. New Jersey artist Ben Shahn will receive the Fine Arts Medal; architect Alexander Girard will receive the Allied Professions Medal; artist Harold Balazs will receive the Craftsmanship Medal; and design consultant Gideon Kramer will receive the Industrial Arts Medal.

Four men will be awarded honorary membership in the Institute for "distinguished service to the profession of architecture or to the arts and sciences allied therewith." The recipients are: Henry F. du Pont, of Winterthur, Delaware, member of the board of directors of E. I. du Pont de Nemours & Company; Harold Bismark Gores, president of the Educational Facilities Laboratories, Inc., Ford Foundation, New York City; James J. Rorimer, director of the Metropolitan Museum of Art, New York City; and John G. Flowers, of Austin, Texas, executive director of the Texas Society of Architects.

Main social events of the convention will be the host Colorado Chapter party "Night at Historic Central City," a command performance of "Carmen" in the old Opera House, and the Annual Dinner and Ball.

HUD names two appointees; William Slayton leaves post


The Department of Housing and Urban Development has announced two new appointees. Wayne Phillips, former newspaperman and formerly a top staff member of the Democratic National Committee, has been named chief of public affairs for HUD.

Charles A. Dieman has been named Commissioner of the Federal Housing Administration for Technical Standards. He comes to HUD from the Post Office Department where he was in charge of the maintenance division that oversees upkeep of all post offices. Previously he had been in charge of building and maintaining all of the facilities of the National Bureau of Standards.

William Slayton, since 1961 administrator of the Urban Renewal Administration in the old Housing and Home Finance Agency, left HUD March 25 to become director of the new Urban Policy Center of Urban America, Inc. in Washington, D.C. To the regret of many architects, who have applauded Mr. Slayton's emphasis on design goals for urban renewal, Mr. Slayton was apparently not in line for the position of assistant secretary for renewal and housing assistance in the new Department.

Obituary

Charles Granger Jr., 52, partner in the Austin, Texas firm of Fehr and Granger, his wife, and their 14-year-old son Wallace Bruce Granger, were killed in a three-car automobile accident near New Braunfels, Texas, on March 20. Surviving the accident was a five-year-old daughter, Joan. The Grangers have two other surviving children: 15-year-old Charles Thomson Granger III, and 13-year-old Lauren Granger.




Pats. applied for

The new exclusive lock cylinder shown above baffles picking because multiple rows of interlocking pins bar the way to any picking tool. These new SARGENT MAXIMUM SECURITY SYSTEM lock cylinders can be opened only with unique special keys which cannot be duplicated on conventional key-cutting machines. Building owners, therefore, retain complete and proprietary control of all keys in their systems. And, since every installation is one-of-a-kind, there's never a chance of your keying system duplicating any other.

The SARGENT MAXIMUM SECURITY SYSTEM is particularly suited to installations where future expansion is anticipated, or where many levels of masterkeying are required. The building owner has the benefit of fifty times more safe key changes than in conventional cylinders, as well as four new levels of masterkeying never before available in any system. This means that you can expand the system without the necessity of rekeying or changing cylinders. For complete information see your Sargent distributor, or write: Sargent and Company • 100 Sargent Drive, New Haven, Connecticut 06509 • Peterborough, Ontario . Member Producers' Council.





SARGENT MAXIMUM SECURITY SYSTEM cylinders are available in all Sargent architectural locks and exit devices . . . whether standard, removable core, or construction core cylinders.



Cabin Crafts uses Acrilan® acrylic to make a complete line of contract/commercial carpet engineered precisely to specifications. You specify. . .we supply.

Cabin Crafts contract/commercial carpets of Acrilan acrylic pile are specially styled as well as specially engineered to assure the performance, durability and "heft" required for heavy-traffic installations.

Name the quantity... any quantity, and we'll deliver it on schedule.

Cabin Crafts made the contract carpet of Acrilan that makes such a beautiful impression in Georgia's unique new Archives and Records Building in Atlanta. Such an architecturally interesting building demanded an aesthetically rewarding carpet . . . one that still met the practical demands of exact specifications and built-in performance. These features made it easy for the architect to specify. . . Cabin Crafts.

Cabin Crafts contract carpeting of Acrilan acrylic pile creates warmth in broad expanse of Archives Building.



Quiet carpeting dramatizes stained glass and handrail (brought from original building) and steps to auditorium.

Cabin Crafts the choice for the new **Georgia Archives Building**



Sound conditioning with Cabin Crafts carpeting of Acrilan in library and research area.





Fully carpeted auditorium of Cabin Crafts carpet of Acrilan fiber for finer acoustics.

Write for your free copy of Cabin Crafts Contract/ Commercial carpet brochure. Write Contract Advertising Department, Cabin Crafts, Inc. Dalton, Ga. 30720












The Forest Biology Laboratory building and the library building at the New York State University College of Forestry, Syracuse, designed by The Office of Max O. Urbahn, complete a quadrangle with existing buildings. The biology building, with 12 greenhouses on the roof, arranges non-modular laboratories facing quadrangle. The library will contain 180,000 volumes.


The new campus for the Philadelphia College of Art, designed by Louis I. Kahn, consists in part of a concrete and glass superblock of five interconnected structures. From left: the nine-story library tower, and then four instructional buildings connected at the rear by a spine which will contain offices and student areas. A low theater structure is located in front. The campus will be built in the next 10 years at a cost of \$15 million.



The covered play area or "gymkhana" (from Hindi meaning a meet featuring sports) at the Elizabeth Morrow School in Englewood, New Jersey, designed by Delnoce Whitney Goubert, is a 27-foot-high semi-enclosed structure containing approximately 25 skylights and covering 10,000 square feet. Behind the gymkhana is a 400-seat, hexagonally shaped assembly hall, also by Mr. Goubert.








The new Metropolitan Opera House, designed by Wallace K. Harrison of Harrison and Abramovitz for New York's Lincoln Center, is almost ready to open; it has reached the stage of acoustical previews, and one of the grandest grand openings in history is scheduled for September 16. The hall is very grand indeed, both in size and spirit: 3,800 plush red mohair seats on six levels; 21 crystal chandeliers, gifts of the Austrian government; gold acoustical swirls on the ceiling; and panels of dark Congolese rosewood lining the walls. The 14-story, \$45.7-million structure will have a stage area six times greater than the present house.



commercial and housing development.




Left:

The Shell Building in Houston, designed by the Chicago office of Skidmore, Owings & Merrill with the Houston firm of Wilson, Morris, Crain and Anderson as associated architects, is a 650-foot-high, 47-story structure of reinforced concrete construction. Owner-builder is Gerald D. Hines Interests. Construction is expected to be completed in




The Union Bank Square Office Building in Los Angeles, designed by Harrison & Abramovitz, is a 40-story tower on a three-acre landscaped plaza which will cover a garage. The building will have a structural steel frame braced by concrete seismic shear walls. Window walls are set back four feet for sun shading. The exterior is finished with exposed natural concrete and anodized aluminum.




Herbert Bruce Cross

Gil Amiaga




The performing arts center at the University of Toledo, designed by Hugh Hardy & Associates, is a \$3.5-million complex which will contain a 500-seat chamber music hall, a 500seat thrust stage theater, workshops, classrooms, library, music listening room and other study areas. Construction on first phase will begin later this year.


London Daily Express



The Glasgow, Scotland, Cultural Center, designed by Archibald Jury, will group a repertory theater, a civic theater, an exhibition gallery, a restaurant, and a 2,500-seat concert hall around a large, landscaped pedestrian plaza. Under the plaza will be parking for 1,000 cars. Completion is set for 1970.



Gibson Photos Ltd.




The College of Veterinary Medicine at the University of Saskatchewan, Saskatoon, designed by Izumi, Arnott and Suciyama, is organized into five general areas for specific departments grouped around the central hub of the college. The four-level central area contains offices, three lecture-labs, library

reading rooms and other facilities.

Monaco's pavilion at Expo '67, the Universal and International Exhibition to be held in Montreal in 1967, designed bý Papineau, Gerin-Lajoie and Le Blanc, consists of 10 stucco cylinders surrounding a garden theater which will be covered by a huge multicolored parasol. The theme of the \$450,000pavilion is "The Joy of Living-the Reward of Men." Consulting engineers are Di Zazzo, Martinoli, and Vigneault.

©Louis Checkman





The Worcester Science Museum, Worcester, Massachusetts, designed by Edward Durell Stone, will house exhibit areas for life, physical, earth and space sciences. The building contains a planetarium with a 60-foot dome, an aquarium, a 200-seat lecture hall, a restaurant, libraries and other facilities. A small museum of rocketry is housed below a 175foot-high observation tower.

The Boston Architectural Center, designed by competition-winning architects Ashley, Myer & Associates, Inc., will be dedicated in week-long activities from May 8 to May 14, culminating in "The Future of Architecture" conference to be held on May 13-14 (April, page 35). The 30,000-square-foot structure will contain educational, display, administrative and social spaces.

Design and product improvement keys to building cost control

It's a pretty well-known fact that over the past 15 years or so, the rise in building costs has consistently outpaced the gain in most other cost indexes. And by far the largest part of this over-all increase in building costs has been confined to the construction labor component. Hourly wage rates paid to workers in the construction trades have doubled since 1950, while the price index for building materials has advanced only a shade over 20 per cent.

These high building wage rates have been getting more than the usual amount of attention and publicity lately—a condition which is perhaps best summarized by this comment taken from the latest (January 1966) annual report of the Council of Economic Advisors:

"Construction is clearly an industry that raises serious problems for wage-price stability . . . While estimates of labor productivity in construction are highly imperfect, they nevertheless suggest that the annual increase in output per man-hour is below the economy-wide average, and substantially below the annual increase in employee compensation."

The important relationship between wage increases and productivity that the

CEA stresses puts this problem into its proper perspective. For if there is a way to solve the problem of high and fast-rising construction labor costs, it is through improvement in the productivity (output per man-hour) of the construction worker.

In most manufacturing industries, the long-accepted means of raising productivity is by increasing the amount of capital equipment per worker. In construction, however, the limits of this route are quickly met.

Yet even if on-site construction labor productivity cannot be significantly stepped-up by the introduction of assembly lines, semi-automatic machinery, and computers as in the factory, much of the same effect can be, and is being, had through important innovations in construction methods, design, and materials. In fact, it could be said that architects, engineers and building products manufacturers are to a large extent responsible for much of whatever improvement in building productivity has been realized in recent years.


Illustrations of the development of new materials and the changes in building design and technology that go along with them are numerous. The use of sheet materials—plywood and wallboard—as basic coverings, or structural panels as higher-order applications of this principle, will do as an example. Roof trusses, prestressed concrete shapes, and other newly-developed structural members allow not only greater flexibility of design, but lowercost construction as well.


And when costs can be brought down in this way it is because such improvements in materials, design, and methods are actually providing the indirect solution to the problem of low job-site productivity. By designing some of the inefficient, high-cost labor out of the job altogether, or by taking it off the job-site and into the materials factory where labor can be used more efficiently, the architect and the building products manufacturers are boosting construction productivity in what is, after all, only a variation of the timehonored process of substituting capital for labor.

In the decade ahead we are going to be faced with a sharp acceleration in the demand for construction of all types. How much of this second-generation post-war building boom actually becomes a reality will depend on the industry's success in raising its rate of productivity.

George A. Christie, Chief Economist F. W. Dodge Company A Division of McGraw-Hill, Inc.

Building activity: monthly contract tabulations





Today's universities and colleges need modern communications: dormitory room phones, Tele-Lecture, Data-Phone* service, closed-circuit TV facilities, teletypewriter.

These complex communication services are essential not only in colleges but in all types of major buildings—plan for them in the blueprint stage and avoid costly alterations and unsightly wiring later.

Just call your Bell Telephone Business Office and ask for the Architects and Builders Service.



The information presented here indicates trends of building construction costs in 21 leading cities and their suburban areas (within a 25-mile radius). Information is included on past and present costs, and future costs can be projected by analysis of cost trends.

William H. Edgerton


Manager-Editor, Dow Building Cost Calculator, an F. W. Dodge service

FEBRUARY 1966 BUILDING COST INDEXES

		1941 averages for each city = 10									
Metropolitan area	Cost	Current Do	w Index	% change year ago res. & non res.							
	differential	residential	non-res.								
U.S. Average	8.5	273.2	291.1	+2.19							
Atlanta	7.2	307.9	326.7	+1.67							
Baltimore	7.7	276.5	294.1	+2.92							
Birmingham	7.5	252.1	271.0	+1.40							
Boston	8.5	247.9	262.4	+2.70							
Chicago	8.9	301.9	317.6	+1.95							
Cincinnati	8.8	262.3	278.8	+1.93							
Cleveland	9.2	280.2	297.8	+3.75							
Dallas	7.7	256.2	264.6	+1.83							
Denver	8.3	280.7	298.4	+2.43							
Detroit	8.9	275.4	289.1	+2.51							
Kansas City	8.3	246.7	261.1	+2.38							
Los Angeles	8.3	278.7	304.9	+3.11							
Miami	8.4	268.8	282.2	+1.34							
Minneapolis	8.8	272.2	289.3	+0.85							
New Orleans	7.8	246.3	261.0	+1.86							
New York	10.0	283.7	305.1	+1.57							
Philadelphia	8.7	271.8	285.4	+2.21							
Pittsburgh	9.1	256.5	272.6	+1.89							
St. Louis	9.1	270.4	286.5	+2.61							
San Francisco	8.5	352.3	385.5	+2.78							
Seattle	8.4	249.4	278.7	+2.22							

Differences in costs between two cities may be compared by dividing the cost differential figure of one city by that of a second; if the cost differential of one city (10.0) divided by that of a second (8.0) equals 125%, then costs in the first city are 25% higher than costs in the second. Also, costs in the second city are 80% of those in the first (8.0 \div 10.0 = 80%) or they are 20% lower in the second city.

ECONOMIC INDICATORS



HISTORICAL BUILDING COST INDEXES - AVERAGE OF ALL BUILDING TYPES, 21 CITIES

												1941 ave	erage for	each cit	y = 100.0
Metropolitan area	1952	1959	1960	1961	1962	1963	1964	1st	1965 (Q 2nd	uarterly) 3rd	4th	1st	1966 (Q 2nd	uarterly) 3rd	4th
U.S. Average	213.5	255.0	259.2	264.6	266.8	273.4	279.3	279.5	281.0	288.7	284.9	286.3	-	-	_
Atlanta	223.5	283.3	289.0	294.7	298.2	305.7	280.6	280.5	281.0	284.7	285.7	322.2	_	_	_
Baltimore	213.3	264.5	272.6	269.9	271.8	275.5	260.9	261.2	264.1	264.9	265.6	288.6	-	-	_
Birmingham	208.1	233.2	240.2	249.9	250.0	256.3	252.1	251.7	252.6	256.3	257.8	267.1	=	-	-
Boston	199.0	230.5	232.8	237.5	239.8	244.1	306.6	306.5	307.3	310.2	311.7	258.5	=	MANUE .	_
Chicago	231.2	278.6	284.2	289.9	292.0	301.0	313.7	313.9	317.9	320.6	321.5	312.6	-	-	-
Cincinnati	207.7	250.0	255.0	257.6	258.8	263.9	269.5	269.4	270.2	272.9	274.0	274.7	_	_	
Cleveland	220.7	260.5	263.1	265.7	268.5	275.8	283.0	282.3	283.4	290.8	292.3	293.0	_	-	-
Dallas	221.9	237.5	239.9	244.7	246.9	253.0	256.4	256.9	257.9	259.5	260.8	261.7	_	_	_
Denver	211.8	257.9	257.9	270.9	274.9	282.5	287.3	287.3	288.2	292.7	294.0	294.6	_	_	_
Detroit	197.8	249.4	259.5	264.7	265.9	272.2	277.7	277.7	279.3	283.5	284.7	285.5	-	-	-
Kansas City	213.3	239.6	237.1	237.1	240.1	247.8	250.5	251.2	252.0	255.0	256.4	257.3	_	_	_
Los Angeles	210.3	263.5	263.6	274.3	276.3	282.5	288.2	288.9	289.7	295.8	297.1	298.0	-	_	-
Miami	199.4	249.0	256.5	259.1	260.3	269.3	274.4	274.4	275.4	276.6	277.5	278.4	_	_	_
Minneapolis	213.5	254.9	260.0	267.9	269.0	275.3	282.4	283.4	283.6	283.9	285.0	285.7	1	-	_
New Orleans	207.1	237.5	242.3	244.7	245.1	248.3	249.9	250.5	253.1	255.1	256.3	257.1	-	-	-
New York	207.4	260.2	265.4	270.8	276.0	282.3	289.4	290.2	294.0	296.0	297.1	297.8		_	_
Philadelphia	228.3	262.8	262.8	265.4	265.2	271.2	275.2	275.5	276.4	279.5	280.8	281.7	-	16.5	_
Pittsburgh	204.0	241.1	243.5	250.9	251.8	258.2	263.8	264.0	264.9	265.9	267.0	268.9	_	_	_
St. Louis	213.1	246.9	251.9	256.9	255.4	263.4	272.1	272.9	276.1	279.9	280.9	282.2	_		_
San Francisco	266.4	321.1	327.5	337.4	343.3	352.4	365.4	366.6	366.9	367.7	368.6	376.2	_		-
Seattle	191.8	232.7	237.4	247.0	252.5	260.6	266.6	265.1	266.3	267.8	268.9	271.1		_	_

Costs in a given city for a certain period may be compared with costs in another period by dividing one index into the other; if the index for a city for one period (200.0) divided by the index for a second period (150.0) equals 133%, the costs in

the one period are 33% higher than the costs in the other. Also, second period costs are 75% of those in the first period (150.0÷200.0=75%) or they are 25% lower in the second period.

we may be making plastering too easy.

The new Gold Bond Uni-Kal single-coat veneer plaster system is so easy plasterers love it. So do builders and architects. Because it produces the appearance and surface performance of conventional plaster at lower than regular plastering cost. And fast. With good drying conditions, the surface can be decorated 24 hours after the plaster is applied. The system is really quite simple. Gold Bond Kal-Kore base is attached to the wood studs. Joints are reinforced with Kal-Mesh and a coat of Uni-Kal. After it has set, Uni-Kal is applied over the area and doubled



back to total thickness of 3/32", then troweled to smooth finish. Want to have a quality job at lower cost? Call your Gold Bond® Representative. Or write to National Gypsum Company, Dept. AR-56L, Buffalo, N.Y. 14225.





So who minds if it's easier?





PRESIDENT'S DINING ROOM

Series 7000 narrow projection door closers with covers; aluminum covers to match door hardware, wood covers to match door paneling. PRESIDENT'S DINING ROOM for the elegance of matching wood. An attractive closer installation for this formal dining room. POOL DIRECTOR'S OFFICE, an aluminum closer with an aluminum cover for an attractive installation that's impervious to this corrosive high humidity location. CAFETERIA entrance, a match between closer cover and door hardware to contrast with the dark door finish.



POOL DIRECTOR'S OFFICE



FOR DOOR CONTROL designed to meet every school building need

CHOOSE NORTON CLOSERS AND UNI-TROLS

Any door within a school can have unique or special requirements. These doors by their location, traffic pattern, adverse environment or esthetic requirement can pose a problem in the selection of proper door control.

Norton makes the most complete line of surface-mounted door closers and unitized door controls. When you specify Norton controls, you can choose from a selection of types that have been designed to meet all of the specific needs of your school doors.



PATIO ENTRANCE



GYMNASIUM ENTRANCE

Series 1600 Tri-Style Closers to match the narrow lines of modern aluminum doors. PATIO ENTRANCE, an attractive installation invisibly mounted to the top jamb providing control for this outside door. Even with a prevailing west wind, the door is under control at all times. GYM-NASIUM ENTRANCE, positive consistent control even during the heavy traffic through these high tracerops doers.



SERIES 1600


Tri-Style 8



SERIES 7000



SERIES 6100



INFIRMARY DOOR


Series 6100 Uni-Trol door control, a combination of door closer and door holder. INFIRMARY DOOR, an attractive installation in the school infirmary. During open hours, the door is held ajar to avoid congestion.

1117



NORTON® DOOR CLOSER DIVISION

372 Meyer Road, Bensenville, Illinois, 60106



SHADES OF DARWIN

Are design demands like adaptability and permanence really incompatible? In these times, why not buildings with adjustable rooms, functioning in an unrestricted, highly divisible vet controllable, air-light universe? The obstacle has been cost, until a most unusual performance specification was written for new schools in California*. This document required structuralmechanical suppliers to bid as collaborating groups, and to show integrated, compatible systems. One of the successful solutions is Space Grid™-a joint development by a halfdozen national companies**. Space Grid also incorporates several mechanical options beyond the spec, extending its application considerably further than institutional construction.

In this system, the structural-heating-coolinglighting-ceiling-partition systems become a single organism meeting high environment criteria in every classification. With these it allows swift, radical and convenient rearrangement of the comprehensive room plan. Space Grid adds the dynamic dimension of adaptability to room usage, and thus wards off obsolescence indefinitely. Survival of the fittest, you might say. Fast construction, single responsibility and better component performance are natural advantages of this approach.

Space Grid does not poke its nose into the design solution; nearly all its elements lie neatly concealed inside the service envelope above ceiling plane. For details see Sweets File, 2A/Bu. Or write direct to Architectural Systems Department, Butler Manufacturing Company, 7472 East 13th Street, Kansas City, Mo. 64126


*By the School Construction Systems Development project of the **Educational Facilities Laboratories.**

*Butler Manufacturing Company, E. F. Hauserman Company, Lennox Industries Incorporated, Owens-Corning Fiberglas Corporation, and other cooperating manufacturers. Space Grid is a trademark of Butler Manufacturing Company.

SPACE GRID SYSTEM

BIG CAPACITY IN Small SPACE

AEROFIN *Smooth-Fin*Heating and Cooling Coils



High ratio of surface area to face area

High air velocities without excessive friction or turbulence

Write for Bulletin S-55

AEROFIN CORPORATION

Lynchburg, Virginia 24504

Aerofin is sold only by manufacturers of fan system apparatus.

List on request.

ENGINEERING OFFICES IN PRINCIPAL CITIES

SHOWERING IN THE ROUND...

A UNIQUE SHOWER ROOM CREATION STARRING

BRADLEY SHOWERS

What's new on the shower room scene? Not Bradley Group Showers. They've been fixtures in schools for years.

But school planners continue to discover new, unique ways to save space and money in shower room installations using Bradley Group Showers. Like "showering in the round."

That's because Bradleys offer complete layout flexibility. So, they turn even limited spaces into high capacity shower rooms.

And Bradleys save. Six-person Column and Multi-Stall Showers require only one set of piping connections, cutting installation costs as much as 80%.

Next time you plan a shower room, save space, cut costs. And go creative. Go Bradley!

For complete details, see your Bradley representative. And write for latest literature. Bradley Washfountain Co., 9107 Fountain Drive, Menomonee Falls, Wis. 53055.







Veloure – the new concave, acid-etched Controlens from Holophane

Specify Veloure wherever you want the warmth and true color-values of prismatically-controlled incandescent illumination, plus the discreet good looks of truly recessed lighting.

Veloure is Holophane's new family of round and square glass lenses for recessed ceiling lighting. Each lens is precision-engineered to deliver uniform, prismatically-controlled illumination with low brightness.

Concave for recessed lighting

The concave design of each Veloure lens assures completely unobtrusive illumination. The lens literally recesses itself nto the ceiling. Concentric rings of prisms in the face of the ens distribute light evenly at all angles up to 60 degrees.

Acid-etched for velvety beauty

On the back surface of each lens, light-spreading flutes radiate from the center to obscure the lamp and keep lens prightness low and comfortable. This back surface also has an acid-etched, velvet texture that gives each lens a subtle, frosty look. This acid etching helps eliminate all glare and "hot spots".

Range of sizes

Veloure lenses are available now in standard sizes ranging from 6" to 11" in diameter, in luminaires produced by Holophane and other leading manufacturers. Veloure is the *perfect* lens for lighting banks, ounges, restaurants, lobbies—wherever you want the finest in recessed incandescent lighting.

For additional information on Veloure lenses, including photometric reports, write: Dept. H-5, Holophane Company, Inc., 1120 Avenue of the Americas, New York, N. Y. 10036.

Frank Lloyd Wright, Designer.


William Wesley Peters, Architect, Taliesin Associated Architects.


Veloure Lenses in Marco Fixtures

Veloure Controlens® by

HOLOPHANE

For more data, circle 45 on inquiry card





This new rebar support is made of stainless steel!

(Can't stain concrete. Eliminates plastic spalling.)

It's stronger than other supports

(Holds a greater load without spreading or dropping.)

It's priced low!

(Your total cost will usually be less than plastic-coated supports — on the average job.)

It's just one of the new Sure-Grip stainless steel concrete reinforcing supports that eliminates rust stains and plastic spalling on exposed concrete surfaces. Does away with troublesome plastic coatings that often pull off, crack or become soft.

The combination of stainless steel and the new design of the legs makes these supports stronger than others. They're less likely to spread and drop if overloaded. Keep your reinforcing in proper position.

These new supports don't cost any more than plastic-coated types, usually less; and, they're easier and more economical to place on the job.

Sure, we still make other rebar supports from different materials and with plastic coating, but architects and contractors have asked us for stainless steel supports where non-staining qualities are required. Now you can get them from us . . . exclusively.



Write for free sample, literature, Pittsburgh Testing Laboratory report, prices and name of your local Sure-Grip distributor. See our complete catalog in Sweet's.

THE DAYTON SURE-GRIP & SHORE COMPANY

Main Office & Factory —721 Richard St., Miamisburg, Ohio Southern Office & Factory—1400 5th Ave., South, Birmingham, Ala. Western Franchise Mfr.—Euclid Metal Products Co., 2349 Jefferson Street, Torrance, California

continued from page 64

Houston won the new industry a the turn of the century, and Galvestor fell into a Houston-centered-orbit and suffered its own decline. In the words of John Gunther, Galveston today is like "a fly in amber-not decayed but arrested." Its older, treasured buildings have remained intact. Many were designed by Nicholas J. Clayton, others by lesser names. Presented here are more than 100 black-and-white photographs-having the stylistic differences of Henri Cartier-Bresson and Ezra Stoller-which provide magnificient documentation of the buildings. Howard Barnstone, an architect and professor of architecture, assembled these photographs and has provided very helpful commentary and notes on the buildings.

Ekistics

URBAN RENEWAL AND THE FUTURE OF THE AMERICAN CITY. By C. A. Doxiadis. Public Administration Service, 1313 East 60th St., Chicago, Ill. 60637. 174 pp., illus. \$6.00.

Doxiadis has turned his attention toward America in this study prepared for the National Association of Housing and Redevelopment Officials. His programs have caused an ambivalence of response in the architectural community.

This report is based on his understanding of human settlements as a whole. This understanding has been projected on to the human problem of urban renewal. In effect, the projection is a policy and a program for the reconstruction of urban areas to make them dynamic and habitable.

An international architect-planner, he observes that "urban renewal is an imperative need for the survival of our cities, in which we have invested so many of the values created by our civilization...the basic ideas that have inspired the work for this report are:

1) urban renewal is of the greatest importance; and 2) it can be successful if seen as one aspect of the over-all effort to save our cities and build the cities of the future."

BOOKS RECEIVED

MILANO. Edited by Bruno Alfieri. Wittenborn and Company, 1018 Madison Ave., New York, N. Y. 10021 Unpaged, illus. \$20.00.

THE PLANNER IN EMERGING SOCIETY – A CON-FRONTATION. Proceedings of the 48th Annual Conference of the American Institute of Planners, 917 15th St., N.W., Washington, D. C. 20005. 104 pp. \$4.00.

continued on page 76



Now! acoustically rated...in wood

Now, for the first time, you can solve space, cost and sound problems with beautiful, acoustically rated, wood folding partitions. For the first time, you can specify wood folding partitions that are individually engineered to specific size and stress requirements scaled to the aesthetic needs of each new space.

Augmenting our popular Scale/4 series of wood folding doors and our economical Scale/8 wood folding partitions are two new entries that make Panelfold the most complete line available: the new, massive Scale/12 single panel partition, sound rated at STC • 25, and the magnificent new Sonicwal, twin panel partition, sound rated at STC • 36... the industry's only sound rated, wood folding partitions.

For real beauty, you can't beat Panelfold's selection of genuine wood veneers. For extra-rugged school-type duty, remember, only Panelfold offers Formica® clad partitions in fine wood grain finishes and contemporary colors. Surprisingly enough, Panelfold is competitively priced with products of lesser quality. Now see Sweet's, or write us . . . and discover how genuinely good wood can be with Panelfold.


PANELFOLD WOOD FOLDING DOORS AND PARTITIONS SCALE/4 SCALE/8 SCALE/12 SONICWAL®

1090 E. 17th ST., HIALEAH, FLORIDA International Licensed Manufacturers: Ligno-Metall, E. Kuhny & Co., Bludenz, Austria • Panelfold de Costa Rica, San Jose, Costa Rica • Lenscrete, Ltd., London, S. W. 8, England • Patricio Meña Durini, Quito, Equador • Ribas Y Pradell, S. A., Barcelona, Spain • Industrias Macuto, S. A., Caracas, Venezuela • Dominion Chair Co., Ltd., Frankton, New Zealand • Panaire, Juan D. Larach & Cia., San Pedro Sula, Honduras • Joh. H. Ekeberg & Co., Oslo, Norway • Etablissements Briant, Romilly-Sur-Seine (Aube), France • Confinans, Ltd., Lisbon, Portugal • Espero N.V., Rotterdam, Holland.









Architects - like insurance companies - keep risks to a minimum. They do it with GLOBAL

GLOBAL installations provide peace of mind for architect, building owner, tenant. Our policy of quality construction, accessibility of parts, and ruggedness that withstands heaviest traffic, insures freedom from maintenance worries-and there's no premium for these extra advantages.

That's why so many are sold on GLOBAL Toilet Compartments for life! You'll find GLOBAL across the country, in office buildings, banks, schools, shopping centers, hotels, hospitals; wherever you find people.


Toilet Compartments, Shower Stalls, Dressing Rooms in Stainless Steel, Baked Enamel, Porcelain Enamel, and Plastic Laminate



When Only the Finest is Good Enough

BAL Steel Products Corp. Subsidiary of Whittaker

95-E Marcus Boulevard, Deer Park, Long Island, N. Y. 11729 See our catalog in Sweet's Architectural File 22b/GL



Gulf Life Tower, Jacksonville, Florida

Architects: Welton Becket and Associates, Los Angeles, California Kemp Bunch and Jackson, Architects, Jacksonville, Florida

school traysYour MODERN. LOW-COST

answer to classroom storage problems!



Made of sturdy high-impact plastic, with high gloss finish
 UNBREAKABLE in normal use

■ Understand the second surfaces resist soiling — easily cleaned
■ Lightweight and easy to handle — even by small children
■ TWELVE sizes with label holders, to fit all standard stor-

age systems ■ Beautiful pale tan, grey or

green colors
These VERSATILE trays are solving classroom storage problems, KINDERGARTEN through COLLEGE

Write for details TODAY!

The FABRI-FORM Co. Byesville 4, Ohio



For more data, circle 49 on inquiry card

Keep New York **Plastered**

TELL THE PEOPLE FOR WHOM YOU CREATE BUILDINGS THAT THERE IS A WAY TO PROVIDE STYLE AND STILL STAY WITHIN BUDGET.

THE PLASTERING INSTITUTE OF GREATER NEW YORK

For more data, circle 51 on inquiry card

♦ For more data, circle 48 on inquiry card



@1966 Brulé C. E. & E.


Brulé it

Look Around Is trash wasting space and man-hours? Costing unnecessary scavenger fees? Inviting fire, vermin, pilferage? Interrupting production? Discoloring your public image? No wonder you see red (and it might amount to as much as \$100,000 on the P and L statement). After all, old disposal methods can rob you blind! Want to do something about it? Write for booklet, "Seeing Red!"

Brulé designs, engineers, installs and programs plant-wide systems to move, collect, recover or destroy industrial wastes—liquid, solid or gas—to keep you out of the red. Brulé C. E. & E., Inc., 13929 So. Western Ave., Blue Island, Illinois 60406.



In Phoenix . . . the new Western Financial Center uses UNI-PRESSURE *



Installation photo of the Uni-Pressure System at the Western Financial Center. Equipment is designed to provide a maximum of 200 GPM and a system pressure of 132 psi.

Owner: Western Savings & Loan Association

Architect: Bank Building and Equipment Co. of America

Contact your nearest Chicago Pump distributor, or write direct for complete descriptive Bulletin 110.



@1966 FMC CORP.

HYDRODYNAMICS DIVISION

CHICAGO PUMP

622 Diversey Parkway . Chicago, Ill. 60614

A Tankless...Constant Pressure . . . Constant Speed Water Booster System

The Uni-Pressure System provides the modern Western Financial Center in Phoenix, Arizona with water at all times . . . at constant pressure . . . despite varying flow demands.

The increasing usage of the Uni-Pressure System in new buildings such as the Western Financial Center, Northwestern National Life Insurance Building in Minneapolis, Minnesota, Belle Plaza in Miami Beach, Park City West in Philadelphia, and Marina City in Chicago indicates the wide acceptance of this system. Over 600 system sales to date include the following advantages:

CONSTANT SPEED-No complex speed changing devices

CONSTANT PRESSURE-No "hunting" of control resulting in serious pressure variations

LOWER COST-Normally lower in cost than speed changing systems

LESS SPACE NEEDED—Requires space only for standard pump

STANDARD SIMPLE CONTROL-No complex electrical, mechanical speed changing devices

NO TANK REQUIRED—Eliminates cluttered machinery room

NO SLIPPAGE—Speed changing drives have slippage factor—as much as 15%

New THRU-CHIP PASTELS by RUBEROID

A RUBEROID Original

The tile below has been turned down to show the pattern goes all the way through!

3581 Salonika

3580 Corfu

3582 Corinth

3583 Melos

3584 Andros

A light look in heavy duty vinyl asbestos

Thru-Chip Pastels have an unusual light reflective quality especially suited to areas which require additional light – schools, hospitals, institutions, office buildings, corridors.

This stonelike pattern is compatible with modern as well as classic design and decor. It has the undated look demanded of a long-term investment in flooring. Ideal for heavy traffic because the pattern won't wear off even when the tile wears down.

Maintenance cost is low. The smooth, clean surface


tends to repel normal traffic stains—is easily maintained with routine cleaning.

A sampler of the complete color line is available for your files. Call your Ruberoid representative to deliver it to you. He also has many other "Ruberoid Originals" to show you, in standard and heavy gauge.

RUBEROID FINE FLOORING

733 Third Ave., New York, N.Y. 10017

Available in 12" x 12" tiles, $\frac{1}{6}$ " and $\frac{3}{2}$ " thickness, in the 5 colors illustrated above.



Part 12, 1966 BOOK OF ASTM STANDARDS ON CHEMICAL-RESISTANT MORTARS, PLASTIC STRUCTURES, CLAY AND CONCRETE PIPE AND TILE, MASONRY UNITS, ASBESTOS-CEMENT PRODUCTS, BUILDING STONE. By the American Society for Testing and Materials, 1916 Race St., Philadelphia, Pa 19103. 468 pp. \$9.00.

AN INTRODUCTION TO BASIC SUPERVISION OF PEOPLE. By Raymond J. Burby. Addison-Wesley Publishing Company, Inc., Reading, Mass. 175 pp., illus \$4.95.

THE ARCHITECTURE OF AMERICA. By John Burchard and Albert Bush-Brown. Atlantic-Little, Brown, 34 Beacon St., Boston, Mass. 02706. 481 pp., illus. Paperbound, \$3.95.

THE SEARCH FOR ENVIRONMENT. By Walter L. Creese. Yale University Press, 149 York St., New Haven, Conn. 360 pp., illus. \$15.00.

DIMENSIONS OF THE 20TH CENTURY: 1900-1945. By Robert L. Delevoy. Skira, Distributed in the U. S. by The World Publishing Company, 119 W. 57th St., New York, N. Y. 10019. 224 pp., illus. \$20.00.

THE RESTLESS ART, A History of Painters and Painting 1760-1960. By Alan Gowans. J. B. Lippincott Company, East Washington Square, Philadelphia, Pa. 19105. 414 pp., illus. \$9.95.

THE WORLD CITIES. By Peter Hall. World University Library, McGraw-Hill Book Company, 330 W. 42nd St., New York, N. Y. 10036. 256 pp., illus. Hardbound. \$4.95; Paperbound, \$2.45.

BUILDING WITH STEEL. By Don A. Halperin. American Technical Society, 850 E. 58th St., Chicago, Ill. 267 pp., illus. \$6.00.

FASTENER STANDARDS. By the Industrial Fasteners Institute, 1517 Terminal Tower, Cleveland, Ohio 44113 401 pp., illus. \$7.50.

EARLY CONNECTICUT HOUSES, AN HISTORICAL AND ARCHITECTURAL STUDY. By Norman M. Isham and Albert F. Brown. Dover Publications, 180 Varick St., New York, N. Y. 10014. 303 pp., illus. Paperbound. \$2.25.

HIGH DENSITY LIVING. By Rolf Jensen. Frederick A. Praeger, Publishers, 111 Fourth Ave., New York, N. Y. 10003. 245 pp., illus. \$20.00.

THE AMERICAN CITY, AN URBAN GEOGRAPHY. By Raymond E. Murphy. McGraw-Hill Book Company, 330 W. 42nd St., New York, N. Y. 10036. 464 pp., illus. \$10.95.

YEARBOOK of the National Institute for Architectural Education, 115 E. 40th St., New York, N. Y. 10016 132 pp., illus. \$5.00.

THE STRUCTURES OF THE MODERN WORLD 1850-1900. By Nello Ponente. Skira, Distributed in the U. S. by The World Publishing Company, 119 W 57th St., New York, N. Y. 10019. 210 pp., illus. \$20.00.


AUTOMATED DATA PROCESSING IN STATE GOV-ERNMENT: STATUS, PROBLEMS, AND PROSPECTS. A Study of the Council of State Governments and Public Administration Service. Public Administration Service, 1313 E. 60th St., Chicago, Ill. 40 pp. \$5.00.

DUTCH HOUSES IN THE HUDSON VALLEY BEFORE 1776. Dover Publications, 180 Varick St., New York, N. Y. 10014. 467 pp., illus. Paperbound, \$3.00.

ARCHITECTURAL DRAFTING. By George K. Stegman and Harry J. Stegman. American Technical Society, 850 E. 58th St., Chicago, Ill. 455 pp., illus. \$6.95.

THE DOLLARS AND CENTS OF SHOPPING CENTERS 1966. By the Urban Land Institute, 1200 18th St., N.W., Washington, D. C. 20036. 191 pp. \$16.00.

URBAN REAL ESTATE RESEARCH 1964. By Jerome P. Pichard and Gene C. Tweraser. Research Monograph 11, Urban Land Institute, 1200 18th St., N.W., Washington, D. C. 20036. 90 pp. \$4.00.



IRVING SUBWAY GRATING CO. DIVISION OF HARSCO CORPORATION


THE ORIGINATORS OF THE GRATING INDUSTRY

50-62 27th St., Long Island City, N.Y. 11101 • 1819 10th St., Oakland, Calif. 94623 460 E. Donovan Rd., Kansas City, Kan. 66115 • Enrejados Irving De Mexico S. A., Mexico 18, D.F.



"Even small lots can borrow space from the horizon; midtown greens and lakelets can enrich this loan."

RICHARD NEUTRA




The Space Saver Research House, first built by Neutra in 1932, tragically burned. Now again it faces Silver Lake. The charcoaled west front trees are replaced by tall shading louvers automated to follow the sun. Bottom left picture "And the landscape of nature extends from the horizon right through our skin and millions of sense receptors into our innermost being." (The anti-heat glass penthouse island is surrounded by a reflecting water roof.) Bottom right picture "Even in midtown architects cannot abandon the green and red-blooded world for one that is anemic, drab, humdrum, sensorially impoverished." The Richard J. Neutra Institute's Research House, Los Angeles, California, 1966 Richard and Dion Neutra, architects



"Density amidst wide spaces is an age-old recipe." Neighborhood project, Channel Heights, Palos Verdes, California. Richard and Dion Neutra, architects.





n this article we report hard I. Neutra's views on hitecture and mass popuon. Because we feel carpetis the concern of the hitect, we confess to draw-Mr. Neutra out on the ce of carpeting in a well-pled world.

Population explosion uld be scientifically manable, much more so than ce travel," says Neutra. rchitects can find ways to —accommodating instead vaguely dreading mass ulations."

even in the difficult probof mass habitation atra is steadfast in his rect for man's basic nature. every kind of structure and every kind of situation, is Neutra's philosophy. le and technique evolve urally from service to n's physiological-psychoical needs.

These primary needs stay h us; they do not obsoe, and when needed prosare designed with these ds in mind, they too will safe against obsolescence. In projects are often now staggering size, and we ply can't afford their denif they do not support and health."


Veutra's studies for an al town, "Rush City Remed," which he worked in the early twenties, are tainly not obsolescent. In they are more pertinent ay with our increased pop-

ulation, our far-flung suburban fringe, and our noisy, sprawling, spur-of-the-moment cities.

"There can be no doubt that the prehistoric biological plan of nature was for human beings to be well spaced in the landscape. In the future, physiological needs will have to be artificially fulfilled if ever greater population densities are made agreeable."

These needs are fulfilled in the Bewobau housing projects designed by Neutra and his collaborators recently near Hamburg, Frankfurt, Wiesbaden — German suburbia where land is scarcer than here. They contain hundreds of houses, some nine different types, on small plots. Interlocked yet protected by walls and hedges, each house is screened from the others, and lives within its own small, individually designed garden.

In this country the Richard J. Neutra Institute's Research House in Los Angeles, where Neutra tests theories, materials, and, above all, human responses, proves what can be done with a tiny, midtown plot of ground. The Research House is built on a 60- by 70foot lot, but it has space for three families, get-togethers, and seminars. Facing Silver Lake, it is on a highly trafficked street, but you don't suspect this, once you're inside the green hedge keeping out the city sidewalk. Here





3.

1. The freeway passes a commercial link between domestic zones.
2. One-structure-downtown. Rialto bridges, paralleled by intimate small shops, cross over landscaped or covered parking areas, with a world of rolling traffic beneath.
3. "Ribbon City" with a backbone of high rise buildings and lateral exfoliations of complete residential neighborhoods, each self-centered.

4. Main rapid transit station with helicopter top.
All four pictures are from R.C.R. Rush City Reformed studies by Neutra in 1923.



"The big problem with an ever smaller spacing between human beings is setting the scene so that, some of the time, they can sense each other less." Bewobau housing project near Hamburg, Germany

Neutra and Associates, architects



"Mohammed, a successful, real politician, if there ever was one, said: 'If I had two coats, I would sell one and buy white hyacinths for my soul.'"

Neutra, the humanist, is also Neutra, the magician. Trees, foliage, and small pools here and there outside the glass fronts on the first, second, and third levels (Neutra calls these pools "psychological moats") make you feel you're within a woods. Reflecting glass, heat-mirroring in different degrees according to orientation, multiplies trees and shrubbery and sky and pools beyond their limits by day-and even more so by night with dim, indirect, white illumination melting with moonlight. And the inch-deep pools, gently wrinkled by the breeze, reflect space. You see and feel only a world of nature, and you forget that a man has contrived it all within the tight central area of a vast metropolis.

The "cures for tightness" continue inside the house. It is full of expanses and experiences. Here glass lets in light and sky and reflecting pools so that rooms seem to go on and on in space.

Carpeting is one of the "space variegators." It varies and defines space for both eye and ear. It half-consciously sections off an area for specific use. Here is a carpetquieted space for relaxed talking. There is a carpeted dining or formal conference

space. In between is wood, for Neutra likes to give the ear the variety of sounds one makes going from carpet to wood to carpet. He also likes a diversity of feeling for our many muscles which record resiliencies. He stretches space by inserting a "wealth of experience." It is not just a matter of square feet.

Perhaps his most surprising effects are achieved with lighting. At night by rheostatically dimming and again brightening lights, half-transparent glass superimposes mysterious images over floors and makes their surfaces seem to overlap and expand outward. Again a feeling of space is added. An entire room is given the warm glow of a fireplace with soft lighting from the toe recess of bookshelves skimming the carpet pile.

Having fully enjoyed the aesthetic, functional, and dramatic effects Neutra has achieved with carpeting, we asked him about its practicality in mass habitation.

"I once lived for a year in a Moslem harem, or rather, under the same roof with one. It had a great number of children and thin hardwood partitions. If populations reach that kind of density, the Oriental custom of rugs (which preceded our full-sized carpeting) seems a blessing, a foregone conclusion, almost a necessity for survival.

"We can hardly depend on choices or decisions of the individual tenant as to how he wants to support, or mitigate his weight and impact on the floor, or cut down vibrations in his room which are being originated by his moving around chairs, trick-tracking or dancing on a noisy sort of surface, selecting a television program which may not coincide with the choice of his neighbors on the side, or the people below. Thermal and visual problems within his four walls can be his own affair, but when it comes to his acoustical spread, he is a public menace. Shall we live with plugs in our ears?

"You ask me about carpeting. I am, with my zest for science truly applied, only interested in the mission of keeping humanity, in its ever remade setting, as sane and sound as we can. Well, carpeting may have been considered a luxury when people were scarce, and space between them large, but this will no longer be so when population densities are on the steep increase. To soothe nerves within and around rooms filled with ample humanity will be a formidably mounting job, unless people learn to move about as deftly as bats. I'm afraid they won't."

Neutra says he can see car-

pets used on ceilings, as partitions, or in lieu of them. "We can redirect sound where we want it, or swallow it up when we place such absorptive fabrics with judgment, underfoot, on walls, or overhead, as they best supplement each other."


Neutra went back to his main theme of how, in tightly populated cities, the architect must make up for man's loss of natural surroundings. "In the future they will have to be artificially substituted, and, nevertheless, their eternal role fulfilled if ever greater densities should be made bearable.

"Surfaces, however synthetic, must have a natural feel; that means they must tend to associate with ancient experience of mankind." Neutra mentioned how carpets have their link to grassy ground and the colorful spread of meadows in bloom.

"We shall never *learn* to be unnatural; rather we must learn to supply in much sensitive detail what our nature unavoidably needs."

One feels that no matter how many men cover this earth Neutra would build a house that favors a man's growing, the way a friendly greenhouse favors a plant's. For Neutra's first love is man.

Carpets of our fibers—Acrilan® acrylic pile and Cumuloft® nylon pile are developed by man to fill man's aesthetic and practical new We would like to tell you more about them. Write to Carpets for Architects, Chemstrand, 350 Fifth Avenue, New York, N. Y. 10 On Readers Service card, circle no. 313



See Heather install a new FenDry "Clamp-On" frame, complete with a flush-seamless Executive door in ten minutes, fifty-four seconds ...while Ed puts up a conventional frame in the conventional way. FenDry (U.S. patent applied for) is the fastest Drywall frame with a UL Label—and the Executive door is the first standard flush-seamless to earn the UL "B" Label. Send for this new film to show at your next architectural or contractor meeting. Just phone your local Distributor or write Fenestra Door Division, 4040 West 20th Street, Erie, Penna.

Visit our Booth #55 at the C.S.I. Convention in Boston May 23-25





With Densylon, made with ACE nylon, you can specify carpet where carpeting was never practical before.

And with complete assurance. You can carpet every square inch of every floor in any building. Office buildings. Hospitals. Schools. Banks. Supermarkets. Public buildings. Even automobile showrooms, elevators, and loading ramps.

You can do all this with Densylon*-and only Densylon. Densylon is the only carpet that keeps every promise other carpets can't because it's different from any other carpet. Densylon is carpet turned upside down; tough on top, soft on bottom. ACE™ nylon, Allied Chemical's specially engineered contract nylon in a tightlytwisted, high-density pile is bonded to a 346" backing of sponge-rubber. You don't get that with any other flooring.

Densylon's unique pile is so dense that dirt can't sink in. So tight that the pile can't be pulled up. So tough that furniture legs and spike heels can't mar it. No Densylon installation has ever worn out. Not even the Densylon in the General Electric Pavilion at the New York World's Fair, walked on by more than 15 million persons.


And the biggest pay-off: Densylon actually pays for itself with savings in maintenance alone. Costs at least eighty cents a square yard less to maintain in showcase condition than any other flooring-hard or soft. Vacuums clean in half the strokes ordinary carpets need. Spots and stainseven grease, sponge-mop right off the ACE nylon pile. No scrubbing, waxing, stripping ever.


Densylon's wide spectrum of colors and patterns makes it easy to add prestige, beauty, quiet, warmth and comfort to every floor - with confidence and economy. There are endless applications for

10 West 33rd St., Dept. AR-5 New York, N. Y. 10001	
Attention: Mr. Oliver A. Wyman	Check
Please send complete information	Here
about Densylon.	
Please send your representative to give us cost estimates on approximately square yards	
Name	
Address	
AddressState	

Densylon WITH ACE Allied Chemical







The Worship Committee of this church asked the architect to "express the central concept of 'at homeness'." An exterior sheath of red cedar handsplit shakes was a significant part of his answer. Red cedar shakes have a way of looking appropriately formal at a moderate distance, yet growing increasingly "at home" as they are approached. Up close, they seem at once dignified and free of all pretense. And red cedar's honest qualities are more than skin deep. Each shake

packs all the toughness and reliability that you might expect to find in one of the most durable woods on earth. There's more detailed information on Certi-Split handsplit shakes (and Certigrade shingles) in our Sweet's catalog listing, 8d/Re. Or give us a call, or write.

RED CEDAR SHINGLE & HANDSPLIT SHAKE BUREAU

5510 White Building, Seattle, Washington 98101 (In Canada, 1477 West Pender Street, Vancouver 5, B.C.)

JOINT-VENTURE **PRACTICE**

PROBLEMS, PROCEDURES AND OPPORTUNITIES

How one architectural office has developed the joint-venture technique for handling sophisticated problems in extraordinary commissions-whether the project is large or small.

A joint venture in architectural and engineering practice is a close contractual union, a "civil marriage" so to speak, between two or more professional firms for the purpose of bringing their combined resources to bear on the acquisition and/or execution of a commission. Usually, the commission is a complex one, and the union terminates on completion of the single job for which it was created. As with most marriages, civil or otherwise, there is a great iceberg of problem-solving savvy under the bright surface of compatibility.

These are some of the characteristics summarized by Max O. Urbahn in a review of some 20 years of experience with the joint-venture technique. Current participation in various joint ventures, although by no means an exclusive preoccupation of The Office of Max O. Urbahn, provides a broad view of the adaptability of this mode of operation to sophisticated problems. Some of these ventures, shown on following pages, include: the world's largest enclosed volume (the Vehicle Assembly Building at Merritt Island, Kennedy Space Center), the world's most powerful nuclear particle accelerator (a milediameter, 200-bev cyclotron for Lawrence Radiation Laboratories) and a relatively modest lecture hall and cafeteria for an international clientele (at AEC's Brookhaven facilities).

The joint venture operates somewhat like a partnership

The joint venture, Mr. Urbahn points out, has some of the operating characteristics of both a partnership and an association but differs from each at key points. The joint venture is more tightly drawn than the association in its joint commitments to the client and in the formal definition of member responsibilities. As in a partnership, all participating members of the joint venture are individually and jointly responsible to the client for completion of the whole job. Unlike the partnership, however, the joint venture has no continuing existence beyond its one-job purpose. As an entity, it retains no profits and is therefore not taxable. That is, all profits are disbursed to participating firms on an agreed basis and are taxable as income to those firms.

Joint ventures in which the Urbahn firm participates generally work under two agreements: first, the joint-venture agreement itself, which stipulates the purpose, composition and operating principles; second, the operating agreement, which details the day-to-day work assignments and contributions, financial and otherwise, of member organizations. Similarly, there are two checking accounts; one into which all monies received by the venture are deposited and from which withdrawals require signatures of two or more participating principals; the other is an operating account which receives its funds from the first and is disbursed by the single signature of a managing director designated by agreement of the joint venturers.


A policy board makes all the rules

Such agreements, and all other matters of policy and joint commitment, are the province of a policy board or executive committee established specifically by terms of the joint-venture agreement. This board consists of a designated principal and alternate from each participating firm.

Regarding the operation of the board, Mr. Urbahn holds two strong opinions: first, that each of the member principals should be of equal status in his authority and responsibility to the client; second, that the board should operate on a basis of unanimous agreement in matters of management policy. It is possible, says Mr. Urbahn, to operate on a basis of majority rule. Or the joint venture can also operate under decisions of an executive elected by participating members. Either of those two methods, however, undercuts the



Now...the big ones are going All-Electric!



More and more architects and engineers are finding that all-electric design, with flameless electric heating and cooling, can hold down first costs for clients in buildings of all types through the elimination of such items as boiler rooms, fuel storage, stacks and long pipe or duct runs.

Annual costs can also be reduced, since simpler control systems and lower maintenance require fewer employees.

Moreover, because of the wide variety of equipment types to choose from, all-electric design permits greater architectural freedom and flexibility. Expansion becomes easier, too. And all-electric de-


sign can also provide from 5% to 10% more usable floor space for additional building capacity.

For more facts about the proven advantages of applying all-electric design to your industrial and commercial buildings, call your local electric utility company. They will welcome the opportunity to work with you.

This plaque identifies a modern building, meeting the standards of electric heating, cooling, lighting and other applications set by Edison Electric Institute.

LIVE BETTER ELECTRICALLY

Edison Electric Institute, 750 Third Ave., N.Y., N.Y. 10017



The world's biggest building One of the notable joint ventur in recent years has been Ursai (from the initials of Urbahn, Rober Seevle and Moran) now completing work on the world's largest enclose cubage, the Vehicle (formerly Ver cal) Assembly Building at Merr Island, Kennedy Space Center. Tl superlatives of this structure has been widely publicized-125.3 m lion cubic feet enclosed over 9 acres of floor space with doors 4 feet high opening to 526-foot-high bays....The building is a major cor ponent of Launch Complex 39 while received the 1966 outstanding civ engineering achievement award

Ursam is a four-firm ventur lts executive policy board consist of the following principals and a alternate from each firm: Max (Urbahn, managing partner of the group; Anton Tedesko from Rober and Schaefer Co., Inc., structur engineers; A. Wilson Knecht from Seelye Stevenson Value and Knech Inc., civil, mechanical and electrical engineers; Philip C. Rutledge from Moran, Proctor, Mueser ar Rutledge, foundation engineer William D. Alexander was appointed group project manager.

A.S.C.E.

The four firms had worke together on various projects in conventional consultation relationship over many years. In the fall of 196 it became apparent to Max Urbah

principle of joint and individual responsibility and can result in both legal and personal complications.

The joint-venture agreement is a formal contract

The form of the joint-venture agreement can vary in depth and detail with complexity of the project and preferences of the members and their legal advisers. As a legal document of contract, however, it must be as explicit and comprehensive as possible. An agreement typical of the Urbahn operation has 17 items of consideration, each of which is detailed in unequivocal legal language.

At risk of losing something of the firmness of the document in translation from the legalese, it may be helpful to summarize. The purpose is not to present a pattern to be followed in detail, but to underscore the many facets of attention that must be given to this kind of contract.

An introduction dates the document, lists the participating offices to be known as the "joint venturers" and states the nature, location and ownership of the work contemplated. Specifics of the agreement are:

- 1. Right of the parties. Commits the parties to the terms of the agreement and to the conduct of all work of the undertaking contracted for by the joint venturers.
- 2. The name. States the name under which all activities of the venture are to be conducted.
- 3. Interest of the joint venturers. Specifies the percentage division among parties to the venture to be applied to profits, losses, working funds, liabilities and obligations.
- 4. Representatives and policy board. Designates membership of a policy board as a partner or associate from each firm to serve as principal representative and another partner or associate to serve as alternate to represent

the firm in transactions of the joint venture and in dealings with other partie to the venture. Further stipulated ar provisions for absences or changes i membership of the board, meetings compensation (usually none for board membership per se) and liability of members to the other joint venturer (none except for gross negligence of fraud).

- 5. Supervision of the joint venture Gives the policy board full responsibility and authority for performance of the undertaking and for appointment of a project manager who will be responsible for management of the work and contacts with the client.
- 6. Financing of services. Sets up a joint bank account with initial deposi determined by the policy board and contributed pro rata by joint venturers each of whom designates an authorized signer of checks and endorsements. Al receipts and payments in connection with the undertaking are made through




hat the surge of design and contruction activity associated with the pace program not only represented n opportunity for service but dehanded a degree of technical sohistication that could be best erved by the joint-venture aproach. Design capability on a wide ront was a necessary prelude to onsideration for some of the larger vork. Ursam put together specific roposals for various NASA projects nd outlined the capabilities of the nember organizations. The comnission for the Saturn V Vehicle ssembly Building followed.





A study in precast planes

The joint venture is not ordinarily used for buildings as small as this lecture hall-cafeteria designed for the Brookhaven National Laboratory, and owned by the Atomic Energy Commission and Associated Universities, Inc. But its program of use as a miniature United Nations for visiting scientists, lecturers and students who come to this Long Island center from all over the world called for a combination of architectural innovation and functional efficiency that, says Max Urbahn, suited the capabilites of his office and that of Seelye Stevenson Value and Knecht, to both of whom the joint venture is a familiar mode of operation. The sculptural form is achieved in precast concrete panels for exterior walls and roof.



this joint account. In a multi-member venture, the board may designate fewer signatories and/or limit check amounts as it sees fit. The board may also require additional contributions from the venturers as they are required and assess penalties for delinquent contributions. When the board decides funds are in excess of needs, pro-rated distributions can be made. When the undertaking is completed and all bills paid, a terminal distribution is made.


- 7. Performance of services. Locates one or more places for doing business of the joint venture and gives the policy board power to determine which activities are to be performed in any offices maintained by the joint venturers. Arranges for reimbursement of members for an audited account of the cost of doing work on the undertaking and for payment of expenses incurred by the joint venture itself.
- 8. Preliminary expenses. Allows out-of-pocket expenses incurred by

members prior to an award of contract by the client to be reimbursed out of joint-venture funds.

- 9. Technical assistance of each joint venturer. Makes personnel and resources of each venturer available for the undertaking to the extent that is "reasonable, necessary, or desirable to the end that the undertaking may be promptly and successfully carried out."
- 10. Disputes and arbitration. Provides that unresolved claims or disputes among venturers in connection with either the agreement or the undertaking shall, upon written request, be settled in accordance with rules of the American Arbitration Association and entered as judgment in an appropriate court having jurisdiction in such matters.
- 11. Assignment of interest. Prohibits any venturer or his firm from disposing of or encumbering his interest in the venture except as, with prior written agreement of other venturers, that in-

terest may be assigned to a successor to the business of the venturer if the succession is voluntary and not from bankruptcy or for benefit of creditors. The right of any assignee, in any event, is limited to the stipulated share of the assigning venturer and may not be claimed until after completion of the undertaking and closing of the jointventure account.

- 12. Relationship of the parties. Limits the engagement of each venturer toward all others as being confined to performance of the undertaking and specifically exempts the agreement from any implication of partnership or agency for any other work and from placing any limit on the freedom of the venturers to conduct their respective businesses. Nor does the agreement impose or imply any liability among venturers or their firms except in performance of its specific terms.
- 13. Continuity and performance of the agreement. Assures full performance



A diamond is forever.

ou never heard anyone say a wallboard is forever, did you?

want your buildings to feature s you can hear a burp through? You can throw a fist through? You want the owner and his mate customer to be ultimately fied with solid, silent (fist-proof) Attered walls? Fireproof walls. Iting walls.

All it takes is Wheeling's diamond lath. The one that's easy to erect, cut, bend and shape. The one lath that saves time and money because the scratch coat will hold to it firmly and permanently.


It's easily the most rugged and rust resistant lath you can specify. Made from Cop-R-Loy®, copper-bearing steel for extra durability.

That's it. We have nothing more to say. Except to ask you to give us a ring. 304-233-2200.

Then we'll send you a diamond.

Have you looked at Wheeling lately?


Wheeling Corrugating Co. / Wheeling Steel Corp. Wheeling, West Virginia



A mile-wide perfect circle

Preliminary studies for the world's largest and most powerful atom smasher, a 200-billion-electron-volt cyclotron, have been completed for the Atomic Energy Commission by a four-firm joint venture called Dusaf. Infinitesimal tolerances and gigantic forces applied over an unprecedented area called for an array of computerized architectural, engineering and construction capabilities for which the joint venture was a natural implement. A cyclotron is a circular channel in which a beam or burst of nuclear particles (protons or electrons) is kicked along by synchronized magnetic impulses to higher and higher velocities until it is peeled off the circle and smashed into a target.

That's two-dimensional architecture, simple as a rifle range. But the invisible bullets approach the speed of light. They can be steered by magnets but not so as to correct much error in either radius or plane of the circle, in this case almost a mile in diameter. Further, the particles must be launched from a linear accelerator (linac, above) into a booster or injector synchrotron from which they are fed into the accelerator beam; and the whole process has to be observed and controlled through massive radiation shielding. Problems enough for Dusaf, a joint venture of Daniel, Mann, Johnson & Mendenhall; The Office of Max O. Urbahn, Architects; Seelye Stevenson Value & Knecht; and George A. Fuller Company.



of the undertaking by committing the parties, whether individual or corporate, and their executors, legal representatives, successors and assigns to full completion of the undertaking should any individual member die or corporate member be dissolved for whatever reason. Should any party withdraw from the joint venture for any reason, the others may, with the consent of the client, complete the work. If, upon completion, there is a profit, the withdrawing party will receive his pro-rated share as of the date of his withdrawal. If there is a loss, he must bear his share without regard to his withdrawal.

14. Interpretation of the agreement. Refers all questions relative to the execution, validity and interpretation of the agreement to be governed by the laws of the state in which it is executed.

15. Terms of the agreement. Terminates the agreement as of completion of the undertaking and satisfaction of terms of the agreement.

16. Persons on whom agreement is binding. Excludes all but the joint venturers and their legal assigns from provisions of the agreement.

17. Notices. Asserts that any written notices required under provision of the agreement shall be mailed to the principal offices of the venturers for whom they are intended.


The operating agreement is made up as you go

As a practical means of getting things done and retaining the necessary flexibility for change or emergency action, the operating agreement can take the form of a series of numbered Executive Committee Memoranda. These are drawn up as the consensus of meetings and are headed by a statement such as: "The following agreements were reached by the Executive Committee and are hereby made a part of their contractual agreement dated....." The memoranda are then signed by all members of the committee.


The kinds of items of agreement covered in these memoranda are infinitely various. Following are a few examples: 1) Qualifications of executive committee members (as, for example, architects or engineers registered in a given state); 2) frequency of meetings and disposition of minutes; 3) compensation of members for administrative and technical time spent on the joint venture; 4) compensation of all others including employees of the joint venture and ground rules covering overtime, benefits, etc.; 5) basis of overhead computation; 6) bank accounts; 7) insurance; 8) accounting; 9) travel and entertainment; 10) reimbursement to the joint venturers from the control account; 11) reserve funds, etc.

How to succeed

Basic elements of the success of any joint venture, says Mr. Urbahn, are mutual trust and respect of the venturers and the clear delineation in writing of all elements, scope and limits of the working arrangement.



MEMBER COMPANIES: American Olean Tile Co., Inc. * Atlantic Tile Manufacturing Co. * Cambridge Tile Manufacturing Co. * Carlyle Tile Company * Continental Ceramic Corporation * Florida Tile Industries, Inc. * General Tile Company * Gulf States Ceramic Tile Co. * Highland Tile Company * Hoffman Tile Mfg. Co., Inc. * Huntington Tile, Inc. * International Pipe and Ceramics Corporation * Jackson Tile Manufacturing Co. * Jordan Tile Manufacturing Co. * Keystone Ridgeway Tile Co. * Lone Star Ceramics Co. * Ludowici-Celadon Company * Mid-State Tile Company * Monarch Tile Manufacturing, Inc. * Mosaic Tile Company * Oxford Tile Company * Pomona Tile Manufacturing Co. * Sparta Ceramic Company * Summitville Tiles, Inc. * Texeramics Inc. * United States Ceramic Tile Co. * Wenczel Tile Company * Western States Ceramic Corp. * Winburn Tile Manufacturing Co.



"All air diffusers clutter and intrude."

says who?

The Barber-Colman Heat-of-Light System® uses diffusers that are practically invisible. And, they double as heat extractors to capture heat generated by lights and put it to work heating your building. Result: You realize major savings in the cost of air conditioning.

Clip coupon for more facts.

"All air diffusers clutter and intrude."
Says who? Instead of imposing design problems, Barber-Colman's Heat-of-Light System reduces the restrictions on architectural and engineering creativity.

With this system, you are now free to design building interiors for greatest aesthetic appeal and personal comfort—uncluttered ceilings . . . off-the-wall thermostat locations . . . movable walls wherever needed . . . zone comfort control for every occupied area, if desired.

"Invisible" air outlets add new beauty

Air diffusers used with Heat-of-Light Systems are practically invisible. The new Day-Brite/Barber-Colman combination air/light diffuser is a prime example:

It blends beautifully with any modern ceiling system. And, its beauty is more than skin deep. It lights . . . diffuses air . . . returns air . . . extracts heat . . . and it's an air exchanger.

What's more, it enables you to move the room thermostat off the wall and mount it where it works best—in a moving air stream. (New pencil-thin Barber-Colman electronic sensing elements fit *inside* air/light diffusers . . . detect changes in room temperature up to 15 times faster than wall-mounted thermostats.)

System harnesses light-generated heat

Because the Heat-of-Light System utilizes heat transfer light fixtures, it captures up to 85% of light-generated heat, keeping it out of the occupied space. (Heat from lights can account for 50% of the total heat gains in a building.) Barber-Colman Jetronic mixing units in the ceiling cavity put much of this heat to work maintaining comfort conditions in interior areas.

The rest is available to offset heat losses at the building perimeter or for storage (to be used later during unoccupied hours). Result: You realize major savings in the cost of air conditioning (often eliminating the need for boilers and other fuel-fired heat sources).

Simple design provides major savings in system cost

With Barber-Colman Heat-of-Light Systems, hot air ducts, reheat coils, and piping are eliminated. Less pipe and duct insulation are required. You get the most possible air conditioning in the least possible space. Fluorescent lights operate at ideal temperatures (75 to 80°F), increasing light output 15 to 20% over "static" fixtures. Lighting

levels can be doubled without increasing conditioned air load.

Free computer service evaluates Heat-of-Light for your building

You can evaluate a Heat-of-Light System for your building before it's installed. All that's needed is a one-page Feasibility Study, a short discussion between one of our field people and your design engineer, and a few minutes' work for our computer.

The computer carefully studies each floor in your building. It calculates heating and cooling air temperatures required for perimeter air systems, the number of light fixtures needed, supply air quantity and temperature, and primary air quantities. You get an answer quickly, often within 48 hours.

Get the facts! Clip the coupon below or contact your nearest Barber-Colman field office for a Feasibility Study. (More than 100 of our customers and prospects have already studied their building designs with the help of this Electronic Data Processing Service.) And it's free!



20-story office building will blend gold-colored elements

The \$10-million home for the Third National Bank in Nashville, Tennessee, scheduled for completion in 1967, will have a facade predominantly composed of gold metal columns and gold-tinted glass. At the base of the 331,000-square-foot, 20-story structure will be 16 white stone columns defining the building's three-story base. The tower section, which is set back from the base, will have a metal facing of aluminum with a gold finish. Architects are Brush, Hutchison & Gwinn and the general contractor is the Henry C. Beck Company.




Space research center has modular flexibility

The proposed \$1.5-million radiophysics and space research center at Cornell University will have 38,000 square feet in four stories and a basement. The structure will contain a below-ground, 1,100-square-foot lunar research laboratory. In addition, there are 42 10-foot laboratory modules on three upper floors. By eliminating partitions, these spaces can be doubled or tripled. The building is jointly financed by the National Aeronautics and Space Administration and Cornell. The velour brown brick-faced structure was designed by The Ballinger Company.

LCN

for modern door control



Detail at head for LCN overhead concealed closer shown in photograph

Main points of the LCN 5010 door closer:

- 1 Principal mechanism is hidden in the head frame
- 2 Double lever arm provides maximum power to overcome winds and drafts
- 3 Closer supplies efficient, full rack-andpinion, two-speed control of the door
- 4 Easily adjustable general speed, latch speed, back-check and spring power (may be increased 50%)
- 5 Fully hydraulic, with highly stable fluid giving uniform operation over a wide range of high and low temperatures
- 6 Available in regular, hold-open and fusible link release arm styles

Full description on request or see Sweet's 1966, Sec. 19e/Lc



LCN CLOSERS, PRINCETON, ILLINOIS

A Division of Schlage Lock Company

Canada: LCN Closers of Canada, Ltd. P. O. Box 100, Port Credit, Ontario

PHOTO: Wachovia Bank and Trust Company, Raleigh, North Carolina; A. G. Odell, Jr. & Associates, Architects





Case Institute of Technology Cleveland, Ohio



University of Washington Seattle, Washington



Brown University Providence, Rhode Island



Philadelphia College of Bible Philadelphia, Pennsylvania



Vermont College Montpelier, Vermont



Eastern Arizona Junior College Thatcher, Arizona



Carnegie Institute of Technology Pittsburgh, Pennsylvania




Paulist Fathers' Novitiate Oak Ridge, New Jersey



Stanford University Stanford, California

for college or university walk-in





Washington and Lee University Lexington, Virginia



Cornell University Ithaca, New York



St. Benedict's College Atchison, Kansas



Duke University Durham, North Carolina



University of North Carolina Chapel Hill, North Carolina



Perkiomen School Pennsburg, Pennsylvania



Lincoln College Lincoln, Illinois



Union Theological Seminary New York, New York


refrigeration needs...specify Bally prefabs

These colleges and universities, like many other institutions and places of business, are benefiting from Bally Walk-In coolers and freezers with revolutionary construction techniques and design features. Bally has set a new high in refrigeration efficiency.

When you specify Bally you can be sure that your clients will get many advantages not found in conventional prefab Walk-Ins...never available in on-the-site "built-ins"...and at far lower cubic foot cost than "reach-ins". There is never a need to accept an "or equal" or a substitute. Bally Walk-Ins are available to all dealers everywhere at uniform published prices.

Write for Fact File with new brochure, specification guide and sample of urethane wall.

See Sweet's File 25a/Ba.





Address all correspondence to Dept. AR-5.

SCHOKBETON®

Another outstanding example of Schokbeton's design plasticity.



Schokbeton precast concrete double-window curtain wall unit, Sir George Williams University, Montreal, Canada Architect: Ross, Fish, Duchesnes & Barrett. Schokbeton by Schokbeton Quebec, Inc.

For the best in precast concrete, specify Schokbeton

EASTERN SCHOKCRETE CORP. 441 Lexington Ave., New York 17, N.Y. 65 Mountain St. West, Worcester, Mass. P.O. Box 56, Brandywine, Md.

SCHOKBETON-PITTSBURGH A Division of The Levinson Steel Co. 37 South 20th St., Pittsburgh, Pa. 15203

CREST/SCHOKBETON CONCRETE, INC. P.O. Box 328, Lemont, Illinois 60439

PRECAST/SCHOKBETON, INC. P.O. Box 2088 Kalamazoo, Michigan 49003

MABIE-BELL SHOKBETON CORP. P.O. Box 1558, Greensboro, N.C. Peachtree City, Georgia P.O. Box 47546, Miami, Florida

INLAND SCHOKBETON A Division of Nebraska Prestressed Concrete Co. P.O. Box 29208, Lincoln, Nebraska 68529

ROCKWIN SCHOKBETON Division of Rockwin Prestressed Concrete Corp. Subsidiary of United Concrete Pipe Corp. P.O. Box 2536, Santa Fe Springs, Calif.

TEXAS SCHOKBETON, INC. P.O. Box 52549, Sam Houston Station, Houston, Texas 77052

BUEHNER SCHOKBETON COMPANY 301 West 60th Place, Denver, Colorado 80216 640 Wilmington Ave., Salt Lake City, Utah 84106

BASALT SCHOKBETON A Division of Basalt Rock Company, Inc. P.O. Box 2540, Napa, California


CANADA SCHOKBETON QUEBEC INC. P.O. Box 240, St. Eustache, P.O., Canada

SCHOKBETON DIVISION
CONCRETE TECHNOLOGY (B.C.) LTD.
790 Nelson Rd.—P.O. Box 68
Richmond, B.C., Canada

Here's how easy it is to install new unitized



EZ STACK multi-metering devices:



First ... mount the enclosure only

Conduits can be attached to top, bottom, sides or back. Wires easily pulled with interior removed



the interior assembly and turn a single captive fastener. No more need to expose the meter sockets and interior to the weather or plasterers



Finally... install the quik-attach

front plates, and the job is done

· Only Unitized E-Z Stack provides this saving of labor and affords this installation convenience. Now available in 100A, 125A and 150A ratings both indoor and outdoor construction. See your Square D field engineer for more information on this newest line of multi-metering devices.


FOR COMPLETE IN FORMATION on E-Z Stack multi-metering equipment, write Square D Company, Dept. SA, Lexington, Kentucky 40501



SQUARE D COMPANY

wherever electricity is distributed and controlled

The \$10,000 typewriter.




The new IBM Magnetic Tape Selectric® Typewriter, (MT/ST for short), costs ten thousand dollars.

And it's worth every penny.

Before, when a typist made a mistake, she had to stop typing and erase it. Or maybe even start all over again.


But with the new IBM® MT/ST, she simply backspaces, retypes, and keeps on going.



Themistakeischangedonmagnetic tape, where all typing is recorded and played back correctly at incredible speed. (Roughly 15 characters per second.)

That's not all.

Suppose you've had second thoughts about some words. And you want to make changes. No problem.



Only your changes are retyped. The rest is automatic.

Now for the \$10,000 question: What does the new IBM MT/ST mean to you?

For one thing, a girl who types 80 words per minute won't end up averaging a slow 20 wpm because of constant retyping or restarting.

For another, the IBM MT/ST shortens the time gap between your first draft and the finished document.

In fact, you'll be able to handle correspondence, contracts, proposals, and building estimates more than 50 percent faster. (With less proofreading, too.)


The new IBM MT/ST: more power and more productivity. Ask your IBM Representative for the complete story.

Remember, you have to stop typing to use a twenty-cent eraser.

And that's the rub.



For more data, circle 76 on inquiry card



LETTERS

In your article "A Decade of Innovation," you stated that it is astonishing how many of the houses done recently by very young architects bear a marked resemblance to the work of Barnes, Franzen or Rudolph.

You might have added that the two houses you published by Mr. Franzen bear such a close resemblance to an earlier project by Corbusier, "Porte Maillot 50" (Corbusier 1946-52 published by W. Boesiger Zurich) in which the metal parasol or umbrella roof was employed similarly, that it is equally

astonishing. Maybe the answer is that Mr. Franzen was a very young architect also in 1956.

Robert M. Fleming A very young architect Wilton, Connecticut

He was indeed!

Record Houses: too much innovation? To the many letters you must already have received in praise of your February reprise of "Record Houses 1956-1966: A Decade of Innovation," permit me to add only a grace note. Certainly

we are all, within the profession and without, in your debt for your continuous and continuing concern for the field of domestic architecture: the more so in an increasingly de-humanized civilization where it is only too apparent that the designed private home is perceptibly, let us hope not inexorably, on the slow road to extinction, along with custom tailoring and custom aircraft and custom automobiles.

On another count, though, I find myself somewhat less than in accord with your effervescently effusive refrain of change and innovation. Particularly appalling to me is the very last sentence of your article: I can only hope you quote tongue-in-cheek, rather than with approbation, that ". . . recent remark of a fledgling architect about a certain new house: "But you couldn't like thatit looks like something out of the 1940's!" To me, exactly the opposite would seem the valid goal: when I am told by skeptical visitors that my work of the 1940's looks as though it had been built only a couple of years ago, I take this as the highest compliment, and only hope my current corpus of residential work will join it in finding favor in the 1980's. If this be treason to our times, my apologies.

> Landis Gores, architect New Canaan, Connecticut

I couldn't agree with you more, and hope that few took the 1940's quote as anything other than tongue in cheek! When it was said to me, I found it extremely funny (and oddly aging).

Herbert L. Smith, Jr.

Scanning the current issue of ARCHI-TECTURAL RECORD, I note with some shock that you have featured an interesting building. The M.I.T. Student Center is neither stage-set, tour de force, nor emphatic personal distortion. It is a thoroughly organized environment containing order, scale and body. . . .

Presenting the work of an architect, not a member of the play-boy jet set, is of itself unusual, but of more institutional interest is the fact that a major university has allowed one of its own faculty to undertake a responsible commission. Here the trust is certainly merited. Mr. Catalano has obviously used the opportunity rather than the university.

In conclusion I must say that my opinion of the RECORD grows. It grows in comparison to your competition, for here I see less of the current and tran-

continued on page 122

the new SUN-LITE "M-G" designed to GUARD against moisture, vapor, dust, dirt, and insects...



Now, at last, a combination you've been waiting for . . . esthetic design and functional protection in one pleasing luminaire.

Extruded aluminum channel and stamped aluminum ends with soft, natural anodized finish insure lasting quality. The plain, sweeping lines create an eye-appealing luminaire that will be a complement to the demands of modern buildings . . . in marquees, malls, parking structures and in many other outside and inside areas.

For maximum protection, the "M-G" series is completely gasketed and enclosed with a heavy gauge virgin acrylic plastic diffuser featuring prismatic pattern bottom for efficient, controlled wide-spread lighting.

Your next building plans should include SUN-LITE "M-G" protected lighting. Let us tell you more about this luminaire and what it can do for you.



Write now on your letterhead for complete literature. You'll be glad you did.

SUN-LITE MANUFACTURING CO.

575 Bellevue Avenue

Detroit, Mich. 48207

Is there any way of beating the high cost of maintenance painting?



Sure, if you have the system.*


It's called THE SPEEDHIDE® SYSTEM. A complete range of specially formulated Pittsburgh Maintenance Finishes - and an expert to help you place them. (He comes free.)

Working with your maintenance people, the Pittsburgh man develops an integrated program of coatings and finishes. Each one is selected to deliver lasting performance in each specific application—longer periods between repaint jobs.

That's the secret. Putting the right top-quality finish in the right place. Easy enough? Sure, if you have THE SYSTEM.

Call your Pittsburgh representative and find out how he can cut costs for you with the Speedhide System. It's a good bet. PITTSBURGH He's in the Yellow Pages.

Powerful new



Marvin Hatami designs a college library.

Utilizing Zonolite® Masonry Fill Insulation in walls reduces initial equipment costs, saves \$700 per year on fuel, substantially raises indoor wall surface temperature.

What would seem to be an added cost for insulation, in reality, is a highly profitable investment for your clients.


Consider this library designed by Marvin Hatami and engineered by Cator Ruma of Denver, Colorado.


Its reinforced brick cavity walls feature Zonolite Masonry Fill Insulation.
Installed cost? 10¢ per sq. ft. or \$3245 total. As part of a 20-yr., 6% mortgage, it figures out to \$279 annually.


For this investment, the client saves \$700 per year on fuel. That's a direct 250% return on

his yearly investment in Zonolite Masonry Fill Insulation.

There are indirect savings, too.
(1) Smaller, less costly heating equipment can be used. (2) Indoor wall surface temperatures are raised from 50° to 62° F. This reduces body radiant heat exchange, minimizes wall surface downdrafts. (3) The interior surfaces of the walls can remain unfinished. And (4) the building is quieter because of Zonolite Masonry Fill Insulation's excellent sound absorption characteristics.







DESIGN CONDITIONS			Winter Heat Loss in BTU/Hr. Assuming 70°F Indoors —10°F Outdoors		Summer Heat Gain in BTU/Hr. Assuming 95°F, DB 64°F, WB Outdoors 78°F, DB 65°F, WB Indoors	
	Without Masonry Fill	With Masonry Fill	Without Masonry Fill	With Masonry Fill	Without Masonry Fill	With Masonry Fill
	4" Face Brick 2½" Air Space 4" Face Brick	4" Face Brick 2½" Zonolite Fill 4" Face Brick	962,000	364,000	201,000	76,000
	Roofing, 3½" Concrete		225,000	225,000	107,000	107,000
	4" Concrete on Grade		56,000	56,000		-
& n	1/4" Heat Absorbing Plate		730,000	730,000	443,000	443,000
	15,000 DFM		1,080,000	1,080,000	229,000	229,000
	175 Kilowatt		-		596,000	596,000
	500				200,000	200,000
			3,053,000	2,455,000	1,776,000	1,651,000
ith Masonry Fill			3,053,000-2,455,000 x 100= 19.6%		1,776,000-1,651,000 x 100= 7%	

Additional facts of significant interest are available in our Bulletin MF-113. For your copy, please write Dept. A, Zonolite, 135 South LaSalle Street, Chicago, Illinois 60603

W.R. GRACE & CO.

135 SO. LA SALLE ST., CHICAGO, ILL.

continued from page 118

sient fad for aimless, formless, bumpy encrustations that our slums, bombs and urban frustrations have apparently gestated.

> Charles Colhert Architect-Planner New Orleans

The March issue of ARCHITECTURAL RECORD leads off with some very impressive photos of an extremely handsome newcomer to the family circle at MIT. This reader is in complete accord

Who

Chose

CHAMPAGNE

HYDROMENT

JOINT FILLER?

with your editor's note that Catalano has produced some fine architecture, not withstanding the fact that the structure is the result of an approach which does not exemplify completely his "systems" theories. This fact tends to cast some shades and shadows on the validity of excessive theory about the means whereby buildings are created. Architects too frequently deem it necessary to rationalize their own achievements by overemphasizing techniques and by inventing a new "vocabulism." The jargon usually goes something like this:

"Will SDT* eventually provide the architect with the necessary tools for development of TE,** assuming that IBM is working with an effectual CPM***?

I was amused, in addition, by Catalano's reference to Wells Bosworth's classic main building at M.I.T. as the "elder brother," an appropriate contrast to his own structure, the "younger brother." As your editor implies, Saarinen's two adjacent structures are relegated to the roles of "lost relatives" still unfound. Curiously enough, the Chapel sneaks into the photograph of the Student Center entrance façade on the right side of the picture, and the dome of the Auditorium (if I interpret correctly) is partly mirrored in the expansive glass walls shown at the left of the photo. Every family has its skeletons, but the closet door is ajar again. R. L. Rotner

RA.*** VA**** New York

*SDT - system design techniques *TE - total environment ***CPM – critical path method ****RA—registered architect ****VA – Vollmer Associates

San Jeronimo Hilton — and it's beautiful!



Architect: Basora & Menedez / General Contractor: Rexach Construction / Tile Distributors: Commercial Adolfo S. Pagan, Inc.

IN 10 POPULAR COLORS:

- TILE RED
- . TAN
- TERRA COTTA
- FRENCH GRAY
- CHAMPAGNE
- BROWN
- . SAND BEIGE
- BLACK
- WHITE
- · NATURAL

They put down 180,000 square feet of lovely champagnecolored quarry tile on the floors of this luxurious hotel, now part of the world-renowned Hilton chain. To protect this investment, they selected our champagne HYDRO-MENT JOINT FILLER. The effect is startling because tile and Joint Filler appear as one wide expanse. Best of all, joints are tight, non-shrinking. Clean-up is fast and easy. The HYDROMENT JOINT FILLER formula has been proven on the job for over 25 years! You can depend on it! Please see Sweet's.

Write for our Color Compatibility Chart!

THE UPCO COMPANY 4805 Lexington Ave. • Cleveland, O. 44103

a subsidiary of



United Shoe Machinery

Autos, autos, everywhere . .

While architecture is probably at a high point in its long history, there are serious problems which face the future. One of which, and perhaps the most pressing, is the unwillingness of the sensitive architect to face the realities of the present in relation to the automobile. We see cities like London completely choked by the automobile, to the point where they don't operate any longer, and industry and commerce have to flee the city for adequate parking and adequate communication.

We see cities like New York, where they have just completed the Pan American Building to house during the day some 30,000 people, half of whom would bring their automobiles in the town if they could, and yet just 300 parking stalls are provided for in the building. We see the European cities making believe that the great bursting force of the automobile onto the city will not happen to them, yet hideous parking garages will soon take the place of the cathedrals.

How much better it would be were the architect to believe in the reality of the car, not to withdraw and say that public transportation, which nobody wants anymore, will do the job. The result of this withdrawal has been that the worst practitioners amongst us are designing the new environment. Who does the endless shopping center

continued on page 277



Architect solves complex roof problem with

COPPER

PROBLEM: To find a roof covering . . .

- 1—That must be on a warped surface, with a slope varying from 3/12 to 36/12
- 2—That has a texture and pattern which will complement a dramatic shape
- 3-Whose color will complement a natural wooded surrounding
- 4—Whose nature would be compatible with other permanent materials used, i. e. stone and glass

OLUTION: COPPER—with standing seam pattern of lines unning at right angles to the curving ridge to dramatize the changing lope.

This roof is yet another example of how you have so much hore flexibility in expressing your ideas when you "Design with Copper in Mind."

Add to this the appearance of copper, with its distinctive atina, its long, maintenance-free life, and it becomes readily nderstandable why copper, man's oldest metal, is having a lorious renaissance in modern building construction.

As to the preference for Revere copper, Mr. Leo Muza, Auza Sheet Metal Company, contractor, had this to say, We specialize in copper work and like to deal with people who know their business. We use Revere copper exclusively, nd have had consistently good results. Revere also can provide echnical assistance to the architects and to us . . . and they naintain good jobber relations."



ALL-FAITHS CHAPEL, State of Wisconsin's New Kettle Moraine Boy's School, Plymouth, Wisc., where 20,000 lbs. of Revere 16 oz. cold rolled copper were used for the unique, standing seam roof and fascia.

Architect: DAYERMAN ASSOCIATES, INC., Grand Rapids, Michigan. General Cont.: HUTTER CONSTRUCTION COMPANY, Fond du Lac, Wisc. Sheet Metal Cont.: MUZA SHEET METAL CO., Oshkosh, Wisc.



REVERE

COPPER AND BRASS INCORPORATED

Founded by Paul Revere in 1801

Executive Offices: 230 Park Ave., New York, N.Y. 10017
Offices in Principal Cities • Distributors Everywhere

FIRST AND FINEST IN COPPER AND BRASS-FULLY INTEGRATED IN ALUMINUM

For more data, circle 81 on inquiry card


TORKAIR DOESMORI





For an apartment home community

Mansion House Center, located on the banks of the Mississippi in St. Louis, Missouri, is a 6½-acre community with three 28-story residential towers and complete shopping, office, recreation and entertainment facilities for truly modern living. The apartment buildings are air conditioned by a York 3-pipe system that gives each occupant the climate he wants—all year 'round. Owner, Mansion House Center Development Companies; Co-developers, Paul W. Lashly, Lewis E. Kitchen, and the William J. Moran Company; Architect, Schwarz & Van Hoefen; Mechanical Engineer, Ferris and Hamig; General Contractor, Joint Venture of William J. Moran Company and Turner Construction Company; Mechanical Contractor, Thos. J. Sheehan Co.



or a major league stadium

tlanta's new sports stadium is one of the most modern in the ountry. Offices, press boxes, concession stands and sponsors' bunges are air conditioned by York equipment. Both "packaged" nits and "central station" systems are used, for maximum effiiency. Architects, Heery and Heery · Finch, Alexander, Barnes, Rothschild and Paschal; Mechanical Consulting Engineer, Lazenby nd Borum; Mechanical Contractor, Lorne Company, Inc.; Genral Contractor, Thompson-Street Company.

When you specify air conditioning for any kind of building-whether it's a high-rise apartment, a sports stadium, or a private home—you can depend on York. For large apartment and office buildings, hotels and motor hotels, the York 3-pipe system enables each occupant to dial the climate he wants. Simultaneous heating and cooling are always available, for different parts of the building. Each room terminal is fitted with a special valve that admits either chilled water or warm water, as demanded by the room thermostat. This major advance in air conditioning was pioneered by York; and there are more York installations of this kind than by all other manufacturers, combined!


The latest advance in comfort conditioning from York is an exclusive odor control system that destroys most common odors, chemically-doesn't just mask or store them.

For complete specification data on York systems and equipment, contact your nearby York Sales office. Or write York Corporation, subsidiary of Borg-Warner Corporation, York, Pennsylvania.

YOU CAN DEPEND ON YORK

air conditioning and refrigeration





ALBANY COUNTRY CLUB, Voorheesville, N.Y. Architect: W. PARKER DODGE ASSOCIATES, Rensselaer, N.Y. General Contractor:
JOHN P. SEWELL, INC., Albany, N.Y. Ready-Mix Concrete: PORT CONCRETE CORP., Albany, N.Y. Masonry Cement Dealer: PETER McCABE, INC., Albany, N.Y.

Exclusive Country Club Elects Lone Star Masonry Cement for Beauty and Durability

The Albany Country Club is one of the oldest in the country. And now, with a magnificent new \$1-million-plus clubhouse, it is one of the most luxurious.

The clubhouse, a modified colonial design, is 310 feet long with 40,000 square feet of usable space. The architect used concrete, brick, stone and wood to achieve an unusually attractive combination of contempo-

rary and traditional styles.

The exterior walls are of stone and brick, and the interior walls of masonry block. The roof is constructed of precast concrete plank and tile, adding a rustic effect in the country setting. In all, more than 2,000 cubic yards of concrete made with Lone Star Portland Cement were used in the floors and walls.

Lone Star Masonry Cement, to which the mason only has to add sand and water to produce a stronger, more uniform mortar, was used exclusively in laying up all masonry in this beautiful clubhouse.



Concrete combined with Pennsylvania Bluestone and rough red brick painted white are joined in the new clubhouse to achieve a look of luxury and dignity.





LONE STAR CEMENT CORPORATION

100 Park Avenue, New York 10017



Ezra Stoller Associates


THE SEARCH FOR **APPROPRIATE FORM** The designs by Ulrich Franzen that appear on the following pages reflect Franzen's continuing concern for visually comprehensible forms that are appropriate to the character and requirements of individual situations.

While certain themes reappear in each of the buildings shown, Franzen is clearly increasing the range of both his architectural vocabulary and of his responses to environmental contexts.



©Ezra Stoller Associates


A classical study of elevations




Morris, Inc. in Richmond, Virginia resolved itself into a series of office areas, grouped around a computer located on the top floor, and the executive offices which are located at the entrance level. Neither type of space suggested a strong exterior form; universal spaces don't have elevations. A building of this type, on a sloping site, could easily have looked like a box, or a slice out of a larger building. For an answer Franzen turned to the traditional classical apparatus: he treated the lowest floor of the building as a podium, the roof as a cornice, and placed the intervening stories behind a colonnade. In this way, as in Renaissance buildings, the elevation reads as a single story, creating a unified effect.

The complicated program for the operations center of Philip


The operations center is part of a continuing construction program at Philip Morris. Earlier buildings, also designed by Franzen, appeared in the RECORD in October 1959. The site plan at left shows what has been built so far.




Alternate elevation treatments considered by ranzen in the design of the Philip Morris operations center. Section at right is twice the scale of the plans.





The elevations of the central boiler plant are composed of pavilion-like units. The building is designed to grow in increments, and the vertical emphasis of the exterior permits the building to grow horizontally without undue change in its character.



©Ezra Stoller Associates







An esthetic of cantilevers designed in brick


In the progression of elevations that Franzen studied for the Philip Morris center, an all-brick design was discarded in favor of a combination of brick and concrete, in which it was suggested that the brick elements supported the concrete ones. From a theoretical point of view such an expression may have been more faithful to the nature of the materials involved, but in this closely related building, an extension to the New York State University College of Home Economics at Cornell, Franzen chose to use a single material, brick, instead. At Cornell, the columns used at Richmond have become piers, and the podium is set back, sketched in as it were; but the expression still follows the classical format of base, column, and cornice, which is combined with the cantilever silhouette that only steel makes possible.

Franzen also designed the Agronomy Building for the New York State University College of Agriculture at Cornell (April 1965, pages 154-159). Model photo shows how the two buildings relate.







gor Bakht




A definite shape for an indefinite building type





This building, also for the New York State University at Cornell will house a series of laboratories devoted to botanical studies. Buildings of this type very frequently tend to be sprawling and amorphous, but Franzen has taken the program and firmly given it a coherent form, and has done so within the ordinary budget and methods of construction. The laboratories have been grouped in a symmetrical organization with the entrance marked by two strongly expressed ventilating shafts. The elevation has been given a pavilion-like appearance that is related to that of the central boiler plant of the Philip Morris complex in Richmond, imparting shade and shadow to what would otherwise be an expressionless brick box. Study of the greenhouse form revealed that the traditional shape had evolved for sound functional reasons, so that conventional greenhouses are attached to the main corridor at both ends of the building.







Cutaway perspective view shows organization of laboratories and services. The basement provides space for future expansion.





LIBRARY







A consulate which is also a bridge

This design for the United States Consulate in Montreal has something of the appearance of a bridge, because the service and stair towers at either side seem to support the rest of the structure and anchor it to the site. It would be possible, no doubt, to consider the bridge as a symbol; but it is really a formal device for unifying two different types of function and two different scales. The two office floors at the top of the building are used far less often by the public than the first and second levels, where the visa, citizenship and commercial functions of the consulate take place. The expression of this fact by two different kinds of space also helps to make a transition between the residential buildings behind the Consulate and the scale of the main road on which it is situated.


These lower levels contain the services most fre-


quently visited; offices occupy the upper floors.





ULRICH FRANZEN












MEZZANINE LEVEL BETWEEN VESTIBULE & LOBBY









A tunnel connects the shops and dressing rooms under the main theater to the experimental stage. Lounges and lobby areas also serve both theaters.




Towers that unify a complicated theater

Franzen used the towers of the Montreal Consulate to anchor the composition to the site, but in this new building for Houston's well-known Alley Theater the towers become the dominant, unifying element. The other major aspect of the design is the movement of the audience through complex circulation passages. The building is penetrated by an automobile driveway, which is also the main pedestrian access. From the entrance the audience either moves up, following a bridge across the driveway to the main theater, or down, through a passage that spirals like a snail shell, to the experimental arena stage. Both theaters were designed through a long process of consultation between Franzen and the Theater's director, Nina Vance, before the basic concept was established.








Igor Bakht photos


An exploration of naturalistic shapes

This house will be built of curving wood-shingle walls that fan out from a central pivotal point around the fireplace. Although the plan is actually much more tightly organized than the exterior would indicate, its somewhat accidental appearance is a departure from the balance and symmetry which have characterized most of Franzen's work. The curving, naturalistic shapes give indications of a system of architecture where results are not predetermined by geometry, but by a much more difficult intuitive approach, capable of varying types of growth in a wide variety of directions. The forms used in this house recall the amusing and individualistic aspects of Victorian country-house architecture. Similar designs for larger problems would be more complicated, but the possibilities are interesting.

Elevations of model show the great variety of exterior aspects that this type of design creates. They contrast with the balanced organization of much of Franzen's other work, where each elevation would reflect the others







Igor Bakht


A castle added to a pavilion

This little masonry building is an extension to an earlier Franzen house, and it is about as different from the original as it is possible to be. The first building was a symmetrically organized pavilion that made use of optical illusions to create an open appearance. The steel roof and frame were kept visually separate from the rest of the house, because all partitions and exterior walls stopped short of the ceiling and the intervening spaces were filled with glass. By contrast, the new wing uses solid masonry walls to articulate and enclose some highly individualistic areas. Like the house on the opposite page, this building captures some of the characteristic traits of 19th-century design, in particular the sense that a home, if not a castle, is very definitely an enclosed and protected place.

The ground floor contains a studio that doubles as a place for entertaining; upstairs is the master bedroom and study. A narrow glassed-in passage will form the connection to the original house.









Each bedroom is one circular unit, its entrance hall and bath make a second. The cylinders are four stories high, but the design assumes a rise in the dunes so that occupants would not walk more than two flights up or down to their rooms.

A motel with intimations of infinity

The towers which Franzen has often used as a controlling element of a building here become the essential concept. This design was commissioned by the Weyerhaeuser Company as a demonstration of the use of wood; it is also a demonstration of Franzen's new preoccupation with forms that have no beginning or end, which are essentially different from the ordered, balanced finite shapes that have characterized so much of his work. It is true that this motel is still shown as a symmetrically organized building, but the implication of the form is that it is infinitely extendable in any direction. It can be read at a different scale as a series of circular buildings connected by a multi-level street; in that sense it has something to do with the English "clip-on" esthetic of the infinitely expandable city.



Cincinnati's formula for city planning: get agreement step by step



A NEW PLANNING PROCESS WITH BUILT-IN POLITICAL SUPPORT

By Jonathan Barnett


In 1963 the Cincinnati City Council found itself unable to adopt a downtown redevelopment plan because of deep disagreement on almost all the basic issues. With a developer selected and an urgent need to make decisions quickly, the city and its planning consultants, the Baltimore architectural firm of Rogers, Taliaferro, Kostritsky, Lamb, evolved a new method of city planning in which city officials and citizens participated in the decision-making process that produced the final design. In less than a year's time Cincinnati had achieved a downtown renewal plan by this method, and, because of the participation of elected officials, the plan was a legal document, fully agreed upon in all its detail and ready to be implemented.

The Cincinnati experience shows the advantages of tying city planning to the political process, and it also points up the difficulties of making certain important planning concepts politically viable. For these reasons, its history repays close study.





The planning process was programed as a series of choices...



Between 1961 and 1963 Cincinnati had tried three of the conventional ways to arrive at a downtown renewal plan, and all of them had failed. The proposal drawn by Cincinnati's own city planning department had been shelved by the City Council over the issue of an underground garage and circulation system. A study of the city core by Victor Gruen Associates, which had been commissioned by a group representing downtown business and financial interests, was not accepted because it proposed closing a number of streets to vehicular traffic. A third study, drawn by Barton and Aschman on behalf of the real-estate group that had been selected as developers, was also unable to win approval. And that left the city of Cincinnati with a loan and grant application pending in Washington, a redeveloper already selected and financing assured, and no agreement on the design plan which was to be followed.

Fortunately for Cincinnati, the city had an over-all master plan drawn in 1948, and that plan embodied some significant decisions about the central business district, perhaps the most important of which was the location of major highways. The master plan had shown a series of roads ringing the downtown but not invading it, and, over the years, the state highways, and later the interstate system, had kept fairly close to the original design. To an unusual degree, the downtown had remained a compact and cohesive area, with four

major department stores and several large corporate head quarters buildings. The exceptionally good automobile access to the core undoubtedly had a great deal to do with the relatively sound condition of the central business district. While renewal was necessary in some areas, there was still a strong context in which the renewal could take place. The City Council, however, was deeply split on such fundamental questions as future transportation systems, the location and type of parking garages, and pedestrian circulation.

There seemed only one way out of the impasse


Herbert W. Stevens, the city planning director, put it verclearly in a letter to the city manager dated May 27, 1963

"It will be a waste of time to work on a new plan with out a process for resolving differences, step by step, before the work has crystallized into proposals.

"Consequently, a process should be established whereby the City Planning Commission and City Council can work together, step by step, in creating a new plan which will lead up a ladder of planning decisions until a plan is developed which will be acceptable to both sides. The ladder of plan ning decisions would become an educational process, a well as a decision-making process."

The letter went on to propose that a working committee be established composed of representatives from the City

.. and a review committee had to vote on each one.



Council, the City Planning Commission and the Downtown Development Committee.

The city manager decided that it was necessary to have an outside planning consultant who could make a completely fresh start, and at the end of June the Council appropriated a sum of money for this purpose. The city manager then invited a working majority of both the Council and the Planning Commission to join him, three representatives from the Downtown Development Committee, and two from the developer, in forming a review committee. The committee met for the first time on July 12, 1963 and elected Mark Upson, who had recently retired from a top executive position at Proctor and Gamble, to be the committee chairman. Upson was a fortunate choice. He did not own property downtown and was not identified with any of the conflicting political interests; at the same time, he was able to command the respect of all parties.

The city manager then set up a subcommittee and began a series of interviews with planning consultants. One of those contacted was Archibald Rogers of the Baltimore firm of Rogers, Taliaferro, Kostritsky, Lamb. Rogers recalls that he was not particularly anxious to become involved in Cincinnati, as his office had a heavy backlog of other planning work. He consequently gave the screening committee some very stiff answers to its questions, and refused to make any


commitment about the length of time that would be needed to come up with a satisfactory plan. Then, confident that he had left his firm no chance whatever, he set out on his return trip to Baltimore. Herbert Stevens, the planning director, reached him at the airport: "You'd better cancel your flight, Arch," he said, "you've got the job."

What the screening committee wanted was for Rogers, Taliaferro, Kostritsky, Lamb to join forces with Alan M. Voorhees and Associates, the transportation consultants, and Hammer and Company Associates, economic consultants. The three firms agreed, a contract was drawn up, and it was approved and signed by the middle of September.

Then began an extraordinary series of meetings

They took place on a regular schedule every two weeks. It was agreed as procedure that each step in the planning process would be programed as a series of decisions, which would be voted on by the working review committee. In the interval between meetings, the decisions were to be ratified by the City Council and City Planning Commission. As working majorities of both bodies were represented on the committee, such ratification was expected. If it was not forthcoming, the matter was to be referred back to the working review committee. Each meeting took two days, the first for presentation by the consultants, the second for discussion and decision.

The committee's decisions were ratified by the City Council...



Everyone realized the decisions involved were crucial

In the words of Cincinnati's Congressman John Gilligan, who was then a member of the City Council: "When we went into the core area, we were going to do what amounted to open-heart surgery, where, in earlier projects, we had been trimming hangnails." The review committee meetings attracted a great deal of attention. They were open to the public, covered by the press, and anyone who wished to put forward his views could do so if he had made prior arrangements with the chairman.

The architects wholeheartedly accepted the concept of a working review committee and set out to put the emphasis on the working aspect of it. In Rogers' words: "We recognized that the committee was there to participate in making creative decisions, not just to review." It nevertheless fell to the consultants to investigate the alternatives and to make recommendations for courses of action.

Rogers describes four planning stages in military terms

Stage 1 is reconnaissiance, a general survey of the existing situation.

Stage 2 is the selection of a series of strategic objectives. Stage 3 is the consideration and selection of alternative strategies to achieve the objectives.


Stage 4, which is tactics, is the design process itself.

The reconnaissance phase naturally involved a great deal of technical research by the architects and their economic and transportation consultants. In addition, Rogers personally interviewed some 40 community leaders who represented the interests directly involved, and a "street-corner" attitude survey investigated popular opinion.

The five major problems identified by the interview process were certainly familiar plaints: the physical deterioration and tawdry appearance of parts of the central business district, a decline in weekend and nighttime activity, a decline in mass-transit use, the location and organization of parking facilities (but not the quantity of space available) and the traffic conflict between pedestrian and vehicles.

The impressions of the individuals interviewed were of course, only part of the picture. Investigation demonstrated, for example, that the decline in mass-transit usage was not constant, but leveling off. The first research phase however, made it possible for all concerned to agree or certain basic needs, which became the context for the rest of the planning process. It was agreed that any plan should result in increased property tax revenues from the downtown area, as a result of increased downtown employment and greater use of the core area by shoppers and visitors. In order to accomplish this aim, it was clearly necessary to improve the movement of vehicles and people both to and

..so that when the plan was completed it became the law.



within the downtown, to provide adequate and inexpensive parking as close as possible to points of destination, and to improve the mass-transportation system. It was also clearly necessary to achieve these goals with the least expenditure by the city and the least disruption of downtown economic life, and all these objectives had to be accomplished in such a way as to create a handsome, as well as a functional, downtown area. A large order, but not an impossible one, as the planning process was to prove.

By the middle of December 1963, the committee was voting on a series of transportation, terminals and land use objectives following the sequence of decisions diagrammed at the top of page 142. The boxes with dark outlines represent the recommendations of the consultants.

By April 1964, the committee was voting on alternative strategies, such as the ones shown.

By mid-June, the review committee was well into tactics, and was deciding questions such as curb-parking policy for specific blocks. By July, the committee was considering the priorities of staging renewal block by block, and had decided to appoint an architectural review board to work with the developers of individual parcels.

After each committee meeting the City Council convened and, in most cases, approved the decisions that had just been made. The final plan exists as a series of some 250 ordinances that vary from expressions of philosophical intent to specific statements governing the width of sidewalks. As a legal document, the plan is organized in five parts. Under part one, the frame of reference, are the decisions relating to land use, transportation, and transportation terminals. Under part two, the system grid, are the decisions governing the traffic-and-street system, parking, the bus-and-transit system, and the pedestrian facilities system. The third part is a block-by-block consideration of the decisions governing development. The fourth part is devoted to implementation policies, the fifth to long-term plans. These basic decisions were ratified by the council and planning commission as the planning studies progressed, so that when the plan was completed it had already been adopted.

The descriptive plan, drawn by the consultants, is organized somewhat differently from the legal document, although it embodies the same decisions. It takes the characteristics determined for the individual blocks and organizes them in the form of a transportation plan, a functions plan, a terminals plan, and an amenities plan; then it presents a synthesis of all four as the urban-design plan.

The plan is a structural skeleton

The effect of the completed plan was to give each of the blocks in the renewal area a strongly delineated functional relationship with the rest of the core, laying down sidewalk

The architectural results so far are encouraging, the future still uncertain.



A parking garage and plaza, shown above, are being designed by Rogers, Taliaferro, Kostritsky, Lamb for block A, which adjoins Fountain Square, Cincinnati's traditional center. The architectural review committee, taking part in the decision-making process, agreed to relocate the fountain as shown. Building in the background of the model photograph will be by Harrison and Abramovitz.

SECTION 50

A two-level shopping arcade and an office building are being designed for block B by Harry Weese and Associates. Preliminary design drawings are shown at right.

widths and access points, and suggesting arcade sections and second-level circulation; but there is virtually nothing to indicate the architectural relationships of the actual buildings. In Rogers' words: "What we have in the plan is a very strong skeleton, and I am not too concerned about the architecture that is going to be strung out on it." The structural emphasis was, in any case, a result of the consensus process, because the representatives of the developer steadfastly obstructed all decisions that affected the character of actual buildings. Ironically, the actual developers have since turned out to be an entirely different real-estate group from the one that participated in the planning study, but the developer's position might well have been the same in any case.

An architectural review committee was established in July 1964

It was created to make sure that the principles of the plan were continued through the design of the actual buildings. Mark Upson was elected chairman of this committee, too, but it lacks the participation of the business leaders and elected officials that made the original review committee so effective. Congressman Gilligan puts it this way: "When we reached the end of the planning process, zing, everybody shook hands with the committee and dismissed it." It is too early to tell if a great deal of ground will be lost because of this distinction between planning and architecture. The course

of development so far has been uneven. On the positive side of the ledger are the design of block A, where Rodgers, Talia ferro, Kostritsky, Lamb have made the underground parking garage the basis for Cincinnati's first major civic space, and block B, where Harry Weese is designing an arcade of shop and an office building. Designs for the other blocks are still before the architectural review committee.

The lesson of the plan itself is clear


The creation of political and popular support for planning clearly the crucial ingredient of success, not, as has bee so often believed, the shielding of planning from the presures of the political process. The downtown plan approve by the committee was not essentially so different from the three plans that had been rejected earlier; it was th process that made the difference. Some of the ingredients of success may well have been special to Cincinnati; the pe sonalities of Upson and Rogers were certainly important, a was the fact that they were able to work closely with each other and command the respect of the committee. Ur doubtedly the compact nature of the existing core was als helpful. On the other hand, a city with a stronger visus character than Cincinnati might well be easier to plan In any event, the Cincinnati experience seems to have evolve a planning process well worth trying in other situations.

FIVE These buildings are presented for several reasons: because they offer a variety of solu
SMALL tions to a common problem; because each is visually attractive and serves to improve the appearance of its neighborhood or country
BUILDINGS side; and because their designs relate interior spaces, exterior treatment, scale, and over-all configuration to the micro-environment that contains them.

Happily, these examples do not come in crazy shapes, nor do they trace odd-ball profiles against the sky, nor are they composed of overweight masses of concrete with pitted or tortured surfaces. They tend, instead, to be polite but not stuffy, restrained but not dull, sprightly but not spectacular. They are—in a phrase—commercial architectural of high quality.

Landscaped courtyards are a planned element in four out of the five buildings, yet do not occur just for the sake of having a courtyard. Each fulfills a specific purpose and becomes a functional part of the spatial pattern of an individual project.

—J. S. H.



- 1. Design Center, Springfield, Illinois. Architects: Ferry and Henderson.
- 2. IBM Branch Office Building, Data Processing Division, Endicott, New York. Architects: Sherwood, Mills and Smith.
- 3. Executive Headquarters of Asgrow Seed Company, Orange, Connecticut. Architects: Office of Douglas Orr, deCossy, Winder and Associates.
- 4. Valdosta Professional Building, Valdosta, Georgia. Architects: Ellis & Ingram.
- 5. Import Motors of Chicago— Volkswagen Distributor, Deerfield, Illinois. Architects: Hausner & Macsai.














TAKE-APART SCHEME FOR FOUR UNITS

This group of one-story office units is designed as a unified cluster, yet is also arranged so individual units can be moved to a new site in the future, leaving this property free for multi-story development. The connecting walkways of precast concrete are raised to provide plenum spaces that serve the crawl spaces under the buildings so ducts and piping can be rearranged as needed.


Interestingly enough, this group is built on two adjoining pieces of property separately owned, but with easements set up to assure each owner access to all walks and grounds. The common property line runs vertically through the center of the plan as shown at left. A dentist and architect Ellis are the two owners; each has office space for his needs, plus rental area.


The project is located near the main business section, but in a neighborhood primarily residential in character. Continuing growth indicates a larger development will be desirable in the future, but unsympathetic to the neighborhood as it now appears.

The local climate permitted outdoor corridors for circulation, making the individual units possible. Roof overhangs shelter the walkways.












The interesting roof profiles came about by placing all mechanical equipment for each unit in the center of the roof space and molding the surface as shielding. Otherwise, no protuberances mar the visual flow of the white plastic covering—specified white for maximum heat reflection. The 35- by 46-foot units have redwood exteriors.






DIFFERENTIATED OFFICES AND WAREHOUSE

Architect John Macsai points out that "It was possible—in designing this office and warehouse project—to express the dual nature of the problem by providing two differentiated volumes, each meeting its own needs. Common elements that serve both—the entrance lobby and the employes' cafeteria—act as connecting links (see plan, right).

"The 110,000-square-foot ware-house and technicians' training area had to have 70-foot clear spans and be of fire-resisting construction, for insurance advantage. A precast, prestressed concrete structure was provided, with blue glazed brick infilling.

"The exposed concrete frame was made a unifying element and carried over to the 20,000-square-foot office building in the form of precast, tilt-up, load-bearing window-wall units, which were glazed with gray glass. All exposed concrete was given a white finish coat.

"A large number of daylighted spaces were required in the office building, so two interior courts were created; one within the building and one between the office and warehouse units. The latter provides an attractive background for the entrance link and a pleasant outlook for the cafeteria."






IMPORT MOTORS OF CHICAGO-VOLKSWAGEN DISTRIBUTOR, DEERFIELD, ILLINOIS ARCHITECTS: HAUSNER & MACSAI, IN CHARGE: ALFRED J. HIDVEGI STRUCTURAL ENGINEER: ROBERT M. DARVAS MECHANICAL AND ELECTRICAL ENGINEERS: GAMZE, KOROBKIN, DOLPHIN & ASSOCIATES LANDSCAPE ARCHITECTS: THEODORE BRICKMAN COMPANY GENERAL CONTRACTOR: THE GEORGE SOLLITT CONSTRUCTION COMPANY




The photos immediately above and below show the entrance and reception area from both inside and outside; the picture at left shows the pleasant courtyard between the office and warehouse units; the large photo below shows the differentiated character and scale of the two units.


The project received a Citation of Merit in the 1965 Honor Awards Program jointly sponsored by the Chicago Chapter, A.I.A., and the Chicago Association of Commerce and Industry.

The foundations consist of caissons and grade beams; the floors are concrete finished with vinyl tile; the ceilings are of an acoustical material.









OFFICES THAT OPEN INWARD OR OUTWARD


This compact arrangement of offices, which flank a double-loaded corridor in a square doughnut plan with central courtyard, makes the most of two outdoor worlds. Some of the offices open to the landscaped atrium; the remainder look out to the appealing wooded site, complete with pond.

The owner requested a non-institutional building for the rural site, and one which could readily be expanded by a limited 20 per cent. In explaining the design concept, architect Edwin William deCossy says, "With consideration for business 'image' and operations, the design represents an attempt to restate in contemporary terms the working-farm villas of Palladio. Classical in organization, the building is completely symmetrical, with a central open atrium courtyard and a loggia around the perimeter. The 18-foot-wide loggia area will accomodate future expansion to the predictable limit without significantly altering the appearance of the building."

All outside walls have glazing from floor to ceiling to take full advantage of the outlook. Ceilings are 10-feet high; floors are carpeted; offices are thus inviting, yet properly dignified. Clerestory sun screens modify sky glare.







The building is constructed over an exterior frame of concrete and an interior frame of steel; cost about \$22 per square foot.



Two photos by Stuart M. Langer



ORANGE, CONNECTICUT

ARCHITECTS: OFFICE OF DOUGLAS ORR,

DE COSSY, WINDER & ASSOCIATES


STRUCTURAL ENGINEER: HENRY A. PFISTERER

MECHANICAL AND ELECTRICAL ENGINEERS:

VAN ZELM, HEYWOOD AND SHADFORD

LANDSCAPE ARCHITECT: MARIANNE MAC MASTER

GENERAL CONTRACTOR: DWIGHT BUILDING COMPANY



GROUP FACES INWARD TO QUIET GARDEN


Richard Koch photos



DESIGN CENTER, SPRINGFIELD, ILLINOIS ARCHITECTS: FERRY AND HENDERSON STRUCTURAL ENGINEERS: COLLINS AND RICE CONSULTING ENGINEERS MECHANICAL ENGINEER: EDWARD J. LONG LANDSCAPE ARCHITECT: DAVID P. SPENCER, SPENCER AND SPENCER GENERAL CONTRACTOR: TRUMAN LANCASTER CONSTRUCTION COMPANY


Although the idea of turning a group of buildings inward to a landscaped entrance courtyard is surely not a new one, its realization-by the completion of this office and commercial groupcreated quite a stir in Springfield, Illinois, where architects are still fighting the battle of modern versus traditional. Happily, reaction has been largely favorable. The project also won an Honor Award in the annual competition of the Central Illinois Chapter of the A.I.A.

The building group, called the Design Center, houses a modern furniture studio (as principal tenant), and offices for the architects and a consulting engineer. Architect Earl W. Henderson Jr. says, "Since a generous site was available, with no existing structures on any side, the design evolved as an inwardlooking group in a park-like setting providing easy access and adequate parking. A single window faces west to the street, while the prime show windows of the furniture studio face north to the court. The studio roof-supported by laminated beams-curves upward toward the court to provide clerestory lighting above the show windows. The office wing is of more conventional steel and dry-wall construction."






The photographs above and at right show the attractive central court-yard, which is equipped with benches and night lighting. The buildings themselves have exterior walls of tan brick; structural steel frames; and partitions of gypsum board on wood studs. The floors are concrete slabs finished with vinyl-asbestos tile; the ceilings are acoustic tile; sash are aluminum; and the store front construction is of natural wood.








OUTSIDE COLUMNS SAVE SPACE

Architect Carrell S. McNulty Jr., Sherwood, Mills and Smith partner in charge of this two-story IBM branch, explains that the structural column-mullions were placed outside the plane of the wall to provide a clean inner surface and furnish more usable space within the building. The exposed vertical supports are spaced six feet on centers and receive the fixed, double-glazed sash, which in turn serve as complete infilling and thus reduce cost by eliminating the need for any further curtain wall construction.

The heating and air-conditioning system consists of finned convection at the glass walls plus a ceiling plenum that operates through porous acoustical ceiling tile suspended on T's. This arrangement, plus modularly spaced recessed lights, provides complete flexibility of partitioning. The second floor—with separated access and occupied at present by other IBM departments—will serve as future expansion space.


IBM BRANCH OFFICE BUILDING, ENDICOTT, NEW YORK
ARCHITECTS: SHERWOOD, MILLS AND SMITH
STRUCTURAL ENGINEERS: FROMME & VOSGANIAN
MECHANICAL AND ELECTRICAL ENGINEERS: SMITH & HESS
LANDSCAPE ARCHITECT: GEORGE CUSHINE

GENERAL CONTRACTOR: EDWARD L. NEZELEK, INCORPORATED




Joseph W. Molitor photos






trong and monolithic, with a finish and with forms that are more often seen in much bigger buildings, this relatively small (26,140-square-foot) YMCA was designed as much more than a community center. As the first structure to rise in a major Boston renewal program, it brings freshness and color (see cover) to an old and blighted area. In the kind of place where impermanence is common, the building's strong shapes and finishes suggest commitment. Yet there is nothing of the fortress about the design. Indeed, sculpture and art "integral with the very stuff of the building" (see photos) add a non-functional value too seldom realized in tight-budget settings like this where it is most needed.




Photographs: Louis Reens



Bold and massive curve of the stairtower dominates the entrance courtyard. Behind, on the entrance wall, is a relief sculpture by Harris Barron (see also photo, below right). Freestanding sculpture is planned for the open rear patio (photo opposite), and as a focal point for the playfields.



On the street side, the reinforced concrete structure is essentially closed on the pedestrian level; but the second level and the rooms open to the interior courts have large glass areas. Both plastic-coated and random vertical-board forms were used to vary the texture of the unfinished concrete.





ROXBURY BRANCH YMCA, Boston. Architects: The Architects Collaborative—Norman C. Fletcher, principal in charge, Howard Elkus, job captain, design, Arthur Hacking, job captain, construction; structural consultants: Sousa & True; mechanical consultants: Fitzemeyer & Tocci; electrical consultants: Vern Norman Associates; general contractor: George B. H. Macomber Co.; sculpture and mural: Harris Barron and Ros Barron.



The interiors are spare, but get color and texture from the forming of the concrete, the use of red oak paneling, and—in the teen-age meeting room—a strong, bright mural painting covering one entire wall (photo, lower right). The interior includes a large multi-purpose room, above, which opens to the open rear courtyard; an adult lounge; the pool, which has hot-air inlets around the entire periphery to minimize condensation; locker units in a split-level arrangement to maximize control and minimize changes in level between the lockers and the pool; three club rooms, and an arts and crafts center; a darkroom; a kitchen and a hi-fi listening room which, for both practical reasons (acoustical privacy) and symbolic reasons is located at the head of the stair-tower. A gymnasium is planned for the future. Building and site work cost \$611,741. Total cost per square foot: \$25.32.











Mountain pavilion makes use of local

materials To build a house on a site of such magnificence can be both easy and difficult: easy if you adopt the attitude that in such a setting "who cares about the house"; difficult if you try to create a structure which is a positive but harmonious element in the natural scene.


When the Wyle family bought this mountain ranch, they were anxious to build a "mountain cabin," but were extremely concerned about the siting and the design of the building—indeed, they spent a year just to decide on the exact site. They wanted a house which would be comfortable and open to the view, but with enough solidarity and permanence to blend with the surrounding forest.


The solution by architects Douglas Honnold and John Rex seems to fulfill these requirements very well. The use of locally quarried granite, and natural-














NORTH ELEVATION

finish cedar, oak and redwood-al from the area - effectively highligh regional characteristics; the umbre roof treatment and large areas of gla create an open, floating quality to t house while the solid stone buttre walls provide the sense of strength a permanence.

Structurally and visually, the ro is the most interesting element of t design and is esthetically satisfyi from inside and out. The dark-stain exposed Douglas fir structure contradramatically with the redwood ceili deck; while the depth and openness the roof-ceiling formation gives add height and spaciousness to the room Outside, the peaks of the individu modules lighten and relieve the co ventional built-up gravel surface.

Inside, the house has a large tw story living room, master suite and k chen on the first floor, overlooked I a gallery leading to the two secon floor bedrooms. The basement space occupied by a studio-utility room.


RESIDENCE FOR MR AND MRS JOHN WY North Fork, California. Architects: Doug. Honnold and John Rex; engineers: Greve O'Rourke; contractor: Dean Farrar.

Generous decks around the building substantially increase the living areas and seem to extend the house right into the surrounding woodlands, giving views of a canyon and a large artificial lake which was created by damming a small stream. The roof overhang provides much needed shelter from a heavy annual rainfall. Subtle or dramatic lighting effects can be created with the rheostat-controlled pendant light globes. At night, views of the lighted house from the woods and reflected in the lake are particularly exciting.

Furniture is kept simple and functional so as not to detract from the effect of the strong use of natural materials. The huge stone fireplace is flanked by a seating well with U-shaped leather couches. The black iron used for stairway and fireplace hood is almost the only non-local material in the living room.









A high standard of workmanship and finish was demanded by owner and architects, and local craftsmen working with local materials were responsible for the meticulously executed detailing. The result is a highly sophisticated structure with none of the rough, woodsy effect one might expect in such a setting. Structure of the house is essentially Douglas fir frame on a concrete foundation. The fir is stained a deep brown-black shade to blend with the bark of the surrounding trees. Exterior and interior walls are western cedar, and redwood plywood is used for the roof decking,



DISTINGUISHED ARCHITECTURE FOR A STATE UNIVERSITY



dent housing and dining hall shown at left are a segment of a \$36-million residential complex now being completed for the University of Massachusetts. The architectural design and site planning for the entire complex were done by Hugh Stubbins, within the context of a farsighted master plan developed by Hideo Sasaki, and assisted by the guidance of Pietro Belluschi, architectural consultant to the University. Other large-scale projects finished or in project form are by a group of notable architects: Kevin Roche of Saarinen Associates, Marcel Breuer, Gordon Bunshaft of Skidmore, Owings & Merrill, Campbell, Aldrich and Nulty, Edward D. Stone, and, more recently, I. M. Pei. The administrators of this rapidly expanding institution, once a modest agricultural college referred to by nearby Smith girls and Amherst boys as "Mass Aggie," are handling its physical planning and design problems with great skill. This is attested by the participation of leading architects who work only for clients who give them a real chance.

The dormitory tower, low-rise stu-

UNIVERSITY OF MASSACHUSETTS CAMPUS PLAN: BOTH FLEXIBLE AND FIXED

Most architects must still do campus work which is restricted to the design of single buildings to be paid for out of currently budgeted funds and to house functions which serve immediate needs. These structures may or may not be adequate within five years. Only rarely is surrounding site development included in the budget. The master plan, if it exists, often consists of an out-of-date formal arrangement by an architect or site planner no longer under contract, which has been made obsolete by changing reality.

The University of Massachusetts is doing much better than this. The approach to design being taken by its administrators could serve as a guide to expanding colleges and universities everywhere.


The problems

In 1954, the University of Massachusetts had 4,000 students; in 1964 there were 10,497; and the president, John W. Lederle, and the treasurer, Kenneth W. Johnson-who are responsible for planning and development at the university-must now devise and implement a program which will serve 24,800 students by 1972. Most of the colleges and universities in the state of Massachusetts are private institutions which draw their students from all over the nation, and can therefore offer few places to these young people. Not many of the projected 24,800 applicants will be able to afford the costs of private or out-of-state education, and unless the University is able to meet its expansion goals many qualified students will be denied the opportunity of college. Last year the Commonwealth of Massachusetts ranked a shameful 50th among the 50 states in its support of higher education. It is clear that under these circumstances the University cannot afford to make mistakes in its physical expansion program. It is also evident that Massachusetts taxpayers, with or without children approaching college age, must become more aware of



Existing patterns of circulation differ only to a limited extent from those indicated in this aerial photograph taken several years ago. As money is appropriated by the Commonwealth, present automobile and pedestrian circulation routes will be gradually al-

tered or phased out, and roads and paths will be added as the diagrams on these pages show. By this and other means the campus, now over one hundred years old, will acquire a physical legibility in its spaces and functions which it has never had.




Existing crossing conflicts between automobile and pedestrian routes, in which major student paths must cross as many as three streets in relatively short distances, are exacerbated by the fact that the major campus roads, laid out and originally constructed at the turn of the century for a small agricultural college of less than 800 students, now must support an invasion of cars and service vehicles for a university of

over 13,000 students and staff. The campus' academic center is bisected by a state highway (North Pleasant Street) which has reached the limit of its capacity. Present buildings can be reached from most directions directly by car and this uncontrolled access brings two-thirds more cars into the campus than can be handled by the university's paved facilities. The presence of hundreds of parked cars blights the campus.



The model for the future, which is shown at approximately the same scale and vantage point as the aerial perspective on the page opposite, indicates that buildings and circulation elements to come will be related to existing elements in a way which will create


new and well defined space relationships. The building density called for by a rapidly expanding enrollment is also in better scale for a campus which must significantly decrease the time required and the space covered in getting from class to class.





The proposed circulation plan for the campus shows a loop road surrounding the academic center. Short drives will give access to important public facilities such as the Student Union and the proposed Fine Arts Center. All other buildings will be reached by service drives and paths from the loop road. Parking will be at perimeter locations. The interior will thus be free of the existing dangerous crossings of vehicles and students.


The University will be more easily accessible from all directions. A major new boulevard, planned to be as wide as Boston's Commonwealth Avenue will link North Hadley Road and North Pleasant Street and provide an appropriately scaled main entrance to the University. This boulevard will be directly accessible from the southwest and south, the direction of greatest traffic flow from the town of Amherst and other points.




The proposed land use plan (shown at top of page) reserves 200 acres of land at the center of the campus for existing and future academic facilities. The great central lawn and existing pond will be maintained and those facilities central to the functioning of the University, such as the Fine Arts Center and the Central Library will be built around it. A new dormitory complex shown on pages 168-169 is being

constructed to the southwest, and another, conceived as a complete college, is being planned by I. M. Pei for a northwest location. The stadium and playfields accessible from Route 116 are so placed that they cannot draw large volumes of traffic to the campus center. Indicated on the development plan are recently completed structures or projects awaiting financing some of which are shown on the pages which follow.

HUGH STUBBINS DEVELOPS
A MASTERFUL ORGANIZATION
FOR COMBINED HIGH-RISE
AND LOW-RISE DORMITORIES
WITHIN THE CONTEXT
OF THE MASTER PLAN





The nearly completed dormitory towers rising at the edge of the plain are boldly visible to travelers driving east or west on Route 9 from Northhampton to Amherst and are seen to even better advantage, as in the photo above, from the main access road leading to the campus. These powerfully shaped buildings proclaim that the University of Massachusetts is getting some architecture and knows where to put it.

The site of the Southwest Dormitory and Dining Hall Complex is bounded to the north by the main campus access road and a new road with an entrance loop is planned to the west. This road will border one of the major perimeter parking lots used by commuters and visitors to the athletic facilities and has been so placed to minimize conflict between pedestrian and vehicular movement. It can be seen that architect Stubbins has organized his buildings on the site to facilitate the expected pedestrian flow through it. He could not have planned for this circulation had he not been developing his site within a master plan which had established the location of such elements as parking, streets, and sports facilities. The sequence of spaces to be traversed by pedestrians are as handsome as the photographs suggest. The complex will have three dining halls, one of which appears opposite.







AN EARLIER APPROACH
TO MASTER PLANNING,
LIMITED IN SCOPE,
HAS A NEGATIVE EFFECT
ON ARCHITECTURAL QUALITY

continued from page 166

the existence of their university, identify with it, and become proud of it. Good campus design cannot be considered a luxury in the face of this challenge. Physical improvements such as the prominently located, easily reached new football stadium help, so will the creation, now taking place, of attractive campus spaces articulated by well defined circulation and handsome buildings.


Strengthening the planning and design process


The firm of Sasaki, Walker and Associates, Inc. was hired by the University in 1961 to review the campus planning policy of the preceding eight years. It has guided the development of the campus ever since, while in the course of its own growth changing its name to Sasaki, Dawson, DeMay Associates, Inc. Hideo Sasaki's original report to President Lederle, submitted early in 1962, recommends a master planning approach which has been substantially followed by the University. He urged the school to strengthen the planning process: "first by formulating a complete development program based on a strong statement of educational policy; second by clearly defining the planning structure at the University and the roles of its various parts, disseminating this information to the University community and establishing close liason between the planning staff and the responsible parties in the University community; third by employing the services of a professional planner, as a full-time member of the University's administrative staff, for the purposes of co-ordinating all planning activities at the University, and to aid in the task of formulating policy as it relates to planning." He recommended that the administrators improve the quality of design at the school: "first by employing the services of a design consultant to aid the University in the selection of architects and to review proposed buildings [the


The Orchard Hill Dormitories and Dining Hall are merely good buildings; the Southwest Dormitory and Dining Hall Complex shown on the preceding two pages is a brilliant, integrated design. Hugh Stubbins was the architect for both projects. The difference is significant.

Orchard Hill is located well within the campus property line and is subject to influence by future development. It is symmetrical in organization as the site plan (bottom of page) shows. It could just as well have been assymetrical. Any configuration which would have resolved the limited program requirements into handsome, orderly dormitories would have done as well as any other in this area, where no clear master plan determinants had yet been developed. Architect Hugh Stubbins was merely adding four seven-story units to a series of twelve dormitory structures which had been designed over a period of years by other architects and erected as needed. Stubbins was commissioned to design the dining commons as well. (See plans at right and below and photograph on opposite page.) The total campus area taken up by these 16 units and dining commons is less compact than the Southwest Dormitory and Dining Hall Complex, it houses fewer students, and lacks the visual coherence of the group now being executed entirely by Stubbins.

Stubbins, while struggling with the insufficiently defined problem at Orchard Hill, strongly urged the University to hire Sasaki's firm to renew master planning activity and suggested that Pietro Belluschi be urged to become design consultant.











U. OF MASSACHUSETTS STADIUM— DESIGNED FOR EASY ACCESS BY CAR AND PEDESTRIAN

3

continued from page 170

role now played with great discretion and finesse by Pietro Belluschi]; second by seeking the controlling role in the selection of architects [the state until recently had a free hand in the selection of architects for the University all of whom were required to practice in the state and presumably contributed to the party of their choice]; third by developing a co-ordinated landscape program which would finish those areas of the University which will receive no major new buildings, and include the costs of site improvements when preparing budgets for new buildings."

The role of the architect

In his first report Sasaki made the key point that "much of what is esthetically pleasing on a campus cannot be controlled in a master plan. Architecture, use of materials, and treatment of landscape demand a much finer scale of thinking and design than is possible in a general development plan. A master plan does establish a design framework within which the architect and landscape architect can detail their work."

The experience at the University of Massachusetts so far proves that good architects are able to do exceptionally fine work within the context of the planning and design process which Sasaki recommended to the University administration and which the president and treasurer had the foresight to establish. This process is applicable to other types of large-scale work although its most successful use so far has been in campus planning, where correct and politically judicious decisions are not made easily, but where the problems and political pressures are more limited in scope than those which face those responsible for the planning of towns, neighborhoods and cities. Methods developed to impose order and form on the campus should be studied by architects and planners attempting to design within similar environments.


Mildred Schmertz


The stadium site is close to the center of the town of Amherst and was planned in cooperation with the town's circulation consultant to conform to that community's long-range circulation goals. Sasaki's master plan called for the surfaced rectangular apron in which the stadium is composed. Large crowds approach and leave their seats through openings between the reinforced concrete structural walls which support the stands as shown in the photograph above. Tickets are sold and pedestrian movement

controlled at gates on the apron perimeter. The plan provides approximately 52 acres of local and visitor parking for this 17,000seat structure, much of it provided in open meadows adjacent to the elliptical parking service road. Crossing movements do not occur. Vehicles move from the parking service road directly toward the stadium and into the parking areas. It was designed by Paul Weidlinger with Gordon Bunshaft of Skidmore, Owings & Merrill acting as design consultant. Cost: \$1.4 million.




BIG SPACE NEEDS
ON CRAMPED SITE.
THE SOLUTION:
GO UNDERGROUND






The sculptured earth planes at the base of the tower in the sketch above do not signal that the earthworks of old forts have necessarily replaced the towers of St. Gimignano as design inspiration for some of our leading architects. Approximately one half of the space requirements of the Continuing Education Center designed for the University of Massachusetts by Marcel Breuer had to be buried because the site is too small. Since the building's functions are essentially an expansion of the facilities now provided in the Student Union which adjoins it to the west, the proposed structure had to be tucked into an area defined by the Student Union, the Physics Building, the college pond and the automobile service road on the northern boundary of the site. The tower was deliberately kept small as shown in the sketch, but even when future additions are made to its height as indicated in the sections (opposite page) it will remain a modest size.

The large elevated terrace has sloping embankments into which great holes are punched to provide access by service vehicles or pedestrians to the subterranean quarters within. Other handsomely shaped punctures provide light for spaces surrounding courts or for rooms along the perimeter wall. The terrace developed by Breuer will provide an unimpeded view southward across the college pond toward the magnificent facade of Kevin Roche's Fine Arts Building. The broad terraces conceived by Roche face north.





The axes of the new complex are aligned with the Student Union to the west and the Fine Arts Center at the opposite end of the pond. Architects Marcel Breuer and Hebert Beckhard point out that a planning factor of importance imposed by the master plan is the limited automobile access. Solution: underground service by ramp and tunnel. Special visitors to the academic center will be permitted to park temporarily on a restricted portion of the terrace.

The Breuer scheme possesses many amenities which were not originally programed. The terrace will become a "downtown crossroads" of the University. The steps to the terrace which extend to the south form an amphitheater which, as the architects point out, was previously an open but not defined space. It will be used for outdoor ceremonies.



ADMINISTRATION BUILDING IS MOVED TO MAKE WAY FOR A MALL





have been lost, and the site fo Kevin Roche's Fine Arts Cente would have been lost, "said Sasaki, "had we been only pro gram planners instead of design planners." He is referring to the fact that the Administration Build ing, designed by Campbell Al drich and Nulty, and now unde construction was moved westward while still in the working-drawing stage and disassociated from the completed School of Business Ad ministration and its hexagonal au ditoriums also designed by thi firm (see proposed developmen plan, page 167). The program planning which predated the wor of Sasaki had already grouped the three by category. Sasaki's design planning later predicated that the campus interior should be free o through streets and that majo buildings on the perimeter of the core should be served by loop roads. The Fine Arts Center wa established at the heart of the campus on the southern edge o the pond. It is to become the campus activity center and gate way. The major campus road to the south will become a tree lined boulevard from which the necessary loop road, now de signed as a great mall will lead to the chief portico of the Fine Art Building. The projected Adminis tration Building lay right in it path and had to go. It now wil enjoy a favored and properly ac cessible position to the west of the mall as shown in the plot plan


"The fine entrance mall would


GRADUATE RESEARCH CENTER IN PHASE WITH MASTER PLAN

"A 16-story chemistry tower is unusual," Nelson Aldrich of Campbell Aldrich and Nulty has said "but if you are going to do a phasing job you add vertical rather than horizontal elements." The laboratories of this \$2.8-million facility are in the towers, but since more students are taking more classes at shorter intervals and thus potentially increasing elevator re-





quirements, the classrooms are located on the lower floors. In response to the master planning requirements that the complex be designed to be built in phases, the architects have resolved the program into clearly definable elements, each subject to the many changes which occur when a total organization is completed in increments over a period of years.





WHERE SHOULD THE LIBRARY BE?







tions performed by Pietro Belluschi and Hideo Sasaki, as architectural consultant and master planner to the University of Massachusetts, is their role as watchdogs. The master plan, as has been said before, is a broad framework within which the individual architect is not put into a strait jacket, but is merely advised as to major orientations and circulations. Edward D. Stone, whose appointment as architect of the University Library was made at the urging of Endicott Peabody, then Governor of Massachusetts, recommended in his first parti that the Library tower be placed at the very heart of the campus, in the center of the old college pond. Beloved by generations of students, the pond is part of the romantic landscape at the center of the academic area, and is natural in shape. In Stone's first proposal it was to have become a great classic reflecting pool. A cynic has suggested that were Endicott Peabody still Governor of Massachusetts, Edward Stone's library would still be in the pond. It suffices to say that part of the contribution to the University being made by Sasaki and Belluschi results from their continuing affirmation of the already agreed upon values particular to this campus. Thus . . . as the plot plan on the opposite page and the sketch at left show, the Library tower will now occupy a site to the west of the pond and will be readily accessible by automobile from one of the loops which stems from the perimeter road. The Roche and Breuer structures will overlook the quiet pond.

One of the most important func-


ARCHITECTURAL RECORD May 1966 179



THE FINE ARTS BUILDING
BY KEVIN ROCHE
OF EERO SAARINEN AND ASSOCIATES
IS DESIGNED AS ACTIVITY CENTER
AND CAMPUS ENTRANCE




Chalmer Alexander Photos





Theaters, auditoriums, studio space and other elements of a typical university arts program might-in the hands of another architecthave produced five buildings. But these elements have been resolved by Kevin Roche into one brilliantly organized structure which Pietro Belluschi believes will be the most distinguished fine arts complex to be built on any campus in the United States. Richard Galehouse, a Sasaki associate who has played a large part in developing the University of Massachusetts master plan is equally enthusiastic about the scheme. Said he: "In most cases it is now a mistake to design a campus building with a front and


a back. Such structures are becoming large enough to be multifaced. One of the wonderful things about Roche's building is that you can enter it from many places." And another wonderful thing about it is the manner in which Roche has composed his multi-faced elements. Spanning the most-prized site at the academic center of the campus, overlooking the pond and adjoining what will become the main entrance mall to the campus, the splendid location afforded by the master plan reflects the growing importance of the fine arts to the life of the University, to the nearby colleges, Amherst, Mt. Holyoke and Smith, and to the public.




"We have tried to construct a sun machine," said Roche, "but we haven't managed yet." All his buildings are studied in model form under lighting conditions which carefully approximate the movement of sun across their surfaces. Roche points out that the scheme for the Fine Arts Building has been organized around a network of paths which create a series of points at which the pedestrian can enter or pass through the structure. The principal entrance and passthrough is located at the critical point at which the theater and concert hall entrances are located. The facade which faces the mall is essentially continuous; that which faces the pond is broken into segments of roughly the same scale as those of the existing campus buildings to the east of the pond. Studios are sky lit.









INFORMAL WOOD FRAME CAMPUS BUILDINGS BY HARRY WEESE

THE REED COLLEGE SPORTS CENTER

Designed as a simple structure, it is broken into five individually articulated segments which ascend a gentle slope from the playing fields at the foot of the hill to the campus proper at the top. Each of these segments is framed by timber trusses. The various elements extend to the north or south of a central corridor spine which has three sets of stairs to accommodate changes of level. The corridor is airy and well lit as the photographs on the opposite page reveal. Movable partitions separate the men's and women's gymnasium permitting the two spaces to be thrown together to form a 1,500-seat assembly room. The plans show the building as it was in the project stage when the pool was conceived as an indoor-outdoor facility. The building includes an administration unit with classrooms and offices, a multi-purpose room, dance studio and racquet court area. On lower levels are arranged complete locker facilities, wrestling and judo rooms, and archery and rifle ranges.

















REED COLLEGE COMMUNITY CENTER

Immediately to the east of the sports center, it connects to the older Commons building shown in the photograph at the bottom of the opposite page. The wood construction of the Commons suggested to Weese the character to be achieved in the new building. The natural wood finishes, lofty trussed spaces and broad wood-planked verandas are very much in the spirit of the older building. The standing-seam metal roof of the community center contrasts well with the steeply pitched dark asphalt shingle roof of the Commons.

The site plan for the new structure creates a fine relationship between the building and groups of old campus trees. The land slopes gently to the rear. Here the main floor extends beyond the ground floor and becomes a sweeping veranda with pleasant outlooks to the woods and lake. Its projection forms an arcade at the ground level.

Included in the community center are a browsing room, dining room, coffee shop, barber shop, bowling alleys, hobby workshop, game room, dark room, music listening rooms, bookstore and activities headquarters.

SPORTS CENTER, Reed College, Portland, Oregon. Owner: Reed Institute. Associated architects: Harry Weese and Associates and Gordon, McGoodwin and Hinchliff; structural engineers: The Engineers Collaborative; mechanical and electrical engineer: Samuel R. Lewis; landscape architect: Arthur Ehrfeld; consultant for master plan: Dan Kiley; lighting consultant: William C. Lam; general contractor: Elmer E. Settergren. COMMUNITY CENTER, Reed College, Portland, Oregon. Owner: Reed Institute. Associated architects: Harry Weese and Associates and Gordon, McGoodwin and Hinchliff; structural engineer: James G. Pierson; mechanical engineer: Omer T. Jacobson; electrical engineer: J. R. Downing Associates; landscape architect: Arthur Ehrfeld; consultant for master plan: Dan Kiley; lighting consultant: William C. Lam; kitchen planning consultants: Flambert and Flambert; general contractor: General Investment Company.









The dining space is framed by great laminated wood trusses. Kitchen chimneys and hoods are exposed and handsomely treated as part of the decor. The fire place is a strongly sculptured element located at the center of an intimate lounge area.



ARCHITECTURAL ENGINEERING

What affects glass strength?

As fenestration areas have grown larger, and more heat-absorbing and tinted glasses are employed, those factors that determine glass strength have become increasingly significant.

Surface condition is one of the most important factors determining glass strength, reported Robert W. McKinley, manager of the Technical Services section of Pittsburgh Plate Glass Company at a recent conference in Cleveland. In contrast, he stated, edge flaws are likely to be significant only when a light of glass is supported on fewer than four sides, or when a light is exposed to thermally induced edge-tension stresses, as with heat-absorbing glass.

Flaws in glass can be expected to increase with weathering and other abrasive exposures, McKinley said. Windows can be damaged during cleaning if alkaline solutions are not rinsed off quickly. Alkali in soap used to mark glass in newly glazed windows has been known to cause surface damage. Alkali attack also has been observed where glass is subject to "wash" from adjacent concrete or masonry surfaces when alkalis are leached out by cleaning or by rain wetting.

While glass manufacturers know in principle how to make stronger glass for windows, there is no practical way to protect the surfaces from strength-degrading flaws caused by airborne dust or by the glazier's hand, McKinley remarked. (In experiments, light rubbing of pristine glass with a soft cloth reduced the surface strength of the glass by 25 per cent.)

Since glass fails in tension, it can be strengthened by putting the surfaces into compression by thermal or chemical tempering. While the rated strength of chemically tempered glass is about four times that of ordinary glass, sizes available are small, cost is high, and the surfaces are sensitive to abrasion.

McKinley's paper, Structural Aspects of Glass-New Data for Design, was presented at the Industrial, Institutional and Commercial Building Conference this spring.

Reverberations of S.C.S.D.

"The day when we can standardize components for proper building design as the situation demands is here," according to Robert H. Sohn, associate of Caudill-Rowlett-Scott, architects and engineers.

Thus it seems that architects are responding with some interest to basic tenets of California's S.C.S.D. project (School Construction Systems Development).

Sohn says that while the architectural profession has been taking advantage of some economies in volume purchasing, it has not designed into building the uniformity that can mean real volume purchasing as well as ease of maintenance.

Speaking before the Illuminating Engineering Society at its February meeting, Sohn told how his own firm, Caudill-Rowlett-Scott, had approached the concept of volume purchasing of lighting fixtures for a school district. One of the items selected for volume purchasing was a standard fluorescent lighting fixture. Sohn said that while many standard lighting fixtures met some requirements, none met all the needs for the district. So Caudill-Row-lett-Scott designed a fixture that met the requirements of appearance, lighting quality, ease of maintenance and economy. According to Sohn, the cost of the component fixtures was appreciably

This has been a positive view on the components approach. But obviously there have been some negative reactions. Both the pros and the cons are to be discussed at the Building Research Institute's Spring Conferences this month, under the heading, "Comprehensive Building Systems: Threat or Promise."

below other standard fixtures of equal

quality.

In a program announcement, B.R.I. says: "Comprehensive building systems are the result of industry's search for markets, clients' desire for shorter schedules and lower costs, and the growing complexity of building technology which requires the architect to depend on industry for research and development.

"Significant questions are raised by this trend. Will industry dominate architecture? Can the architect respond to this challenge in his practice? Can a workable relationship be developed between architect and industry?"

Rapid-transit system installed for demonstration project

Those who advocate rapid-transit systems to solve our city traffic problems will be watching with interest the progress of the \$5-million demonstration Westinghouse transit expressway sys-

	THIS MONTH'S AE SECTION	
-	Performance criteria — a system of communication	191
	How materials react to solar energy	
1000	Building Components: glass for lighting panels	205
	Product Reports	207
	Office Literature	209

tem which was dedicated in January at South Park near Pittsburgh. The project, which is receiving local, state and Federal financial support as well as support from Westinghouse and other participating companies, consists of a 9,340-foot concrete loop track on which rubber-tired "Skybus" vehicles operate under computer control. These vehicles can operate singly or in trains of up to 10 vehicles over a roadway system which can be elevated, at ground level or underground. The system is designed to give continuous service at two-minute intervals. Steering and locking the vehicles to the twin-concrete roadways is achieved by a center rail which is "hugged" by horizontal pneumatic-tired guide wheels on the bottom of the cars.

Discussing the demonstration project, Mr. D. C. Burnham, president of Westinghouse, said that a transit expressway system—complete with "Skybus" vehicles, roadways, stations and computer control—could be built for \$1.5 million per mile, excluding right-of-way.

1966 Engineering Foundation research conferences

Six special engineering conferences have been scheduled by the Engineering Foundation for July 25 to August 26. They will focus on topics of current importance to the engineering profession. These are: (1) Technology and Society; (2) Industry and the Young Engineer; (3) Interdisciplinary Team Approaches in Engineering; (4) Changing Science and Technology-Its Effect on the Professional Engineering Societies; (5) Technology and the City Matrix; and (6) Particulate Matter Systems-Their Simulation and Optimization. The first four conferences will be held at Proctor Academy, Andover, New Hampshire, the fifth conference at the University of California at Santa Barabara, and the sixth conference at the University School of Milwaukee.

A sandwich of sandwiches for building panels

Plastic walls are being used for the exteriors of some multi-story buildings in Belgium and England, according to Albert G. H. Dietz, professor of architecture and civil engineering at M.I.T. and well-known authority on plastics in building. Speaking before the New York chapter of the Construction Specifications Institute, Dietz reported that the Belgians are using glass fiber polyester for deeply molded window surrounds. A British panel will have a reinforced core of lightweight foamed concrete made with a latex additive.

Dietz said that the latex not only imparts toughness to the foamed concrete, but it also improves the bond to the facings. The inside of the panel will be an asbestos-fiber-reinforced gypsum—thus a sandwich of sandwiches. The panel, which is to be used in buildings of the London County Council, has the required fire resistance and the panels are very easily handled during erection.

Glass doors and the unwary

Pennsylvania now has a law which requires glass doors in commercial and public buildings to be provided with safety glazing materials or else be painted or marked at eye level, according to the publication, Shopping Center Reporter. The Reporter item stated that the legislation was introduced shortly after Governor Scranton suffered slight injuries when he accidentally walked into a glass door in Allentown.

Last year the Reporter treated at some length a decision of the United States Court of Appeals for the Eighth Circuit affecting glass doors. The gist of the decision, it was said, is to require that glass doors in buildings used by the public be fitted with some type of decoration or legend to serve as a warning to unwary persons.

Guide for designing heating with light

New environmental systems are making it possible to control heat from lighting systems and to utilize this heat in providing comfort for the building's occupants. Comprehensive research data on this new concept of heating with light has been presented in a new report by the Illuminating Engineering Society's Committee on Lighting and Air Conditioning.

The committee's report is divided into five basic sections. The first three sections deal with lamps, luminaires and lighting systems as energy sources. According to the committee, a great deal of basic research work was done on how luminaires dissipate lighting heat. The total energy distribution from lighting fixtures was thoroughly studied through a variety of methods.

Complete lighting systems were analyzed by the committee from a theoretical standpoint to determine how much heat energy is directed into occupied space and how the structure modifies this distribution.

The last two sections of the report discuss methods and systems for controlling lighting heat. Thermo-electric devices, gases or liquids were considered as heat-control media, and several methods were developed for using air and water in various lighting systems.

New life for old monuments

A liquid formula of water, barium hydroxide and urea may provide the answer to the problem of erosion, which is threatening stone monuments around the world at an ever accelerating rate because of air pollution. The formula, developed by Dr. Seymour Z. Lewin at the Conservatory Center of the New York University Institute of Fine Arts, is described by him as "duplicating in the laboratory what nature takes millions of years to do . . . strengthening and hardening limestone to make it as hard as marble." The liquid apparently causes "recrystallization of the particles that compose limestone without (as far as can be seen) in any way changing the shape, color, or texture of the stone." During the recrystallization, the small particles tend to bridge across, fuse and join up with one another to form a three-dimensional network, which causes the stone to be harder and less susceptible to erosion.

If the formula lives up to its early promise, the potential is of course tremendous, not only for the preservation of stone, but also possibly for the repair of broken stone. In Dr. Lewin's view a "third potential application—we don't know anything about this yet—may be the upgrading of poor and not economically usable limestone into good, high-quality building material."

Landmarks in concrete technology

Some fact-finding research by the Portland Cement Association in connection with its 50th anniversary this year brings out some interesting items on or related to buildings:

1903—The first tall building to use a reinforced concrete frame was the 16-story Ingalls Building in Cincinnati.

1910-The first application of tilt-up construction in multi-story hotel.

1936—The first folded-plate concrete shells to be used in the U.S. were built. 1938—The first U.S. prestressed structure was the shell dome of a water califier tank.

1950-Hyperbolic paraboloid shells began appearing in the U.S.

1951-Pretensioned concrete started.


1962—The foundations were laid for Montreal's Place Victoria, the world's tallest concrete building.

1965—Construction is started on the Lake Point Tower in Chicago, which will be the world's tallest concrete building.

PERFORMANCE

CRITERIA — a system of communication for mobilizing building industry resources

By Richard G. Jacques Supervisor of Planning and Design Research New York State University Construction Fund



The New York State University Construction Fund is calling upon private resources in developing a massive tool for upgrading building productivity in its \$1.5-billion campus construction program.

A vast program to test and demonstrate the efficacy of performance criteria for building design and construction (as opposed to the formulary criteria typical of much government-supported construction) is well launched in New York State—under auspices of the State University Construction Fund, which will spend about \$1.5 billion to double the enrollment capacity of the state's entire university system during the decade ending in 1970.

Performance criteria are conceived as a series or library of documents, each pertaining to a specific area of concern: lighting, acoustics, structure, finishes, etc. The documents undertake to relate the function of a building project to the means for its accomplishment in generic terms compatible with the state of the art rather than in specific formulas of area, structure, degree, or material. They are drawn up in language intended to be comprehensible to all parties to the construction process: owner, architect, engineer, consultant and contractor.

This library of performance criteria is envisioned as a means of communication for which the building industry has felt dire need for many years—not only to help free the industry from the handwrought methods that are limiting its productivity, but also to free the design professions from the proscriptions of formulary criteria that have tended to

freeze inventiveness and artistry, especially in buildings that are controlled by public funds.

The disproportion between man's building needs and the production capacity of the building industry is a serious worldwide problem, as was forcefully attested at the April 1964 seminar in Prague held by a United Nations committee on housing, building and planning. Although the U.S. building industry accounts for roughly one-sixth of the Gross National Product, it is seriously lagging behind the productivity and technological development of other major industies. A comparison is especially apt with the aircraft and automotive industries, which have successfully applied performance criteria to their processes-which are essentially those of construction.

This nation is faced with the task of doubling the present volume of building within the next 30 years to cope with population increases. The New York State University program, in that it will double the capacities of some two dozen campuses, which are virtually small cities of 40,000 or more population each, is a condensed and

accelerated version of this task. The decision of those who implement the State University Construction Fund to invest in the research and hard work of developing performance criteria may be one of national significance.

New York has enlisted private industry in development of performance criteria. To assist the Construction Fund, more than 60 private architectural firms have been commissioned to develop 22 comprehensive campus plans and to design and supervise the construction of more than 700 projects. In addition, many special consultants have been retained by the Fund for particular problems and for the development of performance criteria.

In context with an objective of increasing productivity of the building industry, the Fund is committed to a major research effort to develop performance criteria for a prototype campus. In essence, the objective is a system by which the Fund, as owner's agent, can communicate with and evaluate the potentials of all sectors of the building industry. As a system of language, the performance technique al-




Figure 1. Noise criteria curves, from "A.S.H.R.A.E. Guide and Data Book."

lows each level in the building process to understand the next and to release its creative energies in solving complex problems of design and construction. There have been and will be problems, but the Fund is seriously committed to the performance approach and is making definite progress.

Basic to the approach is identification and classification of the forces and disciplines which shape the campus. These must be synthesized with clear understanding of their interrelationships. The over-all concept of natural forms of influence (climate, land structure, etc.) and man-made forms (function, occupancy, structure, etc.) was adapted from the Development Index by K. L. Holm and C. T. Larson published in 1953 by the University of Michigan. This concept was further refined by breaking the total campus design problem down into 12 component disciplines called "building systems" although they encompass the campuswide process. These systems are: spatial organization, structure, exterior walls, interior walls, finishes, vertical circulation, specialties, equipment, plumbing, heating-ventilating-air-conditioning, electrical systems and site. Each of these is further broken down into sub-systems and components.

For purposes of program administration, the actual process of developing performance criteria has followed a nine-phase course: 1) identification of a specific need; 2) definition of scope and relationship to other projects; 3) assignment of project staff, usually a private consultant or university team; 4) development of total approach through studies and conferences; 5) production of preliminary report; 6) preliminary workshop seminar of a small group at which criteria are reviewed in depth in the light of real needs of the building industry; 7) review by Fund staff in relation to overall program needs; 8) large group workshop with all fund consultants to review first draft including any results of previous reviews; 9) refinement of criteria based on industry reactions and publication of the final draft which is then integrated into the program of the Fund.

As a matter of operating policy, the Fund has reached out not only to retain top-flight consultants but also to set up key people in the building industry to serve as advisors throughout the life of each research project. Current research being carried out within the system described relates to the areas of environment, function, operation and maintenance. In each case, there is indepth evaluation of both initial and ultimate cost of building.

Environmental criteria define goals for acoustics, lighting, etc.

Current environmental research for the Fund is being carried on in acoustics, lighting, color and climate. Although there has been a vast amount of research reported in these areas in the past 20 years, most of it has not been related to a specific building program and might therefore be considered as having been done in a vacuum. Few of its results have ever been implemented, and divergent opinions have caused much confusion in the building industry. Although the Fund has had to rely on environmental standards which have been adopted by the design professions, its concurrent investigations indicate that many of these guides have not, in fact, been developed from a scientific approach. It has been found that those primarily responsible for setting these standards have been sectors of the industry involved in development and sale of products or services. Following are essential aspects of research by the Fund leading to development of environmental performance criteria.

Contents of acoustical specification

Research on the acoustic environment, done in collaboration with Bolt, Beranek and Newman, has evaluated audio requirements of about 410 kinds of spaces that might be found in a major university. These spaces could be categorized into eight generic groups by principal function and further divided into about 68 sub-classifications; but the acoustical situation in all of these categories can usually be assigned to one of three degrees of criticality: 1) spaces used predominantly for speech, where the fre-

Figure 2. Sample room criteria, from "Criteria for Acoustic Treatment for University Buildings (Interim Report)" by Bolt, Beranek and Newman, Inc.

		Table	I					
1	Minimum	n Noise	Leve:	<u>ls*</u>				
Frequency in cps	63	125	250	500	1000	2000	4000	8000
No Ventilation: Rural	48	36	30	25	15	15	15	15
No Ventilation: Urban	58	49	41	35	31	29	28	27
Low Velocity Diffusers: Rural	48	36	30	25	20	19	15	15
Low Velocity Diffusers: Urban	58	49	41	35	31	29	28	27
High Velocity Diffusers: Rural	48	36	30	25	30	29	24	17
High Velocity Diffusers: Urban	58	49	41	35	31	29	28	27
Induction Units: Rural	48	36	30	29	30	29	24	17
Induction Units: Urban	58	49	41	35	31	29	28	27
Fan Coil Units: Rural	48	36	32	34	35	33	29	27
Fan Coil Units: Urban	58	49	41	35	35	33	29	27

^{*} These noise levels are typical values to be used for design purposes only when specific data on manufacturers' equipment are not available.

Room Criterion Sheet No. 1

Classroom (Lecture)

- 1. Recommended Ambient Noise Level: a) Top limit NC-35 b) Expected Masking noise: See Table I
- 2. Recommended Reverberation Time, Seconds:

Frequency cps	500
a) Top Limit	1.0
b) Bottom Limit	0.5

Generally, covering the outer 50% of the ceiling with sound-absorbing material and the center portion with hard sound-reflecting material will provide the desired reverberation time and at the same time allow useful sound reflections from the center ceiling area.

- 3. Recommendations for Proper Shape: Usually not a problem. Avoid circular plans and domed or vaulted ceilings.
- 4. Echoes: No problem due to small size.
- 5. Flutter Echoes: Usually not a problem due to wall-mounted equipment, windows, etc.
- 6. Noise Levels Likely to Occur in This Rocm (in db re .0002 dynes/cm²)

 Frequency, cps 31.5 63 125 250 500 1000 2000 4000 8000

 Design Levels 46 55 65 73 77 71 63 55 48
- 7. Sound Amplification Requirements: Wall-mounted loudspeaker high on front wall desirable for motion picture, TW and intercom use.
- 8. Probable Severity of Impact Noise Sources Originating in This Room as It Affects the Room Below: Moderate in an all-male school the problem is somewhat less severe than in a co-ed or all-female school.

PERFORMANCE CRITERIA IN WORK FOR NYSUCF-STATUS AS OF FEBRUARY 1966

PROJECT	SCOPE		STATUS	
Acoustics	Development of parameters for the sonic environment. Study of impact noise, am- bient noise, isolation, shapes and rever- beration.	Bolt, Beranek & Newman	First Draft Completed	Industry Advisory Group Review/ Workshop, Feb. 1966 Final Draft and Industry-Wide Seminar, April 1966 Study Publication, July 1966
Lighting	Development of parameters for the visual environment. Study of lighting based on quality not quantity. Role of lighting/color in total design concept. Study of glare, contrast and reflectance.	Pratt Institute and William Lam	First Draft Completed	Definition of Further Basic Research to Undertake Scope Agreement with E.F.L. by March 1966 First Draft Re-study, Oct. 1966 Industry-Wide Seminar, Jan. 1967 Final Publication, April 1967
Climate	Development of parameters for the thermal, humidity and air environments. Study of interrelationship of these factors as they effect human activity and the building function.	Pratt Institute	Data Gathering Being Done	First Draft Report, March 1966 Advisory Group Review and Workshop, April 1966 Further Schedule to Come
Finishes	Development of measurable physical properties of interior finishes based on function, user requirements and operating objectives. Study to include finish systems now available that will meet performance criteria.	Building Materials Research Institute New York, N. Y.	Detailed Work Program Being Defined	Outline of Study, Feb. 1966 First Draft Report, April 1966 Advisory Group Review and Workshop, June 1966 Final Draft and Industry-Wide Seminar, July 1966 Final Publication, Aug. 1966
Disabled	Development of guide for planning for the physically disabled. Study of site re- quirements and requirements for general and special facilities. Emphasis being placed on techniques of planning and design which will not differentiate between able and disabled.	Fund Staff: Steven Cotler and Francis Zuccardy	Interim Guide Completed	Development of Comprehensive Materials for Re-study, Feb. 1966 Advisory Group Review and Workshop, April 1966 Final Draft and Industry-Wide Seminar, June 1966 Final Publication, Aug. 1966
Concrete	Development of criteria for design and construction of concrete structures. Particular emphasis on exposed architectural and precast and prestressed concrete in contemporary structure.	Irwin Speyer, New York, N. Y. and Fund Staff: Bertold Weinberg	Final Draft Completed	Final Publication, March 1966
Aggregates	Development of criteria for cements and aggregates for concrete construction. Special emphasis on requirements of materials exposed to the weather. Includes survey of available cements and aggregates in New York State.	I. M. Pei, New York and James Dunn Assoc., Geologists	First Draft Completed	Plan for Joint Publication with other Agencies, Feb. 1966 Industry-Wide Seminar, April 1966 Final Publication, June 1966
Site Products	Development of criteria for planning, design and installation of site lighting, graphics, signals and furniture. Emphasis is on man/machine components of design system. Integration of separate systems and the elimination of product proliferation included.	Harold Lewis Malt Industrial Designer	First Draft Being Done	First Draft Report, March 1966 Advisory Group Workshop, April 1966 Industry-Wide Seminar, May 1966 Final Publication, Aug. 1966
Site Planning	Development of criteria for planting, paving, earthwork and site structures. Study of requirements of environments, function and maintenance.	Not selected	Definition of Scope and Consultant Selection	Consultant Selection, Feb. 1966 Project Work Outline, March 1966 First Draft Report, July 1966 Advisory Group Workshop, Aug. 1966 Final Draft and Industry-Wide Seminar, Oct. 1966 Final Publication, Jan. 1967
Equipment	Development of guide for programing, planning, design and installation of equipment with particular emphasis on science and research disciplines. Requirements for integration of electro-mechanical, structural and equipment systems.	Project being carried on by Fund Staff: J. G. Horine	Information and Data Gathering Being Done.	Final Materials Organization and First Draft Study, March 1966 Advisory Group Workshop, April 1966 Final Draft and Industry-Wide Seminar, June 1966 Final Publication, Aug. 1966
1. ECONOMIC	STUDIES	Other Fund Research Pro	jects	
Cost Control	Development of a technique of control- ling cost during the several design phases.	Staff Project: Harry McAllister	First Draft and Interim Guide Completed	Final Publication, April 1966
Budgets "A"	Development of valid budgets and area economic indices based on past and current building experience in New York.	Wood and Tower	Study Completed and Published	Undergoing Continuing Up-dating and Expansion as Working Tool
Budgets "B"	Development of program budgets based on requirements of function, environment and code.	Staff Project: J. G. Horine	Format for Considerations Developed	Determining Hierarchy and Interrelation- ship of Considerations by Space/Use Categories, March 1966 Advisory Group Workshop, July 1966
Budgets "C"	Development of budgets for site work.	Clark and Rapuano	Final Draft Completed	Detail Editing and Publication of Study, March 1966
				ABCHITECTURAL RECORD May 1966 1

				Research in work for N.Y.S.U.C.F. (continued
PROJECT	SCOPE	A CONTRACTOR OF THE PARTY OF TH	STATUS	A THE STREET STREET, SHIP STREE
2. PROCESS S	TUDIES			
Campus Planning Guide	Study of approach to comprehensive campus planning. Development of techniques of program evaluation, research analysis, plan development and presentation, organization of time and cost elements, and statement of "design vocabulary."	Staff Project: John Litynski	Study Published	Expansion/Restudy Based on Recent Planning Experiences, April 1966
Utilities Planning Guide	Study of planning/design approach to the development of campus-wide utility networks.	Syska and Hennesy	Study Published	Continuing Up-dating
Facilities Planning Guide	Study of rational approach to facility planning. Synthesis of the function/cost/time considerations.	Hirsch • Hammerberg • Kaestle	First Draft Completed	Final Organization, Editing of Draft, April 1966 Publication, June 1966
Design Vocabulary	Development of a process for communicating the design philosophy/intent to insure the continuity of visual form of the campus.	Damaz • Pokorny • Weigel	Basic Materials Developed	Refinement of Basics and Presentation of Findings, April 1966
3. COMMUNIC	ATIONS			
Building Monographs	A series of brief summaries of data on buildings under construction.	Architects and Staff	Format and Prototype Study	Printing of Prototype, Feb. 1966 Complete Monographs, April 1966
Construction Documents	A study of the content and format of the construction documents. Emphasis on these as related to use/responsibility requirements.	Hirsch • Hammerberg • Kaestle	First Draft Completed	Editing and Coordinating Study with Fund Operations, Feb. 1966 Study Publication, May 1966
Resource Center	A center for the housing of library materials and displays of materials and products appropriate to university building.	Staff Project: William Sawyer	Center Set Up and Organized	Continuing Up-dating and Renewal
4. BUILDINGS				CONTRACTOR OF THE PARTY OF THE
Service Groups	A special study into the impact of basic planning decisions and building form on the cost of construction.	Staff Project	Published	Feedback into Program
Lecture Centers	Study of design criteria and eight design solutions for the new communications. Lecture hall centers.	Alan Green • Mort Gassman	First Draft Completed as Interim Guide	Refinement of Materials for Final Presentation, March 1966 Publication, June 1966
Science Buildings	Comparative analysis of new science 2 facilities with emphasis on laboratory planning module, service/structure integration, ability of systems to be reorganized for changing needs.	Staff Project: Steven Cotler	Comparative Data and Graphics Being Done	Presentation of Preliminary Findings, March 1966 Study Publication, June 1966

quency range of concern is 250-500 cps; 2) concert halls, where critical response must be from 125 to 2,000 cps; 3) non-critical areas such as athletic facilities, cafeterias and library reading rooms, where reasonable noise control is a simple absorption technique not complicated by perceptual requirements.

Since human acceptance, sometimes emotionally motivated, is a considerable element in the success or failure of an acoustical design, there is a broad area in the design approaches to critical spaces where good judgment is an important factor. In these situations, the solutions are not so much a matter of knowing how to make the sound waves behave in a given way as they are of finding out what the listener wants to hear. This division requires the development of acoustical criteria related to what man has to hear (functional) as opposed to what man wants to hear (psychological). Research so far indicates there is much to be done in relating acoustics to psychology.

The performance criteria for acoustics cover the following specific characteristics: ambient noise levels, reverberation time, sound reflections, echoes,

sound transmission, and amplification.

Ambient noise criteria are related to the familiar noise criteria (NC) curves of standard references (see Figure 1). There are 68 room criterion sheets for various kinds of spaces similar to the one shown in Figure 2 for classrooms. The table of expected ambient masking noise (table 1) to which these sheets refer is also useful in deciding whether sound barriers are required between adjacent spaces.


Reverberation is defined as a persistence of sound within a space after the sound source has been stopped. If reverberation time is short, speech will be clear but music will sound dry and brittle. The performance criteria give methods for calculating reverberation time, and the room criterion sheets give the recommended time for various spaces.

Sound reflection is described as a useful (when controlled) means of distributing sound to listeners in a space: A high degree of control is available to the designer through placement of sound reflecting surfaces oriented to distribute the sound uniformly throughout the listening area. The design tool


used to establish optimum positions is a ray diagram analogous to an optical diagram in which the angle of reflection is assumed to be equal to the angle of incidence. Acoustical ray diagrams are shown in Figure 3, and the criteria report gives instructions for their use. Some conclusions: most of the ceiling of a large lecture room should be made of hard material; under no condition where live sound is to be heard should the entire ceiling of an auditorium be covered with sound-absorbing material.

Echoes are reflected sounds which reach the listener more than 1/17 of a second later than the direct sound. Figure 4 shows a ray analysis of a possible echo and suggestions for improving the situation. Strong reflected sound from a large flat or concave surface should never be allowed to return to a listener if it has more than 70 ft greater path length than the direct sound. Echo problems can be handled by: 1) applying sound absorbing materials; 2) reorienting the reflecting surfaces; 3) reshaping surfaces to scatter sound in a random way. A minor but annoying manifestation of echo is called "flutter echo," which occurs when sound


(sound reflected from this area covers whole floor)



a Flat ceiling



b Two panel ceiling increases useful reflecting area and helps break the sound reflection up into several reflections arriving at slightly different times; this is desirable.



c Multifaceted ceiling scatters sound well and many incorporate lights and loudspeakers.

Figure 3. Acoustical ray diagrams

bounces back and forth between two hard surfaces, usually parallel walls. The remedy is to splay the walls and is especially important in portions of the room where a speaker or musician is likely to be stationed.

Sound transmission of two types is identified: air-borne and structureborne. Air-borne transmission, either within a space or between adjacent spaces, can be attenuated by: increasing distance between source and listener; applying sound-absorbing materials; or interposing sound-isolating barriers. The criteria describe situations where each of these modes might apply. The likelihood of impact and structure-borne transmission is classified as severe, moderate and minor, and the room criterion sheets (Figure 2) indicate for each kind of space the degree of the problem. Thirteen floor constructions are illustrated to deal with the various degrees of impact probability and severity. Those for control of severe impact are shown in Figure 5.

Sound amplification systems are discussed as to quality and application. Broadcast quality (vs. public-address quality) is recommended for campus use in spite of higher cost—partly because of occasional use of the system for music in spaces designed for other purposes, and partly because of long-term, maintenance-free operation. Applications of central and distributed systems of loudspeakers are described, and the importance of time-delay cir-

cuitry for distributed systems is emphasized. One recommendation: in all important rooms requiring sound reinforcement, a control console must be provided whose location is within the coverage of the loudspeakers and is representative of average listening throughout the room.

The search for lighting criteria shows the Fund means business

In the area of lighting, the many divergent opinions of the results of research have caused unprecedented confusion in the building industry. In most cases, the ultimate building users and the design professionals have made no significant impact on development of realistic environmental standards.

The volume of research in the field of lighting probably exceeds the work done in related environmental fields. Because most of this work was not carried on in relation to specific program demands, it has been difficult to understand and interpret or use in a practical way. Much of this research has, in fact, been adopted as professional standards without an awareness of the full implications of its conclusions.

During the past year, the Fund commissioned the School of Architecture at Pratt Institute to study all of the existing work that had been done by lighting researchers during the past fifty years. From all of these studies, it was impossible to draw a consensus that would have any validity in terms of the general approach to lighting design. Studies for the Fund so far do indicate, however, that design parameters such as brightness balance, reflected glare, orientation focus and distraction are as critical if not more so than the actual level of lighting on the particular task. Recommended levels of lighting have risen by 300 to 800 per cent in the last thirty years in the United States. This has occurred through repeated extrapolations by the Illuminating Engineering Society of a long series of experiments by H. Richard Blackwell. In spite of their unproven validity, these high levels of illumination have found

Add panel to reflect sound farther back; then ceiling reflection occurs soon after the direct sound and gives useful reinforcement rather than undesirable echo.




Figure 4. Correcting an echo situation




Figure 5. Floor constructions that relieve severe impact noise problems

their way into the design standards of the industry.

Because of the great conflict of research results summarized in the Pratt Report to the Fund, the decision was made not to average out existing criteria in the field in order to produce still another inconclusive guide to lighting design. The Fund program was expanded by retaining lighting consultant William M. C. Lam under a grant from the Educational Facilities Laboratories to spearhead a comprehensive study and analysis to reconcile field observations with research findings, to seek out areas of agreement, and to probe deeply into areas which remain matters of conjecture.

The library grows

Scope of the New York Fund effort is reflected in the accompanying chart reporting the current status of various projects, not only in the development of performance criteria but in the clarification of other documentary aspects of the construction process such as budgets and contract documents. It is not intended that these criteria will become a static requirement. Nor will they be offered to the Nation as a universal solution. But if these criteria are effective in accomplishing their objectives and intent within the considerable scope of the New York State University program, they could indeed set a pattern of approach that might revolutionize the construction industry.

HOW MATERIALS REACT TO SOLAR ENERGY


By JOHN 1. YELLOTT Director of the Yellott Solar Energy Laboratory in Phoenix, lecturer in the College of Architecture at Arizona State University and chairman of the A.S.H.R.A.E. Technical Committee on Fenestration

The sun's heat was not much cause for concern in building design until the recent era of lightweight cladding materials, large exterior glass areas, insulated roof decks and air-conditioned interiors. Designers of heavy masonry structures built years ago had to contend with a certain amount of expansion and contraction, but were not faced with designing for the fantastically large temperature swings experienced by some of today's building components.

For example, a built-up roof on a well-insulated roof deck may be subjected to a temperature change of 100 degrees or more within 24 hours. Such a radical change has been cited as the cause for many of the roofing failures of recent years, and for this reason manufacturers of roofing materials have introduced techniques which let the roofing move without rupturing.

Similarly, metal curtain walls must take movement into account so that expansion and contraction will not cause creaking noises or sealant rupture. Solar gain through glass must be calculated more carefully in determining air-conditioning loads and glass surface temperatures.

Many of these solar effects are now well known. But not so obvious is the greatly varying degree to which various materials soak up or reject solar rays; and, once the solar energy has been absorbed, how well these materials get rid of it. Oddly enough, many materials that one might expect to be good "reflectors" of the sun are not as good as other materials usually assumed to be poor reflectors. Item: some polished metals will get hotter than concrete or brick under the same solar conditions.




Materials in the upper-left-hand corner are considered to be "cool"—they don't absorb very much of the solar heat that strikes them, and they are good radiators of the heat that is absorbed. But materials in the lower-right-hand corner are "hot"—they absorb a lot of the sun's heat but they don't reradiate much of that absorbed. Some materials in the upper-right-hand corner (when the construction is not massive) may experience wide temperature swings (roofing more than 100 F in 24 hr).

What happens to the solar rays?

Solar radiation striking an opaque surface is partly absorbed, and the rest reflected; none is transmitted directly. The absorbed energy causes the temperature of the material to rise until the resulting heat is dissipated by radiation and convection to the atmosphere and by conduction inward.

The ability of a material to absorb solar radiation is called absorbtivity; the opposite is reflectivity. A material's ability to lose heat by radiation is called emissivity. (Quantitatively, the terms are referred to as absorptance, reflectance and emittance.)

While radiation from the sun is short-wave, the radiation from low-temperature emitters such as building materials is long-wave. For many materials the short-wave solar properties are much different from the long-wave in-



frared absorptance and emittance, and this can very much affect whether a material will be "hot" or "cool" when exposed to the sun. So called "hot" materials have high solar absorptance and low long-wave emittance—they soak up the sun's heat, but don't lose it easily by radiation. "Cool" materials, on the other hand, have low solar absorptance and high long-wave emittance. This wave-length selectivity is the basis of controlling the temperature of spacecraft, where all heat transfer takes place by radiation.

The long-wave emissivity of a building material—its ability to lose heat by radiation—depends on the nature of its outer surface. In general polished metals can be expected to have low emittance while most non-metallic materials have high emittance. But highly polished materials rarely stay bright and shiny

when exposed to the weather, so while they may begin their service with low emittance, they soon develop medium or high emittance. The chart on the opposite page shows the emittances and short-wave absorptances for a wide variety of building materials and related materials such as earth, water and ice. The implications of different values of absorptance and emissivity for a building material such as roofing will be apparent from the table below.

Solar absorptance = 0.92 Long-wave emittance = 0.98		surface temp.		Btu
Insulated (u = 0.10 Btu)	1 mph	193	12	
Uninsulated		162	87	
Insulated Uninsulated	7 mph	153 133	8 58	
White roof				
Solar				

Black roof

Solar absorptance = 0.40 Long-wave emittance = 0.90		surface temp.	heat flow	Btu
Insulated	1 mph	137	6	
Uninsulated		128	53	
Insulated	7 mph	120	4.5	
Uninsulated Btu = Btu / hr / sq ft	2	110	35	

Heat lost from exterior materials

The dissipation of heat to the outdoors from a sunlit building surface takes place both by radiation and convection. On hot summer days when there is little or no wind, little heat is lost to the air, and heat loss by radiation to the sky becomes particularly important.

What determines just how much heat is lost by radiation? First, the amount of heat that a material itself will radiate depends on its emittance and its temperature. However, this is complicated by the fact that not only does a material radiate toward the sky, but the sky itself radiates energy which will be absorbed by any exposed material on the earth.

When the sky is covered with clouds, the effective sky temperature is about the same as the air temperature at the base of the clouds. When the sky is clear, however, the water vapor in the atmosphere acts something like a venetian blind which can open to allow the radiation from the surface of a material to pass out into the emptiness of space. With low humidity the imaginary venetian blind is open, while high humidity tends to close the blind.

During the daylight hours, the effect of long-wave radiation exchange between a roof and the sky is largely masked by the much greater effect of solar radiation, but at night the radia-

Table 1: Apparent atmospheric emittance for varying dewpoint temperatures									
Dewpoint Temperature near Earth, F	0	10	20	30	40	50	60	70	80
Atmospheric Emittance	0.70	0.75	0.77	0.79	0.82	0.84	0.86	0.88	0.89

While materials always radiate some energy to the sky, this loss of heat at night can be considerable. More heat is lost when the night air is dry because the atmosphere then radiates less energy.




Table 2: Absorptance of smooth black surface at incident angles from 0° to 90°									
Incident Angle	0	20	40	50	60	70	80	90	
Absorptance	0.96	0.95	0.94	0.92	0.88	0.82	0.67	0.00	

Solar angle has a double effect on energy absorbed. First, there is less radiation striking the surface as the angle moves from the vertical. Second, the absorptance is less moving from the vertical.

tion from the surface to the sky can become very strong. On a still, clear night, surfaces which "see" the sky can be cooled far below the ambient air temperature and this accounts for the formation of frost and even layers of ice during nights when the air temperature does not approach 32 F.

As an example, consider a spring night in Arizona when the air temperature near the earth is 40 F, the relative humidity is 32 per cent, and the dew point temperature is 12 F. If there is no wind, the surface will cool about 14 F below the air temperature.

Differences in the emittance of materials have relatively little effect when the wind is blowing, because heat loss then is governed by convection. For example, for a black roof at the standard summer condition of 7.5 mph, about 70 per cent of the heat loss is due to convection, and only 30 per cent to radiation. With still air conditions, however, the difference in radiation becomes quite significant.

Effect of solar angle

Still another factor that influences how much solar radiation is absorbed by roofs and walls is the direction of the solar rays. The angle of incoming rays in relation to the surface controls both the intensity of the solar beam and the extent to which the surface will absorb the radiation. The absorptance of smooth surfaces, regardless of their color, drops off rapidly as the incident angle increases above 50 degrees (see table 2). Because of the dual role played by the incident angle, solar-thermal effects on vertical walls are at

their maximum for south exposures in winter and for east and west surfaces in summer.

Many metals are "hot"

In general, bare metallic surfaces tend to be hotter than non-metals under the same conditions of solar radiation and ambient air temperature because their long-wave emittance is generally low.

To illustrate, consider a roof covered with new galvanized sheet laid over a 1-in. wood deck. Its solar absorptance would be 0.65 (see page 196); its long-wave emittance, 0.20; and the conductance of the structure, 0.8. Assume the air to be virtually still, the solar radiation 300 Btu/hr/sq ft, the outdoor air temperature 100 F. With these conditions, the surface temperature would be about 170 F. The inward heat flow would be 76 Btu/hr/sq ft.

If the sheet is whitewashed, the solar absorptance will drop to about 0.22 and the emittance would rise to 0.78. The surface temperature would be 114 F and the inward heat flow would be 31 Btu/hr/sq ft.

Aluminum and stainless steel tend to be hot materials because they have solar absorptances between 0.40 and 0.50, with low long-wave emittances. It is for this reason that some airplane cabins get so hot when the plane is sitting on the ground. The skin of an aircraft is commonly made of aluminum and, under low wind and bright sunshine, the sol-air temperature* of the

^{*}Sol-air temperature is a ficititious outdoor air temperature which, in the absence of sunshine, would cause the same heat flow as that experienced under combined actual air temperature and solar radiation.


upper surface can readily reach 196 F. By painting the upper surface white, the sol-air temperature will drop to 125 F.

Stainless steel will run much hotter under still air and bright sunshine than, for example, concrete or brick. For stainless steel, the sol-air temperature can reach 190 F while light concrete under the same conditions would have a sol-air temperature of 172 F.

There are certain applications such as solar heat collectors where the highest possible surface temperatures are desired. The selective surfaces developed by Dr. Harry Tabor at the National Physical Laboratory of Israel in Jerusalem can attain solar absorptances of 0.90 with long-wave emittance of 0.10, and heaters using these surfaces can actually generate steam. In general, the architect seeks cool surfaces.

What difference does shade make?

The difference in temperature between the sun-lit and shaded sides of a structure can be very marked indeed, since the irradiation on the sunny side can reach 250 to 275 while the shady side receives only 35 to 50 Btu/hr/sq ft. Thus the sol-air temperatures under still air conditions and 100 F outdoor temperatures for brick or concrete structures would be about 160 F on the sunny side and 110 F on the shady side. In general, this difference will simply mean that the heat gain will be greater on the sunny side, but with a large metallic structure, major differences in thermal expansion can exist.



This chart shows the effect of air motion and material conductance on surface temperatures and inward heat flow. The example is of a black roof on a 95 F day, with a sol-air temperature of 197 F. The sloping lines on the left-hand chart indicate outer surface coefficients (combining both radiation and convection effects) of 2 and 4 with slopes shown for material conductances (u) of 1.0 (broken lines) and 0.1 (solid lines). The example assumes a surface coefficient of 2.7. A coefficient of 2.0 is for still air, and 4.0 for a mild wind. Note that a change in the coefficient has proportionately less effect for an insulated material, and that surface temperatures are much higher.

Keeping a black roof cool

As mentioned earlier, conventional built-up roofs with tar-and-gravel surfaces have very high solar absorptance, but their long-wave emittance is also high. Thus the temperature which they attain may well be lower than for oxidized metals with high absorptance but low emittance.

One of the major problems with black roofs is the very high temperature differentials which they experience. At mid-day, the sol-air temperature for a well-insulated black roof may be as high as 198 F, and the corresponding surface temperature would be close to 190 F. Just before dawn on that same day, if

the sky is clear, the outdoor air temperature might be about 60 F, but the roof would be even cooler because of the outgoing radiation to the sky. The roof may, then, have to endure daily temperature swings of more than 100 F, with the resultant expansion and contraction. Studies carried out in Arizona during the summer of 1965 showed that intermittent sprays could effectively reduce the temperatures of black roofs until the average roof temperature was essentially the same as the average air temperature. The sprays can be used equally well on tilted or horizontal roofs, while ponds are restricted to horizontal roofs.

What does it all mean?

Well known is the fact that light-colored materials reflect solar heat. Not very well known is the fact that many "lightcolored" metals are pretty good absorbers of solar heat. Also not well known is the fact that a black asphalt roof will not only absorb a lot of solar heat, but it can lose it rapidly at night.

The architect, being aware of these solar effects, will want to be more careful about provisions for expansion and contraction in light-weight metal-skinned buildings to avoid "creaking" and "popping" noises. He will need to understand the reasons for care in the design and specification of built-up roofs to avoid rupture of the surface. He will know that an absorptive roofing material can considerably increase the amount of heat transfer through a lightweight roof structure, unless it is very well insulated. He will sense trouble if a highly absorptive exterior surfacing material is bonded to a back-up material having different thermal characteristics than the surfacing.


Component	Building Material	Time lag, hours
Roof	Uninsulated sheet metal	0
	Light wood with tar paper waterproofing	½ to 1
	Medium construction, insulated, with built-in	
	roofing	1.5 to 2.5
	Heavy concrete, with built-in roofing	2.5 to 6
Wall	Typical frame with 2 in. by 4 in. wood siding	
	and plywood studs,	
	no insulation	0.5 to 1.0
	insulated	1.5 to 3.0
	Brick, stone, or concrete	
	4 in. thick	2.3 to 2.6
	8 in. thick	5.0 to 6.0
	12 in. thick	7.0 to 8.0
Fenestration	Single glazing	0
(No time lag	Double glazing	0.0 to 0.5
for the transmitted component)	Glass block	1.0 to 2.0

Notes

The heat stored in the structure itself causes lags of varying duration between the times when the solar radiation is absorbed and when its effect is felt within the building.

The table above gives approximate values of the time lags which may be expected with various types of construction. In general, when the time lag is low, the rate of heat flow through the building component is high and this tends to lower the surface temperature. When the time lag is high, the surface temperature also tends to be high.


Time lag has a beneficial effect upon the air-conditioning load because the maximum heat gain for a thick, heavy wall takes place long after the highest heat through the fenestration on that exposure. It is only for lightly-constructed, poorly-insulated areas that the two components of the cooling load are likely to come at the same time.



Meeting of the minds.

Innovation. Environment, Service. These are thoughts you live by. So do we. With you in mind. Take this chair for instance. It's new. With many innovations. But it's just one of some 50 Steelcase chairs which respected architects have used in noteworthy office installations. In other items of office furniture, too, your Steelcase representative can offer an impressive number of choices to fit your aesthetic and functional concepts. Most important, though, is what he can do to make your job easier. He doesn't just talk service. He gives it. The kind you like. And that we'd like to tell you about. Why don't you get in touch with Steelcase? Now. While your mind is on innovation and environment. And service. Write Dept. G.

STEELCASE INC., Grand Rapids, Michigan
Los Angeles, Calif. • Canadian Steelcase Co., Ltd., Ont.
Offices and Showrooms: New York • Chicago • Atlanta
Los Angeles • Grand Rapids • St. Louis • Philadelphia
Dallas • Portland, Oregon • Ontario • Quebec,



Big Chair on Campus

Dining hall or student union... Krueger 3100 Side Chairs are the University of North Carolina's choice for seating the college crowd in colorful, carefree comfort. Every 3000 Series shell is contour-molded of Krueger's own quality fiberglass-resilient, colorfast and virtually indestructible. Legs are heavy-gauge, black or chrome-plated tubular steel with self-leveling nylon glides. Arm and Side Chairs also feature swivel/ pedestal bases. Also available are richly upholstered units, foamcushioned and covered in colorful Naugahyde; or Spot-Shed treated, textured fabric (Arm Chairs only).



Write for Krueger's Complete Line Catalog


— on your letterhead, please.

No. 3200 Arm Chair

KRUFGER

METAL PRODUCTS COMPANY • GREEN BAY, WIS • 54306 SHOWROOMS: Chicago, 1184 Merchandise Mart; Los Angeles, 8815 Beverly Blvd.

For more data, circle 84 on inquiry card



marble-faced precast

adorns award-winning design for the headquarters for hemisphere health.

It's an outstanding addition to the panorama of the Foggy Bottom area of Washington. It houses both the Pan American Health Organization and the regional office for the Americas of the World Health Organization.


This design, featuring an unusual application of American-quarried marble, won the competition which solicited designs from all countries throughout the Americas. The end walls of the curved Secretariat Building are distinguished by marble-faced precast panels up to 4×16 feet in dimension.

Marble helps good design come to life . . . at a surprisingly small percentage of any building budget. Members of the MIA are ready to assist you with design counsel, technical assistance or any information you might need in the application of marble, exterior or interior.



















Beautiful, isn't it? And it's available in 12 designer colors. Our new Barque pattern with its dimensional, authentic

look is proof again that nothing says vinyl wall covering like Koroseal. Because Koroseal offers you such a wide variety of patterns and colors. Because Koroseal stays fresh-looking

B.F.Goodrich /

longer—resists scuffs, scratches and stains, too. For a swatch of new Barque and the name of the Koroseal distributor

who is nearest to you write The B.F.Goodrich Company, Consumer Products Marketing Division, Dept. E-3-B, 277 Park Avenue, New York, N.Y. 10017. Or call New York—922-2730.

Consumer Products Marketing Division

Application and specification of materials and equipment

Many varieties of glass panels to control and diffuse light

By C. W. Clarkson, Building Products Department, Corning Glass Works

Glass has, in the past few years, undergone a transformation which has significantly enlarged its capabilities for panels in lighting fixtures.

Diffusing panels

The first purpose of lighting panels is to conceal bare bulbs, improving appearance and reducing direct glare by diffusing the light over a larger surface.


Two basic types of panels serve these purposes: the opal panel, which simply diffuses the light, and the prismatic panel, which controls it more exactly by bending the light rays down so that more light reaches the work surface and less escapes into high-angle brightness zones.

Glass panels, of course, are available in both types. But the revolution in the composition and manufacture of glass panels now extends the capabilities of glass far beyond these basic functions.


For example, the composition of some opal glass panels gives them a capability unique among diffusing panels. In most opal panels, diffusion is obtained by suspending relatively opaque pigment in otherwise clear panel material. Clear diffusing panels, however, are produced by combining two crystal glasses having different indexes of refraction. The diffusion is obtained as the light passing through the glass is refracted and reflected internally. Because there is no opaque pigment, these panels are more efficient than regular opal panels-yet they provide the same diffusion.

New glasses can cope with heat

The special properties of some glass make it ideal for applications involving high-temperature light sources such as incandescent or mercury vapor lamps.



Glass can be fabricated to virtually any design. Example: luminous ceiling of opal glass in hexagonal frames diffuses light in Morgan Guarantee Trust Company; Rogers and Butler, architects.



Small hexagonal prisms in glass panels direct light toward work surface, away from eyes.



Opal diffusing panels obtain light diffusion through glass composition, not a pigment.



This panel combines hexagonal prism design in center with linear prisms along the side.

In outdoor accent lighting, borosilicate glass lenses are normally used because they can withstand extreme temperature shocks—for example, cold rain falling on a hot lens.

Another special function that can be provided by glass panels is in heat-extraction troffers. A heat- or infrared-reflection coating can be applied to the glass, which intercepts an even greater percentage of lighting heat and prevents it from entering the room. This transparent coating of tin oxide, which is permanently bonded to the glass substrate, reflects the heat radiated from the luminaire back up into the troffer where it can be more efficiently exhausted, but allows 70 per cent of the light to come through.

Also available: special-purpose glasses A glass panel of similar construction is produced for use in areas housing sensitive electronic equipment. In some cases, radio-frequency interference generated by fluorescent lamps may cause erroneous or erratic readings, or disturbing static, in such equipment. Electrically conductive glass panels, with a transparent oxide film grounded to the fixture, intercept this interference and prevent it from entering the occupied

Safety is another function for which special glass panels are particularly suited. In recreation areas, mental institutions and prisons, one of the chief concerns with regard to lighting panels, regardless of material, is the possibility of breakage. When broken, most panels, regardless of material, fracture into jagged pieces of various size. As a result, tempered glass panels have traditionally been used in these applications. Tempered glass not only resists breakage; but, if it is broken, dices safely into harmless particles with blunt edges. A new chemically-strengthened glass panel is now being used for these applications. Although it is only about half as thick as ordinary 1/4-in. tempered glass, it is even stronger, and retains the same excellent dicing characteristics. Indeed, this new chemical strengthening method now makes it possible to use glass panels in large-area lighting fixtures. A new flush-mounted crystal prismatic glass panel strengthened by this method is U.L. approved for any size up to a nominal 4- by 4-ft panel.

Glass for appearance

The versatility of glass lighting ware is not restricted to one of pure function—it can be an esthetic element as well. Surface-etched opal glass panels can offer exceptionally even light diffusion, completely hiding the lamps. In

addition, the etching completely eliminates surface reflections. The result: a luminous ceiling, with a velvet-like appearance.

However, opal diffusing panels are less efficient than crystal-clear prismatic panels. In the past when lighting efficiency has been of prime importance, prismatic panels have been used rather than opal panels, at the expense of a "soft" appearance. But now a new glass panel, a crystal prismatic, has been developed to provide both efficiency and the warm, soft look of opal.

The economy of glass

While—not long ago— the cost of glass panels was generally considerably higher than plastic panels, it is now much more competitive in initial cost. A new crystal prismatic panel is about the same price as acrylics.

The efficiency of a glass panel depends on the type of glass used in its manufacture. In some rare instances, ordinary lime glass is used. You can recognize lime glass by looking at its edge, which will be distinctly green. This cast is caused by the impurities in lime glass. Of course, in light transmission, color is subtractive. A green appearance means that the impurities in the glass are filtering out some of the other colors, which means they are filtering out light. So although lime glass is relatively inexpensive, it does sacrifice efficiency.

Most glass lighting panels are made of crystal glass. And, as its name implies, crystal glass is water clear. Viewed from the edge, it has no color. For example, the effective transmittance (the ratio of the light output of a fixture with the panel installed vs. the light output without the panel) of the most widely used crystal prismatic glass panels is about 83 to 89 per cent, depending on the type of fixture, lamp spacing, and number of lamps used. This compares to an effective transmittance of about 70 to 76 per cent for lime glass panels.

Even opal glass panels are extremely efficient, because, rather than relying on dispersions of opaque pigment for their diffusion, they are made from two crystal glasses with different indexes of refraction.

In short, glass today is a family of materials with characteristics, capabilities, and uses far broader than in the past. And these capabilities have greatly extended the services it provides in lighting ware. Yet its natural beauty and permanence—the qualities that have for centuries commended glass to architecture—remain as important in design as they always have been.

Newly designed electrical fixtures have neat, compact appearance

1. The new G6-LA power and telephone service fitting has a specially designed base for use with both underfloor and header-duct systems. The large inside area of the low potential section can accommodate up to three Amphenol telephone connectors. Buzzers or screw-type connectors can be easily fastened to the fitting base. Brackets which will hold up to four 44a connector blocks can also be mounted.

The low-silhouette, satin-aluminum enclosure gives minimum floor obstruction and fits in well with different types of floor finishes.

Provision is made for possible future upgrading of telephone service without requiring any additional modification of the fitting. . Square D Company, Lexington, Ky.

Circle 300 on inquiry card

2. An electric fan-coil thermostat for four-pipe heating/cooling units has recently been introduced. Because the new device includes an integral twospeed fan switch, it can substitute for the separate thermostat and switch at present used in some installations. The new device is designed to fit in a standard electrical outlet box.

The thermostat is designed to prevent sudden switching between heating and cooling as a result of minor room temperature fluctuations. Automatic sequencing of heating and cooling is provided. Thermostat range is from 55 to 95 F, with a simply marked "warmer/ cooler" scale.

The switch, which is designed to handle large and small units, has highlow-off positions, and when in the off position automatically closes the coldwater valve. Rating for the switch is 4.4 amps at 120 volts ac; and 2.2 amps for 240 volts. The thermostat is rated at 0.32 amps at 120 volts, and 0.16 amps at 240 volts, which is adequate for the small motorized valves normally used on fan-coil units.

For installations where separate switches are already supplied, the new device is available as a thermostat only. Both thermostat cover and mounting plate are finished in satin chrome. . Honeywell Commercial Division, Minneapolis, Minn.

Circle 301 on inquiry card

3. Recommended for installation whereever unauthorized use of switches can endanger life or property, the new 4600 weatherproof assembly with locking cover is installed flush with the wall and cannot be pried open, thus affording protection from vandals and extreme weather conditions.

The adapter, frame and cover are of heavy cast aluminum making them suitable for outdoor use-although they can also be used indoors. All other metal components are of non-ferrous metals to eliminate the possibility of rust or corrosion.

The new assembly can be used with Pass & Seymour outlets up to 50 amps, and 15.20 and 30 amp switches.

Concealed heavy screws and mortars hold the unit in place, while a neoprene gasket seals the cover to the frame. Pass & Seymour, Syracuse, N. Y.

Circle 302 on inquiry card

4. Residential and commercial circuitbreaker load centers made by I-T-E have been redesigned to give additional safety and a neat appearance for both inwall and on-wall installations. The new Pushimatic ElectriCenter features a combination front with a flat door which has recessed hinges and a pull ring. A tumbler-type protective locking device can be installed in the pull-ring recess without affecting the appearance of the panel front.


The centers are available for from two to 40 circuits. The box, interior and combination front will be packaged as a single unit to facilitate handling and distribution.


The new center is designed to cover all box connectors and to eliminate exposed sharp edges. . I-T-E Circuit Breaker Company, Philadelphia.

Circle 303 on inquiry card


more products on page 214











Showers by Powers

ON CHICAGO'S "GOLD COAST"

The finest of appointments for luxurious urban living have been incorporated into Chicago's new 1000 Lake Shore Plaza. Included is the finest in bathing comfort and luxury. Each bath and shower is controlled by a Powers Hydroguard. Regardless of pressure fluctuations anywhere in the building, Powers Series 410 Hydroguards always maintain bather-selected water temperatures.

For bathing comfort, convenience and safety always specify Powers Hydroguards.





Owner:

Harold L. Perlman, Chicago, Ill.

Architect:

Sidney H. Morris & Associates, Chicago, Ill.

Consulting Mechanical Engineer: Nachman Vragel & Associates, Chicago, Ill.

Plumbing Contractor: Great Lakes Plumbing & Heating, Chicago, Ill.

Plumbing Wholesaler:

Kalish Supply Company, Chicago, Ill.

SYSTEMS SINCE 1891



26-100 THE POWERS REGULATOR COMPANY

Skokie 8, Offices in Principal Cities in U.S.A. and Canada

For more data, circle 88 on inquiry card

1000 Lake Shore Plaza Chicago, Illinois

STEEL PIPE RADIANT HEATING SYS-TEMS / A 36-page booklet has just been issued which contains useful data on radiant-heating systems installed in floors, walls and ceilings. The history of radiant-panel heating, its advantages, design and installation techniques are discussed and illustrated with photos, detail drawings and performance charts. The fabrication of grids and coils, coil installation techniques and methods of providing for expansion are dealt with in considerable detail. Cutaway diagrams show typical installations in concrete slab and wooden floors in single and multi-story buildings, beneath finished floors, between joists, and in walls and ceilings. . Committee of Steel Pipe Producers, American Iron and Steel Institute, New York City.

Circle 400 on inquiry card

DOOR OPERATORS / Automatic door operators, for concealed, overhead or surface mounting to suit a wide range of needs are on display in an illustrated catalog. Photographs of models, detailed description and specifications are given in addition to a selector chart which enables buyers to choose the exact model to suit individual requirements. Photos and details of the company's switching equipment and accessories are also given. . Norton Door Closer Division, Yale and Towne Inc., Bensenville, Ill.*

Circle 401 on inquiry card

GUIDE TO TRANSFORMERS / A new 28page publication describes General Electric's complete line of QHT dry-type general-purpose transformers for use in industrial facilities, office buildings, schools, hospitals and stores. The new series includes ratings of 25 va through 1000 kva for control, small power, buckboost, lighting and similar applications. The transformers incorporate a large number of improvements which are said to provide increased performance levels, greater reliability, lower sound levels, and easier handling and installation. The illustrated bulletin contains price and ordering information, dimension and wiring diagrams, operating characteristics and application suggestions. . General Electric Company, Schenectady, N. Y.*

Circle 402 on inquiry card

POST-TENSIONING FOR PARKING / The advantages of Atlas post-tensioning systems for multiple-level clear-span parking structures as well as information on their use to provide roof parking in buildings are given in a booklet which includes case histories, construction details and detailed engineering information. Statistics of 24 different post-tensioned structures with capacities from 142 to 1,566 cars are presented in tabular form. Information given includes: owners names, number of cars, plan dimensions, number of levels, slab and beam span and thickness. . Atlas Prestressing Corporation, Van Nuys, Calif.

Circle 403 on inquiry card

STORAGE BATTERIES / Complete specification data for medium-rate nickelcadmium alkaline storage batteries have been published in the form of a new illustrated brochure. The batteries described are suitable for such applications as switchgear control, inverter systems, emergency lighting, and alarm and communication systems. The brochure includes performance and dimensional data in convenient tabular form for both steel and plastic container batteries; discharge characteristic curves are shown as are recommended float voltage settings for charging. . NIFE Incorporated, Copiague, Long Island, N. Y.

Circle 404 on inquiry card

PLATE GLASS / The fifth edition of the company's architectural data handbook giving basic information on all the company's products used by the architectural profession has just been published. Information is given on various types of flat glass products, architectural metals, doors and entrance materials, sealants, fiber glass, Foamglas insulation, glassblock building units, and paints for interior and exterior application. Information is organized into sections on different product types and is supplemented by a general data section. Generic term headings are on the right-hand pages with product name headings on the left. The 136-page, pocket sized book also contains detailed graphs, diagrams and charts to illustrate the text. . Pittsburgh Plate Glass Company, Pittsburgh, Pa.*

Circle 405 on inquiry card

ELECTRIFIED TRACK LIGHTING / The Lytespan system of spot and flood lighting by means of an electrified track which can be recessed as well as surface or stem mounted is described in an illustrated brochure. The track itself and the different kinds of Lytespot lighting units which can be used with it are fully illustrated with relevant performance and ordering data. A slide rule is also included which, given approximate mounting distance, aiming angle and required footcandles, shows the appropriate lamp type, beam height, spacing and available Lytespots which can be used to produce the desired lighting effect. . Lightolier, New York City.*

Circle 406 on inquiry card

LABORATORY EQUIPMENT / Furniture and accessories for school, research and arts-craft laboratories are presented in a handsome catalog. As well as tables, benches, storage cabinets, table tops, hoods and blowers, there are sections on electrical and other service fixtures, drain fittings, door and lock hardware. Notes are included on the general principles of laboratory planning, and a special pull-out supplement gives details of modular components which can be used as the basis of many different types of laboratory design. Letter requests to Labcraft, Division of Metalab Equipment Company, Hicksville, Long Island. N. Y.

FIRE FIGHTING EQUIPMENT / An up-todate listing of the company's current line of interior fire-fighting equipment is contained in a comprehensive new catalog. Among the items described and specified are: hose cabinets, extinguisher cabinets, combination hose and extinguisher cabinets, angle valves, fire hose nozzles, portable fire extinguishers, and a wide range of accessories. The new catalog contains a condensed cabinet-specifying form which is said to facilitate the ordering of complete hose and/or extinguisher cabinets with appropriate fittings and components and suitable accessories. . The Fyr-Fyter Company, Customer Services Department, Dayton, Ohio.*

Circle 407 on inquiry card

more literature on page 252

^{*}Additional product information in Sweet's Architectural File.



OPEN INVITATION TO ARCHITECTURAL **ELEGANCE**






















Sumitomo Bank of California[†] and Western Conference of Teamsters Building/Shigenori Iyama, A.I.A., architect Entrance doors by The Alumiline Corporation, Providence, R.I./Sliding doors by Carmel Steel Products, Downey, Calif.


The strength of lustrous stainless steel eliminates the unnecessary, unsightly bulk that obstructs natural light. Its warp-resistance keeps doors and frames perfectly aligned and snug-fitting, so heat stays in and weather stays out. Its rugged resistance to forcible entry stops intruders, adds maximum security. And of course, its resistance to corrosion and marring means minimum maintenance.

Yet with all these practical advantages, stainless steel doors and entrances invite architectural elegance too. They enrich airy facades; they brighten massive masonry; and they gleam—lastingly and appropriatelyin city streets or country highways.


Now—as the result of new fabrication techniques—slim-line doors and entrances of stainless steel are available from stock at a price that puts them within reach of every architectural budget. Contact the manufacturers credited above for detailed information on stainless doors and entrances. Write to our Architectural Services for further information on stainless steel.




Jones & Laughlin Steel Corporation STAINLESS and STRIP DIVISION • Detroit 48234



1 of 21 reasons





why Central chose Modine Valedictorian

This reason's name is Jenny. Some f the other reasons are Janet, Chare, Kim...

After all, they're the most imortant reasons why anyone should hoose a modern Valedictorian unit entilator for classrooms. It creates perfect environment for them omfortable, and healthful, too.

That's because Valedictorian is esigned to handle the entire air

conditioning function — heating, cooling, ventilating and dehumidification (or any part, if you like).

A built-in "weather center" controls Valedictorian's unique full damper system. It stays sensitively alert to the class' needs and responds with fresh, filtered air at the right temperatures — before Jenny or any of the other "reasons" even begins to feel discomfort.

The response is automatic.

By the way, Valedictorian is so quiet you can whisper over it. Listen to one and hear for yourself.

The name is Valedictorian. It comes from Modine in a rainbow of decorator-color enamel and vinyl finishes. And it costs a lot less than you might think,

How many reasons do you have to use Valedictorian in your school?

V152



MODINE

1510 DEKOVEN, RACINE, WIS. 53401

HAWS Model 7503 "Safety Sink" **FIRST AID** is always close at hand with a

Haws "SAFETY SINK"

For the laboratory or classroom...this all-purpose cabinet sink does double duty—it's an ON-THE-SPOT emergency water station, too! The "Safety Sink" provides a hose-mounted shower head that is always ready to drench away contamination from eyes, face and body the instant an accident occurs. Standard fixtures for everyday use include a hot and cold mixing pantry faucet and a drinking water fountain. Haws Model 7503 "Safety Sink" has a stainless steel receptor (as illustrated) or is available with an enameled cast iron receptor.

Provides "First Aid," too . . . specify and install Haws "Safety Sink" in the classroom and in the lab!



HAWS DRINKING FAUCET CO., 1443 Fourth Street • Berkeley, California 94710




For details and information on other Haws products—see your Haws catalogs on drinking fountains, water coolers, emergency eye/face-wash fountains, drench showers and decontamination equipment; and dental fountain/cuspidor units.

continued from page 207



ABRASION RESISTANT FLOORS / Recommended for elevated floor systems in computer rooms, clean rooms, and other similar installations, Doublewear Micarta laminated plastic is said to resist the accumulation of dirt and dust does not indent under normal heavy equipment, and requires no wax or polish but can be cleaned with a simple damp cloth. A special process is used to bond fibrous sheets to thermosetting materials to form a flint-like nonporous surface. Available in large tile sizes 1/8-in. thick, the material can be supplied in six different patterns. • Westinghouse Decorative Micarta Division, Hampton, S.C. Circle 304 on inquiry card



FIRE RETARDANT POLYESTER RESIN / This new product, IC-6006, is said to be 20 per cent lighter in weight than resins of comparable flame retardance, but has very high strength and resistance to impact. The new nonchlorinated resin has an A.S.T.M. flame retardant rating of 50 to 80 and was specially developed to speed up and assist the manufacture of a number of glass-fiber reinforced products, including building material components, space and defense equipment, marine equipment, automobile bodies. Inter-Chemical Corporation, Clifton, N. J.

Circle 305 on inquiry card

more products on page 217



Nurses' station and reception area

Count on

St. Charles

for designed efficiency in custom casework

Knowing the proper utilization of space is of major concern in the building or remodeling of hospitals, St. Charles creates custom casework that fulfills the ultimate in convenience, flexibility, efficiency and economy. Excellence of design and craftsmanship are traditional with St. Charles. But tradition doesn't limit St. Charles' technical and productive resources. Their versatility assures the solution of every modern requirement, every space problem, every decorative theme . . . perfectly.

30 years of leadership in creating custom casework

"St. Charles Hospital Casework" available upon request.






HOSPITAL CASEWORK DIVISION

ST. CHARLES MANUFACTURING COMPANY
ST. CHARLES, ILLINOIS

continued from page 224



MOVING SIDEWALKS / The Sandvik Steel company has formed a new division to deal exclusively with the manufacture of moving sidewalks, known as Movators. A special, rubber-covered steel-belt construction provides a combination of strength and rigidity with a non-slip surface. Longitudinal grooves molded in the rubber cover facilitate the use of these sidewalks for wheeled carriages and carts, but are sufficiently narrow so as to prevent women's stiletto heels from catching. Typical areas of application for the Movator include



transport of passengers between airplanes and airport terminals, between stadiums and parking lots and up and over steep outdoor terrains, at subway transfer stations and in stores. - Sandvik Steel Inc., Fair Lawn, N.J.

Circle 310 on inquiry card

AREA LIGHTING HIGH-INTENSITY LAMP / Minor modifications of the Crouse-Hinds' Profile Light for general area illumination have successfully adapted it for use with General Electric's high intensity Lucalox lamp as well as longer life metallic vapor and mercury light sources. The Profile Light, which was introduced last fall, is based on a specially designed asymmetrical reflector which gives maximum beam utilization on the lighted area. The combination of this design with the high intensity lamp is said to make possible new high levels of area lighting. • Outdoor Lighting Department, Crouse-Hinds Company, Syracuse, N.Y.

Circle 311 on inquiry card



WEATHERPROOF BUILDING PANEL / Reynoply, a new building panel which functions as combined sheathing and siding and when installed produces a board-and-batten appearance, is at present being test marketed. The plywood panel which has painted aluminum sheet laminated to the exterior side and reflective aluminum foil on the reverse side can be applied directly to studs in a single operation. . Reynolds Metals Company, New York City.

Circle 312 on inquiry card



more products on page 248

Our 42nd year of service to architects 415 Concord Avenue, Bronx, New York 10455 . (212) LU 5-3230



Beauty and Permanence for a House of Worship



ST. ANDREWS PRESBYTERIAN CHURCH

Tucson, Arizona

ARCHITECTS:

Cain, Nelson and Wares, P.C., Architects

TILE by LUDOWICI:

Designer Pattern Smooth Gray

WIDE SELECTION OF OTHER PATTERNS, TEXTURES & COLORS



Modern Designer Smooth Gray, selected by the architects, is one of a variety of patterns and colors permitting creative flexibility—especially important where the roof plays a significant role in the overall design.


For full information on Ludowici-Celadon roofing tile, write for our colorful brochure sent free on request.

LUDOWICI-CELADON CO.

75 EAST WACKER DRIVE, DEPT. AR-CHICAGO, ILLINOIS 60601

Manufacturers of quarry tile, the nation's largest producer of roofing tile and Nailon facing brick.

For more data, circle 104 on inquiry card



(Color, that is!)



It's also crack, chip, peel, stain and fade resistant...because the surface panels are

GOOD YEAR

Modern's new Videne surfaced wall systems offer you beauty and color styling unlimited: 34 colors, 6 patterns and 16 wood grains all architecturally coordinated. Videne surfaces are exceptionally tough and durable. They cost little more than wet finishes, last infinitely longer. Finishes are lowgloss, easy to clean, unaffected by temperature changes, and are highly moisture resistant.

For style, beauty, quality and economy, Modern wall systems, surfaced with Videne paneling by

Goodyear, are in a class by themselves. If you'd like to know more about them, just write us. We'll be happy to assist you in developing a custom-designed movable wall system for any project you may have in mind.

The Videne wood-grain panels have realistic texture and figure... the natural beauty and feel of fine woods.



Here's some essential information about Modern movable walls with Videne surfaces.

Modern offers you four movable wall systems, to provide for the widest variety of styling, special requirement and budget situations.

Colors and designs—40 in all—have been styled to meet the most rigorous standards for architecturally oriented interiors. Special colors can be developed for larger projects.

Color stability. All colors are non-fading; color vibrance and intensity are assured for many years.

Wood-grain finished panels have a non-repetitive uniformity of pattern and grain that blend together without painstaking matching.

Wearing qualities. The Videne panel surfaces are tough and mar-resistant for long life, lasting beauty—up to three times as abrasion resistant as high-pressure laminates. Videne surfaces are dimensionally stable.

Maintenance is minimal. Smooth, low-gloss surfaces are easy to clean—shed dust and dirt. Highly resistant to stains. Surface abrasions and scratches can be removed, original luster restored, with ordinary cleansers.

Installation is quick, simple, low-cost. Panels are easy to saw, rout, joint, drill or shape with conventional tools. Extra-large, built-in raceways reduce wiring costs.

Maximum flexibility. Completely modular, non-progressive wall systems allow removal of any section without disturbing wiring or adjacent panels.

Several sound cores available—STC ratings from 30 to 43.

Matching Videne panel system for fixed walls. Complete with all moldings, match Modern movable partitions.

Matching doors, Videne surfaced, in a wide choice of styles.

Custom treatments. A choice of trim, and other special effects enable you to achieve individualized interiors.

Quality control of Modern movable walls is continuous throughout production. Extremely high standards of materials and workmanship eliminate costly on-site labor, assure life-long satisfaction.

SWEET'S CATALOG FILE NO. 22A VIDENE, TM for The Goodyear T

VIDENE, TM for paneling, doors and molding systems. The Goodyear Tire & Rubber Company, Akron, Ohio 44316

distribute

MODERN PARTITIONS, INC.



HOLLAND, MICHIGAN 49423

Air conditioning costs putting the heat on your budget?

Switch to International gas power.



"Trouble-free, quiet." — maintenance superintendent, Howard Johnson's Motor Lodge, Somerset, Massachusetts.





Whatever you've got to cool, you can beat the peak demand with International gas power. Chances are you can save a significant amount—by taking advantage of low gas rates.

You'll be ahead on dependability, too. International builds gas engines to run for thousands of hours of troublefree operation.

Check us out. Our full line of gas engines, 45 to 310 intermittent horsepower, can be combined to meet your exact needs. Contact the Engine Sales Department, International Harvester Company, Melrose Park, Illinois 60160.






NEW CREATIVITY IN ARCHITECTURAL CONCRETE



Huntington Trust Building, Columbus, Ohio. Associated Architects: Skidmore, Owings & Merrill, New York, N. Y. and Benham, Richards and Armstrong, Columbus, Ohio. Gen. Contractor: Frank Messer & Sons, Cincinnati, Ohio. Structural Engineers: Weiskopf & Pickworth, New York, N. Y. Precast Units: by the Marietta Concrete Company, Marietta, Ohio.

The tallest to date . . . 12 stories of precast load bearing panels made with MEDUSA WHITE

17 ton precast load-bearing units for the tallest structure of its type are made of Medusa White . . . the original white Portland Cement . . . used for developing a tinted matrix with silica gravel and sand blasted for architectural exposure. Because of Medusa whiteness, the material is ideally suited for this use. Ask your precast producer about Medusa White . . . or write us direct.





MEDUSA PORTLAND CEMENT COMPANY

P. O. Box 5668, Cleveland, Ohio 44101

WHITE AND GRAY PORTLAND CEMENTS . WHITE, GRAY AND CUSTOM COLOR MASONRY CEMENTS . Chemcomp Shrinkage-Compensating Cement

Remember way back

when a switch was used just to turn lights on and off?





KEY-OPERATED LOCKING TYPE SWITCH # 690

Prevents operation of lighting, motors and equipment except by authorized personnel. Key operated. A.C. quiet switches are available in several ratings, in duplex or in combination with a receptacle or a red pilot light indicator.






PILOT LIGHT COMBINATION SWITCH # 682


AC quiet switch can be wired as pilot light so neon glows when switch is on... or as a night light so neon glows when switch is off. Dozens of uses for safety and convenience—such as control of outdoor and basement lighting in the home, and all switches remote from the device or light they control—in both residential and commercial applications.





HI-LO DIMMER #HL-300

Incandescent dim switch provides economical 2-stage lighting for functional effect, such as a TV viewing room, or dramatic effect, such as a dining room. Hi (100% light)—Lo (30% light—off positions. Lo setting extends bulb life 40 times. Installs in a single-gang box.





PHOTOELECTRIC CONTROL SWITCH #PS-4

Weatherproof swivel photoelectric switch automatically turns light on at dusk and off at dawn. Residential applications include garage or porch night lights, post lanterns, driveways and walks. Commercial applications include entrances, parking areas, signs and displays, store night lights, etc. Provides safety, convenience, security.





Epoxy/aggregate plywood walls give a masonry-like appearance to the Intrade Building, Salt Lake City, Utah. These low-cost walls are available in a wide selection of natural stone textures and colors. (Architect: Roger Merrill Van Frank; Builder: Calvin J. Moss Construction Co., Owner: William E. Buchanan.)

Epoxy/aggregate finishes based on Shell Epon®resin give plywood siding an attractive pebbled texture-cut building costs

Factory-finished Hycon 75® Sanspray® siding, manufactured by Hodges Chemicals Co., Burlingame, Cal., will give many years of trouble-free service.

Now there's a new attractive look for economical plywood exterior siding. It's a remarkably durable finish consisting of natural stone aggregates and Shell Epon resin. Here are the advantages:

Extremely low maintenance-Over 5 years of rigorous laboratory and field testing show that these rugged finishes withstand sunlight, and tropical or sub-zero temperatures without cracking. They resist weathering, humidity, salt and fresh water and have an estimated service life of many years. Hycon 75 Sanspray epoxy/aggregate plywood has earned a Certificate of Qualification from the American Plywood Assn., meets FHA standards.

Low building costs-This new construction material offers the economy of prefabrication. Walls can be pre-



Wall section for this new house is lifted by boom crane and moved into position for installation. Interior wall is completed with foil-faced fiber insulation and 1/2 in. dry walls. Prefabricated walls are erected quickly and easily.




Pebbled texture of durable Hycon 75 Sanspray epoxy/aggregate plywood flatters the crisp modern lines of the Intrade Building.

assembled in any height up to 16 feet and to any desired width. They can be erected on 6 in.-wide concrete foundations. No painting, priming or staining needed before or after installation. Semi-skilled workmen can easily cut and nail the walls.

Interested? Write to Shell on your letterhead at 110 W. 51st Street, New York, New York 10020 and we will refer you to the manufacturer of Epon resin/aggregate plywood siding.

Shell Chemical Company Plastics and Resins Division








INTRODUCING THE NEW LIBRARY FURNITURE GROUP BY AMERICAN DESK MANUFACTURING COMPANY

Designed by American Desk as an adjunct of Custom Quadraline, the supreme quality, custom grade of America's most highly regarded luxury line of contemporary educational furniture, this new American Desk Library Furniture is as quiet as wooden library furniture . . . and lighter, stronger, more durable, more comfortable and more economical than wooden furniture. As for beauty, what can compare with American Desk's Char-Color Plan for custom color design? For full details on this American Desk Library Furniture Group and its Char-Color Plan for custom color design, see your American Desk representative or write



AMERICAN DESK MANUFACTURING COMPANY · TEMPLE, TEXAS







Architects: Donald J. Stephens Associates, Loudonville, N.Y.

Glazed with PLEXIGLAS® for control of breakage, glare and solar heat

The windows in the new athletic building of Albany Academy, Albany, N. Y., are glazed with transparent grey #2064 PLEXIGLAS acrylic plastic, ½" thick, framed in aluminum in light sizes of 4'8" by 6'. The window design and the PLEXIGLAS provide a comfortably daylighted interior environment with low initial, operating and maintenance costs.

Solar Heat and Glare Control-Grey

#2064 PLEXIGLAS transmits only 44 per cent of total solar energy with a light transmittance value of 27 per cent. The light filtering characteristic of this acrylic plastic reduces sky and solar glare with the effectiveness of sunglasses.

Breakage Resistance—One-quarter inch thickness PLEXIGLAS has nearly twice the breakage resistance of tempered glass in the same thickness, based on falling


ball tests. Test data available on request.

To Get Further Information—For technical, specification and installation data on the full range of transparent PLEXIGLAS tints to suit varying solar energy and light transmittance values, just write to

us for our new catalog, "PLEXIGLAS in Architecture, PL-688".




®Trademark Reg. U.S. Pat. Off., Canada and principal Western Hemisphere countries. Sold as Oroglas® in other countries.



You see the FRONT...

Now look at the BACK ...



Patented

HGIIAIR°...The only air diffuser with jet induction diffusing vanes

This is the **real** genuine vaned diffuser. It is not an imitation as others are.

AGITAIR diffusing vanes serve the principal objective of a good diffuser — to mix primary and secondary air rapidly to attain temperature equalization.

How is AGITAIR different? Each vane is securely fastened to the louvre upon which it rests. An individual orifice is formed between each pair of adjacent vanes. The shape and dimensions of each orifice

causes a jet of air to be produced. A negative area develops between jets inducing large quantities of secondary air.

Result: AGITAIR controls **cubage*** in the space to create draftless distribution.

Don't settle for "look-alikes". Your local Air Devices Inc. representative will be pleased to recommend the correct size and type AGITAIR best suited for each application . . . or write for catalog R-108.

*Agitair Diffusers control all 3 dimensions of the space served.



AIR DEVICES INC., 185 Madison Avenue, New York, N.Y. 10016

BETTER PRODUCTS FOR...AIR DISTRIBUTION • AIR CLEANING • EXHAUST



Terrazzo installation made with ATLAS WHITE portland cement, Westland Shopping Center, Detroit, Architects: Victor Gruen Associates, Los Angeles & New York; and Louis G. Redstone, Associate Architects, Detroit, General Contractor: Darin & Armstrong, Inc., Detroit, Terrazzo Contractor: Boston Tile & Terrazzo Co., Detroit.

The world's most unusual shopping center has the flooring of a lifetime—terrazzo

Detroit's new Westland Shopping Center is totally enclosed. It has two great courts, a mall and space for 55 stores and services under one roof. It also has a fountain, flowers, exotic fish, songbirds—and restful green-and-white terrazzo flooring. This flooring is invitingly beautiful now. And it will remain just as beautiful for decades to come. Long, high-traffic use cannot fade the color and pattern of terrazzo. It will never lift, curl or wear thin. The first installation is the last. • When you plan distinctive terrazzo floors, wainscots, counters, stairs for a lifetime of service, specify a matrix of ATLAS WHITE portland cement.

Its uniform whiteness brings out the true color tones of aggregates and pigments. Ask your local terrazzo contractor. Or for an informative brochure containing actual-size color plates, write direct to Universal Atlas, 100 Park Avenue, New York, N.Y. 10017.




SS" and "Atlas" are registered trademarks.

WT-108



WHY YOU SHOULD CHOOSE **OUT FRONT QUALITY OF** FILUMA®



Here's a Commercial or Industrial Garage Door you can be proud to specify for out front. DFirst of all, Filuma has out front good looks with its color clear through (available in white, tan, coral or green) fiberglass that is sculptured to give it a longer look. DSecond, Filuma has out front ruggedness that is unmatched for features like: Patented Pressure Sealing* of aluminum rails to fiberglass panels for a watertight, dust-proof bond that's also much stronger; specially designed zinc plated hardware that resists rust and wear; ball bearing rollers for smooth operation; perfect balancing for easy fingertip lift. Weatherproof section joints with double overlapping meeting rails, pliable vinyl bottom weatherstrip, and an exclusive spring door holder that secures the door to the header all add to weathertightness. \square A new chrome handled cylinder lock operates from either side. \square And Filuma needs virtually no maintenance... only an occasional hosing to keep it sparkling. Frantz will build Filuma to fit your requirements in one-inch increments up to 24' wide by 20' high. Special hardware for Low Headroom, High Lift and Vertical Lift requirements. So you see, garage doors can contribute to the out front design and inside function of your buildings. Eliminate the need to hide your Industrial Garage Doors "out back" . . . use Filuma by Frantz. DFor complete details see us in Sweet's or write:

FRANTZ MANUFACTURING COMPANY


Department 11 • Sterling, Illinois

*Filuma Garage Doors are protected under U.S. Patent Nos. 194094, 3104699, 3160612 THE NATION'S FOREMOST MANUFACTURER OF FIBERGLASS/ALUMINUM GARAGE DOORS

PILKINGTONS lead the world in glassmaking



There's no more searching test of a glass than to make it into a mirror, and reflect an object in it again and again. There's no doubt which glass makes today's finest, truest mirrors. It is Float glass invented and developed by Pilkingtons.



Pilkington glass is made or processed in up-to-date plants in nine countries, and behind every product are the vast resources of some of the glass industry's largest laboratories, working on quality control, and on research and development. Pilkington research and development produced Float glass which, with its new clarity and brilliance, outdates Plate glass in modern building, for mirror making and for toughening into safety glass. For the finest glass specify Pilkingtons.

There's an up-to-the-minute glass in the Pilkington range for every building need: Float • Plate • Sheet • Patterned • Wired . Heat-Absorbing . British Structural Glass . 'Armourplate' and 'Armourcast' Doors . Coloured Cladding Glass Domes . Glass Blocks . 'Insulight' Double Glazing Units . Diffuse Reflection Glass . Louvre Blades

For further information please write to: U.S.A. Sales Dept., Pilkington Bros. (Canada) Ltd., 55 Eglinton Ave. East, Toronto, Ontario PILKINGTON BROTHERS LIMITED, ST. HELENS, LANCASHIRE, ENGLAND.

FOR MODERN BUILDING SPECIFY GLASS BY PILKINGTONS—INVENTORS OF FLOAT

Planning an x-ray department?







Here's how **General Electric** can help:

There's nothing clearcut or routine about planning an x-ray department. Efficient planning requires an intimate knowledge of the advanced radiological technics used today. It also requires a thorough understanding of the complex new x-ray equipment and special procedure apparatus now being installed in many new departments.

Your General Electric x-ray representative has this knowledge. And standing behind him is the entire G-E architectural planning staff - an experienced group of planners who have worked sideby-side with architects, radiologists and administrators to help plan thousands of x-ray departments throughout the world.

Your G-E x-ray representative, along with the architectural planning staff, will work with you to define your objectives. They will study patient flow and traffic patterns . . . help prepare floor plans and submit detailed recommendations on plumbing, power, wiring and radiation protection - recommendations you'll find invaluable in the planning of a modern, efficient department. And they'll do it without cost or obligation.

To take advantage of General Electric's installation planning service, contact your G-E x-ray representative or write General Electric Co., X-Ray Dept., Milwaukee, Wis. 53201, Room C-47.

Progress Is Our Most Important Product

GENERAL & ELECTRIC

Early completion. That's our promise







with Quick Change* Movable Partitions!

Early completion. That's our promise. Our nationwide dealer setup for O'Brien "Quick Change" Movable Partitions makes it possible. Partitions are installed (or changed) quickly by *local* people working from *local* inventory. Your choice of rich-looking Masonite Royalcote woodgrained or solid colors, prefinished panels. Ceiling high, cornice, or low-rail styles, with or without glazing. All you need to create attractive, durable partitions for your clients. Economical, too. For details, see Sweet's File 22A, or mail coupon.

*Quick Change is a registered trademark of Glen O'Brien Movable Partition Company, Inc.



MASONITE

.. does it better!

Masonite and Royalcote are registered trademarks of Masonite Corporation

Mr. J. Belsaas Masonite Corporation Box 777, Chicago, Illinois 60690 Please send me the full-color booklet on O'Brien Quick Change Movable Partitions by Masonite.

Name		

Firm

Address

City State Zip code




Spacious executive offices of Martin Marietta's Sinclair & Valentine Division, New York City

The place:



Harold B. Cahn, A.I.D. Harold Cahn & Associates Frederick, Maryland

The man:





Bigelows.


Mr. Cahn specified handsome Gropoint® Director throughout the stylish Sixth Avenue offices. Anchor Carpet Company of New York installed it.

Why do designers like Harold Cahn specify Bigelow? Because they know that for every office, hotel, or commercial building, Bigelow has or can custom-create the perfect carpet. We've done it since 1825. Our carpet counselors will give you all the help you need in solving any kind of carpet

problem — at no charge. Simply call your nearest Bigelow sales office. Or for a colorful, free brochure on commercial carpets, write Dept. A., 140 Madison Avenue, New York, N. Y. 10016. Find out for yourself why

people who know buy Bigelow

Bigelow sales offices are located in Atlanta, Boston, Chicago, Cleveland, Dallas, Denver, Detroit, Los Angeles, Minneapolis, New York, Philadelphia, Pittsburgh, St. Louis, San Francisco, Seattle.



The completely automatic solid state

AURORA® APCO-MATIC

constant pressure system is a must!!

The Apco-Matic system is ideal for installations where constant pressure must be maintained—high rise buildings, hospitals, apartments, hotels, office buildings, municipal booster stations, sewage treatment plants, chilled water service and golf courses.

Pump speeds are automatically varied to meet the system demand at any time of the day or night. The system consists of a standard A-C squirrel type, open drip-proof vary speed motor, an Aurora centrifugal pump; a solid state control center which monitors the discharge pressure and activates the motor speed controller.

Completely automatic operation. Allelectric operation automatically keeps output pressure constant. The Apco-Matic reduces power consumption by taking advantage of available suction pressures. You simply mount in place, provide power, and you're in business.

Space-saving. The system eliminates pressure and storage tanks, unnecessary piping and special valving, hydraulic or mechanical variable drive devices between the pump and motor, and in some cases, unnecessary pumps. It further saves space when it incorporates Aurora's vertical series of OJV or AJVA pumps.

Tailored to your requirements. Your choice of Simplex, Duplex or Triplex models ... vertical or horizontal pumps. Capacities to 7000 gpm; speeds 1550 to 3100 rpm; heads to 450 ft.

Write for Bulletin 710.

AP-122



AURORA PUMP DIVISION
THE NEW YORK AIR BRAKE COMPANY
LOUCKS AT DEARBORN, AURORA, ILLINOIS 60507



the architect's railing

Railcraft Architectural Aluminum Railings. Nationally Available Through Qualified Local Fabricators.

☐ Encompasses advantages Architects want, including beauty and protection of solid construction. Alumilite or Permanodic* hard color finishes. Nonfading, corrosion resistant Permanodic often used as design feature, accenting posts and rails. □ Ask your Kawneer Representative for the complete Architectural File, including detail drawings to help plan your railing. Or write Kawneer, 1105 N. Front St., Niles, Michigan.



Kawneer Co., Inc., a Subsidiary of American Metal Climax, Inc. * Trademark of Kawneer Co., Inc. © 1966, Kawneer Co., Inc.

For more data, circle 125 on inquiry card

continued from page 252

RAISED FLOORING AND CLEAN ROOM COMPONENTS / A new 12-page bulletin offers complete dimensions and specifications on steel and ply-metal floor panel systems plus accessories in average installation.

Two clean room components include a combination filter-diffuser unit installed as an integral part of a ceiling and a perforated steel floor panel with adjustable openings for air flow through an elevated floor system. Both components are illustrated and described in a four-page bulletin which gives the results of filtering tests. . Weber Showcase & Fixture Company, Grand Rapids. Circle 415 on inquiry card

LIGHTING/The Lytempo series of square and rectangular fluorescent lighting fixtures for semi-recessed, surface, pendant or wall mounting are described and illustrated in a fold-out brochure. The fixtures are available in a range of natural wood or aluminum housings and 32 variations of interchangeable louvers, diffusers and lenses. The series were specially designed to give visual continuity throughout a building whatever the range of mounting requirements that might be involved. • Neo-Ray Products Inc., New York City.

Circle 416 on inquiry card

SUN CONTROL / Aluminum sunshading devices for a wide range of building needs are described in a 16-page brochure. Information is given on fixed and operating sun controls, sun curtains and canopies, including the company's Airfoil shading devices and ornamental Demi-Fins. Detail drawings, specifications and project illustrations are among the data given in the brochure. . Construction Specialties, Inc., Cranford, N. J.* Circle 417 on inquiry card

MIRRORS / "Designing with Mirrors" is a 24-page handbook planned to illustrate the effectiveness of mirrors to create depth and dimension, brightness and reflected interest. The variety of unusual mirror applications ranges from bank vaults to supermarkets, from teachings aids to television screens, from department stores to home use. The handbook supplies information on the various types, on finishing and edging techniques and on proper installation. . National Association of Mirror Manufacturers, Washington, D.C.

Circle 418 on inquiry card

*Additional product information in Sweet's Architectural File.

more literature on page 268



CONTACT THESE REGIONAL DISTRIBUTORS FOR MORE INFORMATION AND YOUR LOCAL SOURCE OF SUPPLY

ALABAMA BADHAM SALES COMPANY, INC. 1909 First Avenue, Birmingham

CALIFORNIA

VERTEX, INC. 4206 Charter Street, Los Angeles 58 850 S. Van Ness Avenue, San Francisco

COLORADO STYRO PRODUCTS, INC. 70 W. 6th Avenue, Denver 80204

FLORIDA

ROWELL-VAN ATTA, INC. 273 E. Oakland Park Boulevard Ft. Lauderdale 3660 South Westshore Boulevard, Tampa

GEORGIA

BADHAM SALES COMPANY, INC. 1145 Peachtree Street, N.E., Atlanta 30309

ILLINOIS

JONES & BROWN & CO., INC. 230 N. Canal Street, Chicago 6 STETSON BUILDING PRODUCTS 112 Second Street, Moline

STETSON BUILDING PRODUCTS 512 Southwest 9th Street, Des Moines

MASSACHUSETTS
REFRACTORIES & BUILDING SPECIALTIES, INC
767 Concord Avenue, Cambridge 02138

MICHIGAN

HOLMES ASSOCIATES, INC. 1221 E. Nine Mile Road, Ferndale 20

MINNESOTA
EDWARDS SALES CORPORATION
2916 Girard Avenue South, Minneapolis 8

MISSOURI

STYRO PRODUCTS, INC. 1590 Page Industrial Boulevard, St. Louis 32 2029 Harrison, Kansas City

NEBRASKA STETSON BUILDING PRODUCTS 33 Kiewitt Plaza 3555 Farnam, Omaha

NEW YORK

V YORK
CHEMICAL BUILDING SUPPLY, INC.
250 W. 57th Street, New York City 10019
CONSTRUCTION PLASTICS CORPORATION
Box 73 Eastwood Station
4016 New Court Avenue, Syracuse 13206

NORTH CAROLINA
BADHAM SALES COMPANY, INC.
538 Hollis Road, Charlotte

OHIO

THE R. L. WURZ COMPANY 13320 Enterprise Avenue, Cleveland 44135 955 Proprietors Road, Box 209, Worthington DURBROW-OTTE ASSOCIATES, INC. 1426 Clay Street, Cincinnati 10

PENNSYLVANIA

INSYLVANIA
TOM BROWN, INC.
Library Road & Killarney Drive
Box 10313, Pittsburgh 15234
G. & W. H. CORSON, INC.
Joshua Road & Stenton Avenue
Plymouth Meeting 19462

TENNESSEE

STYRO PRODUCTS, INC. 471 Tennessee Street, Memphis 3

TEXAS

THE EMERSON CO., Box 10913, Dallas THE EMERSON CO., Box 2114, Houston 77052

WASHINGTON


WILEY-BAYLEY, INC. 3310 Meridian North, Seattle 3

WISCONSIN

EDWARDS SALES CORP. 321 N. 121 St., Milwaukee



Concrete disintegrates...





...G-E Silicone Traffic Topping doesn't!

Let it snow and rain.
Let it freeze and thaw.

General Electric's new silicone rubber Traffic Topping protects walkways, ramps, parking areas, porches, swimming pools, balconies and other traffic areas against moisture damage.

Once on, Traffic Topping stops costly maintenance. It won't let water in, yet "breathes" to let any moisture out. Because the base material is silicone rubber, the most durable, weatherproof elastomer known (the same as Silicone Construction Sealant), Traffic Topping stays flexible and moisture proof.

Traffic Topping won't crack, it's not brittle, and it forms a tough bond to concrete, wood, steel and other floorings. It's remarkably skidproof and is not damaged by salt. Grease and oil are easy to remove. It never needs painting.

To date, no other outdoor coating has been able to stand up to weather and wear for very long. Traffic Topping will. For many years. On patios, steps, garages, runways, for instance. Anywhere there's water and traffic. For complete specifications, test results, application data, color selection and local distribution, please write Section BG5201, Silicone Products Dept., General Electric Co., Waterford, N.Y. 12188.



Quick, easy application. Just prime the surface, add catalyst to Traffic Topping, mix and trowel on. No expensive equipment needed. Only one coat is usually required, so application costs are low.



Permanent flexibility. Traffic Topping is resilient... expands and contracts without cracking even at temperatures as high as 300° F, as low as -65° F.



Safe, anti-skid surfaces. Even when wet, Traffic Topping provides superior traction. Excellent wear and abrasion resistance make it ideal for heavy traffic areas.



Captain Cook Hotel, Anchorage, Alaska

OWNER: Hickel Investment Co., Walter J. Hickel, Principal

ARCHITECTS: Edwin Crittenden Architects & Associates, Anchorage, Alaska;

Lovegren & Helms, Seattle, Washington


STRUCTURAL ENGINEERS: Kelly & Pittelko, Seattle and Anchorage

STRUCTURAL STEEL CONTRACTOR: Leckenby Company, Seattle, Washington

STELL ERECTION. York Steal Company, Anchorage Alaska

STEEL ERECTION: York Steel Company, Anchorage Alaska SUPPLIER SHEFFIELD JOISTS: Zesbaugh, Inc., Seattle, Wash





Captain Cook Hotel...

Captain Cook Hotel is shown under construction in late Fall, 1964. Selection of Sheffield Open Web Joists helped meet demanding construction timetable. Use of all-steel structural system permitted good progress even in severe weather.

Sheffield Joists helped keep construction on schedule in Anchorage



Less than four months after the devastating March 27, 1964 earthquake in Anchorage,

Alaska, construction was started for the new 10-story Captain Cook Hotel. Owners wanted the Hotel ready for the tourist season in the spring of 1965-a tall order considering the severity of the weather and total of 86,000 square-feet in the structure. Yet the construction

schedule was met!

To help achieve this goal, designers specified floor support of open web steel joists. Sheffield H-Series Joists got the assignment. Total amount used in this application was 85 tons, principally in 12and 14-inch joists depths.

Sheffield H-Series Joists are based on chord design stress in tension of 30,000 psi and use chords made of 50,000 psi minimum yield point steels.

Sheffield Joists, including the Jand H-Series, LA- and LH-Series, DLJ- and DLH-Series, are readily available through leading fabricators and constructors. For complete data on Sheffield Joists, write for our latest catalog, or see Sweet's Architectural File. Armco Steel Corporation, Department W-2086A, 7000 Roberts Street, Kansas City, Missouri 64125.

ARMCO STEEL






our service-free answer to heavily trafficked installations.

IEW #795 S/S MELAMINE ENRICHED MOLTEX SEAT

ere's a moderately priced, low overhead answer for heavily trafficked rest oms where harsh use and abuse is routine!

he new Church No. 795 S/S is molded from one of the toughest seat materials for formulated. Dense Melamine enriched Moltex is stainproof, color fast and highly resistant to scratching and marring. It's also rated self-extinguishing by STM code tests and hence unaffected by cigarettes and matches.

he new Church #795 S/S is fitted with an exclusive stainless steel hinge housed a high impact plastic housing. It's self-sustaining and features a rugged check. ension is quickly and easily adjusted by turning a slotted recess in bottom of est with a screwdriver...no need to loosen hinge post when loose tension is exired. Send for details today!






"THE BEST SEAT IN THE HOUSE"®



All Kawneer Sealair Windows Exceed Industry Standards For Weathering Performance!

Before your firm specifies another window, read this comparison of window performance in Static Pressure Chamber tests against water and air infiltration.



UNMATCHED WEATHERING PERFORMANCE MADE POSSIBLE BY KAWNEER'S EXCLUSIVE PRESSURE EQUALIZATION SLOT, JOINERY AND ENGINEERING.

Sealair Projected Windows are watertight, even when subjected to 4-inch rain and winds of 100 mph. That's 774% better than Industry Standards at twice the amount of water spray required for Industry Tests. In air infiltration tests, the Sealair Projected was 150% better, with only 0.20 cfm leakage versus the Industry Standard of 0.50 cfm. With Sealair windows, building interiors are free of drafts, reducing loads on heating and cooling systems . . . and free of dust, reducing cleaning expense. What accounts for this far better than standard performance in projected, casement, tophinged and double hung windows by Kawneer? An ingenious pressure equalization slot that keeps pressure within window sections equal to that outside the building. Hence, no siphoning action . . . no leakage. Choose the finish that's best for

your design. 204R1 Alumilite is standard. Or you can add warmth by specifying a *Permanodic hard color in light bronze, medium bronze or black. These optional hard color finishes are non-fading and abrasion-resistant. Write for complete information. Address Kawneer Products Information, 1105 N. Front St., Niles, Michigan.

*Trademark of Kawneer Co., Inc. © 1966, Kawneer Co., Inc.



Kawneer Company, Inc., a Subsidiary of American Metal Climax, Inc. Niles, Michigan • Richmond, California • Atlanta, Georgia • Kawneer Company Canada, Ltd., Toronto, Ontario • Kawneer de Mexico, S.A. de C.V., Mexico City, Mexico • Kawneer Company (U. K.) Ltd., London • Kawneer GmbH, Rheydt, Germany • Showa Kawneer, Tokyo, Japan

tamper-proof, easy-to-install

MIRROR FRAMES

in stainless steel or extruded aluminum

Here are mirror frames with a clean stylish look to blend with today's modern architecture, and offer tamper-proof protection.

Regal frames are ideal for all types of public buildings: schools, hospitals, restaurants, offices and factories . . . perfect for security-type institutions and ends the nuisance of theft in public facilities. Regal frames are easily mounted. After the hanger frame is installed, the mirror framing slips into place and is locked automatically and securely in place.



STAINLESS STEEL

Consists of a reinforced frame and a special hanger with built-in spring locks . . Has no screws or exposed fasteners. Stock sizes are 16 x 20, 16 x 22, 18 x 24, 36 x 24 and 48 x 24. Other sizes up to 12 feet are available. Finishes are satin or polished. Tamper-proof steel shelving and accessories are also available.

EXTRUDED ALUMINUM

Heavy duty extruded frames are precision mitered and double reinforced with extruded corner keys. Special interlocking brackets and hangers make installation perfect and easy. The magna-lok feature secures the frame to wall without exposed screws or bolts — makes the unit tamper-proof. Available in all sizes. Finishes are buffed, polished and brush satin in anodized natural and anodized gold. in anodized natural and anodized gold.

Matching extruded aluminum, tamperproof shelving is available.

See your jobber, or write direct to:

REGAL

FLINT, MICHIGAN 48501 P.O. BOX 108 SUBSIDIARY OF THE ENGINEERED PRODUCTS COMPANY

PHONE 239-8689

For more data, circle 130 on inquiry card



Get your free copy! Describes, illustrates new type automatic tube systems featuring greater dependability, quieter operation. 12 pages. Standard Conveyor Co., 312-E Second St., North St. Paul, Minn. 55109.

For more data, circle 101 on inquiry card

PLAY IT FIRE SAFE

Get double power fire protection with CASCO's new ABC all-purpose


dry chemical powerhouse

Highest rated portable extinguishers available.

- . 3A 30 B:C rating
- Fights all class A.B.C fires: wood, paper, rubbish, grease, oil, gasoline and electrical fires.
- · Accurate safety zone pressure
- Heavy duty steel cylinders built to take rough usage— Hanging bracket included
- · Shoots ABC dry chemical and

• Operating pressure at 190 P.S.I.





CASCO PRODUCTS CORPORAT

Bridgeport, Conn. 06602

For more data, circle 178 on inquiry card



Prestressed concrete single tees swing into place



Exterior walls erected in five days



Up so fast the community called it an "instant church"



Sacred Heart Church, Prosser, Washington-Architect: Doudna, Williams, and Phipps-Engineer: Lyerla & Peden

EXPOSED PRESTRESSED CONCRETE COMBINES STIMULATING DESIGN WITH ULTIMATE ECONOMY

The dramatic, contemporary design of this church illustrates an inspired use of exposed single tees. It is an outstanding example of an imaginative architect's use of exposed prestressed concrete to achieve a striking effect coupled with measurable economy. On-site labor costs were reduced, and future maintenance of the exposed concrete will be negligible.

Original concepts and creative designs can be fully expressed with prestressed concrete. Simple techniques of manufacture permit virtually unlimited variations in economical standard sections. Prestressed concrete—a truly cooperative architectural-structural material—accommodates the most imaginative designs.

Send for our free booklet—"Prestressed Concrete—Applications and Advantages"

PRESTRESSED CONCRETE INSTITUTE

205 WEST WACKER DRIVE . CHICAGO, ILLINOIS 60606





838 Apartments, Springfield, III. Architect: Ferry & Henderson

Exposed precast prestressed concrete single tees create a pleasing architectural pattern. Tees become both ceiling and the floor above it. Fewer elements to handle during erection keep costs down.



Kessel's Bakery, St. Paul, Minn. Architect: Stanley Fishman Engineer: Meisch & Stevens

Lighting fixtures and ductwork are channeled conveniently between exposed structural double tee stems. Prestressed concrete's long spans eliminate columns, give more useable floor space.

Only Honeywell makes 8 different systems to automate any building

Here's a guick guide to them all... what they do and where you use them... from Honeuwell the people who invented building automation

Unly Honeywell makes 8 different systems to automate your clients' buildings . . . ranging from one so simple a secretary can run it to a computer-controlled building operations center. You get the system your client needs. No com-

But as different as they are, these 8 Honeywell systems have a lot in common. For one thing, they'll all save your clients 331/3% annually on their investment.

And they all feature contemporary styling . . . so handsome you can even install them in the lobby.

They all include indication and adjustment of control points ... monitoring, logging, communication and alarm display functions are available.

Other Honeywell advantages? We're the only supplier that makes computers (including a new one specifically for building automation) ... the only one who can furnish telemetering.

We're the only company with a separate field staff of Building Automation Systems Engineers who can work with you to make sure your client gets the payoff he de-

And only the Honeywell man can call on 8 separate divisions for help . . . taking advantage of our pioneering in diverse fields like process control and space guidance to keep your client's system from becoming obsolete in a few years. In short, only Honeywell can de-

sign, build, install, guarantee and service the complete system your client needs.

And we're ready to help you now. Mail the coupon or call.

Honeywell


FREE BOOKLET ON **ALL 8 SYSTEMS**

New, full color booklet gives design and operating features of each Honeywell automation system.

To: Mr. W. N. Wray Honeywell Dept. AR5-107 Minneapolis, Minn. 55408

Name	
Title	
Firm	
Address	
City	
State	Zip Code

1-PNEUMATIC SUPERVISO DATA CENTER



SYSTEM DESCRIPTION

Ideally suited to single buildings (soffice buildings, schools, and institution with 10 or fewer mechanical system Provides graphic representation of chanical systems from a central local systems indicate and additionable additionable and additionable and additionable and additionable additionable and additionable and additionable and additionable additionable and additionable add ... temperature indication and ad ment, starting and stopping equipm

and damper adjustment.
Since this is a pneumatic system, to mission runs are normally limited to

Centralized operation yields greatings. Convenience of a central local saves time of operating people.

A low cost system because: 1) signer transmitted pneumatically (traducers aren't needed) and 2) stanpanels are used with customized displacements.

5-SYSTEM 10-BUILDING CONTROL CENTER



SYSTEM DESCRIPTION

A means of centrally controlling monitoring up to 100 remote mechan systems with ten or more inputs per tem. Solid-state scanner checks poin 60 per second; yet can locate any on 1,000 remote alarm contacts in less 2 seconds. Alarm printer provides per nent record of time, point address, category of alarm.

ADVANTAGES

It's the most efficient, lowest cost "n agement-by-exception" system on market today. Great reliability; high sp Instant print-out of trouble points;

limited points.

Low wiring and installation costs du time-shared wiring techniques.

2—ELECTRIC SUPERVISORY DATA CENTER



SYSTEM DESCRIPTION

Generally applicable to single buildings (schools, office buildings, institutions) with 10 or fewer mechanical systems. Makes possible centralized operation of an all electric or electronic temperature control system ... or one that employs electric or electronic sensing with pneumatic actuation. Provides graphic representation ... temperature, pressure or humidity indication either continuously or selectively with single high-precision indicator with ½% scale accuracy. Continuous pilot-light alarm indication.

ADVANTAGES

This system combines the instantaneous indication of alarms, ½% scale accuracy with the ability of accommodate long transmission runs.

3-SELECTOGRAPHIC DATA CENTER



SYSTEM DESCRIPTION

Suited to large single buildings and multibuilding complexes (hospitals, industrial buildings, colleges and office buildings) where it's practical to carry signals by wires. Provides display and control of many mechanical systems in a desk-size console only 24" x 48" x 52". Signals are transmitted electronically.

ADVANTAGES

An economical way to display and control many systems in a minimum space. Operation is simplified.

Installation costs are reduced dramatically because a single set of controls can be used for all systems displayed. And, time-shared circuits mean that one set of wires is used to control a number of different systems.

4-LOGGING AND SCANNING SYSTEM



SYSTEM DESCRIPTION

This is a low speed, automatic data collection system for use in buildings (office buildings, research centers, utilities, hospitals) where moderate amounts of data, and/or critical data are required. Scans 1 point per second up to 1,000 points. Prints sensing point information . . . value and type (such as degrees, gallons, etc.) . . . in groups according to a predetermined timing schedule. Off-normal conditions print in red.

ADVANTAGES

This is the first step toward the automatically operated building. System provides simultaneous reading and collection of data; permits more efficient use of data.

Also yields properly related data . . critical readings taken simultaneously.

6-SYSTEM 11-BUILDING SUPERVISORY CONTROL CENTER



SYSTEM DESCRIPTION

This system also can centrally control and monitor up to 100 remote mechanical systems. It differs from System 10 in the following ways: it can scan temperature points and analyze them on a quantitative basis at the rate of 10 per second; it can print-out trouble-point information (where trouble occurred, when, and the value); alarm recording occurs on a change of status basis . . . copy printed only when a point goes into alarm or returns to normal.

ADVANTAGES

Solid-state reliability; high-speed operation. All advantages of System 10 including time-sharing of circuits.

7—SYSTEM 20—BUILDING OPERATIONS CENTER



SYSTEM DESCRIPTION

A high-speed, solid-state computerized data acquisition system that can handle up to 250 remote mechanical systems with 10 or more inputs per system. Unlimited points accommodated; scans 100 points per second on contacts . . . 40 points per second on quantitative values. Operations include: start-stop programming; flow and BTU measurement, computation, and totalization; change-of-state alarm recording. Two printers run at same time . . one prints out alarms; the other prints out important operating data.

ADVANTAGES

Automatically starts and stops equipment according to a stored program; provides computation and action-taking capability.

8-SYSTEM 30-BUILDING OPERATIONS COMPUTER CENTER




SYSTEM DESCRIPTION

System 30 can operate more than 250 remote mechanical systems with up to 20 inputs per system. It performs all the functions of System 20 (logging of selected inputs, start-stop programming, command functions, etc.). In addition, System 30 provides full, on-line control of airconditioning, heating and ventilating systems as well as central chillers, boilers, and utilities.

ADVANTAGES

System 30 is the automatic building. It analyzes, makes a diagnosis, and takes corrective action. It runs the building.

And, on-line control permits operation for minimum energy costs as well as monitoring machine efficiency for better maintenance scheduling.



It's more practical, too . . . reflects light and heat far better than slag or gravel . . . non-porous to defy dirt and smoke, to wash clean and stay bright indefinitely. Lime Crest Roofing Spar is accepted for maximum bonding by roofing manufacturers and contractors . . . contains almost no fines . . . often costs less than other white aggregates.

Unfortunately no photograph can do it justice . . . let us send you a sample that will.

	Limestone Products Corporation of America Newton, New Jersey
	Please send me a sample of Lime Crest Roofing Spar.
	NAMETITLE
	FIRM NAME
W.	ADDRESS

For more data, circle 133 on inquiry card

continued from page 258

SHELF ANGLE INSERT / Descriptive data and information on uses, installation, dimensions and specifications are available in a six-page illustrated brochure which features an analysis of strength tests.

Gateway Erectors, Inc., Chicago.*

Circle 419 on inquiry card

VENDING MACHINES / A complete line of food, beverage, snack, confection, dairy and cigarette merchandisers is illustrated in a six-page brochure. ■ The Vendo Company, Kansas City, Mo. Circle 420 on inquiry card

SERVICE DOORS / A selector guide for floor, pit, sidewalk and vault styles describes single and double-leaf aluminum and steel doors and includes special features, functions and technical data. All are flush doors, designed to meet a specific function, have either springs or torsion bars and a standard locking device. The Bilco Company, New Haven, Connecticut.*

Circle 421 on inquiry card

SIGN LIGHTING / The principles, types, techniques, design data and maintenance of sign lighting are discussed in a new, 24-page technical publication. Detailed descriptions are given of the four basic sign-lighting techniques currently in use-exposed lamp signs; luminous-panel signs; floodlighted signs; and silhouette signs. Factors affecting legibility of all these types are outlined, and special attention is given to the types of lamp available for each kind of sign, and the methods by which they may be most effectively applied. . Dept. TP-124, General Electric Company, Cleveland, Ohio.*

Circle 422 on inquiry card

UNIT VENTILATORS / An eight-page technical bulletin on large capacity units provides complete dimensional data and schematics. • Ross Engineering Division, New Brunswick, N. J.

Circle 423 on inquiry card

INTERIOR HARDBOARD PANELS / A 20-page booklet, illustrated in color, covers accessories, prefinished moldings, peg-board fixtures, basic and special types of hardboard panels and their uses, product characteristics, joint treatments, and tips on working, bending, conditioning and finishing. • Masonite, Chicago.*

Circle 424 on inquiry card


^{*}Additional product information in Sweet's Architectural File.



NEW "Z" FRAMELESS-closest yet to a modular lens

Here is the closest thing yet to a modular lens. Wakefield's "Z" lens configuration actually gives greater lens surface, greater efficiency, least metal show of any flanged troffer or surface unit. For photometric and aesthetic variety three lens patterns are available in all four surface and recessed unit


sizes—1x4, 1x8, 2x2 and 2x4. Lenses hinge from either side. Fixed metal pins project from the housing and slip into new, stronger, injection-molded end caps attached to the lens by ultrasonic fusing. End of all




"Z" lens gives all-luminous look

lenses are light-sealed to fixtures. Luminous joints between fixtures in rows, with no metal showing at joints. Here is the luminaire you've been seeking to fulfill today's aesthetic requirements. Call your Wakefield man and see the full luminous beauty of the "Z" Frameless. Or write for brochure.

WAKEFIELD LIGHTING DIVISION
WAKEFIELD CORPORATION
P.O. BOX 195, Vermilion, Ohio 44089
A SUBSIDIARY OF INTERNATIONAL TELEPHONE AND TELEGRAPH CORPORATION







offer plus benefits that add up to client satisfaction . . .

- Installed cost as low as \$1.50 per sq. ft.
- Controls noise . . . minimum sound transmission (up to 46.4 decibels)
- Choice of any paneling—¼" to %" thick.
- Metal framing is assembled and wired before panels go on.
- Freedom of design with interchangeable parts.

See us in Sweet's Architectural File Da or write for complete details.



DIVISION OF L. A. DARLING COMPANY Box 130, Bronson, Michigan

For more data, circle 144 on inquiry card

JUST PUBLISHED



House & Home's "HOUSING FACTS AND TRENDS"

single volume source of housing industry statistics.

"Housing Facts and Trends" meets the long-felt need for quick and easy access to basic housing market data heretofore available only from a multiplicity of private and governmental sources.

This time-saving reference book includes:

- 200 pages of housing industry statistics plus interpretive comment
- · Hundreds of detailed tables and illustrative charts specially prepared for this volume
- · Eight major reference sections: **Background Data** Trends, Structural Trends, Geographic Trends, Economic Trends, Labor and Materials **Building Types** Characteristics of Buyers, Sellers, Builders

Prepared by House & Home with the assistance of its McGraw-Hill associate, the F. W. Dodge Company, "Housing Facts and Trends" puts at your fingertips the hard-todig-out housing market information you need,

ORDER YOUR COPY NOW. MAIL COUPON BELOW TO:

Research Dept. House & Home 330 West 42nd St. New York, N. Y. 10036

Projections


Please send me a copy of House & Home's "Housing Facts and Trends"

Please send check with order.


(Single copy price \$15.00*)

NAME TITLE COMPANY ADDRESS

*Quantity discounts available.



aaf NELSON/aire means...
unsurpassed
DESIGN
FREEDOM



There are 289 ways to design the NELSON/aire cabinet unit into your buildings. Here are 6 of them.



There's virtually no end to the ways you can design this NELSON/aire heating, ventilating, and air conditioning unit into your buildings. It's part of the flexibility we build into all our products.


But we don't stop there. This particular unit also offers industry's thinnest profile (all models only 9¾" deep), six decorator and four base colors to choose from, baked-enamel finish, option of two fresh-air ventilating dampers (25% and 100%), from 200 through 1350 cfm in eight sizes, precise temperature regulation through Damper-Guard face and by-pass control, plus a "through-the-wall" unit featuring self-contained refrigeration. Ask your AAF/Herman Nelson man about the NELSON/aire or write: American Air Filter Company, Inc., 215 Central Avenue, Louisville, Kentucky 40208. Available in Canada.



Let's end the argument:

AIR CHAMBERS VS. which are better?

Test their Performance . . .



TEST CONDITIONS

To evaluate the shock absorbing efficiency of air chambers and the Josam Absorbotron, a series of tests were conducted by a leading independent laboratory*.

A 50-foot length of 1" pipe with water at 60 P.S.I. flow pressure and a velocity of 10 feet per second was used in these tests. The oscillographs compare the efficiency of the Absorbotron with a fully charged and properly sized air chamber 11/4" pipe, 50" high.

RESULTS

The air chamber failed after approximately 4500 cycles (in some instances, only a month's operation). The ABSORBOTRON continued to function with no difference in effectiveness even after 10,000 shocks.

The air in the air chamber is slowly absorbed by the water, and the air chamber becomes ineffective unless re-charged.

ABSORBOTRONS may not only cost less to install, but certainly far less if you add the cost of recharging the air chambers one or two times.

*For the complete details on the "Positive Control of Water Hammer", write for Manual SA-3.

provides permanent protection against water hammer while a 57" air chamber does not!


Look at the SAVINGS IN SPACE—an 8" high Absorbotron

ABSORBOTRON SHOCK ABSORBERS

which cost less?



Compare their Costs . . .



The above installation shows the usual placement of air chambers for hot and cold water branch lines serving 6 lavatories. The air chambers may be either the same size, or one size larger than the supply lines, and from 12 to 24 inches high, taking up excessive chase space. The branch lines shown require a total of 12 air chambers, but can be serviced by two of the smallest size shock absorbers, together costing from \$25 to \$30. The air chambers cost approximately \$5 to \$8 each, depending on material, length and diameter of pipe used. Some may claim \$5 is too high a cost figure for an air chamber. Let's look at the total calculations when we assume the air chambers are cheaper than \$5.

12 Air Chambers @ \$5 each = \$60 total

12 Air Chambers @ \$4 each = \$48 total

12 Air Chambers @ \$3 each = \$36 total

12 Air Chambers @ \$2 each = \$24 each

Only the 12 cheapest air chambers (if they can be made at this price considering cost of materials and labor) initially cost less than the two shock absorbers at \$25-\$30. But to the cost of the air chambers, you must add the cost of periodic recharging.

For some installations, shock absorbers may cost more to install than air chambers but it is now definitely proved that ...

Shock Absorbers very often cost less to install! Always cost less over the service life of the installation!





JOSAM MANUFACTURING CO.


MICHIGAN CITY

INDIANA 46360


Representatives in principal cities









New...cost-cutting products and performance by BARCOL







Automatic door operation substantially reduces building overhead and operating costs. Specifically, the loss of temperature—controlled air . . . inefficient materials handling . . . expensive "walking labor" to open and close doors . . . unnecessary door replacement from accidental damage . . . employee injury . . . all constitute profit-robbing costs that can be be fully controlled.

Barcol offers the flexibility needed to reduce these unnecessary costs . . . for all jobs. Three big, power-packed operators meet every requirement for door opening frequency, door size, weight and safety . . . for all budgets.

MODEL XL . . . Overhead-Type or Sliding Doors—operating up to 200 cycles per day—and up to 196 square feet in area.

Centrifugal clutch, solenoid-actuated brake and permanently adjusted limit relay are *standard* and *exclusive* with Barcol . . . are designed, engineered and tested to assure long-lasting, dependable operation.

Unique chain-sprocket and belt-drive provide smooth, quiet operation. 110V, 1/3 h.p. motor and overload protector are standard. Drawbar release is for manual operation.

MODEL LR . . . Overhead-Type or Sliding Doors—operating up to 200 cycles per day—and weighing up to 800 lbs—and up to 240 square feet in area.

Engineered for heavier duty, higher frequency door operation. High quality components are designed for longer lasting, trouble-free performance and operating efficiency. Features precision-machined speed reducer, centrifugal clutch, automatic brake, instantly reversing 1/3 h.p. motor (110, 220, 440V), thermal overload protector and disconnect switches as standard. Drawbar release for manual operation. (Clutch release optional).

MODEL MR . . . Overhead-Type, Sliding Doors or Sliding Gates—with unexcelled dependability for high-frequency usage—maximum performance, long life at low cost—greater flexibility in applications and operation.

This heavy duty operator is soundly engineered and designed to withstand rugged high performance on virtually all new and existing doors. Heavy duty speed reducer, centrifugal clutch, clutch release, automatic dual-brake band assembly, reversing relays, thermal overload and disconnect switches, 1/4, 1/3 and 1/2 h.p. motors (110, 220, 440V) are standard. All switch controls also furnished.

WRITE FOR CATALOG D-13015. ALSO SEE SWEET'S.



BARCOL OVERDOOR COMPANY


Sheffield, Illinois . Subsidiary Barber-Colman Company


why expose yourself to the dangers of

"or equal"

This innocuous—seemingly innocent—phrase can have devastating effects. Suppliers of "just-as-good" products hide behind it. It encourages selection on the basis of price alone. Producers of quality products, who are also strong on service, prefer to stand up and be counted on their own merit. And you, the architect, and your clients should have the opportunity to decide in advance the quality, price, design, life and service of the manufactured product you want to use.

be sure you get VICRTEX®





Avoid the grief that can develop from a supposedly "or equal" installation. When you and your clients want the distinctively handsome textures and patterns, the glowing colors, the permanent wall protection, the tested and proven fire safety, and low maintenance of Vicrtex, be sure you get it! Tighten your specs and make certain you get Vicrtex quality and performance when you specify vinyl wallcoverings.

Write today for our Helpful Booklet: "A Practical Guide to Specification, Selection and Use of Vinyl Wallcoverings." Your clients will be glad you did!



L. E. CARPENTER & CO. Empire State Building, New York 1 (212) LOngacre 4-0080

MUNICIPAL TO A STATE OF THE STA

For more data, circle 140 on inquiry card

continued from page 122

in our suburbs, who designs the regional centers, who does the motels, who designs the complex of highways? These are all intrinsic to the car and designed by the least talented among our profession. This is the work that the well-trained, highly attuned architect will have nothing to do with, and yet, in reality, this is our future.

No real change can come until the total consciousness of the car is realized as an extension of the foot, and something which we hold with us. The hope for the future city is that good architects will involve themselves with the reality of our time. We are never going back to the 18th century. The medieval parts of London and Paris and the renaissance portions of Boston, New Orleans and Williamsburg are just curiosities-they have very little to do with the real life at hand. The aim of each of us, whether we ride a Rolls Royce or a Volkswagen, is to go from our home to our office, to our recreation, to our friends, by car, as quickly and conveniently as possible. Nothing that any master planner says or does is going to change this. No amount of stainless steel, trains, monorails, or horizontal moving sidewalks is going to change this aim. We are creatures of the car. Why don't we plan for it?

Howard Barnstone Howard Barnstone and Partners, Architects Houston


On finding time to design

There are too many things an architect is supposed to attend and support. Just add up the conventions alone: AIA, Society of Architectural Historians, AIP, school conventions, New York Society of Architects, Guild for Religious Architecture, American Society for Church Architecture, regional and state conventions and three-day parleys.

There are the fun treks to Japan and Europe, the A.I.A. and Architectural League dinners, the local planning boards and the never-ending list of committees. There are testimonial dinners and luncheons, cocktail parties for rugs, paints, lighting fixtures, producers' councils, wallpapers, fabrics, authors, etc. Then we must see all the salesmen, artists (for stained glass, murals, sculpture, painting, mosaics), technical books, vendors, etc. etc.

We haven't mentioned a client, or drawn one line, yet! Thus another year has passed. Couldn't we have the conventions every other year?

> Edgar Tafel, Architect, A.I.A. New York



THE MAN from BARCOL will help you cut owner operating costs


The Man from Barcol is a specialist in protecting and building reputations—yours, the owners and his! This calls for personal qualifications, experience, desire to serve. You'll find your Barcol dealer prepared to:

- Assist you in analyzing and identifying specific door requirements... in order to anticipate and prevent unnecessary door operation problems.
- Support you with documented proof of product performance that meets or exceeds job requirements.
- Provide consistently reliable door equipment that's right for the job . . . at the least possible initial cost, to achieve maximum owner savings!

The Man from Barcol can demonstrate factually the superior Barcol features and owner benefits that result in faster material handling ... more accurate temperature control ... less downtime ... with more reliable long-term door performance. Call him today—he's listed in the Yellow Pages. Or, write direct.



For more data, circle 139 on inquiry card



New Super-Bond Surface

This new integrally formed surface grips asphalt like glue, forming a solid, uniform bond of insulation board to roofing membrane. Resists bitumen soak-up. Establishes a uniform tackline between insulation board and roofing membrane. Now, more than ever, this moisture-resistant, non-combustible, mineral board is, in total, the ideal roof insulation for Class 1 metal deck construction.


P.S. (Permapak System): GLC provides three permanent, U.L. and F.M. listed roof elements

which combine to provide high efficiency the mal and vapor control for Class 1 metal de construction:

- 1. Permalite Mineral Roof Insulation Board.
- 2. Permalite Aluminum PVC Vapor Barrier.
- 3. Permalite Cold Adhesive.

All carry U.L. and F.M. labels and are available from one source, insuring undividence responsibility for delivery and performance.

Request "THE GLC STORY," a brochure covering the many prod services and facilities of Great Lakes Carbon Corporation.



PHYSICAL DATA:

Permalite Rigid Insulation Board (Conductance Value) 1" Nominal Thickness . 0.36


ater Absorption (% by Volume)


. . 1.5 @ 2 Hrs. Total Immersion (No Capillarity)

apor Permeability

. 15 Perms @ 73° F. and 51% Relative Humidity oncentration Load Indentation . 1/16" @ 77 lbs. ompression Resistance 185 PSI (50% Consolidation) ingus Resistance Complete . . . 25 (Non-combustible) ame Spread . moke Developed 5

t./Sq. Ft./1" Thick . . . 0.8 lbs. Approx.





O'Brien's New Mira-Plate

The miracle strength epoxy that goes on like paint, looks and lasts like ceramic tile!

Here's superior protection and tile-like beauty-at a fraction of tile's cost. O'Brien's MIRA-PLATE beautifully coats everything paintable-including new or previously painted plaster, brick, concrete, wood, metal. Ideal for heavy traffic areas. Superior to paint. Defies wear, weather, chemicals, fumes, peeling, and cracking. Unique waterproofing properties defy moisture. Brush it, roll it, or spray it on-and MIRA-PLATE may be recoated or retouched at any time. Many popular colors and attractive fleck patterns. Ask your O'Brien dealer, your painting contractor, or simply send the coupon.



For more data, circle 142 on inquiry card

INSULATION EFFICIENCY PLUS A NEAT LOOKING, PROFESSIONAL FINISHED FITTING

This new method of insulating pipe fittings will not only make all fittings look better but will also increase insulation efficiency.

Materials used are: molded fiber glass insulation and one-piece ZESTON (patent pending) Fitting Cover. Other insulating materials can be used.









Cover may be banded, stapled or taped in place. . . . ever seen a more attractive finished fitting!

- Excellent vapor barrier Ideal for chilled water systems
 Glossy off-white finish can be cleaned with soap and water or painted
 any color Costs less than present methods
 Reusable easy to remove and replace for maintenance on pipe
 Versatile fits screwed or welded elbows
 Wide temperature range sub zero to 400°F or more
 Can be used indoors or outdoors, on cold or hot piping systems
 Weatherproof withstands water, acids, alkalies or chemical washdowns. Resists alcohols and oils. Will not support combustion



Write for free literature and samples

ZESTON, Inc.

744 State Street • Perth Amboy, New Jersey 08861

For more data, circle 155 on inquiry card



They're foiled again ... by the TRIPLE point Entrance Door SECURITY offered with the W & F #6000 Series Deadlock.

This versatile mechanism





will actuate any combination of jamb bolt, header bolt, and threshold bolt to meet the Single, Double, or Triple locking point requirements of your entrance.

For detailed information, please contact:

811 Air Way, Glendale, Calif. 91201 . Phone: (Area Code 213) 245-7441

For more data, circle 169 on inquiry card





You agreed with us that our new Profile^T light is a real revolution in outdoor lighting.

Now we give you another important option. For your light source you now can specify General Electric's new Lucalox lamp. Lucalox puts out 105 lumens per watt, and because all of this light is concentrated in a cigarette-size arc, maximum optical control can be obtained. Combination of Profile Light and Lucalox intensifies the rectangular revolution and makes possible new levels in general area lighting.

Lucalox is a Registered Trademark of General Electric Company

Lucalox.º From G.E.

So now you can choose Lucalox, color-true metallic vapor, or conventional mercury lamps. You can put any of them to work in our revolutionary Profile Light, the only luminaire with an asymmetric reflector. The only luminaire that lets you put predictable rectangles of uniform light precisely where you want them.

And rugged, weathertight Profile

Light is sleek looking, contemporary in design. Good light. Good looks. An unbeatable combination. Get all the facts from your Crouse-Hinds distributor. Or write: Crouse-Hinds Company, Outdoor Lighting Dept., Syracuse, New York 13201.



The hurry-up school.

Queensboro Community College. 22 buildings. 62 days from footings to completion.

How?

Plywood components.

This new college in New York City couldn't have opened its doors to 1600 students last January without plywood stressed skin panels. According to the contractor's architectural consultant, the plywood component system was the best possible solution to the tight schedule – less than three months


from plans to finish. The panels were used for floors, walls and roof.

The 22 buildings were prefabricated in Tulsa at the rate of one a day. Panels were prepainted, then trucked or piggy-backed to New York. Floor components are 24 feet long, the full width of the building. Roof panels span 12' 6", and are supported by a ridge gluelam, 7" by 17%".

On-site finishing consisted largely of installing carpet, furniture, plumbing, and equipment. Actual site work took just over two months.



Queensboro Community College, Queens, New York City/Owner-Lessor: CIT Educational Buildings, Inc., New York City/Fabricator and Contractor: Southern Mill Fabricators, Inc., Tulsa, Oklahoma/Architects: H. A. Tucker, Tulsa; and M. J. Goodman, consulting architectural engineer for CIT



The 18 classroom buildings are 24x40; the library, faculty offices and rest rooms are 24x32.

This is another example of the way plywood components can provide simple, good-looking structures in a hurry. But they're also versatile enough to solve sophisticated design problems involving unusual shapes such as curved roofs, folded plates and space planes. For more information on plywood components and other plywood building systems, send the coupon.

A	
AMERICAN PLYWOOD ASSOCIATIO	N
American Plywood Association Tacoma, Washington 98401 Please send me your portfolio of information on plywood components and plywood construction systems.)
Name	
Address State Zip	

ON THE CALENDAR

MAY

16-17 Illinois Structural Engineering Conference—Chicago Circle Center, University of Illinois.

21-27 5th International Congress of the Precast Concrete Industry—Royal Garden Hotel, Kensington, London.

JUNE

6-10 National Plastics Exposition, Society of the Plastics Industry, Inc. — Coliseum, New York City.

7-9 National Plastics Conference, Americana Hotel, New York City.

7-10 61st Annual Meeting, American Association of Museums—The Pick-Congress Hotel, Chicago.

11-18 Fifth Congress of the International Federation on Prestressing—Paris.

13-17 Polymer Conference Series, "Flammability Characteristics of Polymeric Material"—Wayne State University College of Engineering, Detroit.

19-24 16th Annual International Design

Conference-Aspen, Colo.

26 Annual Convention, American Institute of Architects—Hilton Hotel, Denver; through July 1.

26 69th Annual Meeting and 17th Materials Testing Exhibit, American Society for Testing and Materials—Chalfonte-Haddon Hall, Atlantic City; to July 1.

29 1966 Convention, National Council of Instructors of Landscape Architecture —University of Wisconsin, Madison; through July 2.

JULY

4-15 International Seminar on Ekistics and The Future of Human Settlements, Athens Center of Ekistics—Athens.

OFFICE NOTES

OFFICES OPENED

Harry T. Miyachi, A.I.A., 1806 S. King St., Suite 33, Honolulu.

The Washington office of Richardson, Severns, Scheeler & Associates, Inc., architects of Champaign, Ill., is at 1647 Wisconsin Avenue, N. W.

NEW FIRMS, FIRM CHANGES

Over 30 Canadian consultants in engineering, architecture, city planning, economics, education, sociology, psychology, agriculture, medical science, etc. headed by Dr. J. M. Schmidt have formed the Amalgamated International Planning Consultants in Vancouver, B.C.

Campbell & Patterson, Architects is the new firm of Thomas R. Campbell, A.I.A. and James M. Patterson, A.I.A., 208 Austin Savings Building, 1010 Lavaca, Austin Texas 78701,

J. Franklin Clark, Jr., A.I.A. and W. Reaves McCall, A.I.A. have announced that Clark, McCall & Leach, A.I.A. is now Clark and McCall, A.I.A with offices in Hartsville and Kingstree, S. C.


Eggers and Higgins, architects of New York City, announce the establishment of API Designs Ltd. specializing in architecturally planned interiors. John E. Crocco has been appointed vice president and general manager.

Rolf Sklarek and Sydney H. Brisker are vice presidents of Victor Gruen Associates, architectural, engineering and planning firm of Los Angeles.

Harley, Ellington, Cowin and Stirton, Inc., architects-engineers-planners of Detroit, have appointed M. Fred Bennett project administrator and Alvin F. Blair administrative designer.

continued on page 302

For more data, circle 146 on inquiry care



We wrote the book on hospital communication systems.

(It'll have you in stitches)

We may not know how to heal and comfort the sick. But we know our business cold—communications. Things like nurses call systems, doctor-executive registry systems, fire alarm systems, communication control centers, internal telephone systems, sound systems, intercom systems, and multi-resident central call systems. Systems we back with guar-

anteed service availability. The whole story's in the hospital book, illustrated. Want a copy? Call your Stromberg-Carlson distributor. Or write us and we'll have him send one to you.

STROMBERG-CARLSON

A Subsidiary of General Dynamics P.O. Box 987, Dept. 147, Rochester, N.Y. 14603

Since 1894—"There is nothing finer than a Stromberg-Carlson."


For more data, circle 145 on inquiry card

threes and fours as well as twos

An integral safety specification for large buildings, siamese connections allow use of a building's water source as a supplement to fire department hydrants


You can specify W. D. Allen siamese for sidewalk or wall, flush or projecting installations, rough or polished brass or chrome, 2-way, 3-way, 4-way

There is no style siamese W. D. Allen does not make, and you can specify the 4-way only from W. D. Allen



MAHON IS IDEAS

IN BUILDING PRODUCTS



SEE HOW MAHON "HIT THE CEILING"

to give architects more room to plan


Seven-and-a-half inches.

That's all the depth taken up by a Mahonaire® ceiling.

In that 7½ inches, architects for a three-story office building had room for hot and cold air distribution, communications, lighting, acoustical treatment—all with more than adequate support. Total floor-to-floor height is 9'4¾" permitting a clear floor-to-ceiling height of 8'6¾".

Small wonder that architects and builders are going in a big way for this modern approach to ceiling treatments. It enables them to save time and money. They also experience greater flexibility and convenience than ever before possible with conventional joist and air-handling methods.


Mahon is ideas in building products. Next time you have a design or construction problem, talk it over with a Mahon Building Product Specialist. He has many ideas that can save you time and money through improved building techniques. Write...The R. C. Mahon Company, 6565 East Eight Mile Road, Detroit, Michigan 48234.





19th Century Charm 20th Century Comfort

ectromode FLAMELESS ELECTRIC HEAT



2218 Fremont Street, in Chicago's Old Town (white faced building in above photo) represents a new trend in urban renewal that has attracted nation wide attention . . . restoring the faded glory of former elite neighborhood

Instead of tearing everything down building anew, architects and builders retaining 19th Century Victorian cha while adding 20th Century comfort arconvenience.

Modern Electromode electric heat has helped make this trend both feasible and economical with flexible, low cost equipment and controls that are easily installed. Electromode facilitates this blending of the old with the new to offer people who rent and those who buy the incomparable safety, cleanliness and comfort of automatic electric heat with individual room temperature control.

The complete story of 2218 Fremont Street and its modern Electromode electric heating system is told in folder CH-29. Send for your free copy today.



SINGER CLIMATE CONTROL PRODUCTS

Electromode


Climate Control Division THE SINGER COMPANY
Dept. AR-56, 62 Columbus St., Auburn, N.Y. 13021

MARACON CONCRETE ADMIXTURE

Selected For First Stage of

GURI DAM

IN VENEZUELA



General Contractor - Consorcio de Guri: Kaiser Engineers and Constructors, Inc.; Macco International; Tecon International: Merritt, Chapman and Scott, Inc.; and Christiani and Nielsen Corp.

hydroelectric program which anticipates that nation's progress and power needs to the end of this cen-tury. The first part of Stage One, in which MARACON Concrete Admixture is being used, is scheduled for completion in 1968 and provides for a concrete gravity dam 348' high and 1040' long, a spillway capacity of 1,250,000 cu. ft. per second and a powerhouse capable of producing 527,250 kilowatts.



MARATHON PRODUCTS CHEMICAL

NEENAH·WISCONSIN

*MARACON is the regis-tered trade name for a series of concrete admixrures manufactured by American Can Company, Chemical Products.

AMERICAN CAN COMPANY, MARATHON PRODUCTS, CHEMICAL NEENAH, WISCONSIN

Send additional information on Maracon to: COMPANY.....

Please attach to your company letterhead.

For more data, circle 149 on inquiry card



a helpful portfolio on controlling condensation in built-up roof construction

2 ways to help stop failures in built-up roofs

Specify PyroKure® 600 or VaporStop 710 as vapor barriers. We've prepared a "Helpful Portfolio" to give you all the facts on the new Sisalkraft principle of water/vapor protection. It's Free. Send for it, today. Contact: Sisalkraft, 73 Starkey Avenue, Attleboro, Mass.

STREES SISALKRAFT DIVISION REGIS

For more data, circle 132 on inquiry card





OUTDOOR IGHTING APPLICATION ANUA

Over 280 pages of simplified, easy-to-use application and product information on:

- parking area and decorative lighting
- roadway lighting
- sports and recreation lighting
- industrial and commercial lighting
- luminaire and lamp data


Periodic mailings keep the manual perpetually up-to-date.

If you are a qualified architect, consultant, engineer, or contractor, your free copy of OLP-1066 will be delivered by your nearest G-E Sales Engineera good man to know.

Write us on your professional letterhead and mail to: Outdoor Lighting Dept., General Electric Co., Section 460-78, Hendersonville, N. C. 28739.



For more data, circle 135 on inquiry card



esigns...to harmonize, contrast or match any interior setting

nd "Cord Mesh" vinyls for Modernfold's bundmaster. We can supply Cord Mesh and 48 in over 400 color options, in ozens of textures. Variations include silk-reened patterns from our own designer of the corporate logos and emblems. For the first time you can combine space flexi-

bility with exciting operable wall finishes.

Possibilities exist for special fabrics in all

Possibilities exist for special fabrics in all types of commercial buildings—hotels, motels. restaurants, offices, conference rooms—even in schools. We cannot offer everything, but we think we can offer more than anyone else in the industry. We would like to show you all we can do.




Now Modernfold offers 'Tedlar'* on operable walls

(makes vinyls as stain-resistant as ceramic tile)



ACOUSTI-SEAL 51—BEST SOUND CONTROL OPERABLE WALL MADE, STC 51. (TEST DATA AVAILABLE UPON REQUEST.)



SOUNDMASTER—LEADER OF THE MODERNFOLD LINE WITH SUPER-TOUGH CORD MESH 48 CAN NOW HAVE TEDLAR STAIN RESISTANCE.

"Tedlar" is an optional extra, when specified, that stops staining agents that are foes of all vinyls . . . oil, grease, wax, lipstick, crayon, marking pen . . . even ballpoint pen. "Tedlar" is so inert that stains hardened by time can be removed with such strong solvents as acetone, without harm to the vinyl. \square Vinyl is virtually maintenance-free—"Tedlar" surfacing makes it even better. \square It is easy to specify "Tedlar":

Soundmaster—Outer covering shall be "Cord Mesh 48" with "Tedlar" polyvinyl fluoride film laminated to surface.

Acousti-Seal—Panels shall be surfaced in (specify one: Moderncote 33, 33L or Newport) with "Tedlar" polyvinyl fluoride film laminated to surface.

*Dupont registered trademark.



New Castle, Indiana

PUT TOGETHER ALL YOUR WISHES FOR A TRULY INTEGRATED CEILING WITH TOTAL ENVIRONMENTAL CONTROL AND YOU'VE DESIGNED

the only modular ceiling system that incorporates in every module:

Up to 600 footcandles of lighting comfortable, efficient, glare-free.

Completely controlled air supply—with constant circulation, full 180° diffusion below lamp level, draft-free, no stagnant spots.

Air return that removes lighting heat before it can enter room space . . .

And which enables economical use of lighting heat for space heating, with any heat of light system.

Sound absorption rated 80 percent, with 39.3 decibels attenuation.

Remarkable ceiling support for standard partitions.

New-concept repartitioning flexibility, requiring only a screwdriver to do the job; with no interruption of environmental supply.

Custom dimensions that fit any interior space.

Permanent all-metal, stay-clean, baked finish construction.

Every environmental function complementing, not fighting, the others.

You designed Quartette. It's beautiful - like a spacious open sky.



And it works - like no other ceiling can, assuring permanent controlled environment second only to Nature's. For a complete story of its superiority, detailed, mail this coupon.

Zip
itle


LUMINOUS CEILINGS INC.

3701 N. Ravenswood Ave. Chicago, Illinois 60613 312-935-8900


For more data, circle 154 on inquiry card



In 1960, Pittsburgh's 415-ft. clear span dome was the biggest in America. (And it's retractable, no less.)



Now Houston has the nation's biggest dome. Its clear span is 642 ft., and it covers a baseball field.





American Bridge built both of them—from steel, naturally.


Nearly all of today's large domes—and many small ones—are built with steel, because steel has the best weight-strength-cost combination of all building materials. It can be erected in any season, fast. At Houston's Harris County Stadium (the Astrodome), for example, American Bridge erected the 2,900-ton dome—and the other 6,600 tons of steelwork—in less than four months.

If you're planning to build, let American Bridge help you in the early stages. (We've been building the big ones—and small ones—for over 50 years.) Call or write American Bridge Division of United States Steel, Room 605, Five Gateway Center, Pittsburgh, Pa. 15230.

This mark tells you a product is made of steel. Steel.







FREE PUMP REFERENCE FILE TELLS HOW YOU CAN GET

instant Water

IN THE HOMES YOU DESIGN AND BUILD BEYOND THE WATER MAINS

Red Jacket's new pump reference file "Practical Engineering Information" should be at the side of anyone interested in designing and building homes beyond the water mains. Complete and comprehensive, it covers everything from average water requirements for home and farm, procedures for determining distance to water level, practical suction lifts . . . to water friction tables and how to estimate operating costs.

As a handy reference it will help you be sure you're specifying and installing the right size and type of pump and tank for present and future requirements for any home water system. It's yours for the asking - just clip the coupon!

RED JACKET P.O. Box 3888, Davenport, Iowa
Send me your file "Practical Engineering Information" for our A.I.A. File No. 29-D-5.
☐ Please have your Red Jacket man call.
Name
Firm Name
Address
City
State
RED JACKET FLUID SYSTEM PRODUCTS BOX 3888 • DAVENPORT, IOWA

For more data, circle 156 on inquiry card

continued from page 284

John Gallagher, A.I.A. has become a partner in the New York architectural firm of Hoberman and Wasserman.

Holforty Widrig O'Neill & Associates Inc., consulting engineers of Troy, Mich., have elected Arthur W. Buttery, Arne Leppanen, and Raymond V. Perry associates, and have promoted Calvin J. Saari to head of structural detailing and David Silberg to production manager.

Frank L. Hope & Associates, architects and engineers of San Diego have appointed Francis B. Peacock and James E. Petteway to the board of directors. Mr. Petteway has also been selected director of architecture.

Keyes, Lethbridge & Condon, Architects of Washington have made Colden I'H. R. Florance, A.I.A. and Roscoe Reeves, Jr., A.I.A. associate partners and Roger L. Pompei, A.I.A., John David Reddick, Jr., R.A., Thomas B. Simmons, R.A. and Gary E. Sunderland, R.A. associates. Joseph A. Wilkes, A.I.A. who served as director of technical information and standards, has entered private practice and Mr. Reeves has been appointed to that position.

King & Lewis, Architects and Engineers, Inc., Detroit, has appointed Robert S. Tarske director of engineering.

Abraham Landow, R. A., has appointed Lloyd J. Landow, R. A. a partner in the firm to be known as Landow and Landow Architects, 837 Hempstead Turnpike, Franklin Square, L. I., N. Y.

The Detroit architectural firm of Levine Alpern and Associates has advanced Kurt Weber-Stroebele, A.I.A. to chief architect and Bernard Remer to chief designer.

Levin Kovacs and Associates, Engineers have opened offices at 344 Hamilton, Birmingham, Mich. Partners are Bernard J. Levin, P.E. and Donald J. Kovacs, P.E.

Louis J. Marino & Associates have opened architectural offices at 21515 Chagrin Blvd., Cleveland.

William H. Metcalf, Jr., A.I.A. and Donald J. Neubauer, A.S.C.E. have announced Metcalf and Associates, Architects and Engineers with Gerald F. Oudens an associate, 1156 19th St. N.W., Washington.

Naramore Bain Brady & Johanson, Seattle architects, have named Robert S. Hooper an associate.

Nolen-Swinburne and Associates, architects and planners of Philadelphia, have appointed J. William O'Neill, Jr. and Sanford C. Cassell senior associates and John A. Glen and Ronald C. Turner associates.

continued on page 311

Is your **Blood Pressure**

2Bn

240

220

200

180

16N

140

120

100

80

60

270

240

230

210

190

170

150

130

110

70

50

30

Only your doctor can tell. And he can now help most cases of this disease with new drugs and new methods of treatment developed with the help of your Heart Fund dollars, More Heart Fund dollars will support more research to prevent and cure this leading cause of heart attack and stroke.



FUN HEART

Look to Chromalox

for the right answers to electric comfort heating/cooling problems in buildings




Office Areas | Chromalox Modulaire year-round Air Conditioners are compact, through-the-wall, self contained units which provide complete comfort conditioning including electric heating, refrigeration cooling, dehumidification, ventilation and air filtering for lounges, classrooms, offices, meeting rooms, churches and similar areas needing air conditioning.

Request Bulletins F03100 and F03102



Marquees Chromalox Electric Infrared Marquee Heaters provide spot comfort whatever the weather outdoors. They project radiant warmth on people and help keep sidewalks free of ice and snow at building entrances. Easy to install, designed for either recess or surface mounting.

Request Bulletin F70100



Entranceways Chromalox Electric Cabinet Unit Heaters are compact. blower type, high capacity heaters designed primarily for applications in entranceways, corridors, lobbies. They are available in decorator style models for floor, wall and ceiling mounting; free standing, semi-recessed and fully recessed units.

Request Bulletin F22100



Lobbies Chromalox Type VUH Ceiling-Mounted Electric Vertical Unit Heaters are installed in entryways and stairwells to form a warm air barrier to cold outdoor air. Optional discharge air diffusers provide a choice of five heat distribution patterns. Larger sizes up to 50 KW are ideal for high bay mounting.

Request Bulletin F15100



Snow Melting | Chromalox Electric Heater Mats and MI Heating Cable are embedded in concrete or asphalt sidewalks, driveways, ramps and steps to keep surface areas free of ice and snow. They eliminate manual labor and related costly agents such as salt, cinders and chemicals which often are tracked indoors to stain rugs and floors.

Request Bulletins M60100 and PJ-102



Reception Areas Chromalox Electric Sill Line and Baseboard Units are available in a wide range of models and heating capacities. Sill lines are usually mounted under windows, baseboards at floor level for continuous wallto-wall heating in offices, reception areas, corridors and similar applications.

Request Bulletins F31100 and F50100



CHROMALOX

electric HEATING / COOLING

CLIP	001	IDOBI	ABID	3 2 3 11
10014	LUL	מוטיאנ	ANIJ	N/I A I I

EDWIN L. WIEGAND COMPANY

7741 Thomas Boulevard, Pittsburgh, Pa. 15208

Gentlemen: Please send me complete technical and specification information for:

- ☐ Modulaire Air Conditioning (F03100, F03102) ☐ Snow Melting (M60100, PJ-102)
- Cabinet Unit Heaters (F22100)
- ☐ Infrared Heaters (F70100)
- ☐ Sill Line—Baseboard Heaters (F31100, F50100) ☐ Unit Heaters (F15100, F14100)

NAME

AFFILIATION


ADDRESS

CITY, STATE, ZIP CODE

PHONE

TOVALOT


-moving walks of rubber-covered steel





SANDVIK rubber covered steel belts are moving people in Australia, Canada, France, Italy, Japan, Sweden, W. Germany

100,000 Frenchmen per day ride a SANDVIK MOVATOR in the Paris Metro. In Sydney, Australia, a 700 ft. SANDVIK rubber-covered belt - the world's longest moving walk carries shoppers from stores to parking area. In a modern department store at Vaxjo, Sweden, people and shopping carts glide smoothly from floor to floor on a SANDVIK MOVATOR. ■ These are just a few examples of the successful design and engineering experience which the Sandvik Movator Division can apply to your requirement anywhere in the U.S.A. now. ■ Over the past ten years, architects and owners around the world have selected Sandvik to solve traffic flow problems via moving walks. There are two basic reasons for this continuing success: The design, manufacturing, installation and service experience of the world's leading manufacturer of moving walks featuring rubber-covered steel belts. The inherent advantages of the SANDVIK cold-rolled steel belt with grooved rubber covering, shown below. This combines nonslip safety with the rigidity to assure a smooth, safe and comfortable ride. Write for SANDVIK MOVATOR booklet.









SANDVIK

SANDVIK STEEL, INC., Fair Lawn, New Jersey MOVATOR DIVISION

Branch offices: Cleveland. Dallas. Detroit. Chicago. Los Angeles. Sandvik Canadian Ltd.: Montreal. Toronto. Vancouver. Winnipeg.

SS-8661

July's Architectural Record will present a subject so import that...for the first time in its history, the Record will suspe

THE NEV ARCHIT

In the July Architectural Record, the editors will evaluate the great third of the 20th century-the same challenges and problems that build

POPULATION EXPLOSION!

The bulk of the U.S. population growth is in its metropolitan areas. Between 1960 and 1965 — the metropolitan population increased almost twice as fast as the nonmetropolitan population. On the other hand, farm population has continued to drop, decreasing about 21 per cent during the five year period, while the nonfarm population increased 10 per cent, according to the Department of Commerce. The twelve million persons now living on farms represent about six per cent of the total population.

Today . . . 67 per cent of the nation's population is jammed into nine per cent of the land. 130 million people live in 224 U.S. metropolitan communities. By the year 2,000, some 80 per cent of all Americans—more than today's entire population will be city dwellers, according to government figures.

People, Automobiles and Progress

To cope with this population explosion in our cities, President Johnson has warned that in the next 35 years, "we have to build in our cities as much as we have built since the first colonist arrived on these shores." The continuing proliferation of people, automobiles, and new concepts of progress demand it, he said. Our metropolitan centers are expanding at such a rate that we must build the equivalent of one whole new Chicago every year, devouring a million acres of countryside.

Order and Greatness

How promising is that whole new Chicago every year? Is there hope for order and perhaps even greatness? Architects and engineers are the vital key to the biggest building boom in the history of the world.

The July Architectural Record will examine the challenges and opportunities brought about by the population explosion in our cities.

TECHNOLOGICAL EXPLOSION

The big problems facing architects and engineers today are: (1) determining what the design criteria should be, (2) writing meaningful programs which establish appropriate goals for different kinds of building (3) conceiving and designing systems which complement one another ather than ones which act as separate entities, or worse than that, wo at cross purposes, (4) accomplishing all the foregoing while also providing installation and operating economies.

Materials and Systems

Today the range of materials and systems available to architects as structural engineers offer limitless possibilities in span, height and sha to suit any building purpose. And the environment—thermal, visual as acoustical—can be controlled to meet practically any design criteria.

Architect and Engineer

The architect and the engineer have a plethora of new systems at techniques by virtue of improved materials and growth of sophistication engineering analysis. Not only are all the basic materials abundan available, but building product manufacturers are offering materials higher strengths and quality, and a larger variety of structural, mechanical and electrical components. On the negative side, this knowled permits practically anything to be built, regardless of architectural mer. On the positive side, structures can be designed to work with finess rather than by brute force, thus leading to better architectural solutions well as engineering solutions.

How will this technological explosion affect the architect and I practice of architecture? The July Architectural Record will examine t challenges and crucial problems brought about by this great technological explosion.

logical explosion.

The July issue marks the 75th year of Architectural Reco

architects, engineers, and building product manufacturers regular features to devote the entire July issue exclusively to...

AGE OF CTURE!

ges and crucial problems that face architects and engineers in the last duct manufacturers must face in "The New Age of Architecture"

CONSTRUCTION EXPANSION!

ne dimensions of the future are enormous, and the numbers that easure them are difficult to put into perspective. How big is \$100 billion worth of construction? By 1980, the annual volume of new construction will be more than half again this amount. How this total will be acched and how the demand patterns for the many diverse types of uildings and other construction will unfold can be shown by a closer ook at the individual markets.

Residential Building

ne outlook for homebuilding through the Seventies is exceptionally bod. The earlier years will provide a gradually rising demand from the arrent 1.5 million housing units to an annual rate of about 1.8 million y 1970. Then the rate will begin to accelerate more rapidly, reaching bout 2.2 million by 1975. The types of housing to be built will change yer this period, reflecting the needs of a different population age ructure.

Nonresidential Building

ne demand for stores, restaurants, and other retail establishments will crease greatly beginning around 1970. Office building will maintain a gorous upward trend. Industrial building will still have its cyclical exansions and contractions, but the trend will certainly be advancing rongly throughout the years between now and 1980. Growth in exenditures for schools can be expected to rise sharply after 1970.

By 1980, the value of all new construction put in place will have eached a total exceeding \$150 billion—more than double today's rate of expenditure.

How will this enormous construction volume affect the architect and is practice of architecture? The July Architectural Record will examine challenges and crucial problems brought about by this great conruction expansion.

ADVERTISING OPPORTUNITY!

In addition to this unique editorial climate, advertisers in the July issue will have all the outstanding advertising values of Architectural Record working for them...

circulation—more architects and more engineers subscribe to the Record—pay more for their subscriptions—and the Record has the highest renewal rate...

market coverage—these same subscribers design and specify building products for over 85% of the dollar volume of all architect-designed building, as documented by Dodge Reports . . .

readership—architects and engineers have voted Architectural Record "preferred", "most helpful" and "most useful" in 196 out of 213 independently sponsored studies . . . making it architecture's best-read publication.

If your company has a stake in the New Age of Architecture, then you'll want to be in the Record's July issue. Without a doubt—it will be the most valuable and comprehensive issue ever published by Architectural Record. It will be required reading for architects and engineers and "required advertising" for building products manufacturers. Write, phone or wire your reservation today!

CLOSING DATE: JUNE 8

ARCHITECTURAL
RECORD
330 WEST 42ND STREET
NEW YORK, N.Y. 10036

vice to architects, engineers and building product manufacturers

Why waste a penthouse view on a cooling tower?

There's a rent-paying tenant atop this new office building—because it's heated and cooled with G-E Zoneline.

At first, the F&A Development
Corporation was considering a four-pipe
system for the new People's Savings Bank
office building in Bridgeport, Conn. "But as
plans evolved," says Bennett Delle
Bovi, project engineer of F&A, "it became
obvious that General Electric Zoneline
would do everything a four-pipe system
would do—and free an extra 5% to 10%
in usable, rentable floor space."

Here are some other benefits F&A found in G-E Zoneline:

NO PIPES, ductwork, valves, compressors, storage tank or boiler with G-E Zoneline. But enough added space on the roof for penthouse offices that give a net return of \$15,000 a year. Overall, a gain of 5% to 10% in usable, rentable floor space. 40% SAVINGS on first cost, compared with the estimates for a four-pipe system. CHOICE OF STYLE in exterior grillwork. A special grille was designed for the Peoples's Savings Bank to complement the building's architectural styling. INTERIOR FLEXIBILITY was a consideration, too. Zoneline units will fit over doors


(Marina Towers, Chicago) or under window seats (Century House, Lincoln, Neb.).


ROOM-BY-ROOM CONTROLS provide individual, year-round comfort. A tenant who is chilly can turn up his heat at the same time another is running his air conditioning.

For motels, dormitories, garden apartments, nursing homes and medical centers—and high-rise construction like the People's Savings Bank office building, G-E Zoneline heating/cooling systems can almost always make dramatic savings in space and first cost. Call your General Electric Zoneline Air Conditioning Sales Representative for the facts.



Air Conditioning Department, Appliance Park, Louisville, Kentucky







*... PREMOULDED MEMBRANE with PLASMATIC CORE . . . the only vapor seal offering proven longevity!

While the little fella' doesn't realize it, those "black sheets" he sees being applied to the basement walls will protect this structure from destructive moisture while he grows to manhood and longer. This longevity is important — you must be sure that the vapor seal, installed during original construction, will last the life time of the structure — it cannot be replaced later. Recent tests conducted by the Chicago Testing Laboratory, Inc. prove conclusively that PREMOULDED MEMBRANE with PLASMATIC CORE has a true WVT rating of only 0.003 grains per square foot/per hour and even more important, maintains this rating even after being subjected to destructive, alternate wetting and drying tests; (that's real longevity).

PREMOULDED MEMBRANE with PLASMATIC CORE is rugged and strong enough to handle and install without puncturing or tearing. Available in sheets 4' by 8' and rolls 4' wide by 50' long. For complete information request Catalog No. 756.

W. R. MEADOWS, INC.

4 KIMBALL STREET

ELGIN, ILLINOIS 60122

W. R. MEADOWS OF GEORGIA, INC.

4765 FREDERICK DRIVE, N.W. ATLANTA, GA. 30336 W. R. MEADOWS OF CANADA, LTD.

130 TORYORK DRIVE WESTON, ONTARIO CANADA

PREMOULDED


MEMBRANE with PLASMATIC CORE provides a build-up of

seven-elements in a single sheet that is quick, easy and economical to apply. The exclusive PLASMATIC CORE consists of three elements; (see illustration); elements 3

and 5 are layers of specially formulated pure blown virgin asphalt between which is suspended element 4, a scientifically formulated PVC sheeting offering superior physical properties including flexibility and tensile strength. The PLASMATIC CORE is then sandwiched between element 2 and 6 which are super-saturated felt ligors and then as additional asphalt weather coat

element 2 and 6 which are super-saturated felt liners and then an additional asphalt weather coat, elements 1 and 7, are applied during process of manufacture. We challenge comparison — compare products — compare test results and we believe you too will agree . . . there is "no equal" to PREMOULDED MEMBRANE with PLASMATIC CODE







Brandeis Department Store — Omaha Architect: Leo A. Daly-Omaha. Terrazzo Con-tractors: Demarco Brothers Co. and Universal Terrazzo & Tile Co. Jointly-Omaha.



Forsyth County Hospital — Winston Salem Architects: Lashmit, Brown & Pollock-Winston-Salem. Terrazzo Contractor: Carolina Marble & Tile Co.-Winston-Salem.

IN CHICAGO.... O'Hare Airport


IN OMAHA... a department store


IN WINSTON-SALEM a county hospital

All use miles and miles of Terrazzo Floors

MARBLE CHIPS FOR LIFETIME BEAUTY BY







67 Peachtree Park Drive Atlanta, Georgia 30309 Phone 404/355-0200

continued from page 302

Parsons, Brinckerhoff, Quade & Douglas, consulting engineers, and Lord & Den Hartog & Associates have formed a new architectural affiliate, Lord & Den Hartog, architects / engineers / planners with Perry D. Lord and Maarten D. Den Hartog, registered architects, as operating principals, 165 Broadway, New York City.

Pecsok & Jelliffe, A.I.A., Architects and I. Parke Randall, A.I.A. Architect have joined to form Pecsok, Jelliffe & Randall, A.I.A. Architects with offices at 660 E. 46th St., Indianapolis.

Donald L. Rigoni and Stuart H. Reich have formed Rigoni and Reich, Architects, 156 East 52nd Street, New York City.

Rogers, Taliaferro, Kostritsky, Lamb, Architects / Planners, with offices in Baltimore, have made Mario L. Schack an associate.

Shepley Bulfinch Richardson and Abbott, architects of Boston, have announced that George R. Mathey, Robert McIntosh and William R. Spilman have become associates.

Smith, Hinchman and Grylls Associates, Detroit architectural, engineering and planning firm, have appointed Kami Targal head of their new civil engineering department.

Carl Russell, Ir. who has become an associate and vice president of John Carl Warnecke and Associates, architects and planning consultants with main offices in San Franciso, is office manager of the Bay Area office.

NEW ADDRESSES

John Case & Associates, structural engineers, 6330 N. Figueroa St., Los Angeles.

Holforty Widrig O'Neill & Associates Inc., consulting engineers, 177 West Big Beaver Road, Troy, Mich.

Howard Garrett & Associates, designers, 1425 S. 21st St., Birmingham, Ala.

Gerhard E. Karplus, A.I.A., 277 Park Avenue, 47th floor, New York City.

King, Benioff & Associates, consulting engineers, 13701 Riverside Drive, Sherman Oaks, Calif.

Tasso Katselas, Architect, 4951 Centre Ave., Pittsburgh.

Swan, Wooster Engineering Co. Ltd., consulting engineers, 1525 Robson St., Vancouver 5, B.C.

Due to fire, Sylvan R. Shemitz and Associates, lighting consultation and design, are temporarily located at 1294 Chapel St., New Haven, Conn.

John A. Taras, A.I.A. Architect, 213 Grand Ave., Pacific Grove, Calif.

HOLD **EVERYTHING...**



FOOD SERVICE: KITCHEN STOREROOMS PREPARATION AREAS, UTENSIL STORAGE



HOSPITALS: CENTRAL SUPPLY UTILITY ROOMS, MOBILE SUPPLY CLOSETS



SCHOOLS: STATIONERY SUPPLIES, BOOKS, ART SUPPLIES, LUGGAGE.

... WITH MARKETTER

SHELVING

Modular Marketier Shelving and Modular Storage Systems are designed and built especially for institu-tional storage needs. RUGGED — Patented corner construction and double reinforced edges withstand years of use and abuse. ADJUSTABLE — Shelves may be instantly set at any desired spacing. Nine modular scientifically determined shelf sizes. Easy to install or relocate. SANITARY — Maximum ease of cleaning with solid croping free construction. with solid crevice-free construction. Spills wipe up easily. Stainless steel or aluminized steel with wide variety of casters and accessories for mobile use and other applications.

Send for new brochure showing dozens of actual in-use photos.



Call us what you will.

The name of the game is hustle!

So we're hustling. And we're not embarrassed

We've got responsibilities to think about.

Yours.

But we aren't just thinking. We're activel doing.

We've expanded our line of expanded metal till they can do just about anything you war Architectural mesh. Flattened mesh. Grating in a greater variety of gauges and finishes.

We've got more roofdeck to sell, more govanized SofTite[®], more metal lath, more roofin and siding. And much more.

Like the fact that all of Wheeling's new fac

ies—including the mills where that original eel comes from—are geared to a quality level nat guarantees consistency from order to order.

So if you want to decorate a new building or enovate an old one or specify a load of prengineered roofdeck or simply install a sureooted catwalk, you now know just the place of come to.

What else could you want from a pushy steel ompany?

On-time delivery? You've got it. What you

want, where you want, when you want.


Go ahead, call us ambitious. Call us what you will. But call us.

Haveyou looked at Wheeling lately?

Wheeling

Wheeling Corrugating Company, Wheeling, West Virginia

For more data, circle 163 on inquiry card





E.T. Meredith Memorial Hall, Drake University,

Look what you can do with 44×66 feet of space





Des Moines, Iowa. Mies van der Rohe, architect. Forman Ford & Co., glazing contractor.

You can wrap a classroom building around it, as Architect Mies van der Rohe did. To brighten hallways and offices on all four sides by surrounding the atrium with walls of glass. To provide visual relief for occupants around the complete perimeter.

Practical year 'round, too! The walls are Thermopane® insulating glass with Bondermetic Seal®. Two panes of $\frac{1}{4}$ " plate glass enclosing a $\frac{1}{2}$ " insulating air space. Cuts heat loss through windows. Saves on heating

and air-conditioning costs. Minimizes the possibility of steam or frost collecting on the glass.

The outer panes of these Thermopane units are Parallel-O-Grey® plate glass—blends perfectly with structural materials in the facade. Also sharply reduces glare and solar heat gain on the inside. Both panes are twin ground for greatest clarity.

Libbey·Owens·Ford offers you over 50 choices of plate glass types and thicknesses—each made to fill a specific need. Call your L·O·F distributor

or dealer (listed under "Glass" in the Yellow Pages). Libbey-Owens-Ford Glass Company, Toledo, Ohio 43624.



Libbey · Owens · Ford Toledo, Ohio





Sam isn't much of a lunch date

He'll start talking shop before they bring the menu.

Give you a rundown on vinyls during the entree.

Warm up to epoxies while his coffee gets cold.

With Sam, a business lunch is all business. Because he knows you want facts.

Not folderol.

Facts about the flash point of a new wood sealer.

About a water-repellent coating for limestone.

About hardeners for concrete floors.

That's "table talk" to Sam. And Jesse. And Roy.

And every Man from Devoe.

They know you get enough of the glad hand.


Now try a helping hand.

You can depend on the Man from Devoe.



A DIVISION OF CELANESE COATINGS COMPANY

For more data, circle 165 on inquiry card



CONNOR'S "LAYTITE"

EDGE GRAIN

MAPLE FLOORING

Longer wear and lasting satisfaction are built into every Connor "Laytite" installation. Edge grain (quarter sawn) hard rock maple flooring means 50% less expansion*, helps prevent any warping or buckling. Specify Connor's "Laytite" for your next job . . . get details today.

"Laytite" is also available in REZILL-CUSH** System; "CONTINUOUS STRIP" or regular strip - all sizes and grades.

*According to Forest Prod. Lab.

SCHOOL & GYM FLOORS OUR SPECIALTY!





Office building consists of two superimposed blocks

The first of twin office buildings which will form a gateway to the EUR (Esposizione Universale Roma), a business and government center in Rome, consists of two superimposed blocks of three and two floors respectively, both over 400 feet long and separated by an intermediate floor of management offices. The lower block is faced with a dark bronze-aluminum curtain wall, while the upper block has a white marble facing. The 250,000-square-foot building, to be occupied by Esso Standard Italiana, was designed by Professors Vittorio Ballio Morpurgo and Luigi Moretti, with Lathrop Douglass as consulting architect for Esso Standard.

CHANGING YOUR ADDRESS?

If you're moving, please let us know five weeks before changing your address. Use form below for new address and attach present mailing label in space provided

> ATTACH PRESENT MAILING LABEL

> > HFRE

STATE

NAME

STREET

CITY

ZIP

FIRM NAME

TYPE OF FIRM

TITLE OR OCCUPATION

Fulfillment Manager Architectural Record P.O. Box 430

Hightstown, N. J. 08520

McGraw-Hill Books for **Building Professionals**



TURAL DESIGN, Fourth Edition. By a staff of spe-cialists. John Hancock Cal-lender, Editor-in-Chief.

In this one encyclopedic volume, you will find all the information you need to design, construct, or maintain buildings: detailed guidance on structural design, materials, components, techniques, environmental control, residential and non-residential design elements, site-planning, recreation — to name a few. Ex-haustively revised and updated, with greatly expanded coverage of more than 500 vital subjects. Over 2000 illustrations, diagrams, charts, and tables. 1150 pp., \$27.50

2. THEORY AND PRACTICE OF REINFORCED CONCRETE. Fourth Edition. By Clarence W. Dunham. Extensively revised to conform to the latest ACI Standard Building Code Requirements for Reinforced Concrete, this volume fully details sound design and construction.
608 pp., \$13.90

3. URBAN DESIGN: THE ARCHITECTURE OF TOWNS AND CITIES. Written and illustrated for The American Institute of Architects by Paul D. Spreiregen, AIA.

Here the Director of Urban Programs for the AIA conducts a professional examination of the actual design of urban areas-past, present, and future.

256 pp., \$12.50

4. CPM IN CONSTRUCTION MANAGEMENT: Scheduling by the Critical Path Method. By James J. O'Brien. In practical, easyto-understand terms, this book explains the use of electronic computers to schedule construction. Numerous examples, case histories, sample prob-lems, and questions and answers.

249 pp., \$10.75

Buy these books at your bookstore or send this coupon for

-10 DAYS FREE EXAMINATION----

McGRAW-HILL BOOK COMPANY, Dept. 23-ARR-56 330 West 42 Street, New York, N. Y. 10036

Send me book(s) circled below for 10 days' examination on approval. In 10 days I will remit for book(s) I keep plus a few cents for delivery costs and return unwanted book(s) postpaid. (We pay delivery costs if you remit with this coupon—same return privilege.) Include sales tax if applicable.

2

NAME (print)	
ADDRESS	

STATE_ ZIP

For price and terms outside U.S., write McGraw-Hill Int'l. N.Y.C. 23-ARR-56

For more data, circle 166 on inquiry card

®REG. U.S. PAT. OFF.

**TRADE MARK



In buildings everywhere, Milcor Steel Access Doors provide service openings in any surface without encroaching upon design. They are carefully made and rigidly constructed for minimum maintenance—economically installed, without on-site cutting and fitting—readily available in seven styles and a wide range of sizes. See Sweet's, section 16K/In. Write for catalog 210-6.




INLAND STEEL PRODUCTS COMPANY, DEPT.E, 4033 W. BURNHAM ST., MILWAUKEE, WIS. 53201 BALTIMORE • CLEVELAND • KANSAS CITY • LOS ANGELES • NEW YORK • SAN FRANCISCO



BS-18

Here's one thing Hetron-based panels won't do.



Hetron-based panels won't support combustion.

That means you can use them as skylights or siding on almost any building, almost anywhere—and not add a nickel to fire insurance costs.

Hetron-based translucent panels have a flame-spread rating as low as 30. They meet rigid codes and are qualified to carry the Factory Mutual Seal and the U/L label.


And that's not all.


They won't shatter. Or let in a glare

of light. They resist corrosion and moisture. Transmit heat slowly. Cost about half as much to install as conventional materials.

So why not consider fire-retardant, Hetron-based plastic panels for your next project?


For a list of fabricators and more information on Hetron—the polyester resin that makes panels safer—write us. Durez[®] Plastics Division, Hooker Chemical Corporation, 8005 Walck Road, North Tonawanda, N.Y. 14121.







DUREZ PLASTICS DIVISION



Your college contribution is a round-trip ticket

It's good both ways.

First, it helps higher education accomplish its mission of producing leaders for America.

The trip back brings industry its most important resource—college-educated talent.

These young leaders come fresh with brainpower and knowledge; they fill the ranks of management.

The colleges need business help—and welcome it.

Especially now, when they are facing rising costs and increasing enrollments.

If business wants college talent, it will have to keep the col-

leges in business.

Help them finance their expansion—their buildings, lab facilities and, above all, their teaching staffs.

It's good business insurance—it's good business.

Your aid-to-education program is an aid to yourself.

COLLEGE IS BUSINESS' BEST FRIEND.







SPECIAL TO CORPORATION OFFICERS—A new booklet of particular interest if your company has not yet established an aid-to-education program. Write to: "How to Aid Education—and Yourself," Box 36, Times Square Station, New York, N. Y. 10036.

Published as a public service in cooperation with The Advertising Council and the Council for Financial Aid to Education

There are all kinds of shotguns... but none can equal the beauty and brilliant performance of this hand-crafted firearm!





Schemenauer Classroom Unit Ventilators Are Also Without Equal

Other unit ventilator manufacturers may talk trouble-free performance but Schemenauer delivers it—for the life of the classroom. Who else but Schemenauer has a "valve control" of fresh air supply for maximum economy of operation... an advanced design fan wheel of corrosion-free aluminum... solid, one-piece anodized aluminum air grilles located along the back, where they belong... and heavy duty doors, not cake pan construction, that glide freely on roller bearing steel wheels and open the full width? A unit de-


signed to go in quickly and correctly without a staggering punch-list. No other unit ventilator is so thoughtfully engineered with attention to details that mean something to the end user—and every serious-minded architect. This is a unit ventilator. This is your opportunity to pick the best engineered cooling/heating equipment. Get separate prices. Analyze them. Discover what is offered for the money in terms of client needs. Everyone gains when you specify up to a standard!

Basic Data For Decision-Makers


Schemenauer Unit Ventilators are for steam, hot water, electric heating and chilled water cooling. Twelve architectural colors plus a wood grain finish. Matching accessories of various lengths and heights offer utmost design freedom. Numerous engineering exclusives provide for peak long-term economy, trouble-free performance and ease of installation. Nationwide sales and service. Field help.

SCHEMENAUER

"Designer-manufacturer of a complete line of heating-cooling-air handling apparatus for institutional, industrial and commercial applications."



the heart of the school classroom



MORE architects and more engineers subscribe to Architectural Record than any other architectural publication.

Why this paid circulation dominance? Because architects and engineers find in the Record more pages of editorial, more building presentations, more drawings, more photographs, the work of more architects...than they can find in any other architectural publication.

The consistent quality of this editorial service has made the Record architecture's best-read publication. Architects and engineers have voted the Record "preferred", "most helpful" or "most useful" in 196 out of 213 independently sponsored studies.

These same subscribers design, engineer, and specify building products for over 85 per cent of the dollar volume of all architect-designed building—a fact documented by Dodge Reports.


Because advertisers and their agencies look hard at these facts about circulation — editorial service — readership — market coverage — they place more advertising in the Record than any other publication. In 1965—the Record carried 2834 pages—47.1 per cent of the 4-magazine field.

When one advertising value leads to another and another ... you've located the leader...




The formal generators of masonry structure:

The pinwheel




no. 3 of 36




The exploration of masonry's formal generators is continued here by architect Stanley Tigerman. From a pinwheel projected three dimensionally, Mr. Tigerman proceeds from parti to floor plan to complete structure-here utilizing load-bearing walls. You are looking at the top of the complete structure.

Throughout this series, we shall continue to show how the basic orthogonal shapes of masonry construction—the square, lozenge, rectangle, pinwheel, cross and linked form-can be developed and projected. We hope the drawings offered here will serve as both idea-stimulators and time-savers.



Jamb sections: 12" masonry wall, 4" face brick, 8" block, and $\frac{1}{2}$ " taped sheet rock on 1" x 2"'s. Wood fixed sash with $\frac{1}{4}$ " plate glass.




STANLEY TIGERMAN, ARCHITECT

What's in it for us? We have two products, roll-type and rod-type Keywall® masonry reinforcement, which can help you improve the usage and quality of masonry construction. We want you to use them, so we make it easy by including them in the details shown below.

This structure—with the details drawn to 3''=1'0'' for

easy tracing, are reproduced on convenient 81/2" x 11" sheets. To receive these and the entire series, write:

Dept. AR-56 **KEYSTONE STEEL & WIRE COMPANY** Peoria, Illinois 61607



ADVERTISING INDEX

Pre-filed catalogs of the manufacturers listed below are available in the 1966 Sweet's Catalog File as

A Architectural File (green)

I Industrial Construction File (blue)

L Light Construction File (yellow)

	A
	Aerofin Corp 66
	Air Devices, Inc
A	Allen Mfg. Co., W. D 285
A-I	Aluminum Co. of America49 to 52
A-L	Amarlite Div., Anaconda Aluminum Co 27
1	American Air Filter Co., Inc272-273
A-I	American Bridge Division, U.S.S300-30
A-1	American Can Co
A	American Desk Mfg. Co
A-I-L	American Plywood Association282-28:
A-1-L	American Telephone & Telegraph Co 4
A-1	Ames Company, W. R32-3
	Architectural Aluminum Mfrs. Assn18-19
	Architectural Record306-307, 324-32!
A-L	Armco Steel Corp 260
A-I-L	Armstrong Cork Co2nd Cover, 1, 54-55
	Aurora Pump Div., New York Air
	Brake Co
	B
A	Bally Case & Cooler, Inc112-113
A-I	Barber-Colman Co
A-1	Barcol Overdoor Co., sub. Barber- Colman Co 276-27
A	Bayley Co., William
A-I	Bell Telephone System 4
A-1	Bethlehem Steel Corp
M-1	
	and the same of th
A	Bobrick Corporation, The
A-1	
A-I	Bradley Washfountain Co 6
	Brulé C E & E, Inc 7
A	Butler Mfg. Co 65
	C
	Cabin Crafts, Inc
A	Carpenter & Co., L. E
	Casco Products Corp 26
	Cast Iron Soil Pipe Institute
	Chemstrand Company
	Chicago Pump Co
A	Church Div., C. F., American Standard 26
	Commercial Carpet Corp96-9
	Connor Lumber & Land Co 31
A	Corbin, P&F, Div. Emhart Corp 22
	Crouse-Hinds Company 28
	D
A	Darling Co., L. A., Workwall Div 270
	Day & Night Mfg. Co
A	Dayton Sure-Grip & Shore Co
	Delta Faucet Co 5
A-I-L	Devoe & Raynolds Co., Inc., sub.
	Celanese Corp
	Dover Corp., Elevator Div 2-
	Dow Chemical Co
	DuPont de Nemours & Co., E. I291-29:
A-1	Durez Plastics Div., Hooker Chemical
A 1.1	Corp
M-I-L	Dur-O-Wal, Inc253 to 25

	E
A	Eastern Products Corp3rd Cover
A-I	Eaton Yale & Towne Inc., Norton Door Closer Div
A-I	Door Closer Div
11-1	Edison Electric Institute100-101
	Electric & Gas Industries Assn 32-6
A	Electromode Climate Control Div.,
A 1	The Singer Co
W-L	Engineered Floducts Co
	F
	Fabri-Form Co
A	Fenestra, Inc 95
A-I-L	Frantz Mfg. Co
A	Fuller Co., H. B
	G
A-I-L	General Electric Co33, 244, 258-259,
	288, 308-309
A	Glen Raven Cotton Mills, Inc32-16 Global Steel Products Corp72
	Goodrich Co., B. F
	Goodyear Tire & Rubber Co 63
A-I	Granco Steel Products Co
A-I	Great Lakes Carbon Corp278-279
	H
A	Haughton Elevator Company 251
A	Haws Drinking Faucet Co 214
A-L	hc Products Co249-250
A	Hickman Co., W. P
	Holophane Co., Inc
_	noneywen200-207
A-I-L	Inland Steel Products Co 319
	International Business Machines Corp116-117
A	International Harvester Co
	Irving Subway Grating Co
	Jamison Cold Storage Door Co 86
	Jones & Laughlin Steel Corp210-211
	Jones & Laughlin Steel Corp210-211 Josam Mfg. Co
	Josam Mfg. Co
A-I	Josam Mfg. Co
A-I	Josam Mfg. Co.
A-I A A-I-L	K X Kaiser Steel Corp. 32-12-32-13 Kawneer Company 258, 262-263 Kentile, Inc. 7
A-I A A-I-L A-I	K K Kaiser Steel Corp. 32-12-32-13 Kawneer Company 258, 262-263 Kentile, Inc. 7 Keystone Steel & Wire Co. 326-327
A-I A A-I-L A-I A-I	K Kaiser Steel Corp. 32-12-32-13 Kawneer Company 258, 262-263 Kentile, Inc. 7 Keystone Steel & Wire Co. 326-327 Kinnear Mfg. Co. 11 Kinney Vacuum Div., New York Air
A-I A A-I-L A-I A-I A	Josam Mfg. Co. .274-275 K Kaiser Steel Corp. .32-12-32-13 Kawneer Company .258, 262-263 Kentile, Inc. .7 Keystone Steel & Wire Co. .326-327 Kinnear Mfg. Co. .11 Kinney Vacuum Div., New York Air Brake Co. .15, 17
A-I A A-I-L A-I A-I	Josam Míg. Co. 274-275 K Kaiser Steel Corp. 32-12-32-13 Kawneer Company 258, 262-263 Kentile, Inc. 7 Keystone Steel & Wire Co. 326-327 Kinnear Míg. Co. 11 Kinney Vacuum Div., New York Air Brake Co. 15, 17 Krueger Metal Products Co. 200
A-I A A-I-L A-I A-I A	Josam Mfg. Co. .274-275 K Kaiser Steel Corp. .32-12-32-13 Kawneer Company .258, 262-263 Kentile, Inc. .7 Keystone Steel & Wire Co. .326-327 Kinnear Mfg. Co. .11 Kinney Vacuum Div., New York Air Brake Co. .15, 17
A-I A A-I-L A-I A-I A	Value
A-I A A-I-L A-I A-I A	Value
A-I A A-I-L A-I A-I A	Value
A-I A A-I-L A-I A-I A A	Josam Míg. Co. .274-275 K Kaiser Steel Corp. .32-12-32-13 Kawneer Company .258, 262-263 Kentile, Inc. .7 Keystone Steel & Wire Co. .326-327 Kinnear Míg. Co. .11 Kinney Vacuum Div., New York Air Brake Co. .15, 17 Krueger Metal Products Co. .200 K-S-H Plastics, Inc. .89 L L LCN Closers, Inc. .110-111 LeRoy Construction Services .32-18 Libbey-Owens-Ford Glass Co. .314-315
A-I A A-I-L A-I A-I A A	Value
A-I A A-I-L A-I A A A	Variable Variable
A-I A A-I-L A-I A A A	Value
A-I A A-I-L A-I A A A	K Kaiser Steel Corp. 32-12-32-13 Kawneer Company 258, 262-263 Kentile, Inc. 7 Keystone Steel & Wire Co. 326-327 Kinnear Mfg. Co. 11 Kinney Vacuum Div., New York Air Brake Co. 15, 17 Krueger Metal Products Co. 200 K-S-H Plastics, Inc. 89 L LCN Closers, Inc. 110-111 LeRoy Construction Services 32-18 Libbey-Owens-Ford Glass Co. 314-315 Lightolier, Inc. 221 Limestone Products Corp. of America 268 Linen Supply Assn. of America 14 Lockwood Hardware Div., Independent Lock Co. 23
A-I A A-I-L A-I A A A A-I-L A	Value
A-I A A-I-L A-I A A A A A A A A	Value
A-I A A-I-L A-I A A A A A A A A	Value
A-I A A-I-L A-I A A A A A A A A A	Value
A-I A A-I-L A-I A-I A A A A A-I-L A A	Value
A-I A A-I-L A-I A-I A A A A A-I-L A A	Value
A-I A A-I-L A A A A-I-L A A A A A	Value
A-I A A-I-L A A A A-I-L A A A A A	Value
A-I A A-I-L A A A A A A A A A A A A	Value
A-I A A-I-L A A A A A A A A A A A A	Variable Variable
A-I A A-I-L A A A A A A A A A A A A A	Value
A-I A A-I-L A A A A A A A A A A A A A	K Kaiser Steel Corp. 32-12-32-13 Kawneer Company .258, 262-263 Kentile, Inc. .7 Keystone Steel & Wire Co. .326-327 Kinnear Mfg. Co. .11 Kinney Vacuum Div., New York Air Brake Co. .15, 17 Krueger Metal Products Co. .200 K-S-H Plastics, Inc. .89 E E E E E E E E E
A-I A A-I-L A-I A A A A A A A A A I I	K Kaiser Steel Corp. 32-12-32-13 Kawneer Company 258, 262-263 Kentile, Inc. 7 7 Keystone Steel & Wire Co. 326-327 Kinnear Mfg. Co. 11 Kinney Vacuum Div., New York Air Brake Co. 15, 17 Krueger Metal Products Co. 200 K-S-H Plastics, Inc. 89 L LCN Closers, Inc. 110-111 LeRoy Construction Services 32-18 Libbey-Owens-Ford Glass Co. 314-315 Lightolier, Inc. 221 Limestone Products Corp. of America 268 Linen Supply Assn. of America 14 Lock Co. 23 Lock Co. 23 Ludowici-Celadon Co. 23 Ludowici-Celadon Co. 231 Luminous Ceilings, Inc. 299 M Mahon Co., R. C. 286 Marble Institute of America, Inc. 200-201 Marble Products Company 311 Market Forge Co. 318 Meadows, Inc., W. R. 310 Medusa Portland Cement Co. 235 Mississippi Glass Co. 215-216 Mississispi Glass Co. 215-216

	N	
A 1 1	National Gypsum Co	47
A	Nevamar Co., Div. National Plastic	-11
	Products Co., Inc	61
A	New Castle Products, Inc295 to 2	298
	Norris Dispensers, Inc	92
A-1	Norton Door Closer Div., Eaton Yale	
	& Towne Inc	48
	0	
^	O'Brien Corp	280
	Otis Elevator Co	
	Owens-Corning Fiberglas Corp12	
/-I-L	Owens-Coming Proefgias Corp	7110
	P	
	Pacific Gas & Electric Co32	-14
A		71
		64
	Pilkington Brothers Limited	243
A-I	Pittsburgh Corning Corp93	-94
A-I-L	Pittsburgh Plate Glass Co57 to	60
A-I	Pittsburgh Plate Glass Co., Coating	1-1-
		119
A		72
A	Powers Regulator Co	56
A-1		265
7.1-1	Price Pfister Brass Mfg. Co	32
	R	
A-L	Red Cedar Shingle & Handsplit Shake	
		98
	Red Jacket Mfg. Co	
A-I-L		123
A-L	Rohm & Haas Co	
A-I-L	Ruberoid Company	75
A	RUSSWIN, Div. Emhart Corp202-	
A-1	Rust-Oleum Corp	2
	Color	
	S	
Α	St. Charles Mfg. Co	227
A	St. Charles Mfg. Co	227 305 289
A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company	227 305 289 37
A A A	St. Charles Mfg. Co. Sandvik Steel, Inc	227 305 289 37 323
A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. 82	227 305 289 37 323 3-83
A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp.	227 305 289 37 323 2-83
A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co.	227 305 285 37 323 2-83 114 237
A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company	227 305 289 37 323 1-83 114 237 320
A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc	227 305 289 37 323 2-83 114 237 320 288
A A A A A-I-L	St. Charles Mfg. Co. Sandvik Steel, Inc	223 305 289 37 323 114 237 320 288 236
A A A A A-I-L A-I	St. Charles Mfg. Co. Sandvik Steel, Inc	227 305 289 37 323 2-83 320 288 236 ve
A A A A A-I-L A-I	St. Charles Mfg. Co. Sandvik Steel, Inc	227 305 289 37 323 2-83 114 237 320 288 236 ve
A A A A A-I-L A-I	St. Charles Mfg. Co. Sandvik Steel, Inc	227 305 37 323 323 112 237 320 288 236 ve: 56
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc	227 305 289 37 323 2-83 114 237 320 288 236 ve 56 2-8
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Soss Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company	225 305 285 37 323 320 288 236 288 236 24 -17 8
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc	225 305 289 31 325 326 236 228 236 24 2-17 8 111
A A A A A-I-L A-I A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Soss Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co.	227 305 323 323 323 320 288 236 ve 56 2-17 811!
A A A A A-I-L A-I A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Sow Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co.	225 305 323 323 326 228 236 ve 56 2-8 11! 26-17
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Soss Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc.	225 305 289 32 325 236 228 236 22-8 111 26-17 26-199 220
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub, General	227 305 289 323 2-83 114 237 320 286 2-8 111 264 119 220 224
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Sos Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steelcote Mfg. Co. Steroberg-Carlson, sub. General Dynamics Corp.	227 305 289 37 323 288 236 288 228 228 228 111 264 119 220 222 288
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co.	227 305 323 323 320 236 236 236 236 236 236 236 236 236 236
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Sos Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sun-Lite Mfg. Co.	225 305 325 325 326 236 226 226 226 226 226 226 226 226
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Soss Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steelcote Mfg. Co. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sweet's Catalog Service 226,	2227 3323 3323 3323 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 3320
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Soss Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steelcote Mfg. Co. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sweet's Catalog Service 226,	2227 3323 3323 3323 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 3320
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Soss Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steelcote Mfg. Co. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sweet's Catalog Service 226,	2227 3323 3323 3323 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 3320
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Soss Mfg. Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sun-Lite Mfg. Co. Sweet's Catalog Service 226, Symons Mfg. Co.	2227 3323 3323 3323 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 2288 3320 3320
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Sos Mfg. Co. Southern California Edison Co. 30. Calif. & So. Counties Gas Cos. 32. Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sweet's Catalog Service 226, Symons Mfg. Co.	2227 37 37 37 37 37 32 32 32 32 32 32 32 32 32 32 32 32 32
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sun-Lite Mfg. Co. Sweet's Catalog Service 226, Symons Mfg. Co.	2227 33323 3323 323323 32332 32332 3223 3223 3222 322 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 322 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 322 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 322 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 322 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 322 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 322 3222 3222 3222 3222 3222 3222 3222 3222 3222 3222 322 322 322 32 3
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steelcote Mfg. Co. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sweet's Catalog Service 226, Symons Mfg. Co. Talk-A-Phone Co. Taylor Co., Halsey W.	2227 3332 3323 3236 3323 2286 2226 87 1111 2222 2224 2222 64 2222 2224 2224 2222 2224
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sun-Lite Mfg. Co. Sweet's Catalog Service 226, Symons Mfg. Co.	22223 3323 3323 3236 3236 236 236 236 246 257 257 257 257 257 257 257 257 257 257
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Southern California Edison Co. 3 So. Calif. & So. Counties Gas Cos. 32 Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sun-Lite Mfg. Co. Sweet's Catalog Service 226, Symons Mfg. Co. Talk-A-Phone Co. Taylor Co., Halsey W. Thermoproof Glass Co.	222233323323323323322333233233233233233
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Sos Mfg. Co. Southern California Edison Co. So. Calif. & So. Counties Gas Cos. Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sun-Lite Mfg. Co. Sweet's Catalog Service 226, Symons Mfg. Co. Talk-A-Phone Co. Taylor Co., Halsey W. Thermoproof Glass Co. Tile Council of America, Inc. Titus Mfg. Corp. 304-204-304-304-304-304-304-304-304-304-304-3	2222 3303 3236 3732 3222 2222 2236 2236 2236 223
A A A A A A A A A A A A A A A A A A A	St. Charles Mfg. Co. Sandvik Steel, Inc. Sanymetal Products Co., Inc. Sargent & Company Schemenauer Mfg. Co. Schlage Lock Co. Schokbeton Products Corp. Shell Chemical Co. Simmons Company Sisalkraft Div., St. Regis Paper Co. Slater Electric, Inc. Sloan Valve Co. Sos Mfg. Co. Southern California Edison Co. So Calif. & So. Counties Gas Cos. Speakman Company Square D Co. Standard Conveyor Co. Steelcase, Inc. Steelcote Mfg. Co. Steel Deck Institute Stromberg-Carlson, sub. General Dynamics Corp. Sunbeam Lighting Co. Sun-Lite Mfg. Co. Sweet's Catalog Service 226, Symons Mfg. Co. Talk-A-Phone Co. Taylor Co., Halsey W. Thermoproof Glass Co. Tile Council of America, Inc. Titus Mfg. Corp. 304- 305- 304- 305- 306- 307- 307- 307- 307- 307- 307- 307- 307	222233323323323323322333233233233233233