


# AMERICAN BUILDER

THE WORLD'S GREATEST BUILDING PAPER  
MARCH 1954

PRICE 75 CENTS

*Levitt*  
Does it Again



◀ 'How to do it'  
Roundup

Here's why **NUTONE** started a

# NEW TREND IN HEATING BATHROOMS



## Safety

NO DANGER OF SHOCKS — OR BURNS . . . because NuTone Heat-A-Lite is built into the CEILING . . . out of harm's reach — children can't poke fingers or toys into element . . . No danger of overheating. Underwriters Laboratories listed.

## Economy

COSTS LESS TO OPERATE . . . EXCLUSIVE NuTone Ceiling Re-Circulating Fan prevents heat loss. Warm air, usually wasted near ceiling, is forced downward. No need to overheat entire house in fall or spring — get EXTRA HEAT wherever wanted.

## Comfort

HEAT EVERY CORNER OF THE ROOM with NuTone Heat-A-Lite . . . Re-Circulate Gentle "Toasty-Warm" Air — to give UNIFORM temperature on all sides. Prevent "Near-by Scorches" and "Far-Away Shivers" of old-fashioned wall-type heaters.



NuTone Heat-A-Lite answers the urgent need for Greater Safety in Bathroom Heating.

**WHY TAKE CHANCES?** Don't let your Bathroom be the most dangerous room in the house.

Any electric heater on a wall — when exposed to the innocent reach of a child — becomes a "danger trap".

**PLAY SAFE.** Install a NuTone Heat-A-Lite IN THE CEILING . . .


**OLD FASHIONED** "body level wall heaters" . . . waste valuable wall space . . . cause uneven overheating on one side of the body, while the other side is cold.

**GET "BALANCED HEAT"** all around the body with NuTone Heat-A-Lite . . . the only Bathroom Heater that RE-CIRCULATES the warm air which is usually wasted near the ceiling.

Contact your nearest wholesaler for a free Heat-A-Lite demonstration. Ask to see NuTone's complete line of Door Chimes and Ventilating Fans, too, or write for catalogs and installation data to NuTone, Inc., Dept. AB-3, Cincinnati 27, Ohio.

# NUTONE

Electric CEILING Heaters



here's why  
**19,000,000** doorways  
wear the **kwikset**  
"400" line

From its first day in business KWIKSET has offered architect, builder, dealer, and home owner a top quality lockset at a competitive price — and backed its product with an unconditional guarantee.

You get 5 pin-tumbler security... rugged precision construction that assures years of trouble-free service... handsome, durable finishes... fast, easy installation (with cost savings up to 20%)... these are some of the reasons why the KWIKSET "400" Line means more actual profit for builders everywhere.

For beauty, for dependability, for economy — specify and install the KWIKSET "400" Line.

THE QUALITY LOCK FOR QUANTITY BUILDING

KWIKSET SALES

AND SERVICE COMPANY  
ANAHEIM, CALIFORNIA



"400" LINE

# An Important Announcement about a new concept in American living

— DESIGNED BY  
GEORGE NELSON

● THERE IS A VAST MARKET, virtually untapped, for excellently-designed contemporary houses in the medium price range. American Houses, Inc., realizing this, commissioned famous stylist George Nelson to prepare plans for just such a house.

The "Freedom", with three generous bedrooms, is the result. Its airy, open plan brings a feeling of spaciousness, and simplifies housekeeping. Year-round air-conditioning designed into the house by Carrier assures comfort and helps reduce drudgery still more. A complete Youngstown Kitchen is another work-saving element.

Countless other features add immense popular appeal to this house, making it look like a custom-designed home. Among them are a storage wall with a drop-leaf desk in the living room, a built-in vanity in the master bedroom, twin washbasins in the divided bathroom, ceiling-high closet doors in all the bedrooms, a glass-walled family room, a carport and an outside storage room. The "Freedom" is a truly unusual home value, tailor-made for the thousands of 2-bedroom homeowners who now need larger quarters.

American Houses is backing builders of the "Freedom" with a powerful local promotion program, including large space newspaper advertising plus abundant help in all other phases, tailored to fit individual needs.

For further information on the "Freedom" and its variations, plus local promotion plans, send the coupon today! You will find the American way to greater sales is the profitable way for you!



"FREEDOM"  
BY



AMERICAN HOUSES, Inc., Dept. AB-3,  
165 West 46th Street, New York, N.Y.

Please send me details on the "Freedom", designed by  
George Nelson.

Name \_\_\_\_\_

Firm \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

# American Houses Inc.

165 WEST 46th STREET • NEW YORK, N. Y.

**EDITORIAL**

- 5 Is this a new market?

**TRENDS**

- 8 Expect increase in home building this year

**NEWS**

- 10 Buildercast of regional trends, forecasts  
 14 News of note from your area  
 39 News from the national scene  
 47 Dickerman's Column  
 48 Northrup's Column

**WEATHER**

- 19 A 30-day weather forecast for your area by  
 Dr. Irving P. Kriek

**HOME DESIGNS**

- 22 Five pages of houses and plans

**ON AND OFF THE RECORD**

- 50 A commentary on persons, places, problems and  
 events

**BLUEPRINT HOUSE in COLOR**

- 74 A house for today and every day  
 77 An 1/8-inch scale blueprint  
 81 Materials list for blueprint

**'HOW TO DO IT' CONVENTION ROUNDUP**

- 82 How precutting, "tilt-up" construction, roof trusses  
 and storage walls cut costs  
 83 A review of Andy Place's pier and beam construction  
 techniques  
 84 How to finish drywall  
 86 How to get better clay tile installations  
 87 How to use dry finishing materials  
 88 How to solder joints for copper tubing  
 88 How to install kitchen cabinets  
 89 How to apply asbestos shingles  
 211 How to apply insulating board siding

**BUILDING**

- 90 Levitt does it again  
 104 What Park Forest is doing to accommodate  
 changing family needs

**MERCHANDISING**

- 128 Draw crowds to your model home  
 140 Here's a way to sell houses

**REMODELING**

- 165 Rehabilitation experiment pays

**TRADE-IN**

- 245 Trade-ins are good for higher price market

**HOME COOLING DEVICES**

- 226 Preparing the house for summer cooling

**TECHNICAL GUIDE**

- 206 For watertight basements, key construction to soil  
 and drainage

**HOW-TO-DO-ITS**

- 212 Job shortcuts for men on-the-job  
 58 How to build a lean-to atomic shelter in basement

**ASK THE EXPERTS**

- 216 Queries from readers on technical problems are  
 analyzed by a board of experts

**DETAIL PLATE**

- 224 Making the old a part of the new when modernizing

**RESEARCH**

- 229 A proving ground for new ideas—U.S. Gypsum's  
 6 'Test Tube' Houses  
 236 NAIHB sponsors air conditioning research project

**LEGAL**

- 221 Several proposed labor law changes will affect  
 builders adversely

**CATALOGS**

- 176 Review of literature offered by manufacturers

**NEW PRODUCTS**

- 188 New and improved products and equipment offered  
 by manufacturers  
 250 Advertising Index

**American Builder** is published by the SIMMONS-BOARDMAN PUBLISHING CORPORATION, Emmett St., Bristol, Conn., with editorial and executive offices at 79 W. Monroe St., Chicago 3, Ill.; 30 Church St., New York 7, N.Y.; James G. Lyne, President; Samuel O. Dunn, Chairman Emeritus; C. J. Wageman, Vice President and Publisher; J. S. Crane, Vice President and Secretary; Fred A. Clark, Vice President and Business Manager; E. G. Gavin, Vice President and Editor; A. J. McGinnis, Executive Vice President and Treasurer; Bayne Sparks, Vice President American Builder (originally "Carpentry and Building") with which are incorporated Building Age, National Builder, Permanent Builder, and the Builder's Journal, was founded Jan. 1, 1879. Names registered in U.S. patent office and Canadian registrar of trade mark.

**Advertising Sales Offices:** 79 W. Monroe St., Chicago 3, Ill.; Terminal Tower, Cleveland 13, Ohio; 2909 Maple Avenue, Dallas 4, Texas; 1127 Wilshire Blvd., Los Angeles 17, Calif.; 30 Church Street, New York 7, N.Y.; 514 Terminal Sales Bldg., Portland 3, Ore.; 244 California St., San Francisco 4, Calif.

**Address all subscriptions and correspondence concerning them to:** Subscription Department, American Builder, Emmett St., Bristol, Conn. Changes of address should reach us three weeks in advance of next issue date. Send old address with the new, enclosing if possible your address label. The Post Office will not forward copies unless you provide extra postage. Duplicate copies cannot be sent. Circulation Department: W. L. Taylor, Manager, Field Staff: C. L. Conley, Guy Hill, John Simonson, M. A. Spector, Earl Spohn, Dick Whittington.

**Published monthly** by Simmons-Boardman Publishing Corporation, Emmett St., Bristol, Connecticut. Editorial and Executive Offices, 79 W. Monroe St., Chicago 3, Illinois, and 30 Church Street, New York 7, New York. Subscription price: United States, Possessions and Canada, 1 year, \$3.50; 3 years, \$7.00. Foreign countries: 1 year, \$10.00; 3 years, \$20.00. Single copies, 75 cents; April issue, \$2.00. Entered as second-class matter July 26, 1950, at the Post Office of Bristol, Connecticut, under the act of March 3, 1879.

Copyright 1954 with all rights reserved. SIMMONS-BOARDMAN PUBLISHING CORP.




# PRODUCT NEWS from AMERICAN-Standard

*A review of products in the news and important features worth remembering*



**HEATRIM PANELS** are the modern way of providing comfortable, even, convected warmth throughout an entire room. They are specifically designed for forced-circulation hot water heating. Taking the place of conventional wood baseboards, Heatrim panels save floor space, leave walls unbroken, permit greater latitude in decorating. They can be installed against existing walls or recessed to the depth of the plaster. They are perfect for use under picture windows . . . are also much in demand for premium-space installations.



**NEW-DESIGN PLUMBING FIXTURES** by American-Standard are more beautiful, more convenient than ever. You can choose from a variety of genuine vitreous china lavatories and toilets styled to match the trim, horizontal lines of famous American-Standard cast iron bathtubs. They're unusually convenient to use and easy to keep clean. All embody the same top quality that assures owner-satisfaction with the homes you design or build. New-Design fixtures are available in a variety of colors as well as white.



For further information on American-Standard products see Sweet's Light Construction File.



## AMERICAN-Standard

American Radiator & Standard Sanitary Corporation, Dept. AB-34, Pittsburgh 30, Pa.

*Serving home and industry:* AMERICAN-STANDARD • AMERICAN BLOWER • CHURCH SEATS & WALL TILE • DETROIT CONTROLS • KEWANEE BOILERS • ROSS EXCHANGERS • SHUREAN AIR CONDITIONERS

American-Standard  
Dept. AB-34, Pittsburgh 30, Pa.

Without obligation on my part, please send me literature on:

Heatrim Panels  
 New-Design Plumbing Fixtures

Name .....

Address .....

Firm .....

City ..... State .....

## *Is this a NEW MARKET?*

**A** SUPERHIGHWAY with four-leaf clover intersections is scheduled for projection this spring through an old section of Toledo, Ohio. The project required condemnation of about 200 land parcels, most of them accommodating houses ranging in age from 30 to 60 years. After settlement with the owners, the State offered the houses to the highest bidders. There were purchasers. Among them were Paul Fuller and George Schuster, local builders and realtors. They had purchased about 20 of the houses up to January 30, selecting only those which they deemed restorable.

At the same time they purchased improved lots on a wide street near the edge of the city. Each house was jacked from its old foundation, wires along the path of movement (about two miles) were raised for clearance where necessary, and the houses moved to new concrete block foundations. New heating, plumbing, wiring and porches were installed. Once settled on their new foundations, the old houses were re-sided where and when necessary, painted and reroofed. All have three to four bedrooms, one to one- and one-half baths and new kitchens. They are selling for an average of \$11,500. They provide completely refurbished adequate housing with an estimated effective life of another 50 years for large families with low incomes.

Fuller and Schuster, making the natural mistakes of pioneers, netted much less than the time and hazards entitled them to. But they did create what, as far as we know, is the first housing development of used houses. And in doing it they raise a question that builders, the FHA and the VA in countless other parts of the country will have to answer with increasing regularity in the next decade as more of these highways develop, and as slum redevelopment activity increases. The question for the builders is: Can the lessons of Fuller and Schuster be applied profitably toward conservation and sale of similar properties? The question for FHA and VA is how to apply standards for such operations so that young, large and low income families can be given adequate space at a price they can afford, and with the advantages of FHA and VA financing.

We believe that the Fuller and Schuster operation is worth close study by housing authorities from both social and economic viewpoints; and we recommend that FHA and VA examine every detail of the operation.

In Chicago a similar highway development on the far northwest side resulted in making purchase of the house open to the owner after condemnation. Experience to date indicates that the owner can purchase a new lot, move and refurbish the house and come out even, or money ahead. In these cases the old houses are being spotted on scattered lots.

Both the Chicago and Toledo operations open a new field of housing activity worth further investigation.

Publisher, C. J. Wageman

Editor, Edward G. Gavin

Managing Editor, Lyn E. Arent

Associate Editor, Donald F. Coenen. Feature Editor, Welden Reynolds. Architectural Editor, Arthur V. Hansen. News Editor, Garrett Winter.

Field Editor, J. L. Zar. Assistant Editors, H. Louis Purdy, W. F. Koelling. Assistant to the Editor, Margaret C. Carroll.

Western Editor, W. C. Rodd. Washington Editor, J. W. Kizzia.

Research Director, W. S. Gaskill. Assistant Research Director, Constance Nicolai.

Legal and Tax Consultant, John F. McCarthy. Architectural Consultant, W. T. Anicka.

Art Editor, George M. Clark. Chief Draftsman, J. T. Froh.

Editorial Office, 79 W. Monroe St., Chicago 3, Ill.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

**BUILD BETTER  
FOR LESS!**



Builders and buyers know that R·O·W windows offer the best in construction, materials, and beauty—*plus* the lift-out feature. Yet, R·O·W windows usually cost **LESS** than other quality wood windows **WITHOUT** the removable feature.

One man can install with sash out.



See your local lumber dealer or write

**R.O.W. SALES CO. 1326-66 ACADEMY AVENUE • FERDALE 20, MICHIGAN**

R·O·W is the registered trade-mark of the R·O·W. Sales Co.

**AUTHORIZED R·O·W DISTRIBUTORS:**

- ALABAMA**  
R·O·W DISTRIBUTORS  
Rocky Mount, Virginia
- ARKANSAS**  
CENTRAL R·O·W DISTRIBUTORS OF ARKANSAS  
North Little Rock, Arkansas
- CALIFORNIA**  
CALIFORNIA BUILDERS SUPPLY, INC.  
Richmond, Fresno, Sacramento, California  
T. W. COBB CO.  
Los Angeles, San Diego, California
- COLORADO**  
LUMBER DEALERS, INC.  
Denver, Colorado
- CONNECTICUT**  
GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey
- DELAWARE**  
DEALERS WAREHOUSE SUPPLY CO., INC.  
Baltimore, Maryland
- DISTRICT OF COLUMBIA**  
DEALERS WAREHOUSE SUPPLY CO., INC.  
Arlington, Virginia
- FLORIDA**  
V. E. ANDERSON MFG. CO., INC.  
Bradenton, Fla.
- GEORGIA**  
R·O·W DISTRIBUTORS  
Rocky Mount, Virginia
- IDAHO**  
BOISE SASH & DOOR, INC.  
Boise, Idaho  
JOHNSON BROS. PLANING MILL CO.  
Idaho Falls, Idaho
- ILLINOIS**  
V. E. ANDERSON MFG. CO., INC.  
Owensboro, Kentucky  
IMSE-SCHILLING SASH & DOOR CO.  
St. Louis, Missouri  
R·O·W WINDOW CO.  
Joliet, Illinois
- INDIANA**  
V. E. ANDERSON MFG. CO., INC.  
Owensboro, Kentucky  
R·O·W WHOLESALE DISTRIBUTORS, INC.  
Norwood, Ohio  
R·O·W WINDOW CO.  
Joliet, Illinois
- IOWA**  
ANDREW A. KINDEM & SONS, INC.  
Minneapolis, Minnesota  
WISCONSIN WINDOW UNIT CO.  
Merrill, Wisconsin
- KANSAS**  
MARTIN MATERIAL CO.  
Kansas City, Missouri
- KENTUCKY**  
V. E. ANDERSON MFG. CO., INC.  
Owensboro, Kentucky  
R·O·W WHOLESALE DISTRIBUTORS, INC.  
Norwood, Ohio
- MAINE**  
GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey
- MARYLAND**  
DEALERS WAREHOUSE SUPPLY CO., INC.  
Baltimore, Maryland
- MASSACHUSETTS**  
GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey
- MICHIGAN**  
FLINT SASH & DOOR CO., INC.  
Flint, Saginaw, Michigan  
PORTER-HADLEY CO.  
Grand Rapids, Michigan  
ROYAL OAK WHOLESALE CO.  
Royal Oak, Michigan
- MINNESOTA**  
ANDREW A. KINDEM & SONS, INC.  
Minneapolis, Minnesota
- MISSOURI**  
IMSE-SCHILLING SASH & DOOR CO.  
St. Louis, Missouri  
MARTIN MATERIAL CO.  
Kansas City, Missouri
- MONTANA**  
FALLS WINDOW & CABINET SHOP  
Great Falls, Montana  
INTERSTATE LUMBER CO.  
Missoula, Montana  
WESTERN BUILDERS  
Billings, Montana
- NEBRASKA**  
THE SOTHMAN CO.  
Grand Island, Nebraska
- NEW HAMPSHIRE**  
GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey
- NEW JERSEY**  
GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey  
JOHNSON & WIMSATT, INC.  
Westville, New Jersey

**AUTHORIZED R-O-W DISTRIBUTORS:**

**NEW YORK**

GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey  
A. ROBERSON & SON, INC.  
Binghamton, New York  
THE WHITMER-JACKSON CO., INC.  
Buffalo, Rochester, New York

**NORTH CAROLINA**

DALTON-BUNDY LUMBER CO., INC.  
Norfolk, Virginia  
MILLER MILLWORK CORP.  
Charlotte, North Carolina  
R-O-W DISTRIBUTORS  
Rocky Mount, Virginia

**NORTH DAKOTA**

JACK R. KINNARD & CO.  
Minot, North Dakota

**OHIO**

FABROW MFG., INC.  
Toledo, Ohio  
THE MAHONEY SASH & DOOR CO.  
Canton, Youngstown, Ohio  
R-O-W WHOLESALE DISTRIBUTORS, INC.  
Norwood, Ohio

**OKLAHOMA**

LUMBERMEN'S SUPPLY CO.  
Oklahoma City, Oklahoma

**OREGON**

ACME MILLWORK, INC.  
Kirkland, Washington  
SPOKANE SASH & DOOR CO.  
Spokane, Washington

**PENNSYLVANIA**

ADELMAN LUMBER CO.  
Pittsburgh, Pennsylvania  
JOHNSON & WIMSATT, INC.  
Westville, New Jersey  
A. ROBERSON & SON, INC.  
Binghamton, New York

**RHODE ISLAND**

GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey

**SOUTH CAROLINA**

R-O-W DISTRIBUTORS  
Rocky Mount, Virginia

**SOUTH DAKOTA**

WATERTOWN SASH & DOOR CO.  
Watertown, South Dakota

**TENNESSEE**

V. E. ANDERSON MFG. CO., INC.  
Owensboro, Kentucky  
R-O-W DISTRIBUTORS  
Rocky Mount, Virginia

**TEXAS**

CHUPIK WOOD MFG. CO., INC.  
Temple, Texas  
KRITZER SUPPLY CO.  
Amarillo, Texas  
LUMBERMEN'S SASH & DOOR CO.  
Dallas, Texas  
SOUTHWEST SASH & DOOR CO.  
Houston, Texas  
H. E. WOODRUFF CO.  
Corpus Christi, Texas

**UTAH**

R. W. FRANK & CO.  
Salt Lake City, Utah

**VERMONT**

GENERAL WOODCRAFT CO., INC.  
North Bergen, New Jersey

**VIRGINIA**

DALTON-BUNDY LUMBER CO., INC.  
Norfolk, Virginia  
R-O-W DISTRIBUTORS  
Rocky Mount, Virginia

**WASHINGTON**

ACME MILLWORK, INC.  
Kirkland, Washington  
SPOKANE SASH & DOOR CO.  
Spokane, Washington

**WEST VIRGINIA**

R-O-W DISTRIBUTORS  
Rocky Mount, Virginia

**WISCONSIN**

WISCONSIN WINDOW UNIT CO.  
Merrill, Wisconsin

**WYOMING**

FOWLER & PETH  
Cheyenne, Wyoming

**CANADA**

CALGARY SASH & DOOR CO.  
Calgary, Alberta, Canada  
CRANBROOK SASH & DOOR CO.  
Cranbrook, B. C., Canada  
HAYWARD BUILDING SUPPLIES, LTD.  
Edmonton, Alberta, Canada  
MT. PLEASANT SASH & DOOR CO.  
Vancouver, B. C., Canada  
D. PORTER & SON  
Stellarton, Nova Scotia, Canada  
CUSHING MILLS, LTD.  
Calgary, Alberta, Canada

**"R" IS FOR  
REMOVABLE!**



R-O-W windows were the first removable windows to be widely accepted. The patented, trouble-free mechanism, plus quality construction, has been responsible for R-O-W windows' remaining America's favorite. Insist on genuine R-O-W windows.



Look for the cups!

See your local lumber dealer or write

**R-O-W. SALES CO. 1326-66 ACADEMY AVENUE • FERNDALE 20, MICHIGAN**

R-O-W is the registered trade-mark of the R.O.W. Sales Co.

## expect increase in home building this year

A SURVEY just completed by *American Builder* indicates that about 70 per cent of the builders expect to construct more dwelling units in 1954 than they did in 1953. Final results of the survey showed home building this year is likely to exceed '53 by about 10 per cent.

Besides building new houses, the builders surveyed also are engaged in the construction of commercial, institutional and farm buildings, and in remodeling existing dwellings and non-residential structures. They foresee good business in these categories in '54. The result should be brisk business for lumber dealers and producers of building materials. Sales may well be above those of 1953 when more than one million new dwellings were built, as well as tens of thousands of commercial, institutional and farm buildings, plus a substantial amount of remodeling.

A factor that will facilitate the construction of new homes is an anticipated increase in the supply of mortgage money. During the last half of 1953, a shortage of mortgage money caused housing starts to drop slightly from the high levels of 1952. Even with a tight mortgage market, current expenditures for new housing have been at the remarkable rate of \$1 billion monthly.

### New Government Plans

Although the volume of home construction is running at a satisfactory rate on its own momentum, the housing program recently announced by the housing industry and the federal government carries forward the idea that more Americans should have the opportunity to become home owners.

It is hoped the program will bring home ownership within the reach of the lower income groups by providing 40-year mortgages on low-priced houses. This is proposed as an alternative to public housing. However, the industry agrees that some public housing may be necessary for those who are reluctant to enter into 40-year mortgages.

### Increase in Building Costs

The year 1953 marked the twen-

tieth year of constantly rising costs in the building industry, and it is difficult to see any prospects of a downturn. The cost of new homes has kept pace with other commodities and services during this period.

A series of cost figures maintained by Roy Wenzlick and Company, real estate economists, on a standard six-room frame house built in St. Louis, show the cost to have been \$7,300 in 1943. In 1953 the cost was \$16,400, considerably more than double the 1943 figure.

A substantial part of this increase occurred between 1950 and 1953. During those three years the costs jumped from \$13,800 in 1950 to \$16,400 in 1953—an increase of almost 20 per cent.

### Power Equipment Ownership

Few people realize that the building industry is now highly mechanized, compared with the handcraft methods used thirty years ago. If this were not true, houses would cost at least 30 per cent more than they do, and home ownership would be denied a large segment of the American public.

Queried as to the type and amount of power equipment owned, the builders we surveyed revealed that:

The portable electric saw was the most popular power tool. The 1,093 builders who replied own a total of 2,854 such saws, and one out of

every four plans to buy new ones this year.


The builders reported owning 605 radial saws with plans to buy 130. They own 19 masonry saws and plan to buy 30 more. And they own 129 chain saws and will add 34 new ones to their stock this year.

### Remodeling Activity High

Sixty-eight per cent of the builders queried are engaged in remodeling. One builder keeps three men busy on remodeling—another has over two hundred contracts for remodeling apartments.

The United States Chamber of Commerce says that "the enormous size and the even greater potential size of the demand for residential repair, improvement and alteration are now well recognized. The probable current expenditure for this type of work is around \$6.6 billion, with the possibility of pushing the total 30 to 50 per cent higher."

Many communities are making intensive efforts to eliminate slum areas. As their plans materialize, the markets for materials and the demands for the services of builders from this quarter will increase. This activity, added to an anticipated increase in home building volume and the expansion of the fix-up market, contribute generally to the good business outlook for all concerned in 1954.




United States Dept. of Labor  
Bureau of Labor Statistics

AMERICAN BUILDER CHART

AMERICAN BUILDER

**NATHAN MANILOW, Leading Midwest Home Builder**



**"KEEP 'EM BUYING.** Home hunters are hunting values now, and that doesn't mean just a low price, either. You have to put extra value into a house today to sell as many homes as you used to. That's why we use at least 12 Post-advertised materials and appliances in our homes. Their names say 'quality' to a customer better than any other words we can use." *(Manufacturers of building materials, equipment and fixtures place more advertising dollars in the Post than in any other consumer magazine.)*

MARCH 1954

The Saturday Evening  
**POST**  
-gets to the heart of America

# Buildercast

- LOCAL NEWS
- FORECASTS
- NEW TRENDS

## NORTHERN area



NEAR-RECORD HOME PRODUCTION in 1954 is now being predicted freely throughout the North, due to:

1. Big crowds of homeseekers visiting new model homes.
2. Steady improvement in the mortgage money market.
3. Prompt start of legislation in Congress (Feb. 12) to carry out President Eisenhower's housing program urging such incentives as lower down payments and longer terms.

Starts this year will increase 60,000 to 100,000, believes Rodney M. Lockwood of Detroit, member of the President's advisory committee on housing and former NAHB president. Americans have been on a savings spree for three years, he said, and "it is about time for them to get on a spending spree." Aggressive selling will loosen up high individual savings, in his opinion.

At the start of the year, another 25,000-plus new homes were foreseen for the Detroit area. By the end of January, applications in the local FHA office were up 147 per cent.

MORE WORK ON DRAFTING BOARDS is the word from architects to Walter H. Stackler, president, Long Island Home Builders Institute, who reports that it looks like another 40,000 units this year in his territory. Last year's output was cut 10 per cent to 36,000 homes by a nine-week teamster's strike.

St. Louis, beset by a similar strike for three months last year, expects to better its 1953 record of 10,000 new units.

The Chicago area, out to better its 40,000 mark of last year, listed 2,638 permits in January, nearly double the comparable 1953 figure.

TREND TO DUPLEX UNITS grew rapidly last year in Milwaukee, is expected to be stronger than ever this season,

and aid in assuring another 7,500-home year.

A 10 per cent rise to over 10,000 units looms in Pittsburgh, due to general business conditions and anticipation of broader FHA benefits, according to A. M. Rearick, president, HBA of Metropolitan Pittsburgh.

Rhode Island can look for 3,400 new homes this year, reports Anthony Viola, past president of the state association, particularly if Congress enacts the new housing program.

Rochester, N. Y., sees another banner year of 3,000 new homes. Alvah B. Lawson, president, Rochester Home Builders Association, says: "we have a steady town here, employment is good, no layoffs are in sight and the banks co-operate very well."

STRONG SUBURBAN TREND keeps housing going at its high pace, believes Herman Greenwood, Indianapolis realty man. It will continue for years to come, he said, explaining that families want real suburban life, not rural, with shopping, churches, schools, and other facilities handy.

ONE-YEAR GUARANTEE BOND is now given buyers by members of the New Jersey Home Builders Association. Issued in the amount of \$2,000 for each house, the bond protects buyer against defects in roof or basement construction, heating and septic tank installations.

PERMANENT PARADE OF HOMES opposite its Hamilton, Ohio plant pays dividends to Pease Woodwork Company, maker of prefabricated homes. Nine units ranging from 792 to 1,463 square feet are shown, with slab, crawl space or full basement construction. Over 100,000 persons visited the homes last year.



Meadow Lawn, a residential section by Florida Builders, Inc., St. Petersburg, Florida. Lupton Windows will be used throughout the project.

## Easier installation . . . easier sales with Lupton Aluminum Casements

Houses in Meadow Lawn are small, neat, attractive and easy to care for. One good reason for reduced upkeep is the use of Lupton Aluminum Casements. Owners — and you — are free from the painting nuisance. Lupton Aluminum Casements will never need paint.


Appearance is appreciated, too. Neutral-tone Lupton Aluminum Casements, with trim, slim frames and muntins will blend with any color scheme. And, unaffected by weather, will keep their beauty.

Here are windows that will always work smoothly, open easily, close snug and tight.


Install Lupton Aluminum Casements in your houses. You'll gain increased good-will through customer satisfaction. You'll gain in time and labor costs, too. Precision-engineered, designed and developed with the skills gained through more than 40 years experience offer you one of the best buys on the market. Installation is simple, frames are light — it's a one-man job. Get full details today. Write for complete catalog.

MICHAEL FLYNN MANUFACTURING COMPANY  
700 East Godfrey Avenue, Philadelphia 24, Pa.

# LUPTON METAL WINDOWS



Lupton Aluminum  
Awning Window



Lupton Casement  
Steel or Aluminum




Lupton Aluminum  
Double Hung Window

HERE IT IS!

**M-D**

MACKLANBURG-DUNCAN CO.


**NOISELESS**




**NOISELESS, FREE-WHEELING TRACK AND WHEEL**

This track and wheel are made for each other! See how the wheel rolls on the sides of the track - not the bottom! This not only centers the wheel, but keeps it riding above dust and lint that may accumulate in the groove. Rustproof aluminum track, plus the lifetime nylon wheel and solid brass wheel bearing, guarantees you quiet, smooth, trouble-free operation.

- ★ Extra-heavy extruded aluminum track
- ★ Heavy gauge Cadmium plated steel hangers with adjustable slot
- ★ Noiseless, Lifetime Nylon wheels
- ★ Silent, Solid Brass Wheel Bearing
- ★ Positive, no-jump track feature
- ★ Smoothest, quietest operating



Hanger enters track easily



Bumper ridge keeps wheel from jumping track

**Built-in Protection**

**AGAINST TRACK JUMPING!**


At last—sliding door hardware with built-in, positive protection against track jumping! And there's no extra work, nothing for you to do—because this exclusive M-D design stops track jumping with a built-in bumper ridge that makes it impossible for the wheel to lift out of the track once the door is in place over the floor guide. It's simple, sure, foolproof!



Another Quality Product from  
**MACKLANBURG-DUNCAN CO.**

OKLAHOMA CITY, OKLAHOMA

# Sliding Door HARDWARE



## ATTENTION DEALERS!


**STOCK-DISPLAY CASE & ACTUAL WORKING MODEL FREE WITH THIS ASSORTMENT!**

### TRACK

10 PIECES - 4' EACH  
 10 PIECES - 5' EACH  
 10 PIECES - 6' EACH  
 10 PIECES - 8' EACH  
**TOTAL TRACK - 230'**


40 boxes of complete hardware for 3/4" doors.  
 10 boxes of complete hardware for 1 3/8" doors.

- ★ ATTRACTIVELY DISPLAYED
- ★ INCREASES IMPULSE PURCHASES
- ★ TAKES SMALL SPACE



## COMPLETE HARDWARE FOR DOORS 3/4" TO 3/4" OR DOORS 1" TO 1 3/8"

Hardware comes completely packaged for a pair of 3/4" doors, or for a pair of 1 3/8" doors. Each package contains 2 front door hangers and screws, 2 rear door hangers and screws, 2 door guides and screws, as well as sufficient screws for mounting track. Cartons are clearly marked for 3/4" doors or for 1 3/8" doors.



DOOR GUIDES AND SCREWS

HANGERS AND SCREWS

SCREWS FOR TRACK

### BUILDERS

Look to Macklanburg-Duncan for products of quality—always dependable. Sold at all Hardware, Lumber and Building Supply Dealers!

### DEALERS

Order now! Your order will be shipped the same day it is received. Macklanburg-Duncan products are fast sellers, nationally advertised.

**MACKLANBURG DUNCAN CO.**  
 MANUFACTURERS OF  
**QUALITY BUILDING SPECIALTIES**



### Dealer Conventions Stress Added Services to Fit Changing Customer Needs

In the future, retail dealers must give the customer improved service and discard obsolete merchandising and selling practices, D. B. Taylor, president of the Northwestern Lumbermen's Association said in keynoting the 64th annual convention of the organization in Minneapolis in January. Contractors should not be given such large discounts, he warned that they make more on a bill than the dealer.

At the same time, Charles LeBlanc, Research Institute of America, warned dealers that they faced an era of tougher selling and must develop a strong sales approach to surmount the obstacles.

"Sell color, not just paint in cans," was the advice of Dr. J. S. Long, chemical director of the Devoe & Reynolds Company, to help increase lumber yard profits.

Federal Housing Commissioner Guy T. O. Hollyday reviewed President Eisenhower's housing program which was later introduced in Congress.

In New York late last January, J. Harold Stacey, retiring president of the Northeastern Retail Lumbermen's Association, urged that dealers apply "the big four for '54—study, show, sell, serve" to assure another successful year. "We must visualize the needs of our public and take into account changed buying habits," he said.

Nearly 5,000 registrations were taken at Northeastern's 60th annual convention, which adopted resolutions calling on government to provide

### Changing the Guard



Stanley W. Cowherd, 1953 president of the Home Builders Association of Greater Kansas City, hands gavel to Larry Winn Jr., new leader, at installation rites

14-N

### Chosen by Northwestern Lumbermen



Officers and directors of Northwestern Lumbermen's Association named at Minneapolis convention. Seated (from left), E. F. Buffmire, G. F. Westover, Bruce Hooper, treasurer; W. H. Badeaux, secretary; D. B. Taylor, president; N. D. Woodworth, vice president, Minnesota; W. E. Will, vice president, North Dakota; L. A. Giese, Standing, Harry McNeill, W. C. Morley, Robert Sloan, Cole Berry, C. J. Spahn, E. T. Lindeberg, Hugh Robertson, Joseph Chapman

### Achievement Award



Edward G. Gavin, editor of *American Builder*, presents plaque at NAHB convention to William K. Kiser, citing Quad-City Association of Home Builders, Davenport, Iowa, as Group III, National Home Week winner

greater encouragement for purchase, modernization and improvement of existing homes; also to FHA home improvement loan amounts and terms.

New Northeastern officers elected were Deyo W. Johnson, Ellenville, N. Y., president; Arthur Clifford, Bridgeport, Conn., Jay LeFevre, New Paltz, N. Y., Joseph E. Hollingworth, Lowell, Mass., and Duncan S. Briggs, Oneonta, N. Y., vice presidents; and Oliver J. Veling, Buffalo, treasurer. Paul S. Collier, Rochester, was re-named executive vice president.

Exciting sidelight to NAHB convention occurred when Emanuel M. Spiegel picked winner of \$60,000 Hospital Prize House for Long Island home builders

### Long Island Builders, Labor Team To Present Hospital Prize House

Long Island Home Builders Institute joined with 18 building trade unions to build a large three-bedroom ranch house with quarter-acre plot and turn it over completely furnished to the Long Island Industry Hospital free of charge. Designed by Rudolph A. Matern and Herman F. York, it was decorated by Beatrice West with materials from 278 separate sources. Contributions from persons who wished to see the house and perhaps win it helped the builders reach their \$100,000 goal for the hospital fund. Winner of the house was picked at the NAHB convention where the proceedings were televised for later transmission in New York over the Tex and Jinx McCrary program.

Another hospital house is being planned for showing next fall.



AMERICAN BUILDER

## Rochester Fetes Presidents



Prior to his election as NAHB president, R. G. "Dick" Hughes spoke at 20th anniversary meeting of Rochester Home Builders Association. From left to right are incoming president Alvah B. Lawson, Mrs. Lawson, Hughes, Mrs. Arthur M. Windsor, retiring president Windsor, executive secretary William J. Hill, Mrs. Hill

## Woodwork Jobbers Change Name

The Woodwork Jobbers Service Bureau has changed its name to Northern Sash & Door Jobbers Association in an action taken by William C. A. Costello, president, and the board of directors.

## Elected Milwaukeeans



Phil Herriges, new president of Milwaukee Builders Association, surrounded by his officers at installation dinner-dance Jan. 13. Others include Frank W. Beverly, first vice president (left) and Charles W. George, second vice president. Standing, Roy F. Healy, executive vice president, and Robert Grillhoesl, secretary-treasurer



Mrs. Henny Mollgaard receives Schroedel Traveling Trophy as outstanding builder member of Milwaukee Builders Association from its donor, Francis J. Schroedel, retiring president

## Detroit Award Winner Was Featured in January Issue

The "Midwest Contemporary," low-cost home of modern design which tied for first place in the Detroit area National Home Week promotion competition co-sponsored by the Minneapolis-Honeywell Regulator Company and the National Association of Home Builders, was selected last fall by *American Builder* as its featured "blueprint house in the January convention issue.

Built by Edward Rose & Sons and one of Detroit's current "best sellers," the house shared award honors with the "T. V. House" developed by the Fred Garling Company.

Following publication of the Rose story, in full color and with complete blueprints, Don Munro, sales manager, said: "Winning this honor was one of the greatest thrills we have ever had. When you struggle and sweat and plan like we did to produce this home, it is very gratifying to have these efforts honored by such outstanding building authorities as the editors of *American Builder*."

## Efforts Win Praise



Ned A. Cole, Austin, Tex., builder-architect, receiving air conditioning industry's testimonial plaque from A. B. Newton, chief design engineer, Coleman Company, and Don V. Petrone, president, Typhoon Air Conditioning Company

talking about  
**FAST  
EASY**  
installation

**HARLOC**

FACTORY PRE-ASSEMBLED

*Pacemaker*

Saves The Minutes  
That Save You Time  
That Saves You Money

Pacemaker is the ultimate in beautiful hardware that is easy to install. Precision-built and free of die-casting. Installed in three easy steps.

Illustrated, the Shelton five pin tumbler key-in-knob lock set with decorative entrance handle.

Write for literature and prices on the Pacemaker line.




HARLOC PRODUCTS CORPORATION  
NEW HAVEN, CONNECTICUT

# Do you have trouble sawing these materials?

Only  
"SKIL has the answer"  
because only SKIL  
offers you all this!

CONCRETE BLOCKS?  
SHEET STEEL? • TRANSITE?  
ROUGH FRAMING LUMBER?  
COPPER OR LEAD?  
ALUMINUM SHEETS OR EXTRUSIONS?  
FORMICA? • MASONRY?  
OR ANY OF THE MANY NEW PLASTICS  
OR LAMINATIONS?



**9 Extra-Heavy Duty SKIL Saws** with high-torque worm drive. The favorite type for over 25 years on heavy ripping, tough metal and compositions that no other saw can handle. Absolutely minimum maintenance in heaviest service. Blade diameters from 6" to 12".



**3 Heavy Duty SKIL Builders Saws** with high blade speed. Low in cost, light weight and easy to handle. The new SKIL Builders Saws are ideal for quick cut-off work and for use with SKIL abrasive cut-off wheels. Blade diameters: 6", 7 1/4", 8 1/4".



**98 Specially Designed SKIL Blades and Abrasive Cut-Off Wheels** carried in stock by SKIL Branches and distributors. With the proper SKIL Saw you can efficiently cut almost any material encountered in the construction field with substantial savings in time and money.

ONLY SKIL OFFERS THIS WIDE SELECTION OF SAWS, BLADES AND ABRASIVE CUT-OFF WHEELS

## "SKIL has the answer" for builders everywhere

**Housing Project** "With excessive abuse and constant use, SKIL tools require less maintenance..." says Thomas O'Donnell, field superintendent, Construction Company of Maryland, Baltimore, Md. "Our current project is a housing project for low income groups," Superintendent O'Donnell adds, "and I estimate we've cut at least 2,000,000 board feet on this job, using SKIL Saws. In my book, that's performance!"

**Commercial Construction** "Cuts anything, gives greatest accuracy. We use SKIL Saws exclusively!"—says E. J. Griser, foreman, Elwin G. Smith & Company, Emsworth, Pittsburgh, Pa.—Specialists in roofing and siding for commercial and industrial buildings.

This firm cuts aluminum, asbestos, cement products, plastics, plastic skylight material and galvanized sheet metal. "We've had such great success with SKIL Saws that we've standardized on this famous make," says Foreman Griser. "We now have 100 SKIL Saws in constant use."

**Uses 18 SKIL Saws** "We can see the cut... produce 30% faster with SKIL Saws"—says James Morrison, foreman, Joseph R. Farrell, Inc., Philadelphia, Pa. "We have 18 saws, all of them SKIL," says foreman Morrison. "Position of blade and balance give us maximum accuracy, easier handling and faster production. And the main reason we swear by SKIL Saws is the worm gear—it gives us more than enough power for tough cutting!"

**Cuts Asbestos Cement** "Give Me SKIL Saw Power For Fast, Clean Cuts In Asbestos Cement"—says Joseph Derry, Graver Construction Company, Chicago, New York, Houston, a division of Graver Tank & Mfg. Co., Inc. "Cutting this asbestos cement roofing would be tough going with ordinary saws, ordinary methods," argues Joe Derry. "But it's no work at all to make a fast, clean cut with the power and balance of this Model 825 SKIL Saw with an abrasive disc."



**WE'LL HELP YOU WITH  
YOUR TOUGH CUTTING PROBLEMS**

**FREE! Test Cutting Service** on your problem materials. Send us samples of materials and details of any cutting problems on your construction jobs. We'll tell you the SKIL Saw and blade or disc that will best answer your problem.

**FREE! Ask for a demonstration—and a FREE Trial—of the SKIL Saw with the exact SKIL Blade or Cut-off Wheel to solve your toughest cutting problem**

**SKIL**  
PORTABLE TOOLS

*send in  
coupon  
NOW!*

Made only by SKIL Corporation, formerly SKILSAW, Inc.  
5033 Elston Avenue, Chicago 30, Illinois • 3601 Dundas Street West, Toronto 9, Ontario  
Factory Branches in All Leading Cities

**FREE! New SKIL  
Blade Selector**

to help you solve cutting problems in your plant. Quickly shows you the blade and SKIL Saw that will most efficiently cut practically every material used in construction. Ask your SKIL Distributor for your selector or send coupon below.

SKIL Corporation, Dept. AB-34  
5033 Elston Avenue, Chicago 30, Illinois

- I would like a SKIL Blade Selector
- I would like a demonstration and free trial
- Please send literature on SKIL tools

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

## For High Quality Woodwork ... Without High Cost




### Specify **ARKANSAS SOFT PINE** Satin-like Interior Trim

Here's top quality woodwork equal on all counts to custom millwork, but providing the crucial advantage of sharply lower cost through quantity production. Crossett supplies this highly refined trim in A. I. A. approved contours or standard patterns, affording you the widest choice.

Truly Satin-like, Arkansas Soft Pine's soft texture works easily to close detail, contours matching exactly at miters. Free from pitch and supplied at specified moisture content, the wood doesn't shrink or swell. Thus stabilized, it absorbs primers evenly, holding finish coats uniformly smooth, permanently free from raised grain.

#### FOR BUILT-INS AND STAIR WORK



Typical of authentic patterns promptly available.

Of the same guild-craft refinement, are Crossett's related Arkansas Soft Pine products for built-ins, stair work and the like, identified by these trademarks and available at your local lumber dealer's. For further information, address:

**CROSSETT**  
LUMBER COMPANY  
A Division of The Crossett Company  
CROSSETT, ARKANSAS



SATIN-LIKE



INTERIOR TRIM

## NORTHERN NEWS (Continued from page 15-N)

### Roamin' the North—

Cincinnati will stage its first Parade of Homes during National Home Week next September, in which all houses will be light-conditioned, reports **Wilford H. Miller**, president. To stimulate ideas, HBA of Greater Cincinnati members will spend March 23 at General Electric's Nela Park in Cleveland. . . . Cincinnati home show, April 3-11, will feature house winning Carrier Weathermaker home design contest, says **Joseph F. Carabin**, chairman. . . . **George M.** and **Alfred Gross**, who as Gross-Morton built over 15,000 dwellings units on Long Island, have formed the Gross Brothers Corporation in New York City to engage in large-scale apartment work. . . .

Seventy-four builders attending the first Wisconsin Builders Conference sponsored at Stout Institute, Menomonie, Wis., heard that modular techniques will help them save valuable construction time and can be applied to any design that may come off an architect's drafting board.



Alfred Gross



George M. Gross



Ezra Osterhus

**Griffith S. Clark** of the Homasote Co., modular control authority who authored *American Builder's* extensive series on the subject last year, and **R. F. Luxford** of the Forest Products Laboratory conducted the shop courses. . . . **Ezra Osterhus** will head the Minneapolis National Home Week Committee for 1954. . . .

**Arthur Olesen**, '54 head of the New England Council of Home Builders, is planning the group's first two-day convention for October. Hotel Statler, now nearing completion in Hartford, Conn., will be the setting. . . . **Burton B. Batty** of East Providence is the new HBA of Rhode Island leader. His slate includes **Ralph D'Ordine**, **Elio DeCesaris** and **Clinton Ainsworth**, vice presidents; **Frank Calabro**, secretary, **Romeo Pierne**, treasurer. . . . Harrisburg (Pa.) Builders Exchange will stage a 482-booth show March 8-13. **A. C. Horner** directing. . . . **Russel R. Fling**, Columbus HBA president, has named **P. Edward Kreider** to the executive secretary spot. . . . First Parade of Homes in Dayton, Ohio, will have 23 model homes. **Robert Clark**, chairman of Montgomery County Builders Assn., will run the show.

### Westchester's 'Big Four' Convene





Discussing national policy at Chicago NAHB convention are officers of Home Builders Association of Westchester, New York. From left: **Charles L. Weinberg**, alternate national director; **Charles F. Haring Jr.**, first vice president; **Edward A. Lashins**, president, and **Fred A. Reilstab**, alternate national director

An exclusive American Builder service prepared by Irving P. Krick, Ph.D., and Staff



**NORTH:** During March, 1954 the northern United States should expect outdoor working conditions to be relatively close to normal. When compared with last March, only Area 4 shows major improvement in the outlook for the coming month.





Timing of weather events is indicative of trends. Don't expect precipitation on every day of the period indicated




Warm and dry weather, as compared to normal, is in prospect for most of Area 1 during March of this year. In Michigan, however, rainfall totals are expected to be generally above normal and interruptions in outdoor construction are likely to be more frequent than over the balance of the area. Last year in March, Area 1 experienced warm and wet weather with only eastern North Dakota recording less than normal rainfall.



For March, 1954 the number of days suitable for carrying on outdoor construction is expected to be less than normal. Rainfall amounts in excess of the critical value are likely to be the principal restricting weather factor. Temperatures during the month should average near to slightly above normal here in Area 3. Last year in March, warm and wet weather was observed.



Areas west of the Mississippi River may expect relatively favorable working weather during March, 1954 as mostly warm and dry conditions are in prospect. In the eastern portion of Area 2, however, warm and wet weather is expected to prevail with critical rainfall amounts likely to reduce the number of good working days here. During March, 1953, temperatures averaged above normal throughout the area with greater than usual rainfall occurring everywhere except in Ohio.



The weather during March, 1954 in Area 4 is expected to average about normal. Both temperatures and precipitation totals should average near normal for the month in contrast to the weather of last March when warm and very wet conditions prevailed. Thus, the estimate of about 18 good working days for the coming month is considerably higher than the total recorded in March, 1953.

### CRITERIA

Special climatic studies were made for selected cities in each area to determine AVERAGE and LAST YEAR Operational Days. ESTIMATES are generally applicable to each area. Precipitation and temperatures extreme enough to stop outside work have been forecast as number of NON-operational days. Naturally, inside work (plastering, wiring, finishing, etc.) may on occasion proceed without interruption even through the cold and wet spells shown on the month's timing bar.

## ARE YOU SURE

you're getting the best deal

in home heating and air


conditioning equipment?




• Mor-Sun Model MLB Mighty Low Boy. 2 Models. Gas or Oil.  
Output Range 68,000 to 95,000 BTU/Hr.



• Mor-Sun Deluxe Model JMT



• Mor-Sun Model GP General Purpose



• Mor-Sun Model RF Reverse Flow

### FORCED WARM AIR FURNACES

Builders in all parts of the country are comparing the quality-to-price ratio of leading furnace lines . . . and are specifying Mor-Sun! It's not surprising when you consider what Mor-Sun offers...


- ... a complete quality line — competitively priced.
- ... the right capacity, size and shape to fit every home.
- ... dependable, economical gas or oil heating equipment that helps sell houses.

And — another Mor-Sun exclusive — all Mor-Sun Forced Warm Air Furnaces feature the unique Mor-Sun Heat Exchanger, fully guaranteed for 10 years.


**WRITE FOR PRICES ...**

**GET ALL THE FACTS**

*You get so much more with MOR-SUN*



• Mor-Sun Air Conditioner. Two and Three Ton Capacity. Water or Air Cooled



• For quick servicing, all components are easily accessible by means of completely removable front panel.

## AIR CONDITIONERS

Air Conditioning is one of today's greatest selling features for any new home. Be sure you're installing the best . . . specify Mor-Sun.

Here's why . . .

- ... a complete quality line, competitively priced — for every central residential or light commercial application.
- ... a water or air cooled model to help you sell every home.
- ... extremely compact — easy to install in any type home — requires a minimum of house space.

Although Mor-Sun Air Conditioners are ideally matched with Mor-Sun Warm Air Furnaces, they can be installed as individual cooling units with any make heating system.

# Check MOR-SUN for

a complete line . . .

top quality . . .

competitively priced

Whether you're building one or several hundred homes — and regardless of size, type or price class — there's only one *sure* way to know that you're getting the best deal in home heating and air conditioning equipment. Fill in this coupon — attach it to your heating and cooling specifications — send them to us today for a quotation and *all* the facts about the complete Mor-Sun line.

*Mor-Sun Forced Warm Air Furnaces and Air Conditioners are distributed nationally and sold through leading local heating equipment dealers everywhere.*



**Mor-Sun Division, MORRISON STEEL PRODUCTS, INC.**  
605 Anherst Street, Buffalo 7, New York

Please send me *all* the facts about Mor-Sun Forced Warm Air Furnaces and Air Conditioners.

Name .....

Street .....

City and State .....



Brick veneer, painted white, with horizontal strips in cedar shakes

**AMERICAN  
BUILDER**  
*Selected Homes* **NORTH**

## Chicagoan Irvin Blietz's 'new thought' house



Master bath has narrow twin glass jalousie windows

22-N



House has full storage attic, with disappearing stairway

AMERICAN BUILDER



Pecky cypress for paneling and beams, painted white and rubbed down. Lannon stone fireplace. Convert-a-wall (below) makes den into a bedroom

**I**RVIN A. BLIETZ, well-known builder and developer of high quality tracts on Chicago's North Shore, is presenting this house as an appealing answer for buyers of conservative taste who want a house expressing the contemporary spirit. Modern planning, ease of household management, indoor-outdoor living, smart but not extreme architectural character, are all built into the "New Thought" house. It is one of seven types being offered by Blietz in a 62-house subdivision, Sprucewood Village, in Wilmette, Illinois. Lots average 80x130.

Blietz has coined several apt phrases to describe the features of the house. The window wall in the living room is a "Plant-a-rama," because it brings the garden inside. The beamed ceiling in the living room is a "Bermuda ceiling." The den can become a bedroom by use of a "convert-a-wall."

The house has a Mueller Climatrol heating plant with warm-floor recirculation system. Floors are Bruce prefinished oak. The house has Rockwool insulation and is completely weather-stripped and caulked.

The "New Thought" is priced at \$41,000. A garbage disposal unit and a dishwasher are included.

In showing this house, Blietz hit on a clever merchandising idea

which proved its worth. Just inside the fence at the front entrance (see photograph) was placed a wrought iron planter shaped like a tree. Suspended from it were cages of parakeets and other birds. Called the "Singing Bird Tree," this trick not only attracted much attention on open house days but held the sustained attention of small fry while their parents wandered unmolested through the world of "New Thought" living.



Plant-a-rama window wall has Arcadia sliding glass door with Thermopane. Cold air return grilles in curbing for plant areas



# *Certified*

A Significant Development  
in Lathing and Plastering...  
of Vital Interest to the Building Industry!

## *This Emblem*

of Certified Craftsmanship symbolizes higher standards of job performance and responsibility in lathing and plastering.

It is the emblem developed by the National Bureau for Lathing and Plastering, an organization of lathing and plastering contractors and lathing and plastering craftsmen.

Certified craftsmanship is a working reality. It means that job performance and responsibility will comply with the Code of Standard Practices for Lathing and Plastering, prepared by the National Bureau and subscribed to by local chapters throughout the country. Scores of such chapters are already established. New ones are being formed every month.



Associated Manufacturers of Lathing and Plastering Materials

# Craftsmanship...

## *This Pledge of Performance*

is your *written* and *signed* assurance that the lathing and plastering on your job will be in compliance with this newly adopted Code. It is a *written* commitment to work schedules, job cooperation, work of craftsmanship calibre and nationally recognized standards of quality. It is yours for the asking, on specific jobs, from lathing and plastering contractors adhering to the Code of Standard Practices for Lathing and Plastering.



*Certified Craftsmanship*


PLEDGE OF PERFORMANCE

We hereby pledge that all lathing and/or plastering performed by us for \_\_\_\_\_

will be (in) accordance with the Code of Standard Practices for Lathing and Plastering, established by the National Bureau for Lathing and Plastering.

BY \_\_\_\_\_ DATE \_\_\_\_\_

**For full appreciation of this Pledge of Certified Craftsmanship we suggest a thorough reading of the Code of Standard Practices which appears on the back of every pledge. Ask your contractor for a copy and for the complete story of this significant program.**



**AMERICAN**  
**BUILDER**  
*Selected Homes* **NORTH**


## a St. Paul tract house for modest incomes

**T**HIS model, with full basement, is being offered by the Bisanz Brothers Construction Company at \$13,250 in their newest subdivision, Riverwood Terrace, in St. Paul, Minnesota. Under 25-year FHA financing, required down payment is \$3,250, with monthly payments of \$73.65. A VA mortgage requires \$1,350 down, \$81.30 per month. The house is of drywall construction, has oak floors, pine trim, flush doors, combination storms and screens. Siding is of processed shakes over shingle backer. 1x12 V-joint boards applied vertically, and  $\frac{3}{8}$ -inch exterior plywood for end walls above ceiling.







## is the Rambler on the way out? —a Michigan answer



SECOND FLR. PLAN



FIRST FLR. PLAN




FOUNDATION PLAN

**T**HIS house was built by Don L. Cederlund in Grand Rapids, Michigan, and sold, with double garage, at \$29,300. General reaction of people who inspected the house was so positive that Cederlund has been encouraged to build more of the same type. He finds that many prospective buyers who have been thinking in terms of the prevailing ranch type of house are now turning instead to this more conventional type. "It affords so much more living per dollar." Reports Cederlund candidly:

"If I made any mistake with this house, it was in being perhaps too conventional. The next house of this type will incorporate an extremely different kitchen, designed along Provincial lines; an extremely different bathroom, and other features which I suppose would be classified as 'sales punch.' But the architecture will stick to traditional lines."

# National Association



*First Annual President's Plaque  
presented on January 20th to  
Editor-in-Chief Edith Brazwell Evans  
by E. M. Spiegel, President of  
the National Association of Home Builders,  
at the National Convention  
held in Chicago.*

# of Home Builders

*honors*

**LIVING**  
FOR YOUNG HOMEMAKERS



LIVING For Young Homemakers . . . and its enthusiastic and loyal readers . . .  
accept with pride and gratitude the first award ever to be presented  
to a magazine by the National Association of Home Builders.

This recognition by the home-building industry climaxes five outstandingly  
successful years in which LIVING For Young Homemakers was the only  
magazine to be twice awarded the home-furnishings industry's highest tribute\*.

The acceptance of such a tremendous honor assures that  
LIVING For Young Homemakers will continue to encourage and activate  
all phases of home ownership in America's  
most rewarding market — Young Homemakers.



\* The Dorothy Dawe Award  
for "distinguished reporting of home furnishings"  
went to LIVING For Young Homemakers  
in 1950 and in 1952.

LIVING For Young Homemakers—575 Madison Avenue, New York 22, New York  
Street & Smith Publications, Inc.



## a trail blazer in southern Ohio


**F**IRST contemporary-styled house to attract widespread attention in Scioto County, Ohio, is this design of 1,500 square feet in a new subdivision at Portsmouth. It was designed and built by the Wm. A. Newman Company, custom builder, for \$11 per square foot. Siding is redwood over Celotex insulated sheathing and 4-inch full-thick balsam wool insulation. Windows are Alwintite horizontal sliding aluminum units. Roof is a 20-year built-up Carey. The perimeter heating system uses an International counter-flow furnace with Sonoair ducts. Floors are Kentile rubber and asphalt. Interior finish uses butternut paneling for living-dining room, Marlite for the bathroom and kitchen, Zonolite plaster on gypsum foil-backed lath for the sidewalls, and metal lath for the ceilings.



## all-year air conditioning for Clevelanders



**T**HE Di Carlo Mason and Building Company of Cleveland, Ohio, has opened up that area's first major project offering all-year air conditioning as part of the package. Di Carlo's 50-acre tract, known as Alberta Park Estates, will have 140 houses of two, three, or four bedrooms, ranging in price from \$29,800 to \$33,500. Construction is brick veneer. All houses will have Perfection gas furnaces of 100,000 or 125,000 Btu's, and Perfection two-ton cooling units. If the buyer doesn't want the summer cooling, he pays \$800 less.



## front-to-back split-level from Long Island

By PUTTING the bedrooms across the rear, this split-level at Huntington, Long Island, avoids the conventional split-level look. It is being built by Hillside Terrace, Inc., on 1/4-acre plots, for \$22,500. The warm-air heating system has ducts suitable for the addition of a summer cooling unit.



Living room is one step below entry hall, has corner fireplace. Open mezzanine adds to spaciousness



Recreation room is on grade level facing garden at rear, extends 30 feet



BUILT-IN CONDUIT

Large or small...new or remodeled...the homes you build  
will have one or more telephones.

And most homeowners do want telephone wires concealed.


There's an easy, inexpensive way to provide for this.

Have telephone conduits built in.

Your Bell Telephone Company will be glad to help you work out economical  
conduit installations. Just call your nearest Business Office.

**BELL TELEPHONE SYSTEM**





**Give your homes  
extra sales appeal**

with

## "Century" NU-GRAIN asbestos-cement siding

Colorful, attractive NU-GRAIN siding gives any type home a decided "plus" in the minds of prospective buyers. For here is a siding material that offers beauty, durability, *and* economy!

These remarkable shingles are made from asbestos fiber and portland cement—which makes them as permanent as stone itself. They won't burn, rot, or corrode; they can't be damaged by vermin; they are completely weather resistant.

And here's a feature really worth noting: To make the attractive NU-GRAIN shades as long-lasting as possible, K&M embeds colored ceramic granules into the shingles under hydraulic pressure. *There's no paint or protective coating to peel or wash off—and no such finish need ever be applied.* Both the color and the distinctive wood-grain pattern are designed for a lifetime!

What's more, because they are low in cost and easy to install, NU-GRAIN shingles help you hold down the prices of your homes, thus broadening your potential number of buyers!

Ask your K&M distributor to tell you more about these nationally-advertised, widely-known shingles. Or, write directly to us for complete information.



These attractive shingles are made in four distinctive colors:  
NU-GRAIN brown, gray, whitetone, and green (illustrated).

**KEASBEY & MATTISON**  
COMPANY • AMBLER • PENNSYLVANIA

*America's first maker of asbestos-cement shingles.*



Look what we got since our Daddy

# NEW *Carey* COLORED

**With exclusive new deep-tone colors and glazed ceramic surface that's washable!**

Ceramo in colors is *completely different* . . . the only glazed asbestos siding with deep, rich, modern colors that are *unfading!* Colors that have depth and character unlike *any* you've ever seen before!

"No other  
siding can  
duplicate



these rich, deep 'n mellow  
**CAREY CERAMO COLORS!"**

- CERAMO CONGO BROWN
- CERAMO GRANITE GRAY
- CERAMO SHERWOOD GREEN

. . . And don't forget! Famous  
Ceramo White—whiter than fine  
white paint by actual laboratory  
tests!





got hep to

# CERAMO

## ASBESTOS SIDING

"Let Daddy tell you a few reasons why Ceramo is the goodest news in sidewalls!"



- **Ceramo is Fireproof!** Won't burn, char or melt in the hottest blaze. (Wood siding has virtually no fire-resistance; even aluminum melts at only 1200°F.)
- **Ceramo is Washable!** Should dirt, grime or ordinary stains soil Ceramo's lustrous surface, a cleaning with household detergent and water will renew its fresh sparkle.
- **Ceramo is Color-rich!** Ceramo colors have character and depth. They're not wishy-washy and weak. And they're unfading, thanks to Ceramo's exclusive glazed-ceramic finish.
- **Ceramo Never Needs Paint!** Ceramo actually pays for itself through savings in upkeep and maintenance. Make this fact known to your prospects and sales resistance melts away fast.
- **Ceramo Won't Warp, Shrink or Curl!** Made of asbestos and Portland cement, takes broiling sun and soaking rains in stride. Actually gets harder and stronger as the years roll by.

### "Folks fall in love with Ceramo"

Carey White Ceramo siding has long been the World's standard for quality, durability and beauty in white sidewall materials. And new colored Ceramo offers the same proven advantages that made white Ceramo famous: Resistance to fire, insects, weather, dirt and grime, stains . . . A glazed ceramic surface that's 100% washable. *Plus* unfading, lasting colors that are baked-on as an integral part of the ceramic surface. No wonder folks can't resist Ceramo for their homes!

### Fast, easy application, no special tools or equipment

You can plan a Ceramo job with full assurance that Ceramo's ease and speed of application will provide real economics. And your customers will like Ceramo's beauty, freedom from maintenance and painting expense. So don't even think about another sidewall material until you call for complete information on new Colored Ceramo! The coupon will bring you literature and samples. Mail it right away!

"Cut out this coupon 'n mail today!  
YOU'LL BE IN CLOVER WITH NEW COLORED CERAMO"



The Philip Carey Mfg. Company

LOCKLAND,  
CINCINNATI 15, OHIO

In Canada: The Philip Carey Co.,  
Ltd., Montreal 3, P.Q.

SERVING HOME, FARM AND INDUSTRY SINCE 1873

### Ceramo in Color

Department AB-3

THE PHILIP CAREY MFG. COMPANY, LOCKLAND  
Cincinnati 15, Ohio

- Rush me all the facts about new Carey Colored Ceramo!
- Have your Representative call!

NAME \_\_\_\_\_

COMPANY \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ ZONE \_\_\_\_\_ STATE \_\_\_\_\_

# Another Flintkote First!

## ...The New Flintkote **SKYLINE**

Roofing System  
engineered especially for  
Low-Pitched Roofs



## **SKYTAB**

permits use of *strip shingles* on low sloped roofs, with either Standard or Custom application. It is ideal for ranch houses and other types of contemporary structures where roof slopes are within the range of 2" to 4" per foot.



## ← **SKYTEX**

is perfectly suited for *decorative, low sloped built-up roofing* . . . either residential or commercial . . . where incline is from  $\frac{3}{4}$ " to 2" per foot. Decorative beauty is accomplished by the use of protective Mineral Surfaced roofing felt . . . and it can be further enhanced with Skykote color.

## **SKYKOTE**

is designed to recoat or color *existing roofs* or to *decorate built-up roofs*. Applied by either brush or spray—this beautiful coating really dresses up a roof—makes it stand out. Comes in white, green, gray, coral and buff.

The famous Flintkote laboratories are continually at work developing new roofing methods and materials—and improving on existing techniques and products.

Now, they announce a new 3-in-1 roofing system—SKYLINE—for low sloped roof construction. In *one* file, you have the answers to most of your modern-day roofing problems.

SKYLINE consists of three separate specifications: Skytab . . . Skytex . . . and Skykote.


Wire, phone or write for complete detailed information . . . and see for yourself.

THE FLINTKOTE COMPANY, Building Materials Division, 30 Rockefeller Plaza, New York 20, N. Y.

## **FLINTKOTE**



*Style and Color Leader since 1901*





To make home selling easier...


# BUILD IN CHRYSLER AIRTEMP

## Air-Cooled Year 'Round Air Conditioning



For air conditioning this 1600 square foot house, the Chrysler Airtemp air-cooled condensing unit is on outside. Operating cost for 1953 cooling season—\$48. In nearby house of similar area, water-cooled air conditioning cost \$72 to operate for same period. Inexpensive water rate held difference down in this case. Also, cost of maintenance of water-cooled unit was not considered!

Chart below, based on average 3000 ton-hour load (8 hours continuous operation for 125 days), shows how savings increase for operation of air-cooled air conditioning over water-cooled in proportion to local water rates.



### COSTS UP TO \$185 LESS\* TO OPERATE PER COOLING SEASON . . .

Builders and their home buyers have welcomed it because it operates without water—requires no plumbing—costs less to install. And now you can build in Chrysler Airtemp Air-Cooled Air Conditioning to give your new homes the dramatic sales appeal of Year 'Round Air Conditioning—with assurance to the buyer that it should cost him *substantially less* to operate than conventional air conditioning utilizing city water.

\*Cost of cooling for a season may run as much as \$185 less than with water-cooled equipment (see chart at lower left). Depending on local water and power rates and ton-hours of cooling used in a home, this difference may be less—or even greater. From thousands of installations in homes in every section of the country, Chrysler Airtemp has accumulated data establishing the operating economy of its Air-Cooled Air Conditioning—the system which also gives the home owner complete protection against water shortages in hot weather.

Your local Chrysler Airtemp Dealer installs both Air-Cooled and Water-Cooled types of air conditioning—you can trust his recommendations! And whichever type you choose, you can depend on the Chrysler Airtemp name to give your prospects the utmost confidence in your houses!

# CHRYSLER AIRTEMP

Comfort Zone



**HEATING • AIR CONDITIONING**  
**FOR HOMES, CARS, BUSINESS, INDUSTRY**  
Airtemp Division, Chrysler Corporation, Dayton 1, Ohio

Airtemp Division, Chrysler Corporation  
P.O. Box 1037, Dayton 1, Ohio

AB-3-54



I'd like to know more about Chrysler Airtemp Air Conditioning.

Name \_\_\_\_\_

Address \_\_\_\_\_ Phone \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

THE TRULY MODERN HOME MUST BE AIR CONDITIONED

MARCH 1954

37

# Mayo Clinic:

New Diagnostic Building gets same "prescription"  
as 1929 main building: Eljer fixtures!



ARCHITECT:  
Ellerbe & Company, St. Paul

CONTRACTOR:  
O. A. Stocke Co., Rochester

PLUMBING CONTRACTOR:  
The Sanitary Co., Rochester  
Location: Rochester, Minn.



**ELJER**  
PLUMBING FIXTURES  
FOR NEW MAYO BUILDING

The Mayo Clinic's main building, completed in 1929, was equipped throughout with Eljer plumbing fixtures.

Now, the same "prescription" has been given the new Diagnostic Building—a strong testimonial to the *quality and durability* of Eljer fixtures.

There are two other big reasons for considering Eljer first:

- 1.) Eljer's strenuous program of design and development in specialized institutional plumbing fixtures—for hospitals, hotels, schools, prisons, and other public buildings. Eljer has a long and notable record of supplying materials in such fields.
- 2.) Eljer offers the builder, architect, and plumbing contractor a full, wide selection of cast-iron, steel, and vitreous-china fixtures, and of high quality brass fittings for specialized institutional and commercial tasks. You can specify *all four* from just one source, ELJER.

For the facts on Eljer advantages see your Eljer distributor, or write Eljer Co., Box 192, Ford City, Pa.

# ELJER

A SUBSIDIARY OF THE **MURRAY** CORPORATION OF AMERICA

The only name you need to know in plumbing fixtures

AMERICAN BUILDER

# news

ON THE NATIONAL FRONT

## New Legislation Develops Slowly

**Congress Gets President's Housing Message,  
But Early Passage of Bill Is Held Unlikely**

Don't look for much in the way of new housing legislation before late May or June at the earliest. At least that was the prevailing opinion in Washington a few days after Congress received President Eisenhower's special message on housing.

The message went to Congress January 25. It was couched in general terms, and was not accompanied by detailed legislation. A bill embodying the President's proposals remained to be worked out "cooperatively" between the Administration and Congress. That bill had not reached final form as late as February 7.

Most of the President's recommendations were in line with the report turned in last December by the Advisory Committee on Housing. It touched nearly all areas of government activity in the field of housing. As a result, Congress may be expected to move slowly in handling the legislation.

The omnibus housing bill was slated for introduction in both the House and Senate by mid-February. The House Banking Committee said it hoped to begin hearings around March 1. Most observers think it will take at least 60 days after that, perhaps more, for the legislation to wind its way through the House and Senate.

Meanwhile, there has been cautious endorsement of the program outlined by the President. The National Association of Home Builders said the January 25 message made clear that private enterprise is the best way to obtain needed housing. But, NAHB added, the message did not contain enough "specifics" to determine its scope and workability.

HHFA Administrator Albert M. Cole was more enthusiastic. He said the President proposed a "helping hand" housing program designed "to make sure that every citizen who wants a better home has a real prospect of fulfilling that hope."

"Under this program the home builders can produce 1,000,000 houses a year without any question," Cole declared. Not only that, he added, but buyers can absorb this production.

The President himself explained to Congress that his program has "three important objectives": To emphasize the role of private enterprise and the role of local governments; to fill important gaps in the present housing program and eliminate obsolete activities, and to strengthen the administration of all housing programs.

Here are the highlights of the 8-point program recommended by the President:

**1. Neighborhood rehabilitation and elimination and prevention of slums.**

(a) Title I should be broadened to provide loans and grants for renovation and for outright elimination of nonsalvable slums.

(b) FHA should be authorized to insure private credit used to rehabilitate homes in declining neighborhoods.

(c) A program of "matching grants" should be established to help states and cities do the "planning job" for rehabilitation.

**2. Conservation of existing homes.**

(a) The maximum mortgage term for loans on existing houses should be made comparable to those for new homes. (This aims at stepping up the trade-in program).

(b) The maximum Title I loan for repair and modernization of a one-family home should be increased from \$2,500 to \$3,000, and the maximum term extended from three to five years.

**3. Housing low-income families.**

(a) FHA should have new authority in order to insure long-term loans, with low down payments, on both new and existing dwellings. This would represent a "more posi-

*(Continued on page 42)*

## Eisenhower Report Sees 'Good' Market for 1954

We are still confronted by a good housing market, and housing construction, which has played so important a role since World War II, may be expected to continue at a level close to that of 1953.

This view was expressed in President Eisenhower's "Economic Report," which went to Congress in January.

Vacancies in our cities are, with few exceptions, below the level regarded as necessary for a healthy, competitive housing market, the report said. It added that "other factors" on the side of demand include the continued movement toward suburbs, the high birth rate of recent years, and the improvement of incomes during the past decade.

"The recent easing of funds in the mortgage market will strengthen the forces of supply as well as of demand. Further, in contrast to earlier times, many of today's builders have considerable overhead expenses to reckon with, and they will not be adverse to making price concessions if this will help to keep their organizations intact . . .

"Finally, if the volume of housing showed persistent signs of declining, the terms of FHA-insured mortgages could at once be liberalized under existing law," the report said.

## Hugh Askew Leaves FHA To Head NAHB Mortgage Finance Dept.

Hugh Askew, Federal Housing Administration assistant commissioner in charge of field operations, resigned his post effective March 3 to become director of the National Association of Home Builders' mortgage finance department.

The appointment, announced in Washington by R. G. "Dick" Hughes, NAHB president, marks a new department in the organization.

Recently, Askew directed several field test cases to help determine FHA's position on the trade-in house program. Before coming to Washington, he had served as FHA district director in Oklahoma City.

# 'Dick' Hughes Elected 1954 NAHB President

Texas builder R. G. "Dick" Hughes was named president of the National Association of Home Builders at the group's tenth annual convention-exposition in Chicago, January 17-21.

The 48-year-old Texan, NAHB's first vice president during 1953 and a member of President Eisenhower's Housing Advisory Committee, succeeds Emanuel M. Spiegel of New Brunswick, N. J. and New York City, as head of the nation-wide builders' organization.



R. G. "Dick" Hughes

The 1954 convention, attended by a record crowd of more than 20,000 persons from every section of the United States, also saw Nathan Manilow of Chicago elected first vice president for the 1954 term.

## Other Officers Elected

Other NAHB officials elected were:

Second vice president—Paul L. Burkhard, Glendale, Calif.

Treasurer—V. O. Stringfellow, Seattle, Wash.

Secretary—Franklin L. Burns, Denver, Colo.

Hughes makes his home and business in Pampa, Texas, and builds several hundred low-cost houses annually in the Texas-Oklahoma Panhandle area. As one of the largest project builders in the Southwest, he won national recognition for pioneering new construction techniques and for introduction of air conditioning in low-cost homes.

He is president of the Hughes Development Company in Pampa, and directs numerous other corporations and partnerships in addition to three West Texas radio stations.

## Long Active in NAHB

The association's 1954 president has been a leading figure in the association for many years. As first vice president in 1953, he was a driving force behind legislative programs

which the home building industry successfully advocated to Congress. President Eisenhower selected him to serve on the special advisory committee which drafted recommendations for the Administration's new national housing program.

Prior to his election to the NAHB presidency, he had held a number of national offices with the association, including secretary, treasurer, chairman of the Legislative and Defense Housing Committees, and chairman of the Regional Vice Presidents' Council.

## Chicago Builder Elected

Manilow, who was born in Baltimore in 1898, moved to Chicago in 1909 where he was later to enter the home building field. He has developed and built Jeffrey Manor on



Nathan Manilow



Paul L. Burkhard

Chicago's South Side, the largest single development within the city's corporate limits, as well as the nationally-known Park Forest project, America's first completely planned private enterprise community. He has built thousands of homes in other Illinois and Indiana areas surrounding Chicago.

Manilow served as treasurer of NAHB from 1949 to 1952, has been a member of the association's executive committee for eight years, and is chairman of the Building Committee



Franklin L. Burns



V. O. Stringfellow

in charge of constructing NAHB's new National Housing Center in Washington, D.C. In addition, he was president of the Chicago Metropolitan Home Builders Association for two years, and its treasurer for four years.

Ten new national NAHB directors at large are: Martin L. Bartling, Knoxville, Tenn.; Seborn Collins, Las Cruces, N. Mex.; Albert J. Balch, Seattle; Joseph B. Haverstick, Dayton, Ohio; Waverly Taylor, Washington, D.C.; George Goodyear, Charlotte, N. C.; Joseph W. Entress, Rochester, N. Y.; O. G. "Bill" Powell, Des Moines; Carl Gellert, San Francisco; and W. Hamilton Crawford, Baton Rouge, La.

## NAHB Cites Nine Builders in Design Competition

Six winners and three honorable mentions were cited in the annual National Association of Home Builders Design Merit Award Competition, sponsored by the NAHB Construction Committee.

Six builder-architect teams were selected for producing the most outstanding new house designs in 1953, according to the panel of judges. The competition was initiated to recognize excellence and initiative in modern home design.

The jury of three nationally recognized architects and one builder consisted of W. Alex Simms, Dayton, Ohio, the builder member, and architects Herman York, Jamaica, N. Y.; Alfred B. Parker, Miami, Fla., and Edward Burch, Wilmette, Ill.

Honors went to the following builder-architect teams:

George Alexander Co. and architect Edward H. Fickett, both of Los Angeles, for the 30-unit Sunset Lanai apartments in Los Angeles.

Myron Aiches, Blue Ribbon Construction Co., Hollywood, Calif., and architects Smith and Williams, Pasadena, for 13 houses at Reseda, selling for \$16,500, including lot.

David D. Bohannon Organization, San Mateo, Calif., and architect Mogens Mogensen, also of San Mateo, for an \$8,600 house at Mayfair Heights, San Jose.

Stern & Price, Cupertino, Calif., and architect Alexander C. Prentice, Jr., Palo Alto, for a \$7,150 house on \$1,800 lot in Cupertino, Calif.

Pardee-Phillips Construction Co., Los Angeles, and architects A. Quincy Jones and Frederick E. Emmons, also of Los Angeles, for 21 houses at Southdown Estates, Pacific Palisades, Calif. Houses sold for \$19,950.

Luria Brothers, Arlington, Va., and

(Continued on page 48)



## BUILT FOR THE FUTURE

The future of America belongs to its school children. Thus, today's efficient modern school buildings are "Built For The Future" in more ways than one.

Increasingly, school boards who look to the future favor schools built with reinforced concrete. Such construction means clean lines and attractive appearance . . . extra strength and durability . . . long-lasting weather resistance . . . utmost protection from fire.

School builders, architects and engineers find it pays to specify CF&I Clinton Welded Wire Fabric for their concrete reinforcing needs. This fabric provides strong steel members closely and uniformly spaced for proper load distribution and added strength. CF&I Clinton Welded Wire Fabric meets all A.S.T.M. requirements; is available in all popular sizes and weights.

THE COLORADO FUEL AND IRON CORPORATION, Denver and Oakland  
WICKWIRE SPENCER STEEL DIVISION, New York, New York



## FNMA Raises Price On FHA, VA Mortgages

The Federal National Mortgage Association has raised sale prices on its 4 per cent and 4½ per cent FHA-insured and VA-guaranteed mortgages by two points, HHFA Administrator Albert M. Cole announced on February 1.

The action, Cole said, reflects improvement in the mortgage market, and the "firming up" of government long-term bond prices.

"Under the new schedule for mortgages on one-to-four family dwellings, FNMA will sell VA 4 per cent mortgages at 98, and FHA 4¼ per cent mortgages under Title II, Section 203, and Title IX, Section 903, at 99.75," Cole announced.

FHA and VA 4½ per cent mortgages will be sold at par. Cole added that FHA-insured mortgages for multi-family dwellings will continue to be sold on a negotiated basis.

Fannie Mae has been buying and selling FHA-insured and VA-guaranteed mortgages on a one-for-one basis since July 27, 1953. Latest available figures, for December, show that FNMA sold 7,930 mortgages during the month. These mortgages had gross value of \$61,000,000, and "practically all" the sales were under the one-for-one plan.

## Lumber Dealers' Association Contest Entries Sought

The deadline for the receipt of entries in the 1954 Public Relations and Merchandising Contest being conducted by the National Retail Lumber Dealers Association is March 31. Every dealer member of the group's 32 federated associations is eligible to enter.

About half the entries received so far are said to describe public relations programs alone, and the other half deal with programs which combine public relations with good merchandising ideas. Any activity carried out since April 1, 1953 is eligible. Entries will be judged early in April by editors of building industry publications. Names of winning dealers will be announced in May during the meeting of the NRLDA's Board of Directors.

Special national awards will be made to the ten entries ranked highest by the judges. In addition, certificates will be awarded to the three best entries from each of the 48 states, and an honorable mention will be voted to each of the other entries which, in the opinion of the judges,

represents meritorious public relations or merchandising activity. A total of 168 awards will be made. Entries should be addressed to Public Relations and Merchandising Contest, National Retail Lumber Dealers Association, 302 Ring Bldg., Washington 6, D.C.

## Flint Builder Receives Achievement Plaques

Al Borgman, Flint, Michigan builder, was recently presented with two awards for meritorious achievement during his city's "Operation Tornado." He had served as general chairman of the organized volunteer building campaign held in Flint last August 29 and 30 to rebuild the city after a tornado had devastated one entire section.

Recently elected 1954 president of the Flint Association of Home Builders, Borgman holds in the accompanying picture two awards presented to him and to Flint by the National



Al Borgman

Municipal League and *Look* magazine, and by Emanuel M. Spiegel, retiring president of the National Association of Home Builders. The NAHB award, presented at the recent Chicago convention, was in recognition of Flint's volunteer service to its stricken neighbors.

"Operation Tornado" was accomplished by 7,800 volunteer workers who donated \$286,000 worth of labor time during the two-day rebuilding operation. Seventy-eight houses were roughed-in in two days time and 93 houses were finished during the two weeks following.

## New Legislation

(Continued from page 39)

tive and direct" approach by the government, while offering a "challenge" to private builders and lenders. (Cole believes this experimental program will relieve the "pressure" for public housing.)

(b) Public housing should continue at a "reasonable level" in the meantime. Congress should authorize construction of 140,000 units during the next four years, to be built at the rate of 35,000 a year.

### 4. Minority housing.

(a) Steps must be taken to police slum clearance programs to prevent "dislocation" of minority families. In addition, adequate mortgage financing to build new housing for such families must be brought out.

### 5. Adjustment of FHA and VA mortgage terms.

(a) Government operations in connection with mortgage loans should be "judiciously adjusted" to prevailing conditions. Congress should grant the President authority to adjust maximum interest rates and loan-to-value ratios and maturities.

### 6. Secondary mortgage market facility.

(a) FNMA should be "reorganized" to require its users to invest their own funds and thereby retire government funds from secondary mortgage market operations.

(b) The new FNMA should have three "basic" responsibilities: Authority to issue and sell non-guaranteed debentures; authority to liquidate the present FNMA mortgage portfolio "in an orderly manner," and authority to borrow directly from the U.S. Treasury for the purpose of purchasing "certain kinds and types of insured and guaranteed loans when the President determines such action to be necessary in the public interest." (NAHB withheld comment on this secondary market proposal pending introduction of the bill itself).

### 7. Reorganization of federal housing activities.

(a) Present organization of federal housing activities is "unsatisfactory," and Congress will be asked to approve a reorganization plan for improving the "cumbersome and inefficient" setup.

### 8. Modernization of the National Housing Act.

(a) The basic housing law should be "modernized" to eliminate unnecessary provisions. Changes should include a new scale of mortgage ceilings "more realistically related to the increased cost of both single-family and multi-family structures."

# BRIXMENT

*Better Mortar for Blocks*



## BETTER PLASTICITY

To build the best possible concrete-block walls, the bricklayer must use plastic mortar. The mortar must be plastic enough to stick to the long head joint. It must not drop off when the mortared edges of the block are swung to a vertical position and lowered into place. It must be plastic enough to enable the bricklayer to quickly and accurately tap the block down to the line.

Brixment mortar provides this necessary plasticity. Moreover, it stays soft and plastic long enough to let the bricklayer level, plumb and straighten the unit and adjust it to its final position in the wall before the mortar stiffens.



## Spike Club Issues Membership Citations

Murray Hartt of Houston, Texas, reigns as "The Big Spike" because he obtained 46 new members for the Houston Home Builders Association in 1953. The newly-formed "Spike Club" is an organization set up last year within the National Association of Home Builders to promote mem-



Murray Hartt of Houston, the current "Big Spike", secured 46 new members for his local association

bership and good fellowship. The recent convention was the club's first.

The "Spike Club" awards were made to local builder associations which showed the best membership increase, both on a numerical and percentage basis.

Winner of the first award in Group I was the Building Contractors Association of California, with a membership increase of 196. Best percentage showing in this group was by the Home Builders Association of Greater Boston, which showed a 28.6 per cent increase in membership during 1953.

Second-place award in the Group I category went to the Houston Home Builders Association. This group added 105 new members for a percentage increase of 22.6 per cent.

The Group II winners were headed by the Home Builders Association of Memphis. With 134 new members and a percentage increase of 74.8 per cent, this association led the field.

Denver's Association of Home Builders was in second place with 97 new members. On a percentage basis, the second best showing was by the Associated Home Builders of Sacramento, up 50.5 per cent.

### Omaha, Austin Among Winners

Group III was headed by the Omaha Home Builders Association, with 150

new members and a percentage increase in membership of 263.1 per cent. Second place in this category went to the Home Builders Association of Jacksonville. This group added 116 new members, for a percentage increase of 161.6 per cent.

Winner of the first award in Group IV was the Austin Home Builders Association. It added 158 new members in 1953, and showed a percentage boost of 359 per cent. Second place went to the Mid-Florida Association of Home Builders, which added 42 new members and made a 200 per cent increase.

The final awards in Group V went to the Home Builders Association of Tyler, Texas, and the Staten Island Home Builders Association. The Tyler group, in first place, had an increase in membership of 70, for a percentage showing of 437.5 per cent. The Staten Island builders added 30 new members, increasing their membership by 130.4 per cent.

Three lady home builders also were eligible for membership in the



Mrs. Henny Mollgaard, Milwaukee builder (left), and Mrs. N. R. Dichiaro, El Paso builder, were two of the lady members inducted into The Spike Club, NAHB's new membership promotion and good fellowship organization



The 22 exhibitors who received "award of merit" plaques from the NAHB in recognition of their participation in all ten expositions at the national convention

Spike Club. Mrs. N. R. Dichiaro, builder from El Paso, Texas, and a national director of NAHB, earned the office of vice president for the coming year, due to her efforts in securing members in the local association. Mr. Henny Mollgaard, Milwaukee home builder, was also established as a bonafide member of The Spike Club, as was builder Lily Ann Snyder of Louisville, Ky.

## Ten-Year Exhibitors Receive Plaque Awards

In all, 22 companies have participated in all NAHB annual expositions since their inception ten years ago. These firms received due recognition at the recent Chicago show in the form of handsome inscribed plaques with the insignia of the National Association of Home Builders at the top, and a citation below reading "Award of merit presented to (name of firm) for having participated in our first ten annual shows for home builders, 1945-1954." Each of the firms had a special plaque in its exhibit booth to identify it as among the "first 22."

The companies honored were *American Builder*, *American Standard*, Briggs Manufacturing Co., Bryant Heater Division, A.G.E., Inc., The Celotex Corporation, Chrysler Corporation, Airtemp Division, Crane Co., Detroit Steel Products Co., Frigidaire Division of General Motors Corp., Insulite Division of Minnesota and Ontario Paper Co., Johns-Manville Sales Corp., Kohler Co., L. J. Mueller Furnace Co., New Castle Products, Parents' Magazine, Pratt & Lambert, Inc., R.O.W. Sales Co., Standard Dry Wall Products, Inc., United States Gypsum Co., Westinghouse Electric Corp., Youngstown Kitchens, (Mullins Mfg. Corp.) and Zegers, Inc.

Sensational New Axial Flow Ventilator

T H E T R A D E - W I N D

# Jet STREAM



## TREMENDOUS SUCTION... UNUSUALLY QUIET... PRIZE DESIGN!



Terrific performance at half the power—unmatched beauty—and tagged with a low L-O-W price is this new JET STREAM axial flow ventilator which Trade-Wind has developed under wraps over the past three years.

This revolutionary ALL NEW design now for the first time brings all the great advantages of straight-through axial air flow to the home ventilator field—and at a price that makes kitchen ventilation a BIG feature even for the lowest priced house.

In styling the JET STREAM is as outstanding as its performance. Completely original with its deep intake scroll, it's a prize beauty created by one of America's top industrial designers.

There's nothing that comes close to matching this all-new axial flow development by Trade-Wind. See it, test it, compare it and you'll understand why the JET STREAM will sweep the light construction market.


Write  
or Wire  
for  
Complete  
Information



ORIGINATED BY TRADE-WIND MOTORFANS, INC., 5705 S. MAIN ST., LOS ANGELES 27, CALIF.

**NOW**...the research, experience and quality standards which made **WARE**

**WINDOWS** national favorites have produced the **BEST JALOUSIE VALUE** on the market!



**The New Ware-Tite Jalousie  
— Designed with YOU in Mind!**

Ware engineers have combined the best features of competitive jalousies (further improved by Ware experience and research), and have added exclusive Ware developments to achieve the ultimate in simple installation and enduring, weathertight performance!

- COMPLETELY WEATHERSTRIPPED — Floating stainless steel weather cushions along the jambs, plus Koroseal weatherstripping at head and sill louver in any position.
- Smart, Heavy-duty, crank-type operator — locks
- Heavy, deep-frame extruded section — 3 1/8" min.
- Adaptable in the field to variable widths.
- QUICKLY ASSEMBLED — only 8 screws required Shipped KD — store 100 units in 50 cu. ft.
- Louvers open a full 120 degrees for maximum ventilation.
- Interchangeable aluminum storm sash and screens.
- Sure-Lock glass clip eliminates rattling, chipping.

**DEALERS — DISTRIBUTORS!**

GET ALL THE PROFIT-BUILDING FACTS today. Write Dept. B-2.

**WARE**



Econ-O-Ware  
Awning



Intermediate  
Awning



Projected



Casements



Econ-O-Wall



Ware Laboratories, Inc., 3700 N. W. 25th St., Miami, Florida

## NAHB President Calls for 1,400,000 Homes a Year

The 1954 president of the National Association of Home Builders, R. G. "Dick" Hughes, has called for a "ten year campaign to clean up slums, keep America in needed new housing and get ready for a family formation boom in the 1960's."

The newly-elected spokesman for the home builders outlined a broad program for meeting the nation's housing needs. Speaking at the recent NAHB Convention-Exhibition in Chicago, he called for the construction of 1,400,000 new houses a year over the next ten years.

Hughes said the attainment of this program hinges on whether Congress provides new "legislative tools." He endorsed the program outlined in the report of President Eisenhower's Advisory Committee on Housing—with one major exception.

"The recommendations contained in that report will be a hoax, and we who proposed them will be a laughing stock unless we get a federally-controlled and supervised central mortgage bank getting its money from private sources," Hughes said. He added he believes there is a "good possibility" the builders will get what they want.

The new president promised to push ahead with programs initiated by his predecessors at NAHB—better design and eye appeal for American homes, improved construction techniques, the rehabilitation of slum areas and homes for America's forgotten families.

"A combination of these four objectives will provide a tremendous housing program for 1954," Hughes said. The old problems are still with us, and our population is still growing, he added.

The NAHB president said he did not believe it "economically possible" to put every American in a new house. He said he did not agree, either, with the idea of destroying homes which are structurally sound and can be rehabilitated.

"I do believe," he said, "that every American family deserves, and should have the opportunity to live in a decent, safe and sanitary house."

Home builders can expect a "tremendous increased need" for houses in the early 1960's because of the increased family formations, Hughes continued. The most practical solution, meanwhile, is to combine the construction of new homes with the "new conditioning" of existing houses.

"There are approximately eight million families living in houses unfit for human habitation and another

*(Continued on page 48)*



## Dickerman's Column

John M. Dickerman, Executive Director, National Association of Home Builders of the United States

## Residential Construction Safety Standards Code Coming Soon

An important milestone in the development of the home building industry as a mature, responsible element of our national life will be passed this spring with the completion of the first practical code of safety standards for home construction.

Recognizing the key role of the builder and his architect in curbing the shocking toll of death and injury caused by accidents in the home, the National Association of Home Builders and the National Safety Council have developed a comprehensive checklist to serve as a guide for the entire industry in building safer homes.

Even within the industry, few people recognize that each year more than 4,000,000 persons (roughly one out of every 37 Americans) are injured in accidents occurring in or around the home. Some 31,000 deaths annually are traceable to home accidents.

The new set of standards, which will be distributed on a nation-wide basis, should serve to reduce such accidents to a minimum. The design and construction criteria will increase home safety and structural soundness without increasing the cost of materials, methods or equipment.

This column cannot give complete details of the new safety standards, many of which are still being revised at this writing by NAHB's Construction Committee in collaboration with the Safety Council. But there are some general safety practices which builders and architects can and should take into account in their new home planning.

For example, safety outside the house is an important consideration that is too often overlooked. Hilly or irregular home sites should be terraced or re-graded to a gentle slope, and retaining walls, where needed, should be built as low as possible, and should be topped by a fence or guard rail. Terraced areas and retaining walls should be well lighted; permanent, safe covers should be provided over all ground openings, and projections should be well marked. Hedges, shrubbery or trees which hide driveways or prevent a clear view of the street from the driveway should be removed, and non-skid surfaces on all walks, steps, driveways, patios and porches would aid greatly in preventing falls.

Good lighting and the use of non-skid flooring materials also are important safety factors for the basement. Here, too, the builder and architect should provide for sufficient ceiling height, easily accessible fuse boxes, and safe grounding for all electrical equipment.

The bathroom can be one of the deadliest parts of the house if it is not properly safeguarded at the time of construction. Non-skid floors and grab-bars for tub and shower are obvious precautions. But accidents also can be prevented with a little care in locating electrical switches out of reach of the tub or shower, insulating electrical switches, and providing a lock for the medicine cabinet so that small children will not be able to get at poisons or harmful drugs.

Other parts of the house also contribute to the accident toll, and must be properly safeguarded. Hallways, for example, should be as short and straight as possible and not less than three feet in width; sliding doors should be provided on all closets which open on halls, and dangerous changes in floor levels between rooms should be avoided.

General construction, electrical wiring, plumbing and heating, fire resistance and insect and rodent protection are all important factors which, when properly considered, can add greatly to home safety.

With these new standards, home builders and architects for the first time will have a clear, simple and detailed guidepost by which they can readily build into their homes the safety which the public interest and the stature of their industry demands. The effectiveness of these measures will depend upon the extent to which they are put into practice by every member of the industry.

## 1,400,000 Homes

(Continued from page 47)

four million in houses that have deteriorated to a point where they lack necessary health and safety features," Hughes declared.

The NAHB official gave this breakdown on the 1,400,000 new units needed yearly: Larger houses with greater comfort and more livability should account for 1,000,000. Another 250,000 should be well-designed small houses for low-income families. Still another 150,000 would be built to replace units that are demolished in slum clearing programs.

Conservation and rehabilitation of existing structures are also in the home building picture, Hughes said. The so-called trade-in plan should be developed in order to "new condition" 250,000 units a year, while urban renewal accounts for another 350,000.

Hughes wants special attention for the small town and city which, because of insufficient mortgage money, "shows signs of dying on the vine." He said lack of housing has kept "scores of corporations" from establishing plants in smaller communities.

On the outlook for housing in 1954, Hughes said consumer demand has shown "marked improvement" since the first of the year. He believes there will be a good market if down payments are lowered for buyers in the middle and lower income groups.

## VA Guaranteed More Home Loans in 1953 Than 1952

Home loans guaranteed by VA during 1953 increased by nearly five per cent over 1952. More than 320,000 home loans, totaling over \$3 billion, were guaranteed last year, compared with 306,000 home loans, totaling over \$2.7 billion, in 1952.

VA reported approximately two-thirds of the veterans who obtained GI home loans in 1953 bought newly-built homes. This added up to about 200,000 new homes, or approximately 20 per cent of the one-family and two-family homes built during the year.

Average purchase price for these GI homes was \$11,275 in 1953, compared with an average of \$10,915 in 1952.

"Larger homes with additional equipment have in part accounted for the upward trend in the purchase price of new homes bought with the aid of GI loans," the VA said.

The "typical" GI home loan in 1953 called for a down payment of 11 per cent and ran 20 years. During the last quarter of the year, about 38 per cent of the loans had a 25-year maturity, and another 10 per cent had 26-year to 30-year terms.

## Dealer's Viewpoint

H. R. NORTHUP, Executive Vice President,  
National Retail Lumber Dealers Association



## NRLDA's Advertising Guide Will Pay Off in 1954

It has become crystal clear that retail lumber and building materials dealers are going to get far better results this year and in the future from the approximately \$40,000,000 they spend yearly on advertising.

One reason for the improvement is that dealers have received valuable advice and guidance in planning and preparing advertising through NRLDA's Dealer Operating Guide.

That help will be augmented through the new Quarterly Merchandising Calendars that will go to members every three months as an association service.

In addition, building products manufacturers and commercial mat services are planning to offer dealers a better assortment of advertising mats and materials to aid them in preparing good advertisements.

The recently issued Operating Guide chapter entitled "Preparing Your Advertising" contains this advice on the selection of themes or appeals to be featured in dealer advertising:

"In all advertising, the dealer is talking to a passing parade made up of individuals from nearly all walks of life whose needs are changing almost every day. Basically, the task of advertising is to present a message which will catch the eye or the ear of an audience which is in the market, or can be persuaded to enter the market, to buy your materials and services. Customers'

needs, and their desires to fulfill those needs, change with the seasons of the year.

"In other words, in the fall many people are in the market for storm sash; in the spring there are many who are looking for screens. That is why the NRLDA Merchandising Calendar has been produced to give lumber dealers a program of sales messages geared to the seasons. Following such a program helps to insure the presentation of the right merchandise at the right time.

"Timely seasonal and climatic offerings are all-important in advertising because they create not only a greater audience for your advertising but also a much greater responsiveness and that, primarily, is what every advertiser is most interested in.

"When people need anything they naturally shop ads on that particular item. If a woman is in the market for a hat or a dress, she pays close attention to advertisements featuring fashion merchandise when she reads her newspaper. It's the same way with products that dealers have to sell. If a man is in the market for a garage, he looks at garage ads. So a cardinal advertising is:

"One of the surest ways to gain advertising readers or listeners is by making timely offerings week after week. Use the Merchandising Calendar to help keep you on the right track."

## Building Trades Wages Continue To Increase

Another "slight advance" in the hourly wages of the construction trades occurred during the fourth quarter of 1953, according to the Bureau of Labor Statistics.

BLS conducted a survey of seven major building trades in 85 cities. The agency found that the average wage rate for organized construction workers was \$2.72 per hour as of January 2, 1954.

Hourly wage scales for the seven building trades increased about 11 cents an hour during 1953. This compared with a 15-cent increase during the previous year.

Bricklayers were, on the average, the highest paid as of January 2. Their average wage level in the 85 cities was \$3.30 per hour.

## NAHB Cites Nine Builders

(Continued from page 40)

architects Keyes, Smith, Satterlee & Lethbridge, Washington, D.C., for 49 houses at "Pine Spring" in Fairfax County, Va. This is a \$14,000 house with carport on \$2,500 lot.


Honorable mention awards were made to the following:

Robert Gerholz, Gerholz Community Homes, Flint, Mich., and architects William K. Davis & Associates, Ann Arbor, for houses in Westgate Park.

Howard C. Grubb, Tulsa, Okla., and architect Donald C. Honn, Tulsa, for houses in the Lortondale Addition at Tulsa. It is a \$13,000 house on a \$2,250 lot.

Elliott B. Badanes, South Orange, N. J., and architect Harry Maslow, Elizabeth, for their Sunset Valley project of medium priced homes.

# EASY DOES IT!



Yes, easy is the word . . . with MALT-A-MATIC Wood Window Units—easy, quick removal of sash for cleaning or painting, and better yet, easy finger-tip operation—no sticking or binding when raising or lowering either sash!



All MALT-A-MATIC Wood Window Units are fully weatherstripped and feature the "400" weatherstripping metals. Modular construction, plus the use of jamb liners, enables fitting in any thickness or type of wall.

Only select, kiln-dried woods are used in all MALTA Wood Window Units . . . chemically treated for a water repelling, longer lasting, easier to paint surface . . . highest quality at down to earth prices. Yes . . . Easy Does It! Plan now to use MALT-A-MATIC windows in the homes you plan and build. They make new homes easier to sell. See your nearest MALTA dealer or write for literature.



the MALT-A-MATIC

Supreme Quality Since 1901

The

*Malta*

Manufacturing Company

MALTA, OHIO


Member  
Ponderosa  
Pine  
Woodwork  
Ass., and  
N.W.M.A.,  
N.A.H.B.



Best  
Buy!

**CORBIN**  
Aluminum  
Trim Hardware  
STRONG  
RUST-PROOF  
AND LOW-COST, TOO!

At no extra cost you can give your customers trim hardware with handsomer finish, superior strength, better quality! Corbin Pressure-Cast Aluminum Hardware won't rust — keeps its smooth beauty for years. Never needs painting. Far and away your best buy! Phone your Corbin dealer today.



**P.&F. CORBIN Division**  
The American Hardware Corporation  
New Britain, Connecticut

**ON and OFF the RECORD**

**SOME TRADE-IN** selling enthusiasts are beginning to weigh the practicability of allowing home owners to take income tax exemption on 35 to 50-year depreciation schedules.

**REASON IS THAT** when a trade-in deal on an old house for a new one is broached, most owners feel that their home is an investment, and that trade-in appraisal should be on a basis of appreciation rather than depreciation.

**IMMEDIATE OBJECTIONS** and problems surrounding such a proposal are, of course, legion.

**FIRST**, the average home owner would likely shudder at any suggestion that he depreciate the entire value in anything less than a century.

**AND, INDEED**, there is ample evidence to substantiate such an attitude.

**DEPRECIATING** over a century, however, would provide an annual deduction on income tax so small as not to make it worth while.

**IF THE TOTAL** value were depreciated over a 35 to 50 year period the annual deduction would increase, but it is questionable if the amount gained on income tax payments would compensate for the thus admitted depreciated value to the owner at sale time.

**THEN, TOO**, there would be little incentive to maintain a structure for effective life after the depreciation period.

**AND WHAT** would be debited against the depreciation factor for remodeling and additions to the house?

**AND WHAT** about clothing and automobiles? The former is an admitted universal necessity, and the latter marginal in some areas and conditions, actual in others.

**NO MATTER HOW** it is cut, if trade-in selling is to develop to proportions comparable with those obtaining in the clothing and automotive industries, builders, for the

time being at any rate, will have to sell the desirability of the new and modern house, and a mark down on the old for the advantages of the new and modern just as competitive industries do.

**OR, DO YOU THINK** there is merit and practicality to the idea?

**SEVEN** major challenges, says The Urban Land Institute, confront those interested in development of metropolitan areas.

**FOREMOST AMONG** them is the urgent problem of raising enough public funds to provide schools, sewer, water, police and fire protection and other essential services in expanding areas. And do it without excessive real estate taxes.

**MAYBE THE TIME** has come to stop syphoning so much of the tax dollar to Washington for federal services. There is a limit to taxation, beyond which the incentive to create and earn is stifled.

**MAYOR CZELUSTA** of Toledo, Ohio, however, says that his city has solved the school problem with a simple municipal income tax that keeps pace with school requirements and provides a surplus for any conceivable demand. Real estate taxes are low and will remain low.

**ANOTHER PROBLEM** pointed out by the Urban Land Institute is the need for adopting performance standards in zoning regulations to control industrial air pollution, noise, odors, fire hazards and traffic volume.

**AIR POLLUTION**, thought until recently to be the unique problem of Los Angeles, has reared its head as a major health problem in London, England, and at one time this fall, along the Atlantic coast, particularly New York and Philadelphia.

**SMOG**, generally believed to be a combination of industrial and automobile gasses, is an evil which, under certain atmospheric conditions

(Continued on page 52)

Are you paying  
more  
for cheap  
locks



than you'd  
pay for  
**NEW**

## TROUBLE-FREE CORBIN LOCKS?

Corbin's two new cylindrical locks, the "Guardian" and the "Defender", are made to END LOCK COMPLAINTS and COSTLY CALL-BACKS! They give you the three things you need most—BUDGET PRICES, EASY INSTALLATION AND TROUBLE-FREE SERVICE.

Take 5 minutes to compare! You'll be convinced you get more lock for your money with Corbin. You give more customer satisfaction . . . and at the same time you save servicing time and money. See your Corbin dealer today!



**CORBIN**  
*Guardian*  
CYLINDRICAL  
LOCKS



LOWEST-PRICED, yet a quality lock. Solid brass, bronze or aluminum exterior parts. Rust-resistant interior parts. *Screwless* knobs and roses. SELF ALIGNING for easy, fast installation. Corbin pin tumbler security.

**CORBIN**  
*Defender*  
CYLINDRICAL  
LOCKS



MEDIUM-PRICED, yet designed for any light construction such as fine homes, offices and stores! Exclusive "Velvet-Glide" action. Solid, brass, bronze, or aluminum exterior parts; rust-resistant interior parts. Fast, fool-proof installation. Corbin pin tumbler security.

**P. & F. CORBIN Division**  
The American Hardware Corporation  
New Britain, Connecticut

What makes them fall in love with a home?



More often than not, it's the *conveniences* in a home that play cupid with the prospects and help them decide to buy. You get just such a sales clincher with Zegers Dura-seal Combination Metal Weatherstrip & Sash Balance!

*Wives* like the way Dura-seal keeps out dirt and dust . . . gives them a clean house the year 'round. *Husbands* like the way Dura-seal saves them up to 30% on fuel costs. *Everybody* enjoys the smooth, silent way Dura-seal equipped windows glide up or down.

So . . . make it a point *now* to use Zegers Dura-seal! Builders: see your lumber dealer—Lumber Dealers: see your sash and door or millwork jobber.

**ZEGERS, Incorporated**


8096 South Chicago Avenue, Chicago 17, Illinois

- Complete and constant air seal maintained with one piece, flexible jamb member!
- Easy to operate when sash contracts and expands with the weather!
- No noise with exclusive Si-Vel coated counterbalance springs!



FREE FOLDER . . .

"Facts on Weatherstripping . . . gives complete information on Dura-seal. Send for your copy now!"



**ZEGERS**

*Dura-seal*

COMBINATION METAL WEATHERSTRIP—SASH BALANCE

**On and Off the Record**

(Continued from page 50)

tions, now seems to be a real or potential hazard in any industrial area, and is suspect as a major medical problem.

**AT ONE TIME** in mid-autumn, while New York, London and Philadelphia were blanketed by smog, the Pacific coast for several hundred miles north of Los Angeles was suffering from the acrid gas blanket.

**AMONG THE OTHER** problems outlined by the Institute are those concerning preservation of downtown shopping areas, the size, design and make-up of local shopping centers, intelligent use of land from which slums are removed, and greater emphasis on conservation.

**MUCH OF THE** time of the NAHB at its recent convention and exposition in Chicago was used for consideration of these and many related problems.

**SPEAKING** of the NAHB convention and exposition it was again bigger and better than any of its predecessors.

**THE TWO-HOTEL** exhibit arrangement apparently worked to the satisfaction of most of the exhibitors and delegates.

**ONE LIMITATION** of the present exhibit facilities, or possibly the season of the year in which the convention is held, is the lack of opportunity for the manufacturers of earth moving equipment and trucks.

**THESE COMPRISE** a major item in the home builder's capital investment, and he buys more of them each year as he is required more and more to manufacture his own land for building development.

**IT HAS BEEN** suggested that possibly a large circus tent in the park opposite the Conrad Hilton might provide an acceptable facility for exhibiting and operating trucks and earth moving equipment.

**SINCE THERE** is a large market for manufacturers of equipment and trucks among the thousands of home builders that attend the convention primarily to learn what they can buy to improve their opera-

(Continued on page 56)

The Specific Answer For Builders With Particular Needs

# Hotpoint presents...



## The Hotpoint Custom Range Line

FOR ULTRA MODERN CUSTOM KITCHENS

Incorporating the fine features that have always maintained Hotpoint's leadership in the range industry, this custom, sectionalized electric range offers an entirely new concept for modern kitchens. With separate built-in ovens and custom surface units, both carrying the approval of the underwriters' laboratory, here is your opportunity to provide the maximum in modern electric kitchen equipment.

## The Hotpoint Super-30 Range Line

FOR MORE EFFICIENT SMALLER KITCHENS



Where kitchen space is at a premium, Hotpoint's Super-30 Range line provides the answer. These are not just 30-inch ranges—but a feature-packed 30 inches.

Presented in three distinctive models, they have the de luxe features of 39-inch models packed into a range just 30 inches wide. They offer unsurpassed usable capacity for three-rack baking, compartment broiler, roto-grill with removable barbecue skewer, color-keyed pushbutton cooking, raisable thrift cooker with Golden Fryer French-fry unit, plus super-Calrod® surface units.

Write to Hotpoint Bulder Division for A.I.A. specifications on these and all other Hotpoint appliances.

**Hotpoint** ...Pacemaker of Progress!

RANGES • REFRIGERATORS • DISHWASHERS • DISPOSALLS® • FOOD FREEZERS • CABINETS • AUTOMATIC WASHERS  
CLOTHES DRYERS • ROTARY IRONERS • AIR CONDITIONERS • DEHUMIDIFIERS

HOTPOINT Co. (A Division of General Electric Company) 5600 West Taylor Street, Chicago 44, Illinois

**Only 22 Pounds Complete**  
**THE NEW HOMELITE**  
 MODEL 17  
**One Man Chain Saw**

**3.5 hp** BRAKE\*  
 \*Actual Dynamometer Rated Horsepower

**Cuts 18 inch trees in 18 seconds — Cuts trees 4 feet or more in diameter**

Here is the highest quality, lightweight chain saw at the lowest possible cost. It's the *new* Homelite Model 17... the mighty mite of chain saws... the only saw its size with 3.5 actual dynamometer rated horse-

power. Powerful enough to do the job *faster*... light enough to make the job *easier*... this new Homelite will save time, save money and cut labor and operating cost on every type of woodcutting job.



As Low As  
**\$259**  
 Complete

Built and backed by Homelite, manufacturers of high powered lightweight gasoline engine driven units for more than thirty years, this sturdy, dependable saw will *out-perform* and *out-last* any other saw its size or price. Makes every type of cut... notching, felling, limbing, bucking, boring and undercutting. Operates in any position... cuts right, left, up, down, or upside down... without carburetor adjustment or loss of power. Available with 14" to 38" straight blades or 14" and 18" plunge cut bows.

Send coupon today for more information or free demonstration

HOMELITE CORPORATION, 503 Riverdale Ave., Port Chester, N. Y.  
 Canadian Distributors: Terry Machinery Co., Ltd., Toronto, Montreal, Vancouver, Ottawa.


- Please call me about a free demonstration
- Please send me illustrated bulletin L-920
- Please send me name of nearest Homelite dealer

Name.....  
 Address.....  
 Town..... County..... State.....


# NOW

## AIR-JET

presents  
the first  
*Complete*



## Packaged Fireplace!



*Auxiliary Heating Circuit Insulates and  
Doubles the Heat Output!*

- Complete, Self-Contained—Nothing Else to Buy, Build or Add
- Will Heat an Entire Small House
- Up to 70% Savings on Fireplace Cost

Now you can greatly increase the sales-appeal of *all* your homes with a fireplace! Yes, the new, completely packaged AIR-JET makes a fireplace available at an amazingly low cost every home owner can afford...  $\frac{1}{2}$  to  $\frac{2}{3}$  less cost than a conventional fireplace of like size! And just consider these outstanding features...

AIR-JET—the complete, self-contained, insulated fireplace—is designed for zero clearance from combustible materials on *all sides!* Smoke-free operation assured. 30" firebox constructed of heavy steel and features smart, attractive black enamel front. Can easily be used with conventional chimney...

BUT FOR EXTRA ECONOMY, the perfect pair is the revolutionary new packaged AIR-JET FIREPLACE and the widely used AIR-JET PACKAGED CHIMNEY. Get complete information today on how you can give your home the extra sales-appeal of a fireplace with *little extra cost!*

*Consult your distributor or write to*

**GENERAL PRODUCTS COMPANY**

FREDERICKSBURG, VIRGINIA

Distributorships Available

# DID YOU KNOW THAT—

**McKINNEY HINGES** are precision made of quality metals?

**McKINNEY HINGES** are available in all standard sizes and finishes for every hinge need?

The pins are perfectly rounded by a special rolling process to a tolerance of plus or minus one one-thousandth (.001), to assure proper fit with no looseness or wobbling?

**McKINNEY PRIME COATED HINGES** are carefully and thoroughly bonderized to prevent rust creeping?

They are prime coated with a neutral prime color approaching the tone of natural wood?

No extra primer is needed when painting them—and they take varnish or stain as well as paint?



**McKINNEY BEARING HINGES** are available with self-lubricating Oilite bearings (oil impregnated powdered metal) at the same price as ball bearing hinges?

**McKINNEY STRAP AND TEE HINGES AND HASPS** are furnished bulk packed in protective boxes, which are then packed in convenient-to-handle shipping cartons?

**McKINNEY SCREW HOOK AND STRAP HINGES** have forged pintels with cut threads?

**AND, DID YOU KNOW** that these are some of the features that make **McKINNEY HINGES** so acceptable everywhere—and therefore so easily salable?

These are the basic reasons why architects, builders and owners alike agree that—"To be sure, you couldn't make a better choice than **McKINNEY HINGES!**"



ORDER **McKINNEY HINGES** NOW

## McKINNEY

Quality Hinges Since 1865



McKINNEY MANUFACTURING CO., 1715 Liverpool St., Pittsburgh 33, Pa.

## On and Off the Record

(Continued from page 52)

tions, it might be well for these manufacturers to give some serious thought to how they might exhibit and thus advance their sales and customer relations.

**INTEREST IN** the numerous convention sessions was at an unprecedented and unexpected high.

**BUT IT WAS** noticeable to observers that the public relations and how-to-do-it sessions in both hotels were jammed to the limit of standing room, and that to get a seat required arrival at least a half-hour in advance of announced starting time.

**BEST DESCRIBED** as a twenty-ring circus, the mammoth show ran with a smooth professional efficiency that does great credit to Paul Van Auken and his staff, and to the tireless workers from the headquarters staff in Washington.

**THE ENTIRE** interlocking panorama of convention sessions, committee meetings and exhibit activity had to be timed to split-second precision, and at the same time have flexibility to provide for adjustments occasioned by last minute contingencies, of which there always are many. Nothing less than magnificent organization and a high sense of individual responsibility could have achieved such results.

**AL BALCH SAYS** that there must be about 35 billion dollars in real estate transactions each year in the United States.

**HERE'S HOW** he arrives at the figure. The state of Washington has two per cent of the national population. There is a one per cent real estate tax on all transactions in the state.

**LAST YEAR** the state tax receipts on real estate transactions amounted to seven million dollars. That means that there were 700 million dollars in transactions.

**PROJECTED NATIONALLY**, if Washington's two per cent of the national population represents the same percentage of real estate transactions, Al comes up with the 35 billion.



**with the ORIGINAL Carved Raised Panel Wood Sectional Overhead Door**

For individuality the "built-in" beauty of the Raynor Carved Raised Panel Door *invites comparison!*

With the design carved in 1" thick panel blanks (especially constructed by dielectrically gluing together narrow strips, for maximum strength) only the rugged durable construction and smooth performance of the Carved Raised Panel Door can match its beauty.

Equipped with "Meter-Balanced" springs and Patented Graduated Seal, a Raynor Carved Raised Panel Wood Sectional Overhead Door can be operated by a woman or small child with ease.

Carved Raised Panels for these doors are available in two sizes—square, approximately 16" x 16" and long, narrow or streamlined, approximately 41" x 16".

See our catalog in Sweets. Check your telephone directory for the name of the Raynor Representative nearest you.

**RAYNOR MANUFACTURING COMPANY - Dixon, Illinois**  
*Builders of a complete line of wood sectional overhead doors.*

*How to wrap up a house ...*



**CLEAR-COAT WRAPS UP SALES BECAUSE IT KEEPS WATER OUT**

Builders who use Sta-Dri CLEAR-COAT on masonry discover that this transparent water repellent really keeps water out, but does not change the natural colors or textures. It is economical to apply by brush or spray. One easy application is enough!

If you haven't tried it, you're missing the best way to "package" and market beautiful masonry construction. In an ever increasing competitive market, this is the "plus" buyers are looking for—Sta-Dri CLEAR-COAT—invisible protection.

**AMERICAN STA-DRI CO.**  
**Brentwood, Maryland**

**Miller**  
**SLIDING GLASS DOORS**  
 reduce installation costs

**40%**

**SIMPLICITY OF INSTALLATION saves TIME and MONEY**

- Jams and headers are all full width of a standard stud
- Flat surface on the reverse side of jamb, header and threshold
- Less expensive trim

**EXTRA FEATURES OF DESIGN**

- Center and corner load-bearing columns
- Quality hardware
- Automatic weather stripping

--- **FRANK B. Miller MFG. COMPANY** ---

3216 Valhalla Drive, Dept. 103, Burbank, California

Please send me complete information on how to save money on my sliding glass door and window installations.

Name \_\_\_\_\_  
 Street Address \_\_\_\_\_  
 City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

THE NEW  
**calder**  
 OVERHEAD  
 GARAGE DOOR  
 LINE  
 has a style and size  
 for every need

Wedge  
 Tight



CALDER "STURDY" DOOR



CALDER "LEVELINE" DOOR



CALDER "FLUSH" DOOR



CALDER COMMERCIAL DOOR

Here's a brand new line of doors that has everything. Made by a manufacturer with over half a century of designing and engineering experience, the new Calder doors are available in every conceivable size and style for every conceivable need. Special designs and sizes to order and for extra appeal to the customer and extra profit for you—all Calder doors can be equipped with radio controlled electric operators.

Send for complete information and our new, free, illustrated catalog.




**calder**  
 MANUFACTURING CO.  
 LANCASTER 12, PENNA.

# how to build a lean-to atomic shelter in the basement

After several years of scientific research culminating in the Yucca Flats tests early in 1953, the Federal Civil Defense Administration has released detailed information on how to construct low-cost home shelters for protection against atomic explosion.

The cheapest type of shelter to build is the basement lean-to type, which can be built for an estimated cost of about \$10 per occupant (\$40 minimum) if wooden materials are used, or about \$16 per occupant if the shelter is built with reinforced concrete. The lean-to shelter is suitable for any house that has a basement with a floor at least five feet



Experts believe this is one of the safest shelter designs—for houses with basements which extend five feet or more below the ground level!

(Continued on page 60)




Fig. 1—Cutaway of the shelter used with cinder block wall




Fig. 2—Shelter used with poured concrete, concrete block, brick or stone basement wall

# NOW! SAFER - BETTER - LOWER COST VENTING with WV METALBESTOS


## NEW EASY-TO-INSTALL OVAL GAS VENT PIPE



- Listed by Underwriters' Laboratories as **both** a Type B and Type BW gas vent pipe.



- Sturdy, durable, safer **galvanized steel** outer pipe gives maximum protection to fast-heating, corrosion-resistant inner pipe.
- Specially designed for "in-the-wall" venting.



- New Fastloc double-lock, **double-safe** coupling gives visible proof of safe, permanent connection — **you can see it lock into place.**
- Reinforced ends protect against damage in handling.
- Easy-to-connect pipe sections — no forcing.
- Can be unlocked easily during installation if necessary — may be cut easily to desired length.



- Convenient, complete **BW Installation Kit** with new WV Metalbestos permits **officially correct** venting of recessed gas heaters.



- Complete line of fittings.

ANOTHER FIRST BY METALBESTOS  
— leader in gas venting.

For illustrated price sheet and your copy of "How to Install Type BW Gas Vents," write today to Dept. J-1508



## METALBESTOS DIVISION

WILLIAM WALLACE COMPANY • BELMONT, CALIF.

There's a Roly-Door on Every Home



BUILDER: G. S. Shipp and Son, Ltd.

LOCATION: Toronto, Ontario

MR. HAROLD SHIPP SAYS THIS ABOUT ROLY-DOORS . . . "Roly-Doors were such a success that we are now installing them on all our homes."

HERE'S PROOF . . . documented facts that prove Roly-Doors can help you build greater buyer preference for your new homes . . . regardless of size, style or price class.

MORRISON

# Roly-Door

STEEL SECTIONAL GARAGE DOORS



**Write Today** . . . for the all-new, full color Roly-Door Catalog and the name of your Roly-Door Distributor. Get all the facts about Roly-Door Steel Sectional Garage Doors . . . their durable steel construction . . . their ease of operation and installation . . . their complete range of sizes . . . and their surprisingly low cost!

Roly-Door Division, MORRISON STEEL PRODUCTS, INC.  
644 Amherst Street, Buffalo 7, New York

Send us the new Roly-Door catalog and all facts about Roly-Doors

Firm Name ..... Street.....  
City..... Zone..... State.....

Your Roly-Door Distributor also has a complete line of Roly-Doors for all commercial and industrial applications. Ask about them today.



## build a lean-to

(Continued from page 58)

below ground level at the location of the shelter.

### Location and Size

The shelter should be located as far away as possible from the furnace, gas meter, water heater or any other source of fire. If possible, do not choose a spot directly under the piano or the refrigerator. Be sure that no permanent fixture on the basement floor, such as a drain, will interfere with the floor support of the lean-to. There should be at least three feet between the open end or ends of the lean-to and the corner of the basement wall or any large obstruction.

To determine the length of the shelter, allow two feet for each two occupants plus two additional feet for each of the open ends.

### Building Method

If the basement wall is built of cinder blocks, the lean-to should be attached to the wall at the top as shown in Fig. 1. If the wall is of poured concrete, concrete block, tile, brick or stone, use Fig. 2 as a guide. Following are the materials that will be needed for an 8-foot wooden lean-to. Scrap lumber or sheathing may be used to cover the joists, but t&g roofers make a stronger job.

For use with basement walls of cinder block, concrete block, tile, brick or stone:

- 20 pieces—2x6x8
- 16 pieces—1x6x8 t&g roofers
- 1 piece—2x10x8
- 1 piece—4x4x8
- 8— $\frac{3}{4}$ -inch diameter bolts by 8 inches with expansion sleeves and washers
- 8— $\frac{3}{4}$ -inch diameter bolts by 4 inches with expansion sleeves (for concrete block, tile, brick, or stone walls only)
- 4 pounds—6 d nails
- 2 pounds—16 d nails
- 1 pound—12 d hardened cut nails

For use with basement walls of poured concrete:

- 20 pieces—2x6x8
- 16 pieces—1x6x8
- 1 piece—2x8x8
- 1 piece—4x4x8
- 8— $\frac{3}{4}$ -inch diameter bolts by 8 inches with expansion sleeves and washers
- 4 pounds—6 d nails
- 2 pounds—16 d nails

### Testing the Floor

First check the basement floor to

## atomic shelter

determine whether it is thick enough to support the lean-to and the weight it will have to carry. Measure a distance of about five feet out from the basement wall at the spot




Fig. 3—Method of measuring and marking holes in basement concrete floor for wooden lean-to

selected for the lean-to. Test the floor for a length of eight feet at this distance, by giving it a series of hard blows with a heavy hammer. If no cracks appear and no hollow sound results from the blows, the floor is strong enough. If it is inadequate, or the basement has an earth floor, a footing will have to be built under the floor end of the lean-to.

Figures and data from "Home Shelters for Family Protection in an Atomic Attack," Federal Civil Defense Administration




Another type of basement shelter recommended by the government is the built-in corner-room shelter

MARCH 1954

# CHOP INSTALLATION TIME DOWN

# AIR-VUE



Patents Pending

Air-Vue's Standard Windows Come Equipped With 1 More Ventilator Than Those of Most Manufacturers

# AIR-VUE

ALUMINUM AWNING WINDOWS

Easy to handle, easy to install. Here's a masterfully engineered window that saves labor costs, saves dollars on actual unit cost and saves even more money by eliminating maintenance return calls. Get the full facts about this big, beautiful, money-saving window—**TODAY!**

**COMPLETELY WEATHERSTRIPPED**

## R. B. Leonard inc.

5775 N. W. 35th COURT • MIAMI, FLORIDA


**EXCLUSIVE  
TERRITORIES OPEN**

Write or wire Dept. AB-3  
R. B. Leonard, Inc., for full details

R. B. Leonard, Inc.—Dept. AB-3  
5775 N. W. 35th Court, Miami, Fla.  
Gentlemen: Please give me full facts about the Air-Vue Aluminum Awning Window.

- Check one: Builder  Dealer
- Name.....
- Address.....
- City..... Zone.... State.....
- Phone.....

*Leading Builders Use*



AT YOUR  
LUMBER  
DEALERS



# Lockwood

*Tempered* OAK FLOORING

Leading builders have proved that the beauty of Lockwood Oak Flooring helps sell homes on sight!

Yet, Lockwood's precision-milling, soft texture and other features, such as nail groove, save up to 35% in laying and finishing cost.

If You Want To Build Homes That Quickly Win The Hearts Of Prospective Buyers  
**INSTALL LOCKWOOD OAK FLOORING!**

Lockwood comes from nature's finest native oak, grown in the Ozark Mountains. It is kiln-dried in compartment, cross-circulation, fan-type kilns, the same kind used by manufacturers of fine furniture where gluing-up is required. Lockwood lays easily and lays straight.

**CLOUD**  
OAK FLOORING  
C O M P A N Y

Springfield, Mo.

QUALITY  
OAK  
FLOORING  
SINCE  
1926

**LOOK JOE!**

**Clipper**  
LARGE BRIGHT TRADE  
**BLADES**

**Here They Are—  
THE WORLD'S  
FINEST!**

- CUT FASTER
- LAST LONGER
- AT LOWER COST

Clipper Superior Blades are guaranteed to . . .  
"Provide the Fastest Cut . . .  
at the Lowest Cost!"

MODEL C-130  
ONE OF 5 MODELS  
GAS OR ELECTRIC  
POWERED

Clipper Superior Blades are manufactured under rigid control . . . assuring consistent quality. You are guaranteed peak performance . . . at the lowest possible cost with every blade.

**CLIPPER BLADES to fit  
Every Make and Model Masonry—  
Concrete—Hand Power Saw**

Your guarantee of the finest, fastest, most economical masonry and concrete cutting is the familiar Clipper Trade Mark on a Wet Abrasive—Dry Abrasive—"CBR" (Break-Resistant)—or a Diamond Blade.

**Nearly 20 Years  
Experience Behind  
Genuine  
CLIPPER PRODUCTS**

The unqualified Clipper guarantee of satisfaction is backed by nearly 20 years of world-wide experience, the ability to select the finest materials and the "know-how" to put them together.

TRY A  
**Clipper**  
**MASONRY SAW  
OR CONSAW**  
ON  
**FREE TRIAL**



**ABRASIVE**



**DIAMOND**



**"CBR" Break-Resistant**

**Clipper**

**ABRASIVES**

Any masonry material can be cut in seconds with either a "WET" or "DRY" specification. New type Clipper Abrasive Blades approach the cutting speed of diamonds.

**Clipper**

**DIAMOND**

No other means of masonry or concrete cutting can equal the cutting speed of a Clipper Diamond Blade. Only Clipper has every necessary specification to do your cutting job.

**Clipper**

**"CBR" Break-Resistant**

Drop—Bend—Twist—they're virtually unbreakable! 50% to 100% longer blade life on softer ranges of materials. Ideal for both masonry and hand power saws.

LOOK for the BRIGHT ORANGE COLOR and the TRADE MARK CLIPPER



MR CLIPPER

**Today! . . . try the NEW—  
Faster Cutting—Economic  
CLIPPER SUPERIOR BLADES**

Why guess about performance? Why experiment? Why take a needless loss? At our 24 locations you will find a Clipper Specialist who can tell you exactly which Clipper blade will give you the fastest cut at the lowest cost on your materials.

**SAME DAY SERVICE  
FROM YOUR NEAREST  
FACTORY BRANCH—**



MR CLIPPER

**Clipper**  
LARGE BRIGHT TRADE

**KANSAS CITY 8, MISSOURI  
COAST TO COAST**

- PHILADELPHIA
- ST. LOUIS
- CLEVELAND
- DETROIT
- AUSTIN, TEX.
- CHICAGO
- LOS ANGELES
- NEW ORLEANS
- BOSTON
- HOUSTON
- MILWAUKEE
- ST. PAUL
- INDIANAPOLIS
- NEW YORK
- PITTSBURGH
- DENVER
- SAN FRANCISCO
- CINCINNATI
- ATLANTA
- WASHINGTON, D. C.
- BIRMINGHAM
- CHARLOTTE, N. C.
- DALLAS
- KANSAS CITY

IN CANADA—P. O. BOX 476, WINDSOR, ONTARIO

**SOLD ONLY DIRECT FROM FACTORY BRANCHES**

MAIL  
COUPON  
NOW

**CLIPPER MANUFACTURING CO.**  
2808 E. WARWICK • KANSAS CITY 8, MO.

Send FREE Literature and Prices on:

CLIPPER ABRASIVE BLADES  WET  DRY  CLIPPER "CBR" (Break Resistant) BLADES  CLIPPER DIAMOND BLADES—MASONRY  CLIPPER DIAMOND BLADES—CONCRETE

COMPANY \_\_\_\_\_ No 100

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_

Keep **DESIGN** in mind

**THOMASON  
FLUSH DOORS**

*Give You a Choice of*

**8**

*(or more)*

**BEAUTIFUL  
FACE VENEERS**

...but only **ONE** high quality!

In residential, institutional, industrial or commercial structures... interior and exterior door design is important.

THOMASON Flush Doors add more eye-appeal and blend pleasingly with architectural features.

Make THOMASON Flush Doors a part of your planning. From the finest quality of foreign and domestic woods, you can choose a face veneer to suit your needs.

**JUST LOOK AT THIS  
CHOICE OF FACE VENEERS**

Philippine Mahogany, African Mahogany, Genuine Honduras Mahogany, Walnut, Oak, Birch, Knotty Pine, Gum, or any face veneer desired. In addition, THOMASON plastic-faced flush doors are available in all domestic and foreign wood grain plastics, as well as in decorative plastics.

Remember: *keep design in mind...*  
*buy from the THOMASON line.*

**THOMASON  
FLUSH DOORS**

**THOMASON PLYWOOD CORPORATION**

*Royallville • North Carolina*

**3 Ways TO MORE PROFITABLE FLOOR JOBS**



**HOLT NMPL12 FLOOR SANDER**

with patented demountable cushion that's replaceable in minutes right on job—no long, costly delays when nails rip cushion. Designed and built to eliminate vibration and chatter, so you get smooth floors easily. Double, self-adjusting belts, sure-grip clamps, high-speed cutting keeps jobs rolling, enable you to sand more floor daily.

**HOLT Rotary Edgers** for quick, easy sanding of edges, corners, stairs, closets, etc. Two-hand front and back controls permit fast starts and stops, improve control on close work.



**HOLT Floor Machines** put a sheen on floors that wins friends and extra business. Use for waxing, polishing, scrubbing, rug shampooing, steel wooling.



Take the HOLT way to more profitable floor jobs—mail coupon TODAY.

**HOLT MANUFACTURING COMPANY**

**Better floor machines for more than 25 years** 12

ROOM B-3, 669 - 20th ST. • OAKLAND 12, CALIF.

HOLT MFG. CO.

Room B-3, 669 - 20th St., Oakland 12, Calif.

Please send me folders describing HOLT's exclusive, new features.


NAME \_\_\_\_\_ POSITION \_\_\_\_\_

FIRM \_\_\_\_\_

ADDRESS \_\_\_\_\_

new  
winter  
air conditioner  
by

Compact Steel Unit in Wide  
Range of Capacities for  
Practically any Home-heating  
Need. Fully Automatic,  
Gas or Oil.



Duridine —  
American Chemical  
Paint Co.

Now, RICHMOND offers a compact "low-boy" steel furnace — the SH — in five different sizes, for a full range of warm air heating needs.

The RICHMOND SH features a stainless steel, chromium alloy combustion chamber, heavy 12 gauge heating element and unusually large filter area. Operation is fully automatic. All controls are enclosed in the sturdy steel jacket. Casing is Duridized to provide a superior bond for the handsome green enamel finish. Units are equipped with raised steel base which eliminates

the need for grouting and permits installation on combustible floor.

Oil-fired types equipped with pressure atomizing burners, U/L listed and complying with commercial standard CS-75. Gas-fired units, A.G.A. approved for use with all types of gases, meet S.U.R. requirements.

**You will be surprised at the reasonable cost of the SH model — it's priced right for today's more competitive heating market. Send off the coupon today for full details.**

### SPECIFICATIONS

#### Gas-fired

Capacities—input  
Btu/hr.  
SH 20G — 85,000  
SH 22G — 110,000  
SH 24G — 140,000  
SH 26G — 175,000  
SH 28G — 220,000

#### Oil-fired

Capacities—output  
at bonnet, Btu/hr.  
SH 20P — 80,000  
SH 22P — 106,000  
SH 24P — 143,000  
SH 26P — 175,000  
SH 28P — 212,000

Automatic controls—fully enclosed  
Heavy 12 gauge heating element  
Stainless steel combustion chamber (SH-P)  
Extra large filter area  
Raised base  
Steel jacket — Duridized green enamel

## RICHMOND radiator co. Box 111, Metuchen, New Jersey



Affiliate of  
Reynolds Metals Co.

Please send me more information and literature on the new SH Winter Air Conditioner. No obligation, of course.

NAME \_\_\_\_\_

COMPANY \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_


ZONE \_\_\_\_\_

STATE \_\_\_\_\_

We are ( ) heating wholesalers ( ) heating contractors.

AB-3

# General adds . . . the finishing touch



## ...another reason why

### General Doors cost less to hang

Each General Door comes to you carefully sanded to a velvety-smooth finish on precision belt-sanding equipment.

Clear finishes, stain coats, or paint "lay" evenly on this super-smooth surface.

General adds extra operations at the factory to give you a door that will "hang" faster, one that will finish easier.

### ALL General Doors are HOT Pressed

Heat and pressure not only form a perfect glue bond, but reveal any weakness in a door *before* inspection, not months later after the door is hung.

General saves you time and money, eliminates costly call-backs.

General Plywood Corporation  
Louisville 12, Kentucky

**GENERAL**  
**Gibraltar**  
**KENTUCKY**  
**Colonel**

*Flush Doors*

The Doors that pass  
the "Elephant Test"

# VIKON TILE


\*Watch our monthly  
feature announcement

\*FEATURE

## VERSATILE ALUMINUM TILE

Vikon Aluminum tiles can be recommended for use under *any* conditions because they are guaranteed to be corrosion-free. What's more Vikon aluminum tiles are absolutely the finest that money can buy. They are extremely light in weight, yet as tough, durable and rigid as you would want. You have a choice too of 26 beautiful decorator colors, designed to please your most discriminating customers. Write today for complete information.

**VIKON—THE ONLY COMPLETE LINE**  
Enameled Steel • Enameled Aluminum • Stain-  
less Steel • Plastic • Mastic • Accessories  
Matching electric receptacles and switch plates



VIKON TILE CORPORATION  
Washington, N. J., Dept. XD-2

Please send me, without cost or obligation, the complete story of Vikon Tile together with full-color brochure and sample tiles

DEALER  DISTRIBUTOR  CONTRACTOR  ARCHITECT

NAME .....

ADDRESS .....

CITY ..... ZONE ..... STATE .....



## ALUMINUM COMBINATION DOORS HELP YOU BUILD BETTER, SELL QUICKER!

Adverse climatic conditions and weathering have no effect on rustfree, rotproof aluminum combination storm-screen doors. These durable doors last longer, stay attractive, require absolutely minimum maintenance and permit fast, convenient interchanges of screen and storm panels. These doors fit right in with popular aluminum storm windows and screens —offer another important aid to faster, easier sales because home buyers quickly recognize that they are getting more for their money.

Put aluminum's advantages, both in special designs and standard products,

to work for you. Attractive appearance, long life, low cost, availability, ease of fabrication with regular carpenter tools —these and many other aluminum advantages help you build better, sell quicker.

Remember—for help on your building material problems, call your nearby Reynolds Architectural Distributor listed under "Aluminum" in the classified telephone directory. For more information, on the many uses and advantages of architectural aluminum in home construction, write Reynolds Metals Company, 2530 South Third Street, Louisville 1, Kentucky.

Send for free Architectural Aluminum catalog. For quick reference, see catalog <sup>5a</sup> in Sweet's Architectural File.

See "Mister Peepers" Sundays on NBC-TV. Consult local listings for time and station.




\*Aluminum hardware's lustrous natural color in a wide range of finishes matches all decorative schemes.



\*Aluminum siding is easy to work with and apply. Won't rot, warp, shrink, swell or crack. Fire resistant.



\*Aluminum ductwork is easy to handle and install. Won't rust, is a natural insulator, minimizes heat loss.



\*Aluminum thresholds are available for all entrance and between rooms applications. Easy to install, economical.



### NEED HELP?

For help on aluminum building material problems, call your nearby Reynolds Architectural Distributor or Reynolds office listed under "Aluminum" in your classified telephone directory. Or write Reynolds Metals Company, 2530 South Third St., Louisville 1, Ky.

\*Remember—for many building applications Reynolds just supplies the aluminum mill products. We will be glad, however, to send you names of manufacturers of all types of standard aluminum building products, like those shown above. We will also be pleased to send you the names of architectural metal fabricators who can perform aluminum work to your specifications.

# REYNOLDS ALUMINUM

MODERN DESIGN HAS ALUMINUM IN MIND

# "Everyone wants Bondstone"

says J. W. Livingston

NEW Bondstone Dealer, Arkansas City, Kansas

PHONES: 1674  
RES. 1188

J. W. LIVINGSTON



HOME AND COMMERCIAL MODERNIZER

Exclusive Bondstone Dealer for Southern Kansas and Northern Oklahoma

108. N. SUMMIT  
ARKANSAS CITY, KANSAS

October 3, 1953

Mr. Elliot Mesnick, General Manager  
Emco Cement Products, Inc.  
Shamokin, Penna.

Dear Mr. Mesnick:

In answer to your letter regarding my progress as a new BONDSTONE franchise dealer, I am happy to report a terrific reception with BONDSTONE. I have been selling HOME IMPROVEMENTS for fifteen years and have never handled a product that appeals to so many different people. Everyone wants BONDSTONE, commercial owners and home owners alike.

To give you an idea of my progress since becoming a BONDSTONE franchise dealer on August 26, 1953, I have sold eight BONDSTONE jobs totaling 125 squares. These jobs total \$16,294.00, on which there will be a HANDSOME PROFIT. Three of these sales resulted from leads furnished me by your home office in answer to BONDSTONE advertising in Consumer Magazines. Needless to say they were very much appreciated.

Last week my BONDSTONE display at the Kay County Fair at Blackwell, Oklahoma, produced over 100 leads. Mr. Mesnick at times we could hardly breathe for the people around the display. Interest was fantastic. I certainly appreciate the cooperation extended me and I am looking forward to a lasting and profitable future with BONDSTONE.

Sincerely,

*J. W. Livingston*  
J. W. Livingston.

Beautify your home with **BONDSTONE** . . . The Miracle man made Stone.



## Be a Bondstone Dealer

Hundreds of franchised Bondstone Dealers like J. W. Livingston are making MONEY now! The home renovation market is wide open and can be sold easily. Sell Bondstone—supplement your present construction ac-

tivities—*increase volume and profits.* It's easy to be a Bondstone Dealer. Good territories are available. Bondstone gives you SALES ASSISTANCE—NATIONAL ADVERTISING . . . PRODUCTIVE LEADS.

CALL, WRITE, WIRE TODAY


**EMCO CEMENT PRODUCTS, INC.**

SHAMOKIN, PA. • Telephone Shamokin 8-6884

Bondstone in Canada



# Three Men Erect 66 Tied Arches In Only 85 Man Hours!



Johnny Klaassen  
Weatherford, Okla.

**NO SPECIAL EQUIPMENT or SKILLED LABOR USED!**

"We erected 66 Rilco Laminated Arches with three unskilled men—including arch assembly—in only 85 total man hours on this 46x130' IGA Foodliner in Weatherford, Oklahoma . . . and at only 25% of what we figured steel erection would have cost!" That's the statement by Johnny Klaassen, Weatherford contractor. "They're the best I've ever seen! We found Rilco Laminated Wood Tied

Arches are of fine quality and workmanship—strong, rigid and attractive. And no trouble at all to achieve an even roof and ceiling.

"The ease of erecting arches saved time. I used only common labor under the supervision of a carpenter—no scaffolding or cranes."

Rilco glued laminated arches are prefabricated, precut and drilled for hardware furnished. Placed two feet on centers, they offer true level framing for roof and ceiling construction. Write for free data on tied arches.



EATON IGA FOODLINER  
WEATHERFORD, OKLAHOMA

**RILCO**  
*works wonders with wood*

**RILCO LAMINATED PRODUCTS, INC.**


2511 FIRST NATIONAL BANK BLDG., ST. PAUL 1, MINN.



*Design for kitchen-dining-play area by Richard Neutra, F. A. I. A.*

## "CLAY TILE CONTRIBUTED BEAUTY, UTILITY ...AND A TRUE TOUCH OF THE UNUSUAL!"

plan for  
kitchen and  
adjacent  
areas



This diagram shows you graphically how Richard Neutra floor-planned his ingenious design for comfortable living in his kitchen-dining-play area.

World famous architect Neutra used all of the virtues of clay tile in his design for a kitchen-dining-play area. The playroom and patio floors flow naturally from the ingenious "stepsaver" kitchen. Cheerful tile work surfaces invite food preparation. The rear wall wainscoting presents a glistening, easily-cleaned surface that cuts down on cleaning chores. Clay tile can add much to *your* next residential, industrial or institutional project: top color and design potential, durability, ease of maintenance and real long range economy. Be sure to check comparative costs before specifying a substitute material—your clients will appreciate clay tile!

Tile Council of America, Room 3401, 10 East 40th Street, New York 16, N. Y. or Room 433, 727 West Seventh Street, Los Angeles, Calif.

*The Modern Style is*



**PARTICIPATING COMPANIES:** American Encaustic Tiling Co. • Architectural Tiling Co., Inc. • Atlantic Tile Mfg. Co. • B. Mifflin Hood Co. • Cambridge Tile Mfg. Co. • Carlyle Tile Co. • General Tile Corp. • Gladding, McBean & Co. • Mosaic Tile Company • Murray Tile Co., Inc. • National Tile & Mfg. Co. • Olean Tile Co. • Pacific Tile and Porcelain Co. • Pamona Tile Mfg. Co. • Robertson Mfg. Co. • Royal Tile Manufacturing Co. • Summitville Tiles, Inc. • United States Quarry Tile Co. • Winburn Tile Mfg. Co.



# THIS KITCHEN SELLS HOMES!

■ Pictured here is one of scores of different installations of the new Thor Built-in Electric Range. And wherever or however it is installed, the story is the same. Leading builders all over the country are unanimous in reporting that *homes sell faster*—when the kitchen features a new Thor Built-in Electric Range.

Yes, the new home with a new Thor Built-in Electric Range has the "something extra" it takes to attract women—and to swing the buying decision in your favor. Instantly, this most advanced of all built-in electric

ranges identifies your new home as the last word in modern design. Women applaud the back-saving eye-level oven—largest of all "built-ins." They go for the built-in color choices on the oven trim—another Thor exclusive. And they rave about the step-saving convenience of the new Thor top-surface cooking units—the ultimate in electric cooking.

To see what new Thor Built-in Electric Ranges will do for your sales in the competitive days that are here right now, drop us a line or mail coupon today!

BUILDER-CONTRACTOR DIVISION  
 Leeson Steel Products, Inc., Dept. AB3  
 Subsidiary of Thor Corporation  
 2115 South 34th Avenue, Chicago 50, Illinois

Without obligation, send me facts about new Thor Built-in Electric Range.

Name \_\_\_\_\_

Firm \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

## Thor

REG. U. S. PAT. OFF.

### Built-In Electric Range

THOR CORPORATION, Chicago 50, Illinois

AMERICAN BUILDER



# Gold Seal *Ranchtile*

TRADE-MARK



**big sales asset  
in the spectacular  
TECHBUILT house**



Now 9 Colors  
in 9" x 9" tile



**Here's why this special inlaid linoleum  
is perfect for Carl Koch's space-stretching design:**


The exciting principle of the TECHBUILT house is that you can buy as much space as you'll ever need for as little as \$10,000. Carl Koch cut a substantial slice of the building costs by turning the ground level into a warm, handsome, living floor. To do this he needed a quiet, comfortable, practical flooring . . . yet a flooring that would go on concrete slab. He found the perfect solution in Gold Seal Ranchtile, the only genuine inlaid linoleum developed and proved for installation on

grade—with or without radiant heat. Resilient, easy to keep clean, moisture-alkali-and-grease-resistant, Ranchtile offers the Gold Seal Guarantee . . . satisfaction or your money back. Specify Ranchtile for *your* next on-grade project.

**GOLD SEAL® FLOORS  
and  
WALLS**


CONGOLEUM-NAIRN INC., KEARNY, N. J. © 1954

You'll want Ranchtile information right away! For details and free sample write the Builders' Service Dept., Congoleum-Nairn Inc., Kearny, N. J.



The living room (above) and the dining room (right) are designed as a single unit with a battery of windows providing a continuous exposure for both. However, extension of the fireplace into this area, at right angles to the side wall, gives the impression of two separate and distinct rooms

A built-in planter with storage space below separates the living room from the hall. Grille above is formed of 1x4-inch vertical boards spaced diagonally to the wall surface



# AMERICAN BUILDER BLUEPRINT HOUSE

**BUILDER:**

B. Stromberg Construction Company,  
Morton Grove, Illinois

**ARCHITECT:**


Laurence Schwall, A.I.A.,  
Evanston, Illinois

**SQUARE FOOT AREAS**


House, full area .....	1,730
Garage, full area .....	484
Porch, (1/2 of area*) .....	124
Entrance and planter, (1/3 of area*) .....	25
<b>Total ground area .....</b>	<b>2,363</b>
Basement area .....	923

**COST PER SQUARE FOOT .....** \$14.20

*\*For computation purposes, porch, entrance and planter areas are fractional so that their cost per square foot will be in ratio with that of the house itself.*




This ranch-type design, with its long sweeping roof lines and wide overhangs, produces a ground hugging effect that makes it adaptable to all areas



## a house for today and every day

**D**ESIGNED in the popular ranch house style, this 1953 National Home Week demonstration house is one that meets every requirement for today's living. Through the skillful use of new materials, sound handling of design features and effective room arrangement, everyday living is made easier and more comfortable.

The house is divided into three zones—living, service and quiet or rest zone. Living-dining area and porch comprise the first; kitchen, garage and stairs the second; three bedrooms and bath the third. All rooms of each





The departmentalized bathroom is accessible from the hall and the master bedroom



The kitchen is planned for maximum efficiency with major appliances grouped in a compact unit. All cabinets are oak with a blond finish

zone are closely related and integrated to each other by the entrance hall. A powder room is conveniently located off the hall.

The living-dining area has an interesting and pleasing fireplace and extended brick wall which partially separate these two rooms. Buff colored Roman brick laid up in stack joints is exposed in both rooms. Raised hearth of the fireplace extends the full length of the brick wall above, and the open area under the hearth provides ample storage for firewood.

Ceilings in these rooms are sloped, with an eight-foot height at outside wall increasing to ten feet at the opposite wall. Vertical 1x10-inch redwood paneling is the facing material for the wall adjoining the fireplace in the living room. Two rows of horizontal shelves are placed on this wall at door height for book and knick-knack display.

The service zone—kitchen and breakfast area—is an example of compact convenience. It is easily accessible from all parts of the house. Equipment, including sink, refrigerator, built-in oven and counter top plate, is ar-

ranged on two walls for easy accessibility.

Stair at one end of kitchen leads to a large basement space containing recreation room with fireplace, furnace and laundry room. This house is completely air conditioned and is mechanically ventilated, assuring year 'round comfort and cleanliness.

The quiet zone has three bedrooms, one of which doubles as a study, and a large bath. Each bedroom has wardrobe-type closets with sliding doors. The walls of the study are finished in 1x8-inch ash boards laid horizontally. The bathroom has a 14-foot built-in L-shaped lavatory-vanity combination, a tub enclosure of plate glass and a glass-enclosed water closet. Walls and floor are covered with textured clay tile.


Placed on a poured concrete foundation and footings, the house has exterior walls of face brick. The recessed area on street front is faced with vertical redwood boards of random width. All framing members are wood, including studs, joists and rafters. White asphalt shingles cover the roof of the house.

#### BRAND NAME PRODUCTS USED


Armstrong Cork tile	McKee garage door
Barrett asphalt shingles	Minneapolis-Honeywell controls
Bryant gas-fired furnace	Morgan doors
Bryant air conditioning unit	NuTone kitchen fan
Crane plumbing fixtures	Prairie & Lambert paints
Flor-Ever vinyl asphalt tile	Presteline oven and range
General Electric Disposall	Reynolds insulation
Formica counters	Rheem water heater
Hall-Mack bath accessories	Schlage hardware
Johns-Manville Rockwool insulation	Sterling cabinet hardware
Kennatrack sliding door hardware	Thorn aluminum windows
Libby-Owens-Ford Thermopane	Versans & Kerling recessed lighting fixtures

See Gatefold Blueprint  
for complete working drawings  
—quantity list of materials


For complete one-quarter-inch working plans of this house, write American Builder Home Plan Service, 79 West Monroe Street, Chicago 3, Illinois.





PLANTER DETAIL




LEFT SIDE ELEVATION




FIREPLACE SECTION



FIREPLACE ELEVATION



(PULL OUT FOR FLOOR PLAN)




**BASEMENT PLAN**  
SCALE - 1/8" = 1'-0"




**FIRST FLOOR PLAN**  
SCALE - 1/8" = 1'-0"








PLANTER DETAIL




LEFT SIDE ELEVATION



FIREPLACE SECTION



FIREPLACE ELEVATION



(PULL OUT FOR FLOOR PLAN)

# Quantity List of Materials

## For American Builder Blueprint House No. AB 200

Lawrence Schwall & Assoc., Architects

### General Information

House — Type	masonry
Area	1,730 sq. ft.
Cube	29,410 cu. ft.
Average height taken for cube was 17 feet	
Garage — Area	484 sq. ft.
Cube	5,324 cu. ft.
Height taken for cube was 11 feet	
Porch — Area	248 sq. ft.

### Excavating

Trench for foundation	194 lin. ft.
Chimney and column footings	4
Excavation for basement	276 yds.

### Cement Work

Foundations	2,130 cu. ft.
Concrete work	1,475 sq. ft.
Thickness	4"
Sidewalks	100 sq. ft.
Anchor bolts	50 — 1/2" x 12"
Waterproofing (basement only)	850 sq. ft.
Foundation vents	3
Metal areaways	5
Metal basement sash	5

### Masonry

Type	brick and stone
Walls — Brick	1,500 sq. ft.
Stone	36 sq. ft.
Window sills	stone
Chimney	brick
Flue lining	12" x 12" — 32 lin. ft.
	10" diameter round — 20 lin. ft.
Cap	concrete
Fireplaces — Crab Orchard Stone	2
Throats and Dampers	2
Lintels	2

### Iron Work

Structural	1,452 lbs.
Lally columns	2
Miscellaneous	
Lintels for basement windows	10

### Millwork

Windows — Type	fixed and casement
Material — Fixed	wood
Casement	aluminum
Windows — Glazed, including trim	
Fixed, wood set in stops	5 — 35" x 75"
	4 — 36" x 24"
	1 — 12" x 77"
Casement	4 — 18" x 36"
	4 — 18" x 42"
	13 — 18" x 50"
	7 — 18" x 28"
Fixed picture windows	2 — 36" x 24"
	1 — 38" x 50"
	1 — 54" x 50"
	1 — 72" x 42"
Exterior doors — Material	wood
	3 — 2'8" x 6'8"
	1 — 3'0" x 6'8"
French doors	2 — 2'6" x 6'8"
Garage door — upward acting	1 — 16'0" x 7'0"
Exterior millwork	
Louvers	4
Interior doors, including jambs and trim	1 — 1'8" x 6'8"
	6 — 2'0" x 6'8"
	2 — 2'2" x 6'8"
	6 — 2'4" x 6'8"
	4 — 2'6" x 6'8"
	7 — 2'8" x 6'8"

Special interior doors	
Sets of sliding doors (included above)	6
Special interior millwork	
Kitchen cases	Living room shelves
Bathroom cases and partitions	Planter

### Carpentry

Beams and girders	posts — 2 — 6" x 6" — 8'0"
Joists	28 — 2" x 10" — 26'0"
	20 — 2" x 10" — 18'0"
	22 — 2" x 10" — 16'0"
Bridging	360 lin. ft.
Studding and plates	230 — 2" x 4" — 8'0"
	2" x 8" — 200 lin. ft.
	2" x 4" — 700 lin. ft.
Ceiling joists	26 — 2" x 8" — 22'0"
	32 — 2" x 6" — 26'0"
	18 — 2" x 6" — 18'0"
	18 — 2" x 6" — 16'0"
Roof rafters	100 — 2" x 6" — 18'0"
	64 — 2" x 6" — 16'0"
	4 — 2" x 8" — 26'0"
	6 — 2" x 8" — 18'0"
	2" x 8" — 84 lin. ft.
Framing lintels	2 — 2" x 10" — 12'0"
	3 — 2" x 12" — 18'0"
	4 — 2" x 8" — 10'0"
Subfloor	2,200 b.f.m.
Roof sheathing	4,700 b.f.m.
Sidewall sheathing	300 b.f.m.
Furring	150 — 8'0" — 200 lin. ft.
Grounds depend on interior wall material, jambs and trim	
Carpenter stairs	2 — 2" x 12" — 16'0"
	14 — 2" x 10" — 3'0"
	13 — 1" x 8" — 3'0"
Flooring — Hardwood	area to cover — 1,220 sq. ft.
Softwood	area to cover — 325 sq. ft.
Stripping	1" x 2" — 1,400 lin. ft.
Exterior material	
Soffits	200 — 2" x 2" — 3'0"
	3/8" plywood — 2,000 sq. ft.
Eaves	1" x 6" — 270 lin. ft.
Porches	included elsewhere
Insulation — Ceiling	2,485 sq. ft.
Sidewall	1,300 sq. ft.

### Sheet Metal

Gutters	270 lin. ft.
Downspouts	70 lin. ft.
Flashing	chimney

### Roofing

Type	210 lb. asphalt shingles over 15 lb. felt
Area	38 squares

### Interior Walls

Area to be covered	5,900 sq. ft.
--------------------	---------------

● This quantity list will be subject to variation depending on the common practices in various sections and municipalities of the country, the techniques of individual builders, the types of materials available locally and cost factors. The list published here is a suggested one, complete enough so that it can be used in arriving at a reasonably accurate estimate of the quantities and cost of materials that will be required to complete the structure. It was prepared by experts at the Edward Hines Lumber Co., Chicago.

## 'how to do it' convention roundup

# these cost saving techniques will work for '5 or 500 houses'



Andrew Place

**L**ABOR and cost saving advantages of precutting and preassembly, "tilt-up" construction, roof trusses and storage walls were effectively emphasized during the NAHB convention by Andy Place and an eight-man crew from South Bend, Indiana.

A step-by-step "live performance" dramatized these advantages:

**Precutting**—greater accuracy; lower cutting cost through the use of assembly line production methods; better use of "scrap" lengths; more efficient use of "on-site" labor.


**"Tilt-up" construction**—quicker, easier and more accurate layout through the use of templates; materials can be held in position more easily; nailing is faster, easier; men can work more safely and efficiently, as compared to working on ladders and scaffolds; an estimated cost saving of 20 per cent.

**Roof trusses**—stronger construction; greater flexibility in floor plan; can be preassembled, thus getting the house under roof more rapidly; provides a more level ceiling; permits finishing economies such as application of plasterboard to the single open room before partitions or storage walls are installed; in freezing weather, permits slab to be poured after house is under roof; provides large volume of storage in a dry area.

**Storage walls**—more rapid completion of house; savings in drywall finishing due to larger open areas and fewer corners; improved closet design with more accessible space; greater flexibility of living areas (bedrooms can be changed to meet family requirements).


Said Andy Place, "This system will work for 5 to 500 houses."

1. Workmen assemble a 28-foot wall section. This operation is controlled by the use of two templates extending the full width of the panels. After chalk lines have been drawn on the floor of the working area for the necessary width, templates are placed between lines and approximately six inches from top and bottom plates. Templates are notched every 16 inches to receive studs.
2. Panels of plywood sheathing are applied after studs, window and door assemblies are in place and nailed. Just before application of sheathing, wall section must be squared.
3. Template also is used for siding or shingles. Fabricated metal corners are used for both siding and shingles.
4. Less than one-half hour after workmen started on wall section, it is tilted in place. Note template as workmen detach it from studs.
5. Second section is tilted into place and workmen are locking the sections firmly together. Extensions of 2x6-inch topplate (one can be seen in foreground of photo No. 1) interlock as sections are brought together.
6. Two workmen assemble roof trusses in five minutes. Note use of automatic nut running device.



7. Trusses are raised into position and secured 24 inches on center.


8. Demonstration nears finish as workmen slide storage wall unit into place. The entire operation required approximately 2½ hours, including time for the foundation demonstration described below.




## Place uses standard steel curb forms for his foundation

Simulating a corner section of the pier and beam construction used in their South Bend operations, Place and his crew demonstrate how the job can be done with the use of standard highway curb forms. "These forms can be used for 400 to 500 houses by just keeping them clean," stated Place.

1. This illustration shows workmen placing reinforced steel around perimeter (grade beam). Operations preliminary to this step include leveling of the site; placing of stakes around the perimeter by the engineer (see photo 1); digging of pier holes around the perimeter with 16-inch augur on tractor; and trenching for placement of concrete forms.
2. Steel forms for outside of grade beam have been set and workmen are securing forms with steel stakes.
3. Rear view of outside forms in position. Note steel stakes and bracing at corner.
4. Forms for inside of grade beam are of wood. They are secured by steel stakes, thus assuring rigid four-inch separation between outside and inside forms.
5. Perimeter insulation (two-inch fiber glass in sheet form) is placed and wrapped with Visking vapor barrier. Insulation is installed against the inside form and also flat, extending two feet into center of slab area. Place subgrades eight inches from top of form. Simulated layer seen in photo is sand fill.
6. Here workmen complete installation of perimeter heat duct (vitrified tile). Although not shown in this sectional mockup, plenum chamber for heating system is placed in position at this time, as are simple metal forms for heat duct outlets. Vapor barrier, which had been folded back to permit installation of ducts, is then placed over entire slab area, followed by 6x6-inch steel mesh. (Mesh is raised when concrete is poured to assure its being an integral part of the slab.)



**'how to  
do it'  
convention  
roundup**



**seven trade groups stage unprecedented  
seven-ring demonstration circus**

SPARKED by NAHB Construction Committee Chairman Earl W. Smith and Construction Department Director Leonard B. Haeger, seven trade associations joined hands to sponsor and conduct an unprecedented series of demonstrations. These ran concurrently on seven stages in the Grand Ballroom of the Conrad Hilton on the last day of the convention. Appropriately

named the "How To Do It" Circus, each trade group staged five complete 30-minute demonstrations during a three-hour morning session, returning in the afternoon until all questions were answered. On these and the following pages are picture and word condensations of the "how it's done" message each association put across during its half-hour show.



Ringmaster Earl "Flat-Top" Smith

**how to finish  
drywall—  
The Gypsum Association**

1. Cutaway section of second ply of gypsum wallboard. Special adhesive on back of this face layer is used to laminate face layer to first ply.
2. First step in concealing and reinforcing drywall joints, is the taping of horizontal wallboard joints with this taping tool.





3. Here the same tool tapes a corner wallboard joint.


4. Mechanic applies tape to outside corner. Tool can tape all kinds of corners and joints—inside or outside corners, regardless of angle; recessed or flat edge joints. Taping device applies correct length of tape where you want it, and with adequate cement to properly imbed it.



5. Mechanic finishes horizontal wallboard joint with 12-inch hand finisher.


6. Cement is feathered out for an even, smooth finish, as mechanic applies second coat with hand finishing device.

7. Corner finisher is used after corner roller imbeds and squares corners. Finisher plows excess cement back over tape evenly and smoothly.




8. Mechanic spots wall and ceiling nails with special nail spotting tool.

9. The finished drywall. (Ames taping tools, available on lease only, were used for this demonstration. This particular set of tools has been used in taping and finishing more than 60,000,000 square feet of wallboard.)



'how to do it' convention roundup

## how to get better clay tile installations—The Tile Council



1. Shown are two of three basic types of clay tile. Three types are: (a) 4 1/4 x 4 1/4 inch glazed, square; (b) ceramic mosaic; (c) quarry.

2. Good tile work begins with the carpenter. He should select straight and true studs. These should be braced midway in their height with 2x4 herringbone bridging cut between 15 and 30 degrees with the horizontal.

3. Good tile work also depends on the plumber. He should always use tub hangers to avoid tub settlement and opening of cracks where tub meets wall.

4. See that all pipe connections are brought out at least 1 1/2 inches from stud line. This assures adequate tolerance for fittings.

5. Conventional mortar installation is shown here. Studs have been waterproofed, proper type of metal lath used, scratch and leveling coats of mortar applied, followed by skim coat of neat cement paste just before tile is set in bed.

6. Mechanic sets tile using mortar method. Always soak tile in clean water before installing in mortar. Cut the mortar bed with a trowel every four or five courses, vertically and horizontally, to allow for shrinkage of mortar.

7. Mechanic sets tile using adhesive method.

8. Mechanic applies white grout to joints between tile.

9. Here are ingredients for proper 1:1:4 mix: one bag of Portland cement, one bag of lime, and 13 12-quart buckets of clean, damp sand.





## how to use dry finishing materials—Insulation Board Institute

**I**LLUSTRATION above shows workman installing 12x12-inch ceiling tile with adhesive. In using this method, care should be taken to apply the adhesive in spots or dabs two inches in diameter,  $\frac{1}{4}$ - to  $\frac{1}{2}$ -inch thick, one in each corner of the square tileboard. For larger rectangular tileboard, use two or more additional spots.

In corner photo above, random width plank is applied on furring strips over framing members. For typical installation, furring strips should be at right angles to plank on nine-inch centers up to a height of five feet, and 12-inch or 16-inch centers above this height.

Illustration at right shows appli-

cation of 4x3-foot building board direct to framing members. Framing should be installed in the usual manner on 12- or 16-inch centers. Headers should be cut in between framing members at the ends of the insulation boards to provide a nailing base, and also in back of chair rails and all other heavy moldings. Insulation boards should be of sufficient length to completely span between sills and plates or other structural members.


At right below, mechanic applies lath over framing members. Lath should be applied with long edges at right angles to the framing or furring strips.

Photo at left below illustrates use



of newly developed shingle backer. Wood shake shingles are applied directly to  $\frac{25}{32}$ -inch sheathing with the use of the shingle backer and a special 2-inch galvanized annular-grooved nail. The shingle, along with a wood lath strip, can be used to apply asbestos-cement shingles to sheathing.





'how to do it' convention roundup

## solder joints for copper tubing— Copper & Brass Research Institute

THERE are nine important steps in properly making a solder joint for copper tubing. Four of the steps are illustrated in the photos at left.

1. (Upper left) Cut tube square and to exact length. If it isn't cut square, it will not seat properly against the shoulder. If you cut too short, you steal part of your socket depth and the joint is weakened.
2. (Upper right) Remove burrs or irregularities.
3. (Lower left) Clean tube end and fitting. This removes oxides which prevent the solder from bonding with the copper. It is the most important step in the entire operation.
4. (Lower right) Flux tube end and fitting. This removes residual oxide, prevents further oxidation during heating; and floats out dissolved oxide ahead of the solder, thus presenting a clean surface to the solder at all times.
5. Assemble tube into fitting.
6. Heat the joint until metal is hot enough to melt solder. This assures capillary action and good bonding.
7. Apply solder to joint. If it isn't hot enough, mechanic again applies heat to the joint, not the solder.
8. Clean excess flux and solder from tube and fitting.
9. Inspect joint for complete ring of solder.

## how to install kitchen cabinets— Steel Kitchen Cabinet Mfgs. Ass'n.


THE PROPER USE of hanger bars and the systematic placement of wall and base kitchen cabinet units were detailed in this demonstration.

In the top illustration at right the mechanic is installing hanger bars for wall cabinets. These are placed on a level line at the height recommended by the manufacturer. (When using hanger bars follow instructions of the maker carefully, it was emphasized.)

Hanger bars are not necessary, however. Wall cabinets can be anchored with wood screws regardless of wall construction. This is particularly true in remodeling. For new construction, metal wall cabinets also can be installed easily and solidly by anchoring directly into ground strips.

Center illustration shows installation of corner wall cabinet on hanger bars. Placement should always start in corner, working outward in both directions for additional units. To simplify the installation of wall cabinets, they should be positioned before the soffit is completed.

In the bottom photo workman is assembling the corner base section unit. He does this in the center of the kitchen floor and, after assembly is complete, he slides the unit into position. Adjoining units are then placed in position, again working outward from the corner.



## how to apply asbestos shingles— Asbestos Cement Products Association

SOME of the newer fasteners and techniques for applying asbestos cement siding shingles to non-wood sheathing are illustrated and described on this page.

**1/2-inch gypsum board**—Two self-clinching nails for use with 1/2-inch gypsum board are the ES Nail No. 11 and the E. G. Loc-Nail. Both nails secure the shingles to gypsum board by automatically clinching immediately behind the board.

**Insulating board sheathing**—The E. G. Loc-Nail also is made in proper lengths for 1/2-inch and 2 5/8-inch insulating board sheathing. ES Products, Inc., maker of the ES Nail No. 11, is developing a nail for 2 5/8-inch sheathing of this type. It will be known as ES Nail No. 13 and will be available in June, 1954. The recently developed Flintkote "hook nail" is used for shingles which have four head nail holes, instead of the usual three holes at the bottom. Flintkote and other manufacturers will supply shingles so punched on order. The "hook nail" fasteners, for use with 1/2-inch or 2 5/8-inch insulating sheathing, are tin-coated, red copper nails. They are driven down at a slant and the shingles in the course above fit into the "hooks". Since part of the hook comes between the overlapped shingles, an accentuated shadow line is produced.

**5/16ths and thicker plywood**—A 1 1/8-inch aluminum alloy nail is available for use over plywood sheathing. Point, barbing and other features are planned to give it good holding power. It is usable on all plywood sheathing 5/16-inch and thicker. It can be used with lumber sheathing as well.


**2 1/4-inch twist nail**—This nail, made of hardened copper and tin

plated, can be used over any non-wood sheathing or nailing base. The nail is driven through the sheathing and clinched from behind with a "twister tool," similar to a forked screw driver. This twisting draws the shingle tight and forms a lock which holds it in place. Suitable for all thicknesses of gypsum and insulating board sheathing, they also can be driven into studs after a portion of the shank is cut off.

**1 3/4-inch multiple-thread barbed nail**—This aluminum nail was developed for remodeling work in fastening shingles to old wood siding. The multiple-thread shank is designed for extra holding power.

**Metal channels**—Several types of metal channels are now available. The channel strips fit over the head edge of the under-course shingles, and are held in place with "hook headed" nails driven into the studs, one nail to each stud. The nail is L-shaped at the head and the "hook" clamps the strip to the top of the shingle. Some channels have flanges which extend upward flush with the sheathing, and are nailed through that flange for extra rigidity. The butts of shingles in the succeeding course engage with, and are supported by the channel. The headlap in this method is reduced to one inch from the customary 1 1/2 inches.

**"Horsefeathers" method**—The "horsefeather," or beveled furring strip, is a piece of wood not less than 3 1/2 inches in width and not less than 3/8 inch thick at the butt. It is nailed securely to the studs, two nails to the stud, and laps 1 1/4 inches over the top of the shingle. The next shingle is applied so that its butt extends 1/4 inch below the base of the nailing strip, nailed through the face nail holes with standard face nails.



### KEY TO FASTENERS

- A. ES/Nail No. 11
- B. 1 1/8-inch aluminum alloy nail for plywood
- C. 1 3/4-inch multiple-thread barbed aluminum nail
- D. 1 1/2-inch multiple-thread barbed aluminum nail
- E. E. G. Loc-Nail
- F. Flintkote "hook nail"
- G. Hook-headed nail for metal channels
- H. 2 1/4-inch twist nail (tin plated copper)



Mechanic installs shingle using "hook nail," a recent development of The Flintkote Company



Channel strips fit over head edge of under-course shingles; are held in place with "hook-headed" nails




Here workman demonstrates "horsefeather" method for applying asbestos cement siding shingles



## **BIG BUILDER**

**sets pace  
for housing  
values in  
1954**

"The 1954 'Country Clubber' represents the ultimate in our many years of effort to deliver the most house for the least money."—  
Bill Levitt



Levitt "Country Clubber" will probably be America's biggest housing value news in 1954

# Levitt does it again

## 1954 "Country Clubber" Has All This for \$15,500:

1. 2,000 square feet of finished living area—1,200 on main floor and 800 on second floor.
2. Two complete baths—each features double sliding mirror medicine chest and wall tile.
3. Complete landscaping—over a dozen trees, 43 assorted shrubs and lawn.
4. Double glazing—panel window system eliminates need for storm sash.
5. Radiant heat—oil-fired boiler supplies hot water to coils imbedded in slab.
6. Dishwasher sink—six-foot double drainboard, stainless steel sink has built-in dishwasher.
7. Automatic washer-dryer—combination washer-dryer unit is conveniently placed in kitchen.
8. Stove and refrigerator—push button range with clock and timer, 11.2-cubic-foot automatic defrost refrigerator.
9. Double carport—built of steel beams to eliminate bulky look.
10. Outdoor living—a slate patio near kitchen for outdoor entertaining.
11. Fireplace—two-way log-burning brick fireplace, includes screen and fireplace tools.
12. 100x200-foot lot—fully improved streets; water, sewer, storm sewer are included.
13. Planned community—community planning integrates neighborhoods as part of larger developments.
14. Recreation facilities—swimming pools, ball diamonds, playgrounds, parks—all part of Levittown, Pennsylvania.

BUYERS are ordering Levitt and Sons' "Country Clubber" now, even though the first owners will not move into one of the nation's biggest housing values until next September.

This "Country Clubber" is big news. It costs less and has more square feet of living area than the previous Levitt model.

On the drawing boards a year, this house was planned to offer maximum amount of usable space

for the home owner's dollar—major requirement for the '54 Levitt model. It is a house of 2,000 square feet with many flexibility features. It can have from two to five bedrooms, and the flexibility is such that a sixth can be added later by the owner with only the construction of a partition.

But best of all, this house provides ample living area for a large family. There is no sacrifice of liv-

ing space in order to add more bedroom area.

The Levitt selling model has a floor layout designed to suit the average family with a moderate income. The model has three bedrooms and enough extras to tempt most buyers.

It features a living-dining room combination plus a large kitchen. The ground floor also has a "garden

(Continued on page 92)



2,000 square feet of living area on two floors point to the growing trend of off ground-level living areas

(Continued from page 91)

room," new to the housing field, with an exterior wall and interior partition of glass. Two bedrooms and bath complete the ground floor.

The second floor has a large recreation room, complete bath, and third bedroom.

But if this isn't housing news enough, add to the package a large double carport, a host of automatic kitchen appliances, extra large


The two-way fireplace is focal point in the large L-shaped living room. The room measures 22½ feet across the front



The "Country Clubber" is open-planned. Stairway to second floor is not hidden. Sliding screen guest closet is adjacent to entryway



The rest of the living area is the width of the house, measuring 25 feet



New to the housing industry in such a low-cost package is the "garden room" with fenestration on both exterior and interior walls. The room can be used as den, sewing room or bedroom. The room measures 11 feet by 10 feet 8 inches

20,000-square-foot lot, a well-planned community with direct suburban transportation service, and ample recreational facilities—all this for \$15,500.

Financing requires \$1,000 down for vets, \$3,100 for non-vets with carrying charges of \$74 per month. Included in the monthly tab are amortization, interest, insurance and taxes. There are no closing costs in Levitt financing plan, which forms another plus feature.






Bedrooms include shoulder-high windows that add extra wall space and privacy. Closets have sliding screen doors and are engineered for storage use



The plus-value kitchen is complete. Included in the sales price are stainless steel sink with electric dishwasher, stainless steel topped push-button automatic range, automatic defrost 11.2-cubic-foot refrigerator, automatic washer-dryer combination and broom closet. Room is 12x12 feet with plenty of eating space





There are two baths in the "Country Clubber," each containing extra large all-steel wall medicine cabinets with sliding door mirrors, porcelain tile walls



▲ Second floor is completely finished in knotty pine, has recreation room, bath and third bedroom. If family requirements call for additional sleeping areas, recreation space can be made into two or three additional bedrooms

The pine paneled second floor area is 16 feet wide and runs the full length of the house. The enclosure shown houses the bath and walk-in closet. Beyond, is the third bedroom ▶

The upstairs bedroom is 16 feet wide and is separated from recreation area by bathroom and walk-in closet ▼



Adjacent to the bedroom is this large storage closet and bath, which has the same extras as the downstairs bathroom

## a like-ly story

### about Ro-Way Overhead Type Doors



It's more than likely your clients will LIKE everything about Ro-Way Overhead Type Doors—because customer satisfaction is *built right into every detail.*

They'll LIKE the handsome Ro-Way styling—the clean lines that blend so well with any architectural design.

They'll LIKE the way Ro-Way doors are built of carefully selected west coast lumber . . . with mortise and tenon joints both glued and *steel* doweled for extra strength; muntins, rails and stiles precision squared for precision fit; sections rabbeted for weathertight joints; millwork drum and hand sanded for real smoothness.

They'll LIKE the way Ro-Way heavy gauge hardware

is both Parkerized and painted—*after* fabrication—for maximum rust resistance.

They'll LIKE the quiet ease of Ro-Way operation, assured by such outstanding features as friction-reducing Taper-Tite track coupled with Seal-A-Matic hinges; easy gliding, ball bearing Double-Thick tread rollers; and specially made springs with tension Power-Metered to the weight of each door.

What's more, *you'll* LIKE the client goodwill you earn by specifying Ro-Way—for every residential, commercial and industrial application. It isn't likely you'll ever regret it. So remember Ro-Way—for satisfaction all around.

ROWE MANUFACTURING COMPANY, 743 Holton St.,

Galesburg, Ill.

*there's a Ro-Way for every doorway*

**Ro-Way**  
OVERHEAD TYPE  
DOORS



Nationwide sales and installation service. See your classified telephone directory for nearest Ro-Way distributor.



ride the trend to faster sales

# Fir Plywood built-ins are a definite sales-feature in any home you build

YOU'RE swimming with the tide when you offer buyers plenty of built-in storage space. Even modest homes can be lifted above the ordinary . . . given extra sales-appeal, extra livability with low-cost fir plywood built-ins. Use them in every part of the home—in living and dining rooms, bath, hall and utility area as well as kitchen and bedroom.

And fir plywood is the perfect material for built-ins. Big panels save time and labor. They're easy to cut, fit and fasten. Strong. Fir plywood takes abuse without splitting or chipping. Good looking. Smooth real wood panels take any finish.

Play it safe. Your reputation's on the line with every home you sell. Specify only DFPA grade-trademarked fir plywood. "EXT-DFPA" for outdoor use, PlyPanel for interior finish, PlyScord for structural use. Other grades for other jobs.

**EXT-DFPA®**




\* DOUGLAS FIR PLYWOOD ASSOCIATION, TACOMA 2, WASHINGTON


**AND REMEMBER—**  
fir plywood cuts costs . . . for  
wall and roof sheathing, subfloors,  
underlayment, siding, exterior trim




Combination dining bar, buffet and storage unit  
designed by Grosvenor Chapman, Washington, D.C.




Shoulder-high sectional storage wall  
designed by Seymour R. Joseph, N.Y., N.Y.




Fir plywood wardrobe closet and dresser  
designed by Bruce Walker, Cambridge, Mass.




Half-high partition and storage unit  
designed by Paul Edward Tay, Long Beach, Calif.




Exterior fir plywood carport storage closet  
Designed by Bruce Walker, Cambridge, Mass.



Modular fir plywood storage wall  
designed by Project Designers & Planners, N.Y., N.Y.



Fir plywood shelf-door wardrobe closet  
designed by Edward Hanson, Stillwater, Minn.



**MORE IDEAS FOR BUILT-INS**—Send today for free "Portfolio of Architectural Designs for Built-Ins." Over 50 prize-winning ideas from national architectural contest. (7 are shown on this page.) Write: (USA only) Douglas Fir Plywood Assoc., Dept. B, Tacoma, Washington.

**NEW**



**NEW SPENCER SUBURBAN**

**THE OIL-FIRED BOILER BURNER UNIT**

with the beauty and convenience of a kitchen appliance!

NEW PRODUCT

# COMPLETE NEW HEATING UNIT

combines "kitchen appliance" beauty with  
"code boiler" dependability . . . offers  
easier installation and servicing

Spencer now offers a new ready-to-install oil-fired heating unit called the Suburban. This unit combines time-tested Spencer efficiency and durability with a new kind of beauty and ease of installation. It's equipped to supply year-round hot water, conforms to ASME and SBI codes, offers several unique advantages.

**FITS IN ANYWHERE**—the Spencer Suburban *actually rivals modern kitchen appliances* in adding beauty to kitchens or utility rooms. All parts are completely enclosed in a gleaming white enamel beauty jacket. Connections are easily concealed. And because the Suburban is completely insulated, it can be placed flush against metal appliances or wooden cabinets, or even set directly on a wooden floor. No special base is necessary.

**EASIER TO INSTALL**—just hook up electrical connections, oil and water lines, and smoke pipe. That's all.

**EASIER TO SERVICE AND CLEAN**—readily removed plate on top makes all fire tubes easily accessible. No need to disturb jacket or smoke pipe when cleaning this unit. Controls and all working parts can be reached from front for easier servicing.

This is the newest member of Spencer's Complete Line.



510 SQ. FT. NET SBI WATER RATING  
DIMENSIONS—ONLY 21½" x 32½" x 56"



Spencer Heaters, Dept. AB-3-4, Lycoming-Spencer Division  
AVCO Manufacturing Corp., Williamsport, Pennsylvania

Dear Sirs: Please send additional information, including full specifications,  
on the new Spencer Suburban to:

Name \_\_\_\_\_ Position \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

# The '54 **P&H** Pioneer Home

- 72 sq. ft. larger living room than most at price
- 27 1/2 sq. ft. more closet space than most at price
- 30 sq. ft. larger kitchen, 43 ft. more kitchen shelving
- extra powder room, folding door room for TV or 4th bedroom



Build homes that offer more . . .  
you'll sell more, profit more

There's no selling problem with this new P&H Home. Just let your prospects see it; let them compare with others at the price. That's all the selling you'll have to do. The new P&H Pioneer Home has full bath plus powder room, more than 1,100 sq. ft. of living space. And it has more new ideas, more selling features than any home you've seen at the price in years.

Site costs are lower, too, when you build P&H Homes. Homes arrive at site complete with hardware, millwork, glazing and trim, ready to go up in a day. You can build P&H Homes the year around, offer 2, 3 or 4 bedroom models with or without basements. Financing aid is available from a P&H subsidiary when local sources are limited.

*See how risk-free and profitable home building can be*

**WRITE FOR DETAILS ON THE P&H BUILDER PROFIT PLAN NOW**




**New Flexibility! 3-Way Dining Area**  
*Here's a real sales-closer in the '54 P&H Homes — a changeable dining area. The matchstick bamboo folding screen on a ceiling track makes dining area part of kitchen or living room, or open to both, in seconds.*

## **P&H HOMES** **HARNISCHFEGER CORPORATION**


353 Spring St., Port Washington, Wis. Phone Port Wash. 611

Now sell homes to the low-cost market — profitably. Write for details on the new P & H minimum-cost Home, priced to sell at about \$6,000.

*the* **P&H** *Line*



# Here's your BIGGEST VALUE in power saws today... a portable, big-capacity DE WALT for only \$229 delivered!



## 2 New Models for Small Builders

VALUE NO. 1

**Model MBC DE WALT 9" Saw**

**Only \$229 Delivered**

VALUE NO. 2

**Model GWF DE WALT 10" Saw**

**Only \$348 Delivered**

Today... your best bet to reduce job costs and make bigger profits is a new portable DE WALT... especially designed for small builders... priced low enough to pay for itself on the first house it helps build with savings these ways:

**Big Capacity**... new 9" saw cuts 2½" deep, 10" saw cuts 3" deep; both rip to center of 48" wide panels to give you ample capacity for house jobs.

**Save Handling**... put DE WALT alongside the lumber pile and pre-cut all your framing from a planned cutting list.

**Save Marking**... lay out one piece, set up your DE WALT and easily duplicate all cuts from ONE marking.

**Save Fitting**... DE WALT pre-cuts perfectly the first time, saves the added cost of fitting.

**Save Material**... DE WALT cuts from above, easily follows line marks for perfect work and eliminates spoilage; re-works odd sizes into usable pieces.

**Save Millwork Cost**... DE WALT shapes, dados, etc., turns out millwork on the job... no more mill costs.

**Save Repair Costs**... direct drive DE WALT motor is grease-sealed for life... no brushes, no repairs to worry about.

**Double Use**... after framing carry DE WALT inside to "build in" those cozy extras that help sell houses.

Visit your nearby DE WALT dealer and pick up a low-cost DE WALT for your next job. It's easy to operate... easy to move around. And you get low-cost DE WALT PERFORMANCE that produces a better house for less money... more profit to you! Write for complete DE WALT catalog.

See our lightweight builders' model at Booths #35 and #36, National Association of Home Builders' Show, Jan. 17-21, Conrad Hilton Hotel, Chicago.

**RIPS TO CENTER OF 48" PANEL**

**DADOES AT ANY ANGLE**



De Walt Inc.  Lancaster, Pa.

# DE WALT

**POWER SAWS**

Subsidiary of

**AMERICAN MACHINE & FOUNDRY COMPANY**  
New York

De Walt Inc., Dept AB-3-54, Lancaster, Pa.

Please send me full details on the BIGGEST VALUE in power saws today

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ ZONE \_\_\_\_\_ STATE \_\_\_\_\_

(Attach to business letterhead and mail)

# Tests like these insure the quality of Kentile asphalt tile

A.I.A. 23-G

Because of scientific tests like these, every tile shipped has precision-straight edges and true right-angle corners. That means installation ease and economy. Further, Kentile's manufacturing techniques and tested ingredients mean that every tile is tougher, more durable, easier to clean...with lasting brilliance of color and uniformity of marbleization. But, get full details when you consult the Kentile Flooring Contractor. He's listed under FLOORS in the Classified Telephone Directory.

## Specifications and Technical Data

**INSTALLATION:** Over any smooth, firm interior surface free from spring, oil, grease and foreign matter...over metal, wood, plywood, concrete, radiant heated concrete slab, concrete in contact with the earth; on or below grade.

**THICKNESSES:** Kentile is available in two gauges: 1/8" for residential and most commercial uses—3/16" for industrial use and where extra-heavy duty flooring is needed.

**SIZES:** Standard tile size is 9" x 9".

**SPECIAL KENTILE:** Greaseproof asphalt tile for industrial uses in a wide range of marbleized colors—extremely resistant to petroleum and cooking greases and oils, alcohols, alkalis and most acid solutions.

## Approximate Installed Prices (per sq. ft.)

	1/8" Gauge	3/16" Gauge
KENTILE: A Colors	20¢	25¢
KENTILE: B Colors	25¢	30¢
KENTILE: C Colors	30¢	40¢
KENTILE: D Colors	35¢	40¢
SPECIAL KENTILE	40¢	50¢

These costs are based on a minimum area of 1,000 sq. ft. over concrete. Color groupings range from Group "A," the darkest solid colors...to Group "D," the lightest marbleized colors. Special Kentile is available in Regular and DeLuxe Colors.



The ability of Kentile's top-grade raw materials to flow properly during calendaring is measured by a *Mooney Viscometer*.



This *electronic Color-Eye* records the shade of each Kentile color to help preserve uniformity of tone from one run to the next.



Trained technicians using *Special Gauges* check the length and width of Kentile to tolerances less than a thousandth of an inch.



Surface smoothness is checked by chemists who select tiles from every run and examine them under *Binocular Microscopes*.

Samples and literature available on request from nearest Kentile, Inc. office listed below. Ask about Kentile for WALL use, too.

# KENTILE

The Asphalt Tile of Enduring Beauty



Kentile is the floor your clients know and want...


BACKED BY MORE FULL-COLOR ADVERTISING THAN ANY OTHER ASPHALT TILE FLOOR

KENTILE • SPECIAL KENTILE • KENCORK • KENRUBBER • KENFLEX •

\*Reg. U. S. Pat. Off.

KENTILE, INC., 58 Second Avenue, Brooklyn 15, New York • 350 Fifth Avenue, New York 1, New York • 705 Architects Building, 17th and Sansom Streets, Philadelphia 3, Pennsylvania • 1211 NBC Building, Cleveland 14, Ohio • 900 Peachtree Street N. E., Atlanta 5, Georgia • 2020 Walnut Street, Kansas City 8, Missouri • 4532 So. Kolin Avenue, Chicago 32, Illinois • 4501 Santa Fe Avenue, Los Angeles 58, California

# New PORTER-CABLE Professional 8 1/4" SAW



MODEL  
108

## "CONTRACTOR'S SPECIAL"



**Rugged.** All the power, speed and stamina needed for long rip cuts, fast cross cuts, compound miters, etc. Actually cuts through 1 x 10 pine in 1 second!

**Cuts Deeper.** Full 8 1/4" blade cuts 2 1/8" at 45°—deep enough for undressed 2 x 4's. 2 3/8" cut at 90° is deeper than any comparable saw.

**Safer.** (1) Exclusive kickproof clutch, (2) exclusive cam-action guard, (3) exclusive auxiliary front guard, (4) and extended base make sawing safer than ever.



These are only the highlights of what's new in the Porter-Cable CONTRACTOR'S SPECIAL. Get the complete story—today—see your dealer or mail coupon for full information.

Manufacturers of GUILD and SPEEDMATIC Electric Tools

MARCH 1954

Built for  
All-Day Sawing  
Deepest Cut of All  
Safer 4 Ways  
Specially  
Priced ...

**\$95.**

More advanced features than any other saw at any price!

1. **MORE POWER**—Larger motor with higher amperage provides 10% more power.
2. **LIGHTER**—New style casting shaves weight to 13 1/2 lbs.—means less muscle strain.
3. **KICK-PROOF CLUTCH**—Eliminates dangerous kick-back when blade hits knots or hard spots.
4. **BLADE GUARD LIFT LEVER**—Permits you to pull guard back without risk while blade is spinning.
5. **CAM-ACTION BLADE GUARD**—Exclusive design (pat. pending) provides steady, full retraction—abolishes extra push required to overcome "hitching."
6. **AUXILIARY FRONT GUARD**—Automatically covers exposed blade at front of saw when base is lowered for shallow cuts.
7. **EXTENDED BASE**—Lets you cut in either direction on either side when notching or trimming roof overhang.

PORTER-CABLE Machine Co.  
2003 N. Salina St.  
Syracuse 8, New York


(In Canada, send to: Strongridge, Ltd., London, Ont.)

Gentlemen:  
Please send complete information on your new "Contractor's Special"; also name of nearest dealer.

Name.....  
Address.....  
City..... Zone.....  
State.....

**they won't**

PARK FOREST  
*shopping*  
center



# outgrow PARK FOREST!

**Here's how Manilow builds new units  
to accommodate changing family needs**

**P**ARK FOREST does not want its citizens to search elsewhere for a luxury home if the family's fortunes rise. It does not want them to outgrow their planned community as to taste. It wants to be able to offer the growing family a kind of house that it needs and wants—in Park Forest!

Park Forest was originally planned as a park city offering housing to a large veteran group who needed inexpensive housing. Now, nearly six years later, it is two-thirds built. Its average male citizen is about 31 and is making around \$6,000 a year. Ninety per cent of the families there have children.

It is likely that the average Park Forester will increase his income in the future. This man and his family are very likely to want a nicer home as their fortunes rise. In a children's community, they may want more bedrooms.

For these reasons, American Community Builders, headed by Nathan Manilow, have built or are planning a series of projects like the following:

▶ A luxury section in which an individual can buy a lot and build a custom house of his choice. This

area, called "Thorn Creek," is a wooded section south of Park Forest. Thorn Creek will be restricted for homes from \$20,000 to \$40,000.

▶ Houses with a custom look, which differ markedly from those homes built in Park Forest in the past. These new homes differ from the standard models built before in that they are of contemporary design. They are generally higher priced than those built in the past. These houses feature eight basically different designs selling at prices from \$14,850 to \$17,500.

▶ Houses that will appeal to growing families. One of these homes is called the "growing home." It is designed for families with moderate budgets. The growing home is priced at \$10,995. It has a semi-finished second floor. Owner can finish this himself. Another model recently built was also designed for the large family, but for one with a larger income. This house contains eight rooms. Five of the rooms are bedrooms. House sold for \$18,500.


▶ Two large row houses, originally planned as co-ops. Now built and occupied, they represent luxury rental units called Illini Town Houses. Each of the Illini Town

Houses contains 6 housing units—one seven-room unit and five six-room units.


▶ Planned for the future and still on the drawing boards is what will be known as the Carroll Sweet Apartments. Preliminary thinking about the apartments suggests a two-story building containing 96 units. These apartments are thought of as predominantly one-room units with bath. Some will contain two rooms and bath. The one-room apartments will contain a bed alcove and a strip kitchen. Two-room apartments are envisioned as a full bedroom and a living room-kitchen. These apartments will give special consideration for older persons. Non-slip floors are planned. Bath-tubs will be designed to eliminate hazard. The Carroll Sweet Apartments are planned to rent for about \$70 a month.

With a broad range of different kinds of homes to choose from, both as to price and as to design, a Park Forester will be able to find almost any kind of dwelling he may want to live in. By planning ahead, Nathan Manilow and his firm are creating a community that has a flexibility sensitive to family change.

CONTINUED 





**here is what  
Park Forest is doing—**



**T**YPICAL of the houses sold in Park Forest in the past is this two-bedroom model with one bath. Without garage it sold for \$13,025 to \$13,575. (upper left). One of the 546 new homes for sale in Park Forest (above), is contemporary in design. House has three bedrooms, two baths, carport and outdoor storage wall; meets trend toward larger families, higher incomes. House sells for \$16,800 to \$17,100.

Park Forest shopping center has been enlarged. Center is free of traffic. Parking areas surround stores which are placed in an island of parks and walks





**G**ROWING HOME is a frame story-and-a-half expandible unit. Exteriors were varied with different window treatments, use of redwood and colored asbestos shingle. First floor contains 300 square feet. Second floor contains 320 square feet, but is left unfinished. A staggered building line gives variety to street appearance of growing homes. Lots average 50x130. Automatic washer is included with purchase. The growing home sells for \$10,995.

**for the economy-minded growing family—**



**F**IVE bedroom house is ideal for a large family. The 42-A is brick and frame, looks very much like the "growing home," but is larger. The 42-A has a kitchen, dining room, living room, bath and two bedrooms downstairs. Three bedrooms and a bath are on the second floor. Two of these houses were built in Park Forest as an experiment to get reaction of the public. The house was popular and sold easily at about \$18,500.




## houses from \$14,850 to \$17,200—

New houses for Park Forest now have at least three bedrooms. They show a marked departure in architectural style from those built in the past. This line of Park Forest homes is priced from \$14,850 to \$17,200, is available in eight basically different exterior treatments. Basementless and one-floored, they

have one, one-and-a-half, or two bathrooms.

Kitchens are equipped with steel cabinets, double sinks, automatic garbage disposal units. Floors are asphalt tile. Two-bath home sells for about \$16,050 to \$16,300, has a living room 12x20 feet. One-bath home is priced at \$14,850 to \$15,250, also

has a living room 12x20 feet. One of the models having a bath-and-one-half has a living room 12x20 feet, a dining room 12 feet 2 inches by 9 feet 2 inches and a kitchen with a snack bar. This home also has about 100 feet of attic storage and a disappearing stairway. This house sells for \$17,200.



## rental units for \$150-\$175 a month—




THE row house takes on a new look in Park Forest. The Illini Town Houses recently built make up two structures that differ from the rental units built in the past. Each structure contains six dwelling units. Five of the units in each building have three bedrooms, one has four bedrooms. Each house has its own carport and storage closet.

Living-dining rooms have one wall of floor-to-ceiling windows. Kitchen is equipped with refrigerator, dryer, washer, disposal unit, exhaust fan and range. Each six-room unit rents for \$150 a month. Seven-room unit rents for \$175 a month.

The Town Houses were developed from the experience American Com-

munity Builders gained after having built 3,010 rental apartments in the past. In those built previously, houses had a front door facing walks and parks. Back door was a service entrance facing parking and play areas for children. People tended to live to the rear of their homes, used the service entrance near their automobiles, seldom used the front door.

The Illini Town Houses differ in that circulation is controlled through entrance hall placed near carport and driveways. Traffic is channeled to important rooms through the foyer and the stairs to the second floor without the necessity of going through other rooms. Door in living-dining room is now logically of secondary importance.



## for the young family with \$17,500 to spend—





CONTEMPORARY in design, this six-room, three-bedroom home was designed especially for families with children. Sponsored by Parents' Magazine, house can be built on a site 60 feet wide allowing approximately five feet on each side of house to lot line. Built of brick, house has no basement. House has floor-to-ceiling window in living room glazed with insulating glass. Overhang protects against direct rays of sun.

House has asphalt tile throughout, perimeter heating. Year-round air conditioning can be made part of the heating system. Sleeping areas

are in a wing by themselves, separated from living and dining areas by closets, bathrooms and kitchen-utility areas. Two bedrooms for children can be separate rooms with a solid wall between or can be separated by a folding door which opens to provide a large play area.

Model shown here has carport and storage unit, contains 1,263 square feet within house. Carport adds 257 square feet. Storage unit contains 80 square feet. Fifteen other models similar to this one were built without carports and storage unit, sold for \$17,500 each. Plans show how house may be expanded later.





Screened-in porch adds living space, gives this Coronado a long, low, modern look.


## "I sold 25 Gunnison



Carport, fireplace, and brick wainscoting give this Gunnison Coronado a look of luxury. Basic model measures 24 ft. x 40 ft., has 3 bedrooms.

### *How he did it*

1. Good product at low price: Gunnison Homes.
2. Good market potential for low-priced Gunnison Homes. Extra features add sales appeal.
3. Trained erection and sales personnel. Every home under roof in 56 man hours. One experienced salesman devotes his full time to selling these homes; he can handle up to 100 homes a year.
4. Development plans approved by local planning commission. All Gunnison designs accepted by FHA and VA.
5. Mortgage financing made easy with help of United States Steel Homes. Ninety-day construction financing also available.
6. Newspaper advertising sells development as new *planned community*. National and local advertising by United States Steel Homes helps sales.



With brick wainscoting and other extras, this 3-bedroom Catalina home sold for \$13,200.

## Homes in just 10 days”

says *W. B. Eagles,*  
*Louisville, Ky.*



• W. B. Eagles got his new Whipps Mill Village off to a rousing start last year: he built and sold 55 homes, and he developed the land for more than half of the 74 homes he will complete in 1954. Every home is individually styled, every one fits comfortably on a 60-foot lot, and most important, every one is a Gunnison Home. Here is what Mr. Eagles told us:

“To make a housing development successful today, you have to have a sure supply of mortgage money. The prestige and active assistance of United States Steel Homes helped me to get good financing. Ten days after I had mortgage money I sold 25 homes: nearly half of all the homes I built last year.

“My Gunnison Homes are attractive, well built,

and easy to erect. An experienced 7-man crew can get the largest model under roof in just one 8-hour day.”

At Whipps Mill Village, Mr. Eagles uses fireplaces, planting boxes, tile baths, brick wainscoting, electrical circuit breakers and other features to add variety and increase sales appeal. He does this and still sells the most luxurious model for only \$14,000.

United States Steel Homes, Inc. has helped make Whipps Mill Village a success by providing a large variety of excellent homes and by helping and advising the builder. Send the coupon for complete information about the many advantages of becoming a United States Steel Homes Dealer.

United States Steel Homes, Inc.  
Dept. AB-34, New Albany, Ind.

My organization is capable of building more than 15 conventional homes a year. Now I'm interested in what United States Steel Homes has to offer. Send me complete information, telling me what I will gain by building the products of United States Steel Homes, Inc.

Name .....

Firm Name .....

Address .....

City & State .....

## United States Steel Homes, Inc.

*Formerly Gunnison Homes, Inc.*



**GENERAL OFFICES: NEW ALBANY, INDIANA**

Plants at New Albany, Indiana, and Harrisburg, Pennsylvania

DISTRICT OFFICES: Atlanta, Ga. • Chicago, Ill. • Columbus, Ohio • Dallas, Tex.  
Harrisburg, Pa. • Louisville, Ky. • Newark, N. J. • Omaha, Neb.

“Gunnison,” “Catalina” and  
“Coronado”—trade-marks of  
United States Steel Homes, Inc.

**UNITED STATES STEEL**



## This says "Here's Quality" to the buyers of your houses

Buyers are quick to spot symbols of quality products when they're house hunting. They naturally respond favorably to names they know.

They certainly know the L·O·F name. Years of constant L·O·F advertising have taken care of that—and in 1954 the famous L·O·F trademark will be printed 226,021,180 times in Libbey-Owens-Ford Glass advertising.

Those labels on the glass are real sales helps for you—whether you use Window Glass, Polished Plate Glass or the most-wanted double glazing... *Thermopane*\* insulating glass.

Your L·O·F Glass Distributor or Dealer stocks glass products, and has the knowledge and the sales helps to aid you in building and selling better homes. Call on him for his ready service and willing help. ®




**LIBBEY • OWENS • FORD GLASS COMPANY**  
6244 Nicholas Building, Toledo 3, Ohio

Quality  
Window  
Glass


# *Sell your homes faster!*

*...use the NEW*  
**SARGENT**  
**ALIGNALOCK**  
TRADEMARK



**So high in value**  
**...so low in cost**  
**...so easy to install** →

Exploded view of interior lockset



**Backed by the name**  
**home-buyers know...**



turn the page, and →

# Compare

# the Sargent **ALIGNALOCK** TRADEMARK

feature by feature  
with any low-cost lock!

➔ Compare it for price...for appearance  
...for design...for that "feel" of quality  
...for protective features  
...for EVERYTHING that you want!

➔ **ALIGNALOCK** is backed by the famous...  
**SARGENT of NEW HAVEN!** It is the kind of  
branded hardware that home owners and home  
buyers recognize immediately as *reliable!*

**ALIGNALOCKS** are available in all the  
functions you require.

**2246AS** Entrance door set without  
guarded latch bolt.

**2205AS** Entrance set with guarded latch  
bolt.

**4122** Grip handle for entrance sets.

**2264AS** Bedroom or patio set (without  
emergency key).

**2265AS** Bathroom set (with emergency  
key).

**2215AS** Passage set.

**2293AS** Knob pull.

➔ **Beautiful appearance!** In polished brass,  
bronze, aluminum, polished chrome for split  
finishes.

➔ **Balanced design!** Two big  
solid brass knobs... both with the  
"feel" of quality. No unsightly holes  
for emergency keying or locking  
buttons.



**Fully guaranteed!** This Sargent  
Guarantee Certificate, displayed in  
new homes, indicates *quality*  
throughout.

➔ **NO OTHER LOCK CAN BE INSTALLED  
FASTER THAN AN ALIGNALOCK!**



➔ **Self-aligning assembly**  
allows even non-skilled help to install AlignaLocks  
easily, accurately and economically.

➔ **Special installation tools!**  
Available is a strike indicator, center-  
ing tool, boring jig and mortising tool  
for face plate.



➔ **Small cross bore... only 1 3/4 inches required.**

➔ **Greater projection of bolt** gives mechanics  
more leeway with loose fitting door frames.

➔ **Phillips's Head Screws** have a neater  
appearance, speedier installation.



**ONLY HIGHEST QUALITY MATERIALS  
ARE USED IN ALIGNALOCKS**

➔ **No die-cast parts.** Concealed working parts  
made of pressure-formed metals. No easily cracked  
zinc die-cast parts.

➔ **Rugged steel case!**

**All working parts**, except the cylinder, are in  
the rose. Knob contour is unbroken.

**EASY ON THE LATCH... FIRM ON THE KNOB**


➔ **TWO springs instead of one!** Both springs  
work against knob action... only *one* works  
against latch.



**Smooth, positive bolt and knob action!**

➔ **Automatic unlocking!** In bathroom or bed-  
room functions, if door is closed with the lock  
"on", it unlocks automatically. *Won't* remain  
locked if door accidentally closes.

➔ **Emergency unlocking!** Even a paper clip,  
inserted in small hole in exterior rose of bathroom  
set, releases lock.



➔ **All from one source!** Sargent offers you a  
complete line of quality builders' hardware. One  
source... one invoice... unity of design and finish  
in *all* hardware required.

For complete information about the new line of  
Sargent AlignaLocks, and free literature for your  
prospective home buyers, see your supplier at  
once. Or write us.



Hardware of Character



**SARGENT & COMPANY**

New York • NEW HAVEN, CONN. • Chicago

# THE KITCHEN THAT HELPED SELL A CITY!

## American Kitchens



**"American Kitchens No. 1 Selling Feature," says J. E. MERRION,  
Builder of \$25,000,000 Project, Hometown, Ill.**

J. E. Merrion, builder of the Chicago suburban 2,000 home, 310 acre project, Hometown, Ill., labeled American Kitchens the "kitchen that helped sell the city!" He said: "Every builder knows how important the kitchen is in a sale. But with American Kitchens, in every unit in Hometown, my selling job was far easier."



Ease and swiftness of installation—the savings on labor costs—the work-saving conveniences of American Kitchens as well as their beauty are the reasons why more and more builders are choosing American Kitchens over all other steel kitchens or wood cabinets. Let us prove to you . . . *how famous builders use better quality American Kitchens at lower prices to sell homes faster!*

**"Cabinets of steel for lasting appeal"**



American Kitchens Division  
AVCO Manufacturing Corp.  
Connersville, Ind., Dept. AB-34

Please send me complete information about American Kitchens and your new Architects' and Builders' File.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_


AMERICAN KITCHENS DIVISION  CONNERSVILLE, IND.

# "You Save an Easy 50%



Scholz "California Contemporary Homes" are famous in the Cleveland area for beauty and value. At the big, new Forest Hill Development, a DELTA Saw-Jointer combination handled the precision, on-the-job carpentry — kept labor costs low without sacrificing quality.

Scholz Construction Company trucks the DELTA Saw-Jointer to the job, uses it for a wide variety of operations to save 50% on time and labor.



The DELTA 10" Circular Saw-6" Jointer combination can mean real savings in your operation. You can rip shingles, build cupboards, sash, doors, cut window casings and steps . . . all in addition to accurate tipping and cross-cutting. Designed to insure a quick sawing and finishing sequence, there is no interference in either operation.



# on Time and Labor" with a Rockwell-built **DELTA** Saw-Jointer Combination"

TWO YEARS AGO, Donald J. Scholz, Toledo, Ohio, Home Builder and Designer purchased his first DELTA Saw-Jointer combination. In constructing his well-known *California Contemporary Homes*, he found that his DELTA unit "paid for itself in six and one-half months."


William Decker, head carpenter for the Scholz organization, and a contractor in his own right, reports that "you save an easy 50% on time and labor in using

this DELTA Saw-Jointer on all kinds of finishing work. Not only that, but you know you're holding to precision requirements."

"I just slip it onto my truck and take it to the job. In a minute it's hooked into a power line, and we're really rolling."

*A DELTA Saw-Jointer Combination, set up on your jobs, will turn out precision cut pieces faster, with less waste. You'll keep your carpenters busy nailing, not measuring and cutting!*

*With DELTA Power Tools, you can streamline your operations—keep labor costs and material waste to a minimum. You can build better homes in less time, attract today's selective buyers, and substantially increase your margin of profit. See your DELTA Dealer today, or send the coupon for full information.*



Accurately cutting all framework for Scholz "California Contemporary Homes," a DELTA Saw-Jointer Combination "paid for itself in six and one-half months."

**DELTA** QUALITY POWER TOOLS  
Another Product by **Rockwell**



Delta Power Tool Division  
Rockwell Manufacturing Company  
646C North Lexington Avenue  
Pittsburgh 8, Pennsylvania

- Please send DELTA AB-53 Catalog.  
 Please send name of my nearest DELTA Dealer.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_



DELTA QUALITY  
MAKES THE DIFFERENCE

# These *All Aluminum* Screens can change "BYE" *into* BUY!



Nobody knows better than you that in today's market the extra values built into a house make the difference between Sale and No Sale.

Most "extras" add to your cost—but *Durall Aluminum Tension Screens reduce it!*

Durall consumer prices range from \$3.65 to \$5.82 for most sizes. *Compare that with your present screening costs!*

Not only will these new and different screens cost you less—your home owner will be everlastingly grateful to you because he'll have no upkeep. Duralls

last much longer than conventional screening—never warp, rot, rust or stain.

Duralls are pre-made to fit! That means your installation costs are sharply cut. It also means the home owner can put them on or take them off from the inside in just nine seconds. He can roll them up to store in a nearby closet instead of lugging them from window to basement or attic.

Ask your lumber or hardware dealer today for money-saving, time-saving, sales-building Durall Tension Screens.



## DURALL ALUMINUM TENSION SCREENS

N. Y. Wire Cloth Co., Inc., New Canaan, Connecticut



*This is the beautiful new Capri featured in our Golden Opportunity Program. Ask for details.*

**I**F, as the statisticians tell us, the woman is 84% of the decision factor in choosing body style, color and upholstery in automobiles, how much of a decision factor is she in choosing the family home?

Actually, the average woman has made it her business to know a great deal about homes and practically every home you build has to pass a jury of several or many women whose wants are quite well defined.

They want comfort and convenience, of course, and quality and value as a matter of common sense. And, most definitely, they want style—style that they'll be happy to live with and proud to show off; style to bring compliments from arriving guests and charm them from room to room; style that doesn't neglect the rear elevation or the inconspicuous gable; style that wears well because it is sound, and satisfies because it is beautiful.

When a woman finds a home like this, she's quick to say "Yes" because it's what she wants. And that's exactly why we include all of them in Modern Homes—comfort and convenience, quality and value and, genuine custom styling of outstanding distinction.

Maybe you should investigate the opportunity of building fine Modern Homes in your community. Why not give us a call at LUzon 4-1550.

**MODERN**  
*homes corp.*

7744 GREENFIELD ROAD • DEARBORN, MICHIGAN

Manufacturing plants at Dearborn, Michigan and Port Jervis, New York

# Sold 12 G-E "Young America"



This is the kitchen of the Caplan General Electric "Young America" Home that helped sell so many houses. It contains:

G-E Refrigerator, G-E Food Freezer, G-E Range, G-E Dishwasher, G-E Disposall,<sup>®</sup> G-E Automatic Washer and Dryer.

**REGARDLESS OF PRICE RANGE, your houses can have a G-E Kitchen-Laundry**

(See your G-E distributor for suggestions on merchandising your homes)




## IN YOUR \$9,995 HOUSES

Includes G-E Refrigerator, G-E Range, G-E Automatic Washer, G-E Disposall and G-E Cabinets. Adds as little as \$2.98 monthly to mortgage payments.



## IN YOUR \$12,500 HOUSES

Includes G-E Refrigerator, G-E Range, G-E Dishwasher, G-E Disposall, G-E Automatic Washer, G-E Cabinets. Adds as little as \$5.31 monthly to mortgage payments.



## IN YOUR \$16,000 HOUSES

Includes G-E Refrigerator, G-E Range, G-E Dishwasher, G-E Disposall, G-E Automatic Washer, G-E Dryer, G-E Cabinets. Adds as little as \$6.31 monthly to payments.

# Houses the first month!



**THE  
REASON ?**

Alexander Caplan's model home in Chatham Township, New Jersey was a G-E "Young America" House—erected by the builder from basic plans supplied by the Home Bureau of General Electric. The G-E Kitchen-Laundry particularly delighted prospects.

**I**T WILL PAY you to investigate how helpful General Electric's Home Bureau can be in this new era of tougher selling—just as it has been to Mr. Caplan and other successful builders throughout the country. Today people are getting mighty choosy and want more for their money.

Just completed are specifications for 4 new "Young America" Model Homes which contain features prospects want most in their new homes . . . features *they can afford.*

Outstanding among the "want-most" features is the attractive General Electric Kitchen-Laundry.

The value of these dependable appliances can usually

be included right in the regular mortgage, *and the monthly cost to the home owner is usually no more than that for a typical telephone bill.*

Builders in scores of cities are reporting phenomenal sales results of General Electric "Young America" Houses. Why don't you get all the facts through your General Electric distributor today?

Home Bureau, General Electric Company, Appliance Park, Louisville, Kentucky.

**New G-E Room Air Conditioners**  
at low per-unit cost! Models are easily installed. No plumbing required.



You can put your confidence in—

**GENERAL**  **ELECTRIC**

# NEW CHEVROLET TRUCKS

do more work per day . . . more work per dollar  
on every type of hauling or delivery job!



Time and money are the two most important factors in any trucking job—and the new Chevrolet trucks for '54 are built to save more of *both!*

#### THEY SAVE YOU TIME ALL THE TIME

Whether you deliver door-to-door or haul state-to-state, new Chevrolet trucks will speed up your schedules. They bring you new hour-saving engine power—greatly increased acceleration and hill-climbing ability. You save time with greater safety . . . and *without* increasing your maximum road speeds. In traffic or on delivery routes, new truck Hydra-Matic transmission\* saves time, and saves driving effort as well. It's the last word in no-shift truck driving.

#### THEY SAVE YOU MONEY IN EVERY WAY

Along with increased power, these great new trucks bring you increased operating economy. You enjoy hefty gasoline savings in every model, thanks to new high-compression performance. In addition, you save on upkeep and maintenance. That's because you get extra strength and stamina in drive line and chassis. There are heavier axle shafts in 2-ton models, newly designed clutches and stronger frames in all models.

See your Chevrolet dealer for all the facts about the "savingest" Chevrolet Advance-Design trucks ever built! . . . Chevrolet Division of General Motors, Detroit 2, Michigan.

MOST TRUSTWORTHY TRUCKS ON ANY JOB!



#### CHEVROLET ADVANCE-DESIGN TRUCK FEATURES

**THREE GREAT ENGINES**—The new "Jobmaster 261" engine\* for extra heavy hauling. The "Thriftmaster 235" or "Loadmaster 235" for light-, medium- and heavy-duty hauling. **NEW TRUCK HYDRA-MATIC TRANSMISSION\***—offered on 1/2-, 3/4- and 1-ton models. Heavy-Duty **SYNCHRO-MESH TRANSMISSION**—for fast, smooth shifting. **DIAPHRAGM SPRING CLUTCH**—improved-action engagement. **HYPOID REAR AXLE**—for longer life on all models. **TORQUE-ACTION BRAKES**—on all wheels on light- and medium-duty models. **TWIN-ACTION REAR WHEEL BRAKES**—on heavy-duty models. **NEW RIDE CONTROL SEAT\***—eliminates back-rubbing. **NEW, LARGER UNIT-DESIGNED PICKUP AND PLATFORM STAKE BODIES**—give increased load space. **COMFORTMASTER CAB**—offers greater comfort, convenience and safety. **PANORAMIC WINDSHIELD**—for increased driver vision. **WIDE-BASE WHEELS**—for increased tire mileage. **BALL-GEAR STEERING**—easier, safer handling. **ADVANCE-DESIGN STYLING**—rugged, handsome appearance.

\*Optional at extra cost. Ride Control Seat is available on all cab models, "Jobmaster 261" engine on 2-ton models, truck Hydra-Matic transmission on 1/2-, 3/4- and 1-ton models.

LATEST  
BUILDING  
Edition

# FLORON FLASH

WEATHER:  
Favorable for  
Installing Floors

Vol. 4

San Francisco, California

## BUILDERS PRAISE NEW PLASTIC TILE!

### Pabco Floron Offers Beauty, Resiliency Even Over Concrete

A perfect answer to the problem of creating comfortable, colorful, easy-to-clean floors that are economical and long-lasting has been developed by Pabco Products Inc. It's sensational new Pabco Floron Tile, acclaimed enthusiastically by architects, builders, commercial and institutional buyers.

Easily installed on any floor, including grade-level concrete slabs, this new plastic tile solves the "Big 9" complaints about commercial floor tiles. Floron eliminates objections about "priced too high; can't install on grade; not resistant to rot; too hard on feet; indents too easily; unmatched joints; unattractive colors; installation cost too high; or difficult maintenance."

Tough and long-wearing, yet resilient, Floron gives excellent resistance to alkali, acid and grease. It withstands dampness and rot; the surface resists indentation. Its attractive brushed design is available in seven rich colors to blend well into any color scheme.

The result of five years of intensive research by Pabco's laboratories, this great new plastic tile outscores all other floor tiles in actual on-the-job installations, as well as rugged laboratory tests.



**PABCO FLORON—THE ALL-PURPOSE FLOOR**—The phenomenal success of Pabco's new plastic tile across the country is attributed to its versatility. Beautiful in design and color, tough in wearing qualities, so simple to maintain, and, best of all, so surprisingly low in price—Pabco Floron Tile has proved the ideal floor covering for offices, stores, schools, hospitals, restaurants, hotels, motels and homes. Seven colors are available—gray, light green, dark green, cocoa and yellow, coral gray, woodtone, and red.

### "Big 9" Complaints on Floor Tiles Answered by Floron

1. **NO COMPLAINTS ABOUT PRICE**—A plastic tile that costs only pennies more than standard-gauge linoleum.
2. **NO COMPLAINTS ABOUT CONCRETE INSTALLATIONS**—Designed for direct application over concrete. Ideal for wood floors, of course.
3. **NO COMPLAINTS ABOUT ROT**—Exclusive rubberlike water-resistant backing unaffected by dampness or rot . . . even over grade-level slab concrete.
4. **NO COMPLAINTS ABOUT TIRED FEET**—Backing has surprising "spring." Gives Floron amazing resiliency for comfort underfoot.
5. **NO COMPLAINTS ABOUT INDENTATION**—Resilient yet mirror-smooth surface resists indentation.
6. **NO COMPLAINTS ABOUT UNMATCHED TILE JOINTS**—Tiles don't expand or contract. Can be laid simply and quickly with T-square precision. Seams are virtually invisible.
7. **NO COMPLAINTS ABOUT MAINTENANCE**—Extreme alkali, acid and grease resistance minimizes cleaning. Smooth non-porous surface defies "enemies" of many floorings.
8. **NO COMPLAINTS ABOUT LACK OF BEAUTY**—Smart decorator colors featured in Pabco's beautiful brushed directional design.
9. **NO COMPLAINTS ABOUT INSTALLATION COSTS**—Floron lays quickly—easily. Precision-fitted tile that is so simple to trim cuts down installation time and wasted tiles.



For complete details write:  
**PABCO PRODUCTS INC.**  
475 Brannan Street  
San Francisco 19, Calif.

Chicago 54

New York 16

PABCO—Home of "California Originals" Linoleum, "Pebblestone" Linoleum, "Onyx-tone" Linoleum, "Calitone" Linoleum Tile, Pabco Rubber Tile (Western states only), Mastipave & enamel surface floor coverings.



# Ripplewood.



DEN-DINING ROOM



FAMILY ROOM



KITCHEN

### 25,000 See G-P Ripplewood In Four Distinctive Rooms

In the den-dining room, family room, kitchen and utility room they saw and loved G-P Ripplewood wall paneling. Thousands said, "That's what we want," and asked, "Where can we get it?" During the two-week showing, more than 25,000 people visited this model home built by Byrd Real Estate to promote its new Vestavia Hills subdivision.

## GEORGIA—PACIFIC

### PLYWOOD COMPANY

Dept. AB-3, 270 Park Avenue, New York 17, N. Y.

# • • the exciting textured paneling that makes them buy



**CHARLES BYRD** of Byrd Real Estate Co., Inc. says: "G-P Ripplewood was the sensation of our Better Homes and Gardens 'Readers' Choice' model home. There was tremendous enthusiasm for this wall paneling. It was far and away the most popular feature in our home. We sold the model and made a number of other sales, too, and feel that a large share of the credit for the outstanding success of our promotion belongs to G-P Ripplewood."

## G-P RIPPLEWOOD MAKES HOMES SELL FASTER

Discover for yourself the powerful sales appeal of Georgia-Pacific's Ripplewood. You'll find it the most popular feature in your homes, too . . . with the kind of popularity that brings out the checkbooks and makes your homes sell faster.

It all stems from G-P Ripplewood's exclusive combination of features and advantages: the rich sculptured texture, the swirling grain pattern, the beautiful and distinctive finishing effects that are so easy to obtain, and the genuine wood construction. They all add up to the luxury look that catches the eye and the "I'll buy" of today's home shoppers.

You'll be amazed how little it costs to panel and finish a room with G-P Ripplewood . . . little more than many ordinary wall materials. G-P Ripplewood comes in standard 4' x 8' panels and full-size 12" and 16" squares. See your Georgia-Pacific dealer or mail coupon for further information.



**FREE:** Builders' Fact File. Send for handy kit of G-P Ripplewood literature—specifications, sales features and other useful data.



Georgia-Pacific Plywood Company  
Dept. AB-3, 270 Park Ave., New York 17, N. Y.

Please send me the G-P Ripplewood Builders' Fact File


NAME \_\_\_\_\_

COMPANY \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_

often the cheapest  
ALWAYS THE BEST...



Load *supporting* members are also load *creating*... that's why strong, lightweight lumber is the favorite structural material. Build freely... even on filled ground... and depend on lumber to carry the load with the least possible foundation pressure.

Remember the beauty of lumber for exteriors, too... especially West Coast lumber... Douglas Fir, West Coast Hemlock, Western Red Cedar, Sitka Spruce.



Send for folder describing free literature available for your reference files.  
West Coast Lumbermen's Assn.,  
1410 S. W. Morrison St., Portland 5, Oregon

Douglas Fir • West Coast Hemlock  
Sitka Spruce • Western Red Cedar

## WEST COAST LUMBER

whatever the job consider WOOD first!

FOR HIGH  
STRENGTH-  
TO-WEIGHT



# It takes two..


## TO BUY A HOUSE



...and Russwin "All-Star" Features help sell the man

If you know human nature, the man in this picture is about to be paged . . . but he has an impression already that counts in the builder's favor. Russwin lockset features reflect top quality instantly.

Consider and compare features of the "Homegard" Economy Line . . . screwless roses . . . entrance door sets with the famous Russwin ball bearing, pin tumbler cylinders . . . internal working parts of rugged, pressed steel. Everything about the "Homegard" is designed for top value in its class. In addition, it's just about the simplest, fastest line to install. Ask your dealer for details. Russell & Erwin Division, The American Hardware Corporation, New Britain, Conn.



THE "HOMEGARD"  
Economy Line

Concealed Screw Roses  
on both sides of door

SINCE 1839



"Stilemanor"  
Standard Duty Locks



"Homegard"  
Economy Locks





Screen-Storm  
Doorware



Miscellaneous  
Finishing Hardware

**draw crowds to  
your model;  
plan on opening at  
home show time**




**D**RESS up your model home with a new construction feature and time its opening to coincide with that of the local home show. Prepare a booth at the show so attractive that it will be a strong incentive for visitors to drive across town and see your house. Support the booth-home show tie-in with a strong promotion campaign in local newspaper.

Operating on that formula at

"SCR brick" is used extensively in this pilot house for new Pottstown, Pennsylvania project. Built on sharp slope, house appears two stories high when viewed from rear



Window areas make up most of side wall facing street



View across living room takes in end of fireplace wall (left) and half of a 24-foot window area. Full-thick flush doors are used for each bedroom closet

Pottstown, Pennsylvania, Allen K. Davidheiser induced 5,000 persons to inspect his model the first two days it was opened. No attempt to secure sales was made at the time, for the show monopolized the builder's time; however, more than 20 of these visitors left their names at the house so that he could get in touch with them later.



The model was a three-bedroom, one-story and basement house.

Priced at \$16,500 with a 65x125-foot plot, it featured profuse use of the new "SCR brick." In addition to the exterior walls, this was the basic material used in a 23-foot, L-shaped planting box built under the corner window group in the living room. Inside, it made up a 12-foot-long wall with a two-way fireplace at the open end—the only partition separating living room, dining room and kitchen.



Kitchen cabinet corner has recessed fluorescent light over sink top, with steel casement window in back

High headroom basement is partitioned into three rooms. One of the smaller rooms contains forced warm-air furnace and laundry tubs; another is used for storage. Doors and trim are of same quality used upstairs. Rear elevation is above grade, has full-size windows and door



# ARKANSAS SOFT PINE

# Stab

## Gives



### Here's Why:

Soft texture is inherent in Arkansas Soft Pine timber. As lumber it is dried in advanced type, cross circulation kilns, automatically controlled. By this precision process, it is *stabilized* at the moisture content required by the Southern Pine Inspection Bureau, under whose rules it is graded and grade-marked.

*Thus stabilized, Arkansas Soft Pine retains its natural "life" free from case-hardening. Result—nails are driven home without splitting the wood, to be tightly gripped and securely held permanently . . . your dependable assurance of sound framework.*

Arkansas Soft Pine is sold by lumber dealers east of the Rockies. For data, illustrated grades, specifications, send today for this FREE Handbook.

Manufactured  
Exclusively by

**BRADLEY** LUMBER CO. OF ARK., WARREN, ARK.

**CROSSETT** LUMBER COMPANY, CROSSETT, ARK.  
A Division of The Crossett Company

**DIERKS** LUMBER & COAL CO., KANSAS CITY, MO.

**FORDYCE** LUMBER COMPANY, FORDYCE, ARK.

**FROST** LUMBER INDUSTRIES, SHREVEPORT, LA.  
Forest Products Division of Olin Industries, Inc.

**OZAN** LUMBER COMPANY, PRESCOTT, ARK.

**SOUTHERN** LUMBER COMPANY, WARREN, ARK.

*Composing The*

# SIGNIFIES Specialized Soft Texture


• Tops in Rigid Framework Because It Provides  
• • • • • Supreme Nail Holding Power



**ARKANSAS SOFT PINE BUREAU**

333 BOYLE BUILDING • LITTLE ROCK, ARKANSAS

# HOW TO SELL HOUSES "LIKE HOTCAKES"



## The Right Topping Sells Homes . . .

as it does hotcakes. And, while the *right* topping needn't be the most costly, it does require a distinctive "flavor."

Genuine red cedar shingles add a distinctive architectural "flavor" to most any home style. Cape Cod, Colonial, Western Ranch—all look their best when topped with cedar. *Sell* their best, too!

Buyers recognize CERTIGRADE No. 1 shingles to be quality through and through. They know there's an important difference between the *real thing* and a substitute. They want that difference—that "plus value"—in the homes they buy.

That's where you come in. Selling homes with cedar shingle roofs is a pleasure. You needn't apologize for a thing. You're selling *quality*. You're

selling the roof that has stood the test of time. The roof that does more *for* a home by adding beauty, strength and insulation. The roof that does more *to* a home by providing "bonus years" of trouble-free service.

What's more, you can market genuine cedar shingle roofs for the same price as makeshift materials. The secret's in the sheathing. Cedar shingles—one of the strongest materials known for their weight—may be applied over *spaced* sheathing. That means you save up to 50% on sheathing costs when building with cedar. Those savings in application time and materials *pay the difference* between genuine cedar shingles and substitutes.

So start selling homes as you'd sell hotcakes—with the *right* topping. Cedar will help you gain the reputation of a *quality* builder and a *volume* seller.


For your free copy of a handy roof estimating sheet, write:

**RED CEDAR SHINGLE BUREAU**

5510 WHITE BUILDING, SEATTLE 1, WASHINGTON

OR 425 HOWE STREET, VANCOUVER 1, B. C.





Hall-Mack Reversible  
Door. Recessed toilet  
paper holder, shelf, and  
tumbler unit.

**HALL-MACK**  
CREATIONS IN CHROME


sell the **BUILT-IN BEAUTY** of recessed bathroom accessories by

in sparkling  
**HALL-MACK**  
chrome

For the one room that's seldom "done over,"  
Hall-Mack chrome bathroom accessories lend a tasteful  
styling and long-lasting beauty that never becomes  
dated. Their clean, simple lines and gleaming  
chrome finish are in perfect keeping  
with any type of furnishings  
or architecture. Include Hall-Mack  
accessories in *your* plans—  
and specify Hall-Mack!



Concealed Toilet Paper  
Holder. Smartly styled  
cover lifts at the touch  
of a finger.



Push chrome panel  
opens soap, toothbrush  
and tumbler holder.  
Recesses for instant use.

Sold by leading plumbing, tile and hardware dealers everywhere.

**HALL-MACK COMPANY** 1344 W. Washington Blvd. Los Angeles 7, California • 7455 Exchange Ave. Chicago 49, Illinois • 1088 Main Avenue Clifton, New Jersey

# Handle all these Jobs **WITH THE VERSATILE LOW-COST**

## Model D Grader



**LOADS OR TRANSPORTS** sand, gravel, cement, other bulk materials with  $\frac{3}{4}$  yd. rear-mounted hydraulic bucket. Dumping height of 8 ft., 8 $\frac{1}{2}$  in. allows easy loading of high truck bodies.



**BACKFILLS** ditches, trenches; packs and levels ground; loads excess dirt to trucks. Tandem drive and 8,800 lb. weight provide plenty of traction when working in soft materials.



**LANDSCAPES,** grades lawns, levels around houses. Maneuverability lets Model D work easily in narrow quarters.



**LOADS SNOW** with bucket or cleans it with blade or V-type plow to help keep winter building operations on schedule — provides year-round versatility.



**BUILDS AND MAINTAINS** roads, streets, alleys, driveways; spreads rock; scarifies; cleans up on construction work. Excavates shallow for slab foundations.




**ROUGH GRADES** for curbs, gutters; finish grades shoulders, sidewalks, between forms; cuts and cleans drainage ditches; removes weeds and brush.


LET YOUR DEALER DEMONSTRATE *right on your own job* what the versatile 50-hp. Model D can do for you — on a low equipment investment. Or send for complete information.

**ALLIS-CHALMERS**  
TRACTOR DIVISION • MILWAUKEE 1, U. S. A.

AMERICAN BUILDER

**POLLMAN  
HOMES**



**Consider the  Shape  
from a Profit Angle**


Here is a 3-bedroom house with a remarkable floor plan that can save you money. Like other Pollman Homes it is designed for convenient living and styled to appeal to the most discriminating buyer. It offers you the economies of Pollman top flight designing and engineering, and controlled factory assembly. In addition its various orientation possibilities and choice of elevations permit a builder to further cut costs by concentrating on a single house. With the L-SHAPE you avoid completely that "peas in a pod" look.

If you are a builder or an investor interested in building better, more salable homes for less money, write today.

We will be glad to send you complete information or have our local factory representative call.

**FOUR ORIENTATIONS  
FROM ONE BASIC FLOOR PLAN**

The Pollman L-SHAPE homes can be oriented 4 different ways and are available in many different elevations. Both basement and non-basement models. Exterior treatment includes lap-siding, shake shingles, vertical siding in both painted and stained surfaces.



**THE THYER MANUFACTURING CORP.**

2854 Wayne Street  
Toledo, Ohio

For information on the Southerner Line of L-SHAPE Pollman Homes for Southern and Gulf Coast climates  
write THE THYER MANUFACTURING CORP. • 418½ EAST PEARL STREET DEPT. 5, • JACKSON, MISS.



## How to pick a door

So many jobs for so many doors — which door is the right one? Here's a way to pick:

Decide on your *source of all* flush doors *first*. Pick Atlas Plywood. Then you know you have the range of sizes, kinds, woods and qualities to fit any opening. Atlas Plywood furnishes you hollow or solid core flush panel doors

for every purpose. You're sure of getting what you order because Atlas Plywood controls manufacture, inspection and service in every step from forest to finished product. It is among the oldest and largest suppliers of plywood and its products. Make "Atlas Plywood" your word for doors. It's your best and easiest way.

# Atlas Plywood


CORPORATION  
FROM FOREST TO FINISHED PRODUCT

Boston 16, Mass. Distributors in all principal cities



**ALL THE WOODS  
ALL THE GRADES  
ALL THE SERVICE**

Whatever you specify in "Atlas Plywood or equivalent" in doors, dealers can get exactly and speedily from Atlas Plywood Jobbers. You get all the advantages of flush doors for modernity, beauty and ease of cleaning and maintenance PLUS the advantage of Atlas Plywood's quality control from forest to finished product.



## Here's ease of installation plus economy in ceiling radiant heating

You save material costs and fabrication time with Bundyweld Tubing, performance-proved in thousands of ceiling radiant heating systems throughout the country.

Consider these advantages: Bundyweld is extra-strong, yet ductile; bends easily to short radii on a simple fixture in the shop or at the job site. It comes in standard, 20' lengths with one end expanded, when specified, for simpler, sounder joining.

Bundyweld is tough enough to withstand the usual rough handling, too. Although lightweight, it's rigid enough so that

two men can easily position a group of joined coils. The smooth coils keep their shape; lie flat against the ceiling for easy plastering, with no waste of time or material.

In your completed system, Bundyweld transmits heat efficiently; conducts water with a minimum of friction. Just check below for the advantages that only Bundyweld can give you. Then, write us today for more information.

**Radiant Heating Division**  
**Bundy Tubing Company • Detroit 14, Michigan**

# Bundyweld Tubing

DOUBLE-WALLED FROM A SINGLE STRIP

### WHY BUNDYWELD IS BETTER TUBING



Bundyweld starts as a single strip of steel which is copper-coated. Then, it's . . .



continuously rolled twice around laterally into a tube of uniform thickness, and



passed through a furnace. Bonding metal fuses with basic metal. Result . . .




Bundyweld . . . double-walled and brazed through 360° of wall contact.



SIZES UP  
TO 1/2" O.D.

**NOTE** the exclusive Bundy-developed beveled edges, which afford a smoother joint, absence of bead, and less chance for any leakage.



FLOOR TO CEILING INSTALLATION OF BOLTA-WALL provides beauty and protection in busy corridors and rooms at Seton Hospital. Note that Bolta-Wall is applied first; floor and rubber cove base are installed later.



CHART ROOM SHOWS BOLTA-WALL ADAPTABILITY on counter fronts matching walls. Seton Hospital found Bolta-Wall ideal for use in the institution — from Pediatric Unit to private rooms and cafeterias.

## TEXAS HOSPITAL ADDS WING AND REMODELS WITH

# Bolta-Wall

BY THE TILE AND BY THE YARD

*Beautiful, tough, easy-to-apply vinyl wall covering fills need for lasting installation at Seton Hospital*

Here's what one hospital did with Bolta-Wall. It's a profitable example of what you can do for your customers in homes, offices and institutions of all kinds.

Seton Hospital, Austin, Texas used 30,900 sq. ft. of Bolta-Wall for their recent renovation. They used it in corridors and rooms . . . in cafeterias, on counter-fronts and in private dining areas.

They used it because Bolta-Wall is a product of incomparable beauty and durability at the price . . . because maintenance costs are unbelievably low — replacement and repair are virtually eliminated and cleaning is easy with a damp cloth . . . because Bolta-Wall is fire-retardant, conforming to Paragraph

E-3b of Federal Specifications SS-A-118a (New York Testing Laboratories, Inc.).


Bolta-Wall is highly resistant to scuffing, staining and fading, will not crack or peel and withstands impact. It adheres to old or new walls with little if any prior refinishing of wall surface. Dimensional stability insures no seam shrinkage. It is heavily advertised to the people you serve.

Bolta-Wall is available in 3 outstanding patterns, Bamboo, Leathergrain and the new Mahogany woodgrain. All come in a wide range of handsome decorator colors. Send for free samples and specifications, Box 508 . . .


**BOLTA**, Lawrence, Mass.



Bolta-Wall Leathergrain (in rolls only)



Bolta-Wall Bamboo (in rolls and 8" x 8" tiles)



New Bolta-Wall Mahogany (in rolls and 8" x 8" tiles)



PRIVATE DINING AREA IN SETON HOSPITAL with walls covered in textured Bamboo Bolta-Wall. This semi-flexible vinyl material can be curved or bent sharply for easy tailoring around corners.



TRIMMING IS EASY WITH BOLTA-WALL. Material can be cut with ordinary knife or scissors. Combine Bolta-Wall tiles with Bolta-Wall by the yard as wainscoting for handsome effects.



$$y = mx + c$$

$x$  = floor space saved

$y$  = efficiency ratio

$w$  = saving on duct work

$$x^n dx = \frac{x^{n+1}}{n+1}$$

$z$  = cost cutback



$x^2 + y + z + w =$  Temco gas wall heaters and floor furnaces

$$a + bx + cx^2$$

$$\sqrt[3]{ax}$$

$$A = \frac{b}{h}$$

**IT ALL ADDS UP TO**  
**TEMCO**  
 ... automatic gas wall heaters  
 ... automatic gas floor furnaces



Smart home builders, whose customers clamor for better houses at less cost, are turning to Temco for the best in fully automatic gas heat. Temco's outstanding features make for more attractive homes, more flexible homes . . . at a price far below other heating systems.

add it up for yourself—

1. No basement required.
2. Less floor space needed.
3. No expensive duct work.
4. Simple, inexpensive installation, both upstairs and down.
5. Completely automatic heat at a figure so low it will fit any family budget, any home.
6. Built and backed by America's Gas Heat Specialists—TEMCO.

**TEMCO, inc.**

NASHVILLE, TENNESSEE

BUILDER OF OVER

1½ MILLION GAS APPLIANCES


TEMCO, Inc.  
 Department B-650, Nashville, Tennessee

Please send catalogs and full information about Temco Automatic Gas Wall Heaters and Temco Automatic Gas Floor Furnaces.

Name.....

Address.....

City..... Zone State.....



Models placed on plywood duplicate, in miniature, the development being built at the actual site; streets and lot lines give prospects an accurate preview of the neighborhood

## here's a way to

**D**ONNAY-REITZ INC. of St. Paul, Minnesota, have little trouble selling their houses in the firm's Roseville Terrace subdivision, north of the city. They use miniature models to help merchandise their homes.

Here is what they do: They plot an entire neighborhood in miniature where prospects can see at a glance how the area and each house will appear when the project is completed.

Each miniature is a duplicate in color of an actual building, either completed or under construction at Roseville. Roseville Terrace now consists of about 134 houses, including the latest group of 54 now being built or recently completed.

The miniatures are placed on sheets of plywood. The sheets are painted green to simulate grass and are marked in sections. Each section represents, in scale, a lot plotted in the Roseville development. Streets are indicated in gray on the plywood. On each section that duplicates an actual lot is placed a miniature model of the house to be built. Each of the models duplicates one of ten basic front elevations.

Donnay-Reitz use one basic floor plan, but have designed ten different elevations to add variety to the appearance of their development. When the basic floor plan is reversed, still greater variety is achieved. To further enhance a feeling of difference in the homes, some of them are set back from the street while others are placed forward on their respective lots. Still others are situated diagonally. Each home is given different color treatment.

Each miniature model, therefore, being a true representative of its actual counterpart, indicates to the prospect how his future home will look as to its placement and appearance.

Donnay and Reitz begin their developments by putting up a "sample" or "pilot" house. It is built exactly as the others in the development will be except, of course, for the front elevations which vary according to the ten basic elevation designs.

The partners make the sample demonstration house a salesroom. When prospects enter the sample house they are free to inspect the quality construction. In the living



One basic plan is used, is often reversed; ten different elevations are available to buyers; four elevations are shown (right) as they will appear when built

## sell houses

room placards tell the potential buyer about prices and financing. (Prices range from \$12,250 to \$12,742.) Other placards illustrate the ten different elevations available.

The miniature model neighborhood is set up in the basement. Prospects can decide which elevation and which lot they prefer, but they must accept the exterior color pattern of the house shown. If the color pattern is not palatable, the prospect must choose a house in another location. Each lot and house bears a number which corresponds to an identical number placed at the site of each house. If the prospect is sufficiently interested, he is taken to the site of the house he has chosen. If he buys, the miniature model of his house is given to him.

George Donnay's and Martin Reitz's merchandising plan is a success. Most people who come to look, linger and usually buy. Quality construction, moderate prices and miniature models do the trick. "Sold" signs often go up on the miniature neighborhood before the houses it demonstrates are completed.



BUILDERS! Here's the Only  
**Really Low-Cost House**  
 for Big Volume...Assured Profits!

**NATIONAL HOMES' NEW**  
**"CADET"**

- Priced to sell as low as \$4800 plus lot!
- Less than 80 hours On-Site Erection Time!
- Complete Financing Available!

Write or wire today — learn what it can  
 mean to you to build NATIONAL HOMES!



© N. H. C. 1954

ALSO PRODUCERS OF THE THRIFTY "PACEMAKER"... THE  
 DE LUXE "CUSTOM-LINER"... THE OPEN LIVING "RANGER"...  
 EACH THE STYLE AND VALUE LEADER IN ITS PRICE CLASS



ALL CADETS have smart beamed ceilings  
 and many other sales-making features



AMERICAN BUILDER



# Mr. BUILDER!

**HERE'S THE KEY TO  
QUICKER SALES and  
BIGGER PROFITS**




When you install Kausline oil-fired, fully automatic heating in your homes, you make your *selling job easier*. You offer today's exacting buyers a top quality heating plant with an unsurpassed ability to deliver maximum heat per fuel dollar and an enviable record for trouble-free service.



Kausline Engineering and Factory Assembly enable you to cut construction and installation costs. Kausline Design saves valuable floor space as these compact units operate efficiently in a minimum area. Add to this Kausline's competitive cost and you have a *greater profit margin*.



The Kausline line offers forced air heating units delivering from 65,000 to 250,000 B. T. U.'s in models for every type of installation in any style or size of home.



## The Kausline "LOW BOY"

These fully automatic oil-fired Low Boys are designed for cellar installation. There are three factory assembled models delivering 85,000 B.T.U.'s, 95,000 B.T.U.'s and 110,000 B.T.U.'s. Larger units up to 250,000 B.T.U.'s are shipped knocked down.



# Kausline


WRITE FOR FULL INFORMATION TO DEPT. AB-3

*There is a Kausline Furnace or Winter  
Air Conditioner for every type of home.*

**FOR RADIANT HEATING**  
 choose handy, lightweight  
**CHASE® COPPER TUBE**



Small outside diameters make Chase lightweight Copper Tube "builder's choice" for ceiling, floor and wall installations. Easy-bending long lengths mean fewer fittings ... joints that are a cinch to make with leak-proof Chase Solder-Joint Fittings. And, of course, Chase Copper Tube gives you long service, excellent thermal conductivity, and corrosion resistance. Write today for FREE 50-page Book on Radiant Panel Heating.



**Chase**  **BRASS & COPPER**

WATERBURY 20, CONNECTICUT • SUBSIDIARY OF KENNECOTT COPPER CORPORATION

*The Nation's Headquarters for Brass & Copper*

Albany†	Cleveland	Kansas City, Mo.	New York	San Francisco
Atlanta	Dallas	Los Angeles	Philadelphia	Seattle
Baltimore	Denver†	Minneapolis	Pittsburgh	Waterbury
Boston	Detroit	Minneapolis	Providence	
Chicago	Houston	Newark	Rochester†	(†sales office only)
Cincinnati	Indianapolis	New Orleans	St. Louis	

EVEREADY PRODUCTS FOR EVERY  
MASONRY AND CONCRETE JOB



**1 EVEREADY  
XTRA-CUT  
ABRASIVE BLADES**

THE BLADE THAT  
LOWERS YOUR MASONRY  
CUTTING COSTS

**2 EVEREADY  
TUFFIE  
REINFORCED BLADES**

BEND—DROP—TWIST!  
"TUFFIE" IS TUFF  
IT'S ALMOST UNBREAKABLE

**3 EVEREADY  
RED-I-CUT  
DIAMOND BLADES**

THE FINEST IN  
DIAMOND BLADES  
FOR MASONRY & CONCRETE

**EVEREADY BRIKSAW**  
and the New

**EVEREADY POWR-DRIVE CONCRETE SAW**

Cutting WET (Dustless) or DRY, the EVEREADY BrikSaw is the fastest, most efficient Masonry Saw on the Market. The SIMPLICITY of the BrikSaw's design plus the EXCLUSIVE labor-saving features, make BrikSaw the most profitable to operate masonry saw for any job. See your local dealer today.

The New Eveready "POWR-DRIVE" Concrete Saw takes the "Push-Pull" out of Concrete Sawing—drives FORWARD AT CONTROLLED SPEED! "POWR-DRIVE" increases cutting footage with less operator effort—cuts at the lowest possible cost per lineal foot. Hydraulic blade control and other Eveready features make the "POWR-DRIVE" Concrete Saw your best buy! See your local Eveready Distributor.



Your EVEREADY Dealer  
Carries All  
EVEREADY Products in Stock

Profitable, efficient masonry or concrete sawing are only possible when you use the RIGHT blade for the RIGHT material. EVEREADY'S years of research and experience have resulted in the world's most complete—most economical line of blades. Your EVEREADY Dealer will help you select the RIGHT blade to meet any job requirement.



**1** EVEREADY "XTRA-CUT" Abrasive Blades for UNIFORMITY! The blades you buy next month will give you the same peak cutting efficiency as the blades you buy today. EVEREADY'S consistent quality is the result of continuous even processing... even temperature never varies... product control is absolute. EVEREADY "XTRA-CUT" Blades are available in both WET and DRY cutting specifications to fit every Masonry and Hand Power Saw.


**2** EVEREADY "TUFFIE" Reinforced Abrasive Blades—for Masonry and Hand Power Saws—can handle your roughest jobs. The new "Tuffie" is internally reinforced with NYLON "SAFETY-WEB"—you can drop it, bend it, twist it—"Tuffie" will take it and ask for more. Use an EVEREADY "Tuffie" for difficult edge cuts... for grooving... for grinding cuts impossible with ordinary abrasive blades.

**3** EVEREADY "RED-I-CUT" Diamond Blades for Masonry Saws cut TWO to THREE TIMES FASTER than standard abrasive blades when used to cut hard, dense, vitreous materials such as Vitrified Glazed Tile, Glass Block, Acid-Resistant Brick, Marble, etc. EVEREADY "RED-I-CUT" Diamond Blades for Concrete Saws are designed to give you faster cutting plus maximum blade life, regardless of the type and age of concrete or asphalt—fit every make and model concrete saw.




**EVEREADY DEALERS...**  
in Most Principal Cities in the United States and Canada  
Write for the Name of Your Nearest Dealer.

EVEREADY BRIKSAW CO. • 1505 S. MICHIGAN BLVD.  
CHICAGO 5, ILL.





used in buildings  
where quality counts!



**SLIDING DOORS ADD  
BEAUTY...SPACE...  
Sterling HARDWARE ADDS  
"QUALITY BY DESIGN"**



Simple to install . . . better when installed. No expensive callbacks due to failure of operation because Sterling Sliding Door Hardware is better designed. It has been tested and proved through years of continued service in homes everywhere.

Sterling Sliding Door Hardware is available in **Complete Packaged Sets** to fit most door openings. Write Today For Catalog.

**STERLING HARDWARE MFG. CO.**  
2345 WEST NELSON STREET • CHICAGO 19, ILLINOIS

**Sterling means Quality**



NATIONALLY ADVERTISED in Leading Magazines  
SEE OUR CATALOG IN SWEET'S:  
Architectural File • Light Construction File  
VISIT OUR DISPLAYS:  
Architects Samples Corporation, N.Y.C.  
Chicago Land Home Building Center

take a good look at **LARCH**



one of 10 woods from the

**WESTERN PINE** region

Strong, durable and straight-grained, Larch is an ideal wood for all structural and heavy construction purposes. Tough-fibered and rigid, it holds its shape, works well and resists nail withdrawal. Larch's handsome grain, satin-smooth surface and reddish color put it in demand for interior architectural woodwork, too.

Larch comes in **3 select, 5 common, 3 structural, 4 dimension grades**. You can order it in straight or mixed car lots, together with other woods of the Western Pine region.

**the Western Pines**

IDAHO WHITE PINE  
PONDEROSA PINE  
SUGAR PINE

**the Associated Woods**

LARCH  
DOUGLAS FIR  
WHITE FIR  
ENGELMANN SPRUCE  
INCENSE CEDAR  
RED CEDAR  
LODGEPOLE PINE



get the facts on **LARCH**  
write for the FREE illustrated booklet to  
WESTERN PINE ASSOCIATION  
Yeon Bldg., Portland 4, Oregon

# Small investment pays cool dividends




## Hunter Attic Fan \$139<sup>95</sup>

(List price 5000 cfm Model  
complete with shutter)



## Hunter Attic Fan cools the entire house at lowest cost



Home buyers who want cool comfort at lowest cost are "sold on" the Hunter Attic Fan. Initial cost is low, operating expense is only a few cents a night, and there is no maintenance.

The Hunter Attic Fan's method of cooling a house is simple (see drawing at left). It drives out hot, stagnant air through the attic and creates a strong suction which pulls in fresh, cool air from outdoors.

This compact cooling unit, com-

plete with automatic ceiling shutter, is easily installed in any home. It requires only 18" attic clearance, so is ideal for low-pitched roofs. Certified air deliveries range from 5000 to 16000 cfm—for any home size and any climate.

You can depend on the same smooth, quiet operation that has made Hunter Fans famous for 67 years. Fan unit is guaranteed for 5 years, ceiling shutter and motor for 1 year.



For complete specifications, write  
**HUNTER FAN AND VENTILATING COMPANY**  
381 S. Front St., Memphis 2, Tenn.

# HUNTER

Attic  
Fans

SEE OUR CATALOG IN SWEET'S



*Electronic Moduflow home in Seattle, Washington. Builder: Albert Balch. Architects: Grainger, Thomas and Barr. Electronic Moduflow was installed by Roscoe.*

# Thermostat outside the house gives wonderful Weather Control inside


*Honeywell Electronic Moduflow comfort helps make this Balch-built house distinctively modern*

It's electronic magic! It's an exciting new comfort control system that uses an outdoor thermostat to *automatically* regulate indoor comfort. Albert Balch, well-known Seattle builder whose house you see here, installs Electronic Moduflow in all the homes he builds. Install this fascinating feature in *your* new homes and watch the immediate favorable impression on your prospects.

Honeywell is using an extensive national adver-

tising program—13 spreads in LIFE Magazine—to help create demand for your new homes . . . and to make Honeywell Electronic Moduflow become a top sales tool for you. Many of your prospects will see these ads and will want to know more about Moduflow and Moduflow-equipped houses.

Add modern Electronic Moduflow to your homes . . . you'll add a LIFE-advertised, extremely salable feature to enhance your fine houses.



### How Electronic Moduflow Works

The Electronic Weathercaster (1), mounted outside the house, senses the outdoor temperature and by means of electronic signals continually tells the Electronic Clock Thermostat (2) what indoor temperature is required to maintain comfort. This Electronic Clock Thermostat, mounted in the living room, signals the Relay Amplifier (3) which automatically adjusts the heating plant to provide the proper amount of heat required to keep the home at just the right temperature—no matter how changeable the winter weather might be.

### A leading Northwest Builder



Albert Balch is one of the country's leading builders. He has built hundreds of homes of every type in the Seattle area. Balch-built homes range in price from \$7,900 to \$30,000. Mr. Balch is using Honeywell Electronic Moduflow in every house he builds.

For complete information on Electronic Moduflow for the homes you build, contact your heating contractor, your local Honeywell office, or mail the coupon shown at right below.

# MINNEAPOLIS Honeywell



## Electronic Moduflow

104 OFFICES ACROSS THE NATION


MARCH 1954



### "Cold wall" problem solved by Moduflow

With a chilly outside temperature (top sketch), occupants feel comfortable when indoor temperature is 71°. But as it drops (lower sketch), heat loss increases, so *higher* indoor temperature is needed to compensate for colder walls. Electronic Moduflow does this *automatically* by raising control point of indoor thermostat so more heat is supplied.

### MODUFLOW PROVIDES MORE COMFORT BY VARYING INDOOR TEMPERATURES



### Why people need varying temperatures

Tests show if indoor temperature is merely held constant when outdoor temperature falls, a person inside *feels* uncomfortable. As the walls of the room become colder, they "draw" increasing amounts of heat from the body.

MINNEAPOLIS-HONEYWELL REGULATOR CO.

Dept. AB-3-42, Minneapolis 8, Minnesota

Gentlemen: Please send me information on Electronic Moduflow.

Name.....

Firm Name.....

Address.....

City..... Zone..... State.....



"SCR brick" home, Des Moines, Iowa.  
Robert B. Metier, builder-designer


# brick homes priced like frame

You can give home buyers  
brick's extra value and beauty—  
at no extra cost—when you use

## SCR brick<sup>®</sup> PATENT PENDING thru-the-wall construction

**VALUABLE SALES AID . . .**Your "SCR brick" dealer can show you how to use this scale model of "SCR brick" construction as a helpful selling tool. (right)

**USEFUL CONSTRUCTION DETAILS . . .** Free booklet "How to Build Homes that Sell with the 'SCR brick'" gives full construction details. To get one, just write us on your letterhead. Address: Dept. AB-3




Here's the wall  
that SCR Research built

**STRUCTURAL CLAY PRODUCTS INSTITUTE**

1520 18th Street, N. W., Washington 6, D. C.



**TOLERANCE:**  $\frac{1.5}{1000}$  INCH





**MEANS:**  
**no sagging...no warping**  
**lifetime satisfaction!**

There's nothing vague about the superior quality that's built into every Curtis New Londoner Hollow Core Flush Door. For instance, the core and grid are manufactured to such precision standards that permitted tolerances have a plus or minus margin of only  $\frac{1.5}{1000}$  of an inch!

That's typical of the skill and care that make these better doors famous for their dimensional stability. The patented hollow core of the New Londoner is *locked* into the stiles, rails and lock blocks. Every New Londoner Door is a completely joined unit with nothing to get out of place.

Time works *for* you—not against you—when you choose Curtis New Londoner Doors—because these doors give **LASTING** satisfaction to the homeowner. That's been *proved* by more than 4,000,000 installations. When the doors have to be good, specify "Curtis New Londoner"—and be sure.



For complete information see  
 "Curtis New Londoner" section  
 in Sweet's Architectural Catalog  
 —or mail the coupon.

Door designs shown here—and many others—are available either with Curtis New Londoner hollow core construction or Curtis American solid core. These are only a few of the many Curtis offers, both for exterior and interior use. These doors are available in wide widths for schools, hospitals and public buildings.

**CURTIS**  
**NEW LONDONER**  
 HOLLOW-CORE  
**FLUSH DOORS**

Curtis Companies Service Bureau  
 200 Curtis Building  
 Clinton, Iowa

AB-3-54

I want to know more about Curtis New Londoner and Curtis American flush doors. Please send literature.

Name.....

Address.....

City.....State.....

# New welded double insulating glass now available in Andersen Casements and Flexivents

Newest development in double insulating glass is now available exclusively in Andersen Casement and Flexivent Wood Window Units.



The two panes of glass are hermetically sealed with the edges electrically welded or fused by a recently perfected process that requires no metal or other bonding material.



Welded Insulating Glass is optional in all the one-light Andersen Casement sash, and in all Flexivent Unit sash.

For specification data see your millwork dealer, Sweet's Light Construction File or write Andersen Corporation, WINDOWALLS sold by established millwork dealers throughout the United States including the West Coast.

## Andersen Corporation

BAYPORT, MINNESOTA





### IMPROVED GROOVE GLAZING

A new system—groove glazing—is used with Andersen Welded Glass. It eliminates face putty and glazing stops, gives a stronger, tighter, better looking job.

Elastic glazing material is laid in the grooves. Sash members are then assembled and clamped around the Welded Glass.

## Welded glass cuts cleaning in half; ends handling and storage of storm sash

Andersen Welded Insulating Glass offers two big advantages to homeowners. Most important is elimination of handling and washing of removable storm panel or sash. In addition, homeowners enjoy insulation of double glazing the year around.

Two panes of quality window glass are fused together at the edges to make a perfect all-glass seal with no metal or other bonding material. Air between panes is removed and replaced with dried air pressurized to withstand atmospheric pressure in all parts of the country except areas of over 3000 feet altitude.

The coefficient of heat transmission for Andersen Welded Insulating Glass is .675 BTU under standard conditions as compared to 1.13 BTU for single glass.

\*TRADEMARK OF ANDERSEN CORPORATION

Andersen  
*Windowalls\**  
 COMPLETE WOOD WINDOW UNITS

# for top quality ceilings

## PLASTER... reinforced

Large residential ceilings require quality construction for lasting beauty.

You get top quality by using plaster reinforced with Keymesh galvanized woven wire lath . . . applied to gypsum or insulating lath.


This network of multi-directional galvanized reinforcing wire adds greatly to the strength of ceilings. It also helps assure a uniformly full thickness of plaster over the entire ceiling. It guards against cracking. And, where radiant heating is installed in ceilings, Keymesh helps give

more uniform heat distribution, as well as accelerating it.

Some architects and builders want this same strength and quality on walls as well as ceilings. Others find that Keycorner applied to inside corners, wall-ceiling junctures and points of weakness, and Keybead at outside corners, give them the quality they require.

That's why the Keystone system of plaster reinforcement is called—3 Keys to Stronger Plaster.


### 3 KEYS TO STRONGER PLASTER



**Keymesh**, woven wire galvanized reinforcing lath has been proved through the years as a superior reinforcement for stucco. Now plasterers are recommending it for ceilings to increase strength and protect against cracking.



**Keycorner**, woven wire galvanized reinforcing lath is preformed to fit accurately and snugly in corners and at wall and ceiling junctures. It also is ideal where strip lath is required . . . doesn't rust . . . eliminates waste.



**Keybead** combines open-mesh reinforcing lath with a precision-formed galvanized steel bead. It assures a solid plaster corner, reinforced with a network of galvanized wire that is strong and prevents rust streaks.

## KEYSTONE STEEL & WIRE COMPANY

Peoria 7, Illinois




KEYMESH • KEYCORNER • KEYBEAD • KEYSTONE NAILS • KEYSTONE TIE WIRE  
KEYSTONE NON-CLIMBABLE FENCE • KEYSTONE ORNAMENTAL FENCE



3d 11a 3d

with **KEYMESH**

GALVANIZED REINFORCING



**NOW!** Add more strength... more beauty... more sales appeal when you build with


# SHEETROCK

T. M. Reg. U. S. Pat. Off.


THE FIREPROOF GYPSUM WALLBOARD

Yes, there's a complete line of SHEETROCK accessories to make your dry-wall construction jobs better than ever! With them you're sure of top product performance, backed by a manufacturer with a 50-year reputation of quality and dependability—United States Gypsum. Ask your building supplies dealer for complete details, or write Dept. AB-1, 300 W. Adams Street, Chicago 6.


*These SHEETROCK Accessories Add "Extra" Sales Features to Every Job!*



**USG METAL TRIM**—Nail on for narrow line effect. Provides enduring edge protection; ideal for door and window trim or molding at ceiling and wall line. 7' and 10' lengths fit  $\frac{3}{8}$ ",  $\frac{1}{2}$ ", and  $\frac{3}{4}$ " thickness. Also  $\frac{3}{8}$ " pre-decorated type to harmonize with Striated or Knotty Pine finish boards.



**PERF-A-BEAD**—Applied and finished with PERF-A-TAPE Cement. Metal bead provides low-cost outside corner reinforcement. Standard 8' lengths; 125-piece jumbo or 25-piece junior cartons.



**DUR-A-BEAD**—All-metal, nail-on type outside corner reinforcement for maximum strength and durability; true corners. Finished with PERF-A-TAPE Cement. 8' lengths, packed in 25-piece cartons.



**United States Gypsum**

**The Greatest Name in Building**

**dramatic  
beauty**  
for  
modern  
living



**BEEGEE**


**modern wood windows**

In building or remodeling architects know the easiest way to increase the charm and value of any home is "window-styling" with Bee Gee Windows. Proportioned to fit with



modern architectural trends, famous Bee Gee Windows provide an authentic styling touch for any type of construction...any kind of interior. 179

styles and sizes of all-wood casement, picture and corner picture windows, skillfully styled, crafted and detailed to bring new grace and glamor to every room in your home. And you can "Clean the Outside from the Inside".



light and airy for health and comfort



Bee Gee Windows open your home to nature's air and sunlight! And Bee Gee's "Pressure Vacuum Ventilation" is scientifically engineered to pull in fresh air from any of 3 directions of wind and exhaust stale air at the same time...the only window on the market to give this truly complete room ventilation.


ease of installation spells economy



A Complete Window...Ready to Set in the Wall...Mailed in Place...Ready to Use!

"ribbon-styled"... long—low—beautiful

New type construction...designed to emphasize the modern lines of ranch-type and contemporary homes, with all the warmth, character and practical advantages that only wood windows provide.



every window available in 2 styles



STYLE A



STYLE B

Style "A"—a brilliant expanse of unobstructed glass. Style "B"—the glass divided to give you long horizontal lines. Choose the style that best fits your home.

**BROWN-GRAVES CO.** AKRON 1, OHIO



BROWN-GRAVES CO.  
Dept. AB-107, Akron 1, Ohio

Please send my FREE Bee Gee Window Catalog with complete data and specifications.


I am a  builder  architect  dealer  jobber

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_

# Now build exposed beam new 3 in 1 Roof Deck and



## 1. It's Roof Deck...

Cuts application time as much as 45% or more. Only one material to handle instead of several. New Roof Deck eliminates need for separate roof boards, insulation, lath, plaster and ceiling finishing. In roof sheathing time alone, Roof Deck can save 12 man-hours per thousand sq. ft. of surface compared with 2" x 6" D&M roof sheathing.

## 2. It's Insulation...

2" and 3" thicknesses meet F.H.A. "U" requirements. Inch for inch, Roof Deck provides more than twice the insulation value of wood. 2" Insulite Roof Deck, for example, is comparable to 2" wood deck plus 1" fiber-board insulation. Helps absorb sound, too. Exclusive vapor barrier protects against condensation.

## 3. And Finished Ceiling!

The underside of Insulite Roof Deck is finished with a white flame-resistant surface at the factory. Simply lay Roof Deck over pre-finished beams and the ceiling is done. No need to plaster, paint, stain or wax. Reduces labor and material costs. Insulite Roof Deck is available in 2' x 8' units, 1½", 2" and 3" thick with or without Insulite's exclusive vapor barrier.

Now! Roof Deck, Insulation and Finished Ceiling  
*in one quick money-saving operation with new*

# **INSULITE**

## **Roof Deck**



# ceilings anywhere with save \$80 to \$300 a home!




**The secret's in the seal! Exclusive vapor barrier lets you build exposed beam ceilings for less, anywhere in the U.S.A.** Continuous vapor barrier combines (1) a membrane laminated into each unit, plus (2) a rubber gasket that seals carefully machined T&G joints. Protects against condensation within the deck in any climate. (Also available without vapor barrier for use in moderate climates.)


**Send for Complete Information Now!** Actual on-the-job pictures and construction details show how to use new Insulite Roof Deck to build better for less. Write Insulite, Minneapolis 2, Minnesota.

INSULITE DIVISION, Minnesota and Ontario Paper Company, Minneapolis 2, Minnesota

INSULITE IS A REGISTERED TRADE MARK




# Visible Sales-Plus that Costs You Less!



## REYNOLDS *Lifetime* ALUMINUM Gutters and Downspouts

To the prospective home buyer nothing says "Quality Construction!" so fast. The soft sheen of aluminum at the eaves instantly signals—*quality!* Rustproof beauty that needs no painting! Fast installation with slip connectors—no soldering! Lowest in cost of rustproof materials! Add your savings on labor and this visibly superior sales feature actually costs you less than *any* other gutters. Ogee or half-round, stipple-embossed or smooth finish. Write for literature.

**Reynolds Metals Company**, Building Products Division, 2003 So. Ninth St., Louisville 1, Ky.



**New!**

### REYNOLDS ALUMINUM TRAVERSE WINDOW

Amazingly simple and beautiful sliding window, ideal for the modern home. Precision-made of "Satinized" Reynolds Aluminum. Easiest to install, high rated against air and water infiltration. Vents slide easy, close tight. No sash balances, weights, hinges...no puttying! Wide selection sizes, types.

### REYNOLDS ALUMINUM REFLECTIVE INSULATION

High efficiency at less cost than most bulk insulations. Perfect vapor barrier. Embossed foil on two sides of tough kraft paper (Type B), or one side (Type C). In rolls of 250 sq. ft., 25", 33" and 36" wide.



SEE "MISTER PEEPERS,"  
starring Wally Cox,  
Sundays, NBC-TV Network.


# REYNOLDS ALUMINUM

BUILDING PRODUCTS

Get tremendous bracing strength

# SAVE 4 WAYS

## with Upson All Weather Sheathing



Apply wood siding directly over Upson All Weather Panel Sheathing. Nails won't pull out. Tests show Upson Panels have 30% greater resistance to nail withdrawal.

**6 plies mean super strength**—Made by an exclusive process; 6 plies of specially treated wood fibers laminated and bonded together.

- 1 save... costs less to buy**  
Your material costs are lower because Upson All Weather Sheathing is priced lower, yet offers you highest quality.
- 2 save... eliminates costly corner bracing**  
Why pay for material and labor for corner bracing when it's not needed. Super strong Upson Sheathing meets and exceeds requirements of FHA Technical Circular No. 12. Also accepted by the Veterans Administration.
- 3 save... on cost of application**  
Reduce application time by over  $\frac{1}{3}$  compared with wood sheathing. Save labor costs. Upson Sheathing is easy to apply, nails direct to studs, saws like wood, clean.
- 4 save... reduce material wastage**  
A greater variety of sizes to fit your house at no extra cost. Virtually eliminates waste.

### more features

- Treated to resist mold, fungi, termites.
- Smooth surface, easily painted. Base color won't bleed through. No special sealer needed.
- Adds insulation value.
- Moisture content—10% to 12%.
- No wetting or special treatment 24 hours before application needed.

© 1954 THE UPSON COMPANY

**UPSON** | *All Weather* | **SHEATHING**

PROVEN QUALITY YOU CAN TRUST



**Twice as strong in load tests.**  
Proved best in every test. Carried twice the weight of other materials tested.

**Far stronger in racking tests.**  
Tests by the Univ. of Buffalo Engineers showed Upson Sheathing withstood greater stresses than other materials tested.

**Over twice as strong in impact tests.**  
Proved more than twice as strong as all other 25/32" sheathing tested.

**Waterproofed by exclusive Upson CuraSeal Process.**

Waterproofs through entire thickness. Resists water absorption 3 times better than insulating sheathing tested. Store outdoors. Resume work right after rain, snow.



Here Upson Sheathing is used for soffits. Rugged and waterproofed, Upson Sheathing needs no special sealer when used for exterior surfaces.

Soffits cut to size—Think what this means. No cutting on job. Saves time.

No charge for longer lengths—8' lengths or 20' lengths, price per sq. ft. is the same.

Mail coupon for **FREE** folder and instruction sheet!

THE UPSON COMPANY  
113 Upson Point, Lockport, N. Y.

Please rush me **FREE** Folder and Application Instruction Sheet on Upson All Weather Sheathing.

NAME \_\_\_\_\_

NAME OF FIRM \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_

# Better Homes and Another Record-Break

## The 1954 Home for All America

*It fits any climate zone, any family group,  
any design taste, any materials*

TO BE ERECTED BY TOP BUILDERS ALL OVER AMERICA

**Chicago, Ill., Jan. 19.** At the 1954 convention of the National Association of Home Builders, the editors of Better Homes and Gardens presented the BH&G HOME for ALL AMERICA to approximately 400 builders and manufacturers from all parts of the country.

Using color slides and scale models, John Normile, building editor of BH&G, stressed the fact that this home presents advantages rarely found in model homes. Of contemporary design, the home is unusually flexible, practical, and of striking appearance. The scale models showed how, on one basic design, the home can be adapted to fit any climate, to suit any family group, any design taste, and any materials.

### **Promotion expected to exceed 1953 record-breaking success**

Within 24 hours of the presentation, more builders had signed to build the HOME for ALL AMERICA than the

total participation in the 1953 promotion—visited by over 1,000,000 people.

A much more extensive promotion will back up the 1954 home.

### **FACTS ABOUT 1954 HOME AND PROMOTION**

The 1954 HOME for ALL AMERICA was designed by Robert Little, A.I.A. of Cleveland, Ohio. It answers the needs and desires of most families, regardless of where they live. Its flexibility enables builders in all areas to adapt it as the model home to promote more sales in 1954.

The HOME for ALL AMERICA will first be shown to the public in the September issue of Better Homes and Gardens, on sale August 25, and will be read by over 3¼-million BH&G families—guaranteeing that tremendous numbers of top prospects will view the home in September.

Builders are offered exclusive rights to build and finance the home in their cities.



Along with the HOME for ALL AMERICA feature in the September issue, two full pages will list all builders' names, and addresses of their homes. In each city where the home is built, newsstand copies of the September BH&G will carry a special tab on the cover featuring the name of local builder and address of home.

Builders will be supplied with 10 copies of the September issue—newspaper mats—radio and TV spots—publicity releases—special display pieces—suggested site and directional signs—special mailings to all subscribers in the area (at cost)—miniature BH&G cover folders (at cost). **IN SHORT, EVERYTHING THE BUILDER WILL NEED FOR A MOST SUCCESSFUL PROMOTION!**

MEREDITH PUBLISHING COMPANY, Des Moines, Iowa

Get the exclusive franchise  
Rush inquiries to Better Homes & Gardens

# Gardens Announces ing Home Promotion!



The models of the HOME for ALL AMERICA pictured on this page, show 3 of the 9 possible variations in basic design. Above, is one in which the garage, or carport, is separated from the home by an outdoor living area, and has a low gable roof.

The home with the high gable roof (lower left) is suggested for areas where local conditions and preferences demand this style roof. This version features an attached garage.

For some areas, the flat roof may be a more popular design (lower right). Here the carport is located in front of the home, separated by the outdoor living area.

The home has 1,415 sq. ft. of floor space arranged to achieve maximum livability. 3 bedrooms, large activity area, 2 baths, utility room—all features combined to make the HOME for ALL AMERICA, the home for most any family, in any area.




for your city immediately.

“Home for All America” Promotion, *Des Moines, Iowa!*

## Sales- Condition

*the homes  
you build  
with...*



# allwood\*

*every builder  
should know:*

- ...walls and ceilings of Allwood Hardboard go up fast — provide economy without loss of quality.
- ...Allwood won't shatter, split or crack. It's grainless—equally strong in both lateral dimensions.
- ...Allwood resists abrasion and moisture—maintains dimensional stability.
- ...Allwood is buyer-preferred for good looks and long wear.

## HARDBOARD

Allwood Hardboard brings built-in sales appeal to every home you build. You can start NOW to gain economy, efficiency and *extra* versatility on the job. Allwood saws, nails, drills, works like wood because it *is* wood. It bends for special effects.

Get full details from your dealer on sizes and densities available. If he does not stock Allwood, send us his name. Our jobber will call on him.

**DEALERS!** Find out TODAY how *you* can profit from the spreading demand for Allwood Hardboard. Call in your jobber... or write directly to us for information.

Speed door and window finishing with John Day Packaged Trim — Grade A Ponderosa Pine...flawless pieces cut to correct length. Ask your dealer about it... or write for information.

OREGON LUMBER CO., BAKER, OREGON

\*T.M. Oregon Lumber Co.



## Oregon Lumber Company

Hardboard Division

DEE, OREGON

AMERICAN BUILDER

# BURNS 'father and son' team conducts rehabilitation experiment FINDS IT PAYS

---

*American Builder's Four-Point Program as outlined in the January, 1954 issue foresees a bright future for the nation's builders. New dollar volume highs are within reach through aggressive action in selling new construction, merchandising of trade-ins, remodeling and rehabilitation. Under point four, this magazine suggests that builders train crews and gather vital information now to help combat America's biggest housing problem—the ever increasing inventory of substandard dwellings*

---

IN LOS ANGELES "Two Old Dowagers" are undergoing some mighty significant changes despite their 70 odd years of age. Fritz Burns, builder-realtor, and his son Pat are rehabilitating two old structures into duplex apartments. Though the job is only partially completed, it already points up the feasibility of new-conditioning worn out structures. Burns, noted anti-slum fighter (chairman of NAREB's Build America Better Council), is training a crew in rehabilitation work. He also is gathering vital dollars and cents statistics that will aid his operation and his personal crusade against decayed housing.

Recently the builder purchased several blighted structures in Los Angeles' Bunker Hill section. The houses, built in the 1880's, were once fashionable homes in the elite section of the city. Age and shifting population trends have taken their toll, and today the structures, located in the heart of a blight area, stand shorn of their previous magnificence.

The actual rehabilitation work was turned over to Pat Burns, Fritz Burns' son. The first structure that Pat modernized was originally a nine-room, two-story, single-family unit. Pat converted the house into two 1,000 square-foot apartments with rental values of \$85 a month for each unit. The structure was purchased by the Burns organization for \$6,000. Rehabilitation costs of \$8,000 brought the total investment to \$14,000. The gross rental (\$170) and total investment (\$14,000) compares favorably with the old rule of thumb adage that income property rentals should be figured at one per cent of the investment per month.

## **Rehabilitation of the Building**

The structure was in a bad state of disrepair because of age and neglect, rather than poor material and work-

manship. The original framing and siding were redwood and in sound condition. However, the few pieces of siding and trim that needed replacing presented a supply problem—manufacturers don't produce the same patterns today. Pat solved this problem by scouring wrecking yards where he was able to secure duplicate patterns at a fraction of the cost of new material.

The rehabilitation and conversion was intelligently planned. No attempt was made to change the architectural lines or the exterior of the facade, and this is the basic difference between rehabilitation and remodeling. This house was brought back to livable standards without major, prohibitive cost changes.

Another entrance is the only exterior change. Paint did wonders to give the house a new look. Major exterior construction was limited to a new covered porch, because the original porch was beyond repair.

## **Simple Changes to Floor Plan**

Partition changes were held to a minimum in the conversion to two apartments. The first floor apartment occupies the area of the original living room, dining room, breakfast room, kitchen and two pantries. A portion of the dining room became a bedroom. Closet space was provided by erecting a partition around the old sliding doors between the dining room (now bedroom) and the living room. Baths for the first floor apartment were installed in one of the pantries and a large closet under the stairs. The second bedroom occupies the area of a pantry and the dining room. To build the second bedroom two partitions had to be removed and two new ones built. The new partitions, placed to increase the area of the room, cut into the original area of the dining room and kitchen.

The second story apartment also had few interior par-

## Burns Rehabilitation Experiment— (Continued from page 165)



Before: These are the "Two Old Dowagers" being rehabilitated by Fritz Burns and his son, Pat. Although both houses are more than 70 years old, their structural soundness made rehabilitation a practical matter

Simple rehabilitation with few exterior changes has given this house a complete "new look." This experiment demonstrates effectively that modernization of older structures is economically sound



This is the typical foyer of houses built in the late 19th century. The builder was able to make separate entrances to the duplex apartments by putting a partition next to the stair




tion changes. The portion between the original bedroom and parlor was removed to make the new living-dining combination. The old upstairs bath was enlarged to make the new kitchen, and the new bath was installed in two hall closets. The tub and lavatory were installed in one and a headered opening was cut through the wall between the two closets for access to the toilet.


### **Modern Products Speed Repair Work**

To speed the job and to hold costs, the builder used


many products highly adaptable to repair and modernization work. Plasterboard was installed over all the old plaster walls as a time-saving operation. Floors were sanded and covered with linoleum and cork tile instead of replacing some of the bad pieces. Plastic-coated hardboard panels were installed on the bath walls. The kitchens for both duplex apartments were modernized with packaged sinks and cabinets. A garbage disposer, ventilating fan, gas stove and gas refrigerator also were installed in the kitchen. Individual gas-fired, wall-type




SECOND FLOOR PLAN BEFORE




SECOND FLOOR PLAN AFTER



A new partition was built at the end of the living room to make closet space in the adjacent bedroom. Sliding doors between the two rooms were left intact. The gas-fired wall furnace grilles can be seen at left alcove. Floor is cork tile. The fireplace was not changed



FIRST FLOOR PLAN BEFORE



FIRST FLOOR PLAN AFTER



The before and after floor plan shows the use of the existing space. Few partition changes had to be made to provide the two 1,000-square-foot apartments






heating units were installed in both apartments.

### City Helps Builder Plan Conversion

Los Angeles Building and Safety Department, one of the nation's leading city agencies charged with slum rehabilitation and prevention, recommended changes that would bring the house back to habitable standards. The free service included inspections that would determine what repairs would need to be made, as well as blue printing the new floor plan arrangement.

The typical old kitchen (top) had a thorough rejuvenation to make room for modern conveniences. Packaged units were used to speed the work

# We proved it to Zehman &



## **NEW B&D 8" HEAVY-DUTY UTILITY SAW**

Packed with power, the new 8" Saw works and works . . . cuts and cuts . . . up to full rated load! Cuts from 0° to 2<sup>15</sup>/<sub>16</sub>" deep . . . bevel cuts from 0° to 45° . . . depth of cut at 45° is 2<sup>1</sup>/<sub>16</sub>". Built-in depth-and-bevel adjustments . . . plus features that make the new B&D Saws the greatest ever. . . . . **\$96.50.**

## **NEW B&D 9" HEAVY-DUTY UTILITY SAW**

Extra powerful, the new 9" Saw can handle all your heaviest jobs and deepest portable-saw cuts! Depth-of-cut from 3/4" to 3<sup>1</sup>/<sub>4</sub>" . . . bevel cuts from 0° to 45° . . . depth of cut at 45° is 2<sup>3</sup>/<sub>16</sub>". Incorporates built-in depth-and-bevel adjustments and all the other new extra B&D features! . . . . . **\$114.50.**

**ALSO: New B&D 6" Adjustable Saw . . . \$64.50 and New B&D 7" Saw . . . \$84.50 !!!**

**Both Heavy-Duty Saws with all the Features Described Above.**

# Wolf - we'll prove it to you!


## NOW! BLACK & DECKER Saws give you every feature you want for every job you do!

Zehman & Wolf Construction Company of Cleveland, Ohio, hires as hard-hitting and hard-working a crew of carpenters as any you'll find. We felt that these men would be the best judges of saws, so we took a new B&D Heavy-Duty Saw out on the job and asked them to try it. And did they give it a workout! They made rip cuts, cross cuts, box cuts and bevel cuts with it. They hefted it for weight, tried different depths of cut, balanced it,


used it right-handed, left-handed—with one hand and with two. And when they were finished, they were sold! They were sold on the power of the new B&D Saw . . . on its features . . . on the amount of work it gets through. As Carpenter Hy Weltman put it: "The new B&D Saw has a lot of power and it's easy to use. Not only is the lever on the lower guard a good safety factor, but all of B&D's new features make it a great help."



**EASY-GRIP HANDLE . . .** plus extra hand-hold, and cord is out of the way!



**POWER TO SPARE . . .** for toughest jobs . . . motors are B&D designed just for these saws!



**HUSKIER BUILD . . .** larger shoe . . . for solid base, greater stability at any depth or angle!



**2 - POINT SUSPENSION . . .** not one but two big wing nuts hold saw steady at every depth and angle!



**SAFETY-LIFT GUARD . . .** large guard lift-lever lets you retract lower guard by hand safely!



**MAN-SIZE CONTROLS . . .** big trigger switch, heavy wing nuts give faster action, quicker adjustments!

### PROVE IT YOURSELF AND GET A CHANCE TO WIN \$1,000.00

**AT YOUR DEALER'S!** See and try the great new Black & Decker Saws yourself, soon . . . AND GET A CHANCE TO WIN \$1,000.00 at the same time! Just ask your building supply or hardware dealer to show you the new B&D Saws. Watch him demonstrate them. Try them yourself. Note their many features. Then get an official entry blank. Fill it out, following the easy directions, and leave it with your dealer. He'll do the rest . . . and you'll be in line for the grand prize . . . \$1,000.00 . . . or one of the many other cash awards. See your dealer right away *quick!* For dealer nearest you, see where-to-buy-it section of local phone book, under "TOOLS-ELECTRIC."

**RIGHT ON THE JOB!** To make the big B&D Saw Contest even easier for you to enter, we'll arrange to have the new B&D

Saws brought right out to your job site, demonstrated to you, let you try them yourself! And you'll get your official contest entry blanks right then and there. To arrange for this, just fill out the handy coupon below and mail it to us *today!*

For address of nearest dealer see "TOOLS-ELECTRIC"



THE BLACK & DECKER MFG. CO., Dept. H663, Towson 4, Md.

I want to see and try the new B&D Saws right on my job! No obligation, of course!

Name .....


Company .....

Address .....

City ..... Zone ..... State .....

Job Location .....

When it comes to **development  
homes**



**On three grounds** — price, performance and appearance — Gas appliances belong in your development homes. They cost you less to install (and cost your purchasers less to use them). They operate more efficiently because Gas is both flexible and instantaneous. And they sell on sight! For the new Gas ranges are so automatic they cook whole meals all by themselves.

The new Gas refrigerators are so automatic they feed ice cubes into a basket all by themselves. You can talk about, boast about, even write ads about your all-automatic Gas kitchens. They're the plus that can turn prospects into buyers and buyers into happy homeowners. And they make your own margin of profit that much bigger.

... nothing makes as much sense as Gas


This New Freedom Gas Kitchen\* features an automatic Gas range, made to "CP" standards by the **Hardwick** company.

Royal Wood cabinets by the **Mengel Co.**

Kitchens sell homes, and this **Servel** Gas refrigerator certainly helps sell a kitchen. It puts ice in a basket automatically, does away with messy trays. Few women (and not a man in the world) can resist it—or the home that has it.



Bryant automatic Gas water-heater: Caloric automatic Gas clothes dryer.



**The Gas clothes dryer** is another extra that frequently clinches a sale. Most development home purchasers have heard of it, read about it, dreamed about it, but few ever thought it would really be theirs. (If you're considering any dryer but Gas, just remember that professional laundries prefer Gas dryers 30-1.) The Gas water-heater is demonstrably superior. Not only does it cost less to install and use, but a 30-gallon tank actually delivers more hot water than an 80-gallon tank run by any other all-automatic fuel. Gas—dependable, efficient Gas—is 3 times faster.

AMERICAN GAS ASSOCIATION

Your local Gas company will be happy to work with you on any problem.

**Only Gas**



costs so little to install and operate

*GAS—the modern fuel for automatic cooking . . . refrigeration . . . water-heating . . . house-heating . . . air-conditioning . . . clothes-drying . . . incineration.*

\*Reg. A. G. A.


MARCH 1954

171



how many  
will you  
miss out on

...AND WHY?



No one can get 'em all. What's important is, will you have the opportunity to bid? You can't get any of them unless you try.

This is sure, with keener competition you just can't afford to miss out on any jobs because you heard about them too late or never hear about them at all.

The one sure way to know at the right time where the jobs are, the way proven for over 60 years by most of the leading firms in new construction, is to use Dodge Reports. Wherever you are in the 37 Eastern States Dodge field men spend all their time investigating new business opportunities for you in the new construction market.

You can have all the business you want if you know where the jobs are . . . at the right time. It's your business to figure, bid and sell...it's Dodge Reports' business to find the jobs and tell you where they are so that you can sell them. There's just no other way to make the most of all the opportunities coming up every day in new construction. There are just too many people to see, too many miles to cover, too little time.

Why not take a look at some typical Dodge Reports covering work right in your territory. We'll gladly let you see them and send along our informative book telling how others use Dodge Reports profitably. Timely, accurate, daily Dodge Reports are backed by the nation-wide facilities of the Dodge organization.

Make sure that from this day on you don't miss out on any jobs you want.


Write today for book. No obligation.

## DODGE REPORTS


TAKE THE FIRST STEP IN EVERY SALE

Dept. AB-354, 119 W. 40th St., New York 18, N.Y.

*Timely, accurate construction news service East of the Rockies*



Key your building business  
to a color-magic idea...



the

**RUBEROID**

*Color-Styled Home*

It had to happen. Today, a knowledge of color harmony is an indispensable tool for every builder of new homes or for remodeling. And . . . now, Ruberoid offers you a tool to make exterior color-styling sure and easy . . . and an idea to help you turn the sales magic of color into profits.

You can't ignore the growing demand from a color-conscious public for exterior color styling to match the advance of interior decoration. Ruberoid helps you turn this challenge into a sales opportunity . . . not only with a complete line of roofing and siding shingles in decorator colors . . . but with a working tool to turn color theory into sales.

Ruberoid's popular Color-Grained Asbestos Siding offers an appealing choice of decorator colors with a "shake"-textured surface. It saves you money, too . . . as much as \$650 on an average home with 15 squares of siding. Color-Grained Siding's *Duroc* protective finish enriches the color, resists dirt, stains and weather . . . *never needs paint.*

Ruberoid Asphalt Shingles in either regular Thick Butts or famous interlocking Tite-Ons are heavily surfaced with mineral granules in a wide range of harmonizing decorator colors and blends.

Millions of homeowners . . . and most of your customers and prospects . . . will see these well-known Ruberoid products advertised soon in *The Saturday*

*Evening Post*, *Better Homes & Gardens* and *Good Housekeeping*. They'll be alerted to the new trend in roofing and siding through the Ruberoid Color-Styled Home idea.

Here's how to put these color-styled products together into sales-winning combinations . . .

**The RUBEROID Colorator**

Anyone can be a color expert with the Colorator. It ends color confusion . . . turns complicated color theory into simple terms, showing Ruberoid roofing and siding colors in pleasing combinations with suggested trim and accent colors. It not only dramatizes exterior color styling, it's a practical, easy-to-use working tool . . . and sales tool. Your Ruberoid dealer has a Colorator for you to see and use. If you'd like your own Colorator Selector, just send the coupon below.



The RUBEROID Co.,  
Dept. A, 500 Fifth Ave., New York 36, N. Y.

Please send my free copy of the Ruberoid Colorator.

YOUR NAME \_\_\_\_\_

COMPANY \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ ZONE \_\_\_\_\_ STATE \_\_\_\_\_

AB-3

**The RUBEROID Co.**

*Asphalt and Asbestos Building Materials*

MARCH 1954

173



# A Fitting Combination

*for saving time  
and cutting costs*

*The round cornered hinge and the portable electric mortiser go together. You'll cut hours off your door hanging days with this fitting combination. It's a natural.*

Time is saved around these corners

Stanley Round Cornered Hinges are available in any size or finish; in plain joint or ball bearing, regular weight or extra heavy.

Stanley Round Cornered Hinge leaves and pins are completely interchangeable.

Stanley Round Cornered Hinges fit the mortise made by the portable electric mortiser — they fit exactly and uniformly.

Stanley Round Cornered Hinges COST NO MORE!

## Costs are cut by this kind of portable power

The Stanley Hinge Mortiser routs out perfect mortises in less time with less work. Using this mortiser and the template shown here, even an unskilled carpenter can mortise 75 doors and jambs a day.



No. HB8A Router and No. T3 Template



No. J5 Plane

This Stanley Electric Plane has a hundred uses for the busy builder. Wide enough to plane surfaces up to 2½", the spiral cutter works smoothly with or against the grain and won't splinter edges. The planed surfaces are ripple-free, whether cut is tissue thin or as much as 3/16" deep. Here's a real work-eater. Stanley service stations everywhere . . . list of addresses packed with every tool. Put this door-fitting team to work for you. Call your wholesaler or write Stanley today.

REMEMBER  THREE HINGES TO A DOOR

Hardware **STANLEY** Electric Tools 

THE STANLEY WORKS • NEW BRITAIN, CONNECTICUT  
TOOLS • ELECTRIC TOOLS • HARDWARE • STEEL STRAPPING • STEEL

AMERICAN BUILDER

# NOW!

## cut QUICK, NEAT switch box holes in drywall with

# the **QUICK-KUTTER**

PATENT PENDING



All you need for perfect switch-box holes



The male cutter snapped in switch box




The hole, approximate center of box



Insert cutter—SQUEEZE HANDLES TOGETHER



A Perfect Hole—no patching needed—in less than 30 seconds!



- ✦ ELIMINATE PATCHING
- ✦ SAVE TIME
- ✦ DO A PERFECT JOB EVERY TIME

- **NOW**—in just a few seconds—you can cut neat, quick, switch box holes in drywall. Every hole is perfect. There's never any need for a follow-up patch job—all this time is saved.
- The Quickkutter cuts single, double or multiple holes with equal ease, every hole perfect, with no splitting of the back of the sheet, and no damage to the paper facing on either side.
- The Quickkutter is rugged—built for long years of service. In extensive tests, over 1,000 perfect holes were cut in an 8-hour day!
- Follow the easy steps in the pictures at the left—then add this valuable time-saver to your tools.
- Complete with 1 $\frac{3}{8}$ " Misener hole saw (fits any standard brace), with one single and one double cutter die... **\$24<sup>95</sup>**  
(Quickkutter \$21.50, Saw \$3.45)

This tool is sold **ONLY** on a moneyback guarantee if not as represented.

See your dealer or order direct

**FILL OUT THIS COUPON AND MAIL TODAY!**  
NO C.O.D.'s

HARTMEISTER MFG., INC.  
Room 1, 2020 W. Barberry Place  
Denver 4, Colorado

Enclosed is  check  money order for which send me one Quickkutter, Misener hole saw, and the single- and double-box cutters. I understand this will be shipped prepaid. No C.O.D.'s, please.

Name PLEASE PRINT .....

Address .....

City .....

State .....

Orders shipped in the order in which they are received.





## AND SELL YOUR HOUSES FASTER

A proven fact! Ask any builder who installs BILCO Doors. He'll tell you it's the best selling feature he ever used. Home buyers sign up fast when basements are useful, livable and safe. Don't "date" your homes — investigate America's fastest growing building product . . . the BILCO all-metal permanent door.

Direct access to the basement eliminates tracking mud and dirt through the upstairs rooms. Countless steps are saved by repairmen, servicemen and the home owner. It's the only means of installing big equipment necessary for a work shop, recreation room or extra living room.

*Check all these Bilco Benefits!*

- ECONOMICAL!
- LIFE-TIME DURABILITY!
- WEATHER-TIGHT!
- FIRE-PROOF!
- BURGLAR-PROOF!



# Bilco®

THE BILCO CO., 109 HALLOCK AVE., NEW HAVEN, CONN.

Please send me complete information on the BILCO DOOR, sizes, prices and dealers' names.

I build  10 or less  10-100  100-500 houses

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_

## Catalogs —

### and Manufacturers Literature

#### 476—VENETIAN BLINDS

—attractive new 20-page catalog presents in picture-caption form the advantages of "Flexalum" blinds, including product's reaction to bend, immersion, salt spray and other tests. Operating mechanism and vinyl plastic cord are described. Decorating possibilities for multiple, bay, double, picture, high and kitchen windows are given, plus suggestions for use with single or double doors. Hunter Douglas Corp., Dept. AB, 150 Broadway, New York 38, N.Y.



#### 477 — REDWOOD AND FIR PLYWOOD

— eight-page catalog presents Malarkey redwood and fir Shadowwood plywood, lumber and matching moldings in full color. Properties, specifications, suggested finishes and uses are included. Shadowwood pattern has been given to t&g lumber; paneling is 1/2 inch thick, six or eight inches wide, and comes in 8-, 12- and 16-foot lengths. M and M Wood Working Co., Dept. AB, 2310 N. Columbia Blvd., Portland 17, Ore.




#### 478—ATTIC FANS

—standard residential-type fans designed for homes with low pitched roofs are made in four sizes of 24, 30, 36 and 42 inches. Panel-type units are made in eleven models for residential, commercial and industrial applications. Both are described in four-page folder containing complete specifications and dimensions of residential and panel units. Installation shown in picture-step form. The Lau Blower Co., Dept. AB, 2001 Home Ave., Dayton 7, Ohio.



#### 479 — PLASTER AGGREGATE

—illustrated eight-page brochure, "How to Specify and Use Perlite Plaster Aggregate," contains helpful specification data, information on the perlite industry's certification and labeling program for plaster aggregate and practical hints on the cause and prevention of cracks in all types of plaster. Product is guaranteed to meet ASTM requirements. Perlite Institute, Dept. AB, 10 E. 40th St., New York 16, N.Y.




♦ FOR MORE INFORMATION USE COUPON, PAGE 202

AMERICAN BUILDER

# MILCOR\* Louver Ventilators


**made of durable non-streaking galvanized steel  
to give lasting satisfaction**



**1** **Series 300 Louver Ventilator**  
The standard of the building industry for any type construction. Flange is fastened on a wood frame — then applied to sheathing or fastened into masonry opening.

**2** **Roof Louver Ventilator**  
For roofs of any pitch where gables or attic sidewalls are not available. Has removable insect screen.

**3** **Series 220 Louver Ventilator**  
Size is equivalent to one concrete block. Readily installed in old or new brick, stone, or masonry walls. Held in place by mortar. An ideal foundation ventilator.



Trapped summer heat and winter moisture condensation often lead to paint blistering, structural rotting and damage to insulation.

This trouble can be avoided by using Milcor Louver Ventilators — the low-cost way of drawing off moist, dead air and supplying fresh, dry air.

**Here's low-cost ventilation for any home —  
in a size and type for any construction**

Architects, Ventilating Engineers, and Insulation Contractors know that every home needs Milcor Louver Ventilators:

- for cooler comfort in summer.
- for protection from condensation in winter.

And here are six more reasons why Milcor Louver Ventilators are first choice:

**Low in cost** — yet they provide valuable all-weather ventilation for any home.

**Durable** — Milcor Louver Ventilators are made of heavy galvanized sheet steel with reinforced louver blades that won't loosen or rattle.

**Wide range of types and sizes** — for wood, concrete block, brick, stone, or concrete construction.

**Convenient** — all types are available with a separately framed, removable insect screen — an extra-quality feature.

**Scientifically designed** — to provide the most efficient cross ventilation possible as well as attractive appearance.

**Easy to install** — thanks to generously fitted corners and overlaps. Ideal for both old or new construction.

Insist on Milcor Louver Ventilators for the homes you build or remodel. You give the home owner long-lasting protection and build a reputation for fine work.

**INLAND STEEL PRODUCTS COMPANY**

4025 WEST BURNHAM STREET • MILWAUKEE 15, WISCONSIN


BALTIMORE 5, MD., 5300 Pulaski Highway — BUFFALO 11, N. Y., 64 Rapin St. — CHICAGO 9, ILL., 4301 S. Western Blvd. — CINCINNATI 25, OHIO, 3240 Spring Grove Ave. — CLVELAND 14, OHIO, 1541 E. 38th St. — DETROIT 2, MICH., 690 Amsterdam Ave. — KANSAS CITY 41, MO., P. O. Box 918 — LOS ANGELES 58, CALIF., 4807 E. 49th St. — NEW YORK 17, N. Y., 230 Park Ave. — ST. LOUIS 10, MO., 4215 Clayton Ave.

\*Reg. U. S. Pat. Off.

S-123B

GET IMPORTANT TIME  
AND COST SAVINGS

Set Tile The  
**MIRACLE® 'THIN-SET'**  
Way



The Miracle 'Thin-Set' method of installing tile has been proven in thousands of installations in bathroom units and all kinds of other ceiling, floor, counter, and decorative areas, since 1937.

■ You quickly, permanently install tile over gypsum board, plaster, plywood, cement asbestos board, and concrete-vertical or horizontal surfaces.

■ You don't need heavy construction equipment or bulky setting materials. The Miracle 'Thin-Set' method reduces dead weight 12 lbs. per sq. ft. You cut way down on weight of materials to be transported, stored, hoisted, and handled.

■ You speed jobs substantially. You use more economical base materials. You cut costs as much as 20% per job!

■ All your setting material supplies may be secured from Miracle Adhesives Corporation: leveling, priming, setting, grouting, and caulking — made by Miracle Adhesives Corporation to work together to give you best possible jobs at lowest possible costs.



**Important:** Be sure the adhesive you use bears this hallmark, as issued by the United States Department of Commerce. Miracle Tile Cements comply with all Commercial Standard Specifications for "water resistant organic adhesives for installation of clay tile."



**FREE:** New 20-page brochure describes Miracle 'Thin-Set' method of installing clay tile. First authoritative brochure on 'Thin-Set' method ever published, with 20 full pages of facts and illustrations. Shows how to install clay tile quickly, permanently at minimum cost. Detailed, 2-color isometric drawings. Write today for your free copy to Dept. AB-1.

Miracle Clay Tile Cement available in floating type, buttering type and floor type — in light color or black. All are waterproof rubber resin adhesive formulations — the finest available.




**MIRACLE ADHESIVES CORP.**

214 E. 53rd Street • New York 22, N. Y.



## Catalogs

**480 — ALUMINUM WINDOWS**—eight-page bulletin describes these pre-assembled, "engineered" window units, featuring controlled ventilation, quick installation, all-weather sill, sash removable from inside, box channel construction. Standard double-hung windows are listed in types and sizes, with diagrams showing mullions, installation details for various types of wall construction. Typical installations are shown. Fleet of America, Inc., Dept. AB, 110 Pearl St., Buffalo 2, N. Y.



**481 — LIGHTING FIXTURES**—12-page catalog lists manufacturer's complete line of recessed fixtures for residential and industrial use; 40 units are illustrated, with dimensions, wattage, framing-in details and trim size. Frames, guards and other accessories are listed. Typical installations of fixtures are shown, as well as features of manufacturing processes. Prescolite Mfg. Corp., Dept. AB, 2229 Forth St., Berkeley 10, California.

**482 — BUILDING PRODUCTS**—48-page catalog in full color contains complete information on the company's line of metal building products—metal awnings and canopies, mail boxes, package receivers, etc. It contains the first information available on many new products, including pocket door hardware, sliding towel racks, roller drawer guides and miniature ventilators. Sizes, weights, installation requirements included. Leigh Building Products Div., Air Control Products, Inc., Dept. AB, Coopersville, Mich.




**483 — LAMINATED PANELING**—called Novoply consists of a new all-wood material combining the plywood principle of laminated construction with the use of resin-impregnated wood fibers. Described in this 12-page catalog containing line drawings and photographs showing physical characteristics and applications, product offers economy, beauty, flatness and stability, plus easy fabrication. United States Plywood Corp., Dept. AB, 55 W. 44th St., New York 18, N. Y.

♦ FOR MORE INFORMATION USE COUPON, PAGE 202

AMERICAN BUILDER

Count the Jobs  
You can do...



## with a **FORD** Tractor and Dearborn Equipment

Here's a low cost power unit with the right capacity to work on a wide range of earthmoving and material handling jobs . . . jobs that are too big for hand labor, yet too small to justify the use of heavier equipment.

### POWER FOR MORE JOBS

There's almost no end to the jobs the Ford Tractor can be equipped to do economically. One day you can use it for loading, grading or backfilling. The next day you can use it for excavating, ditching or digging foundation footings. It's a time-saver on construction clean-up work. Dearborn Equipment to handle these and other jobs attaches quickly and easily.

The Ford Tractor is highly maneuverable, too. It speeds from

one job to another—needs no trailer for transportation. And attached equipment rides on the tractor—operates hydraulically with the touch of a finger.

### POWER THAT COSTS LESS

For all it has and for all it can do, the Ford Tractor is priced surprisingly low. You get lower operating cost, too . . . Ford's low friction engine saves on gas, oil and upkeep expense. And wherever your work takes you, you'll find Ford parts and service available nearby. So, with your work season just starting, take time right now to find out how this all-round power unit can produce more profit by staying busy on more jobs. Try it *on your own jobs*, without obligation. See your local Ford Tractor Dealer or write to the address below.

**TRACTOR AND IMPLEMENT DIVISION**  
**FORD MOTOR COMPANY**  
Birmingham, Michigan



GRADE



BACKFILL



SCARIFY



DIG



# Build Closets Faster

WHEN YOU USE BROWN'S

# SUPERCEDAR

## CEDAR

Closet  
Lining



At Little or  
**NO EXTRA COST!**

SUPERCEDAR can be nailed directly to open studding and eliminates the cost of plastering and painting. Houses sell faster, too, when they have the "custom-built" feature of cedar lined closets—yet, this saleable beauty costs you practically nothing extra! SUPERCEDAR is genuine aromatic red cedar with 100% oil content. Nationally advertised and guaranteed. Seal packaged in 4 and 8-foot bundles.

Sold by Building  
Supply Dealers Everywhere

**FREE**  
Closet Planning  
Booklet! Write to . . .

**GEORGE C.  
BROWN & CO. Inc.**

Largest Mfrs. of Aromatic Red Cedar in the World

GREENSBORO, NORTH CAROLINA      Established 1886



## Catalogs

### 484—DOOR HARDWARE

—line features solid brass knobs and roses; rapid installation; automatic self-alignment; perfect fit for all doors from 1¼ to 1¾ inches thick; a ¼ inch thick brass face-plate; heavy-duty steel and brass latch, all described in this four-page brochure. Interior and exterior lock sets; keyless exterior sets; vestibule sets and dummy sets are presented. Sets available in brass or chromium finishes. Technical Glass Co., Inc., Dept. AB, 2050 E. 48th St., Los Angeles 58, Calif.



### 485—STEEL SCAFFOLDING

—tubes, angles and couplers are components for all types of even most complex installations of this product, described and illustrated in 12-page catalog. Units make up exterior, interior scaffolding, concrete formwork, including slab supports and wall bracing, shoring and demountable structures for temporary use. Booklet contains useful photographs of equipment, conventionalized drawings indicating typical uses. Shlagro Steel Products Corp., Dept. AB, 84 Washington St., Somerville, Mass.



### 486—WALL PANEL

—this eight-page catalog contains complete descriptive information, illustrations, specifications and detailed drawings on insulated metal wall panel. The factory-assembled product is said to offer superior thermal qualities, flexibility and attractive appearance besides stressing ease of erection. Typical construction details in clear line drawings enhance the catalog's value to general contractors and architects. The Steelcraft Manufacturing Co., Dept. AB, 9017 Blue Ash Road, Rossmoyne, Ohio.



### 487—UNIT HEATERS

—company line of suspended space heaters for use with any type of gas fuel is illustrated and described in this six-page bulletin. Complete data, with dimensions and capacities of both propeller-fan and blower-type units, are included. Available output capacities range from 70,000 to 178,000 Btu's per hour. Explanations show how they can be used in commercial and industrial applications. Dravo Corp., Dept. AB, 1203 Dravo Bldg., Pittsburgh 22, Pa.



♦ FOR MORE INFORMATION USE COUPON, PAGE 202



*Cheers* FOR THIS GREAT, NEW STYLE  
IN TILE!

# MATICO *Confetti!*

**HURRAHS**—from America's value-wise buyers. They really go for gay, festive, colorful Confetti. It's high-style flooring at low asphalt tile prices . . . easy to clean . . . lasts for years!

**APPLAUSE**—from leading decorators. They welcome the fresh, new styling that gives them wide freedom in creating exciting decorative schemes.

**A ROUSING HAND**—from builders everywhere. Confetti is a brand new aid to home sales. Builders can now "trade up" their homes, "trade down" their budgets . . . save on installation costs. And Confetti is ideal for on-grade, slab construction homes. Fortified with polystyrene plastic for bright, enduring colors . . . extra toughness and resiliency.

Confetti is available in 10 high-spirited colors, in 9" x 9" tiles of 1/8" thickness. Write department 5-3 today for full details and specification data.

**MASTIC TILE CORPORATION OF AMERICA**

Manufacturers of: Aristoflex • Confetti • Parquetry • Asphalt Tile • Cork Tile • Plastic Wall Tile

Joliet, Ill. • Long Beach, Calif. • Newburgh, N. Y.

# *New Coleman gas wall sell low-cost*

*No special construction—*

They fit any home, new or old—

flat top, standard roof,

one- or two-story residences;

basement or slab-floor construction



The biggest selling, best advertised, and by far the most popular wall heater available. Because it fits smoothly between standard 2" x 4" centered studs, it is ideal for installation in new homes as well as existing construction that is to be modernized.

Requires no basement, special excavation or duct work. Beautifully styled and a real space-saver in small homes, upstairs rooms, basements, tourist cabins, etc. Also available in Dual Wall Models to heat two separated areas at the same time. Install them singly to heat a few rooms or use multiple installations for zone-heating larger residences. Write us and we'll have our nearest distributor work out cost to your specifications. The Coleman Company, Inc., Wichita 1, Kansas.


# *heaters cut your costs- homes faster*

*fast, easy installation*

## **NEW** SHORT ECONOMIZER

*puts more heat into room*

Fits in wall above the heater. Reclaims heat from flue area and returns it to the room. Short enough to fit flat roof, goes in buildings with attic or upper stories.



## **NEW**

**DIRECTIONAIR BLOWER**  
*completely automatic with  
new Fan and Limit Control*

Delivers tempered warmth clear to the floor. Increases circulation, prevents cold-floor discomfort. New Fan and Limit Control automatically regulates operation of burner and blower and economizes on fuel.



Comfort costs so little with a




Equipment AGA approved or listed with Underwriters' Laboratories

**Coleman**<sup>®</sup>

**NEW LOW PRICES  
ON  
COLEMAN FLOOR FURNACES**

**OIL GAS LP-GAS**

**Flat Register and Dual Wall  
Models to fit low-cost  
specifications**



Complete in-floor furnaces that need no basement, no air ducts. Like Coleman Wall Heaters, they can be used singly or in multiple installation for zone heating. The famous Coleman Shalloflow is the industry's shallowest gas model.

**THE COLEMAN COMPANY, INC.**  
Dept. 500-AB, Wichita 1, Kansas

Please have a Coleman distributor give me full information on Coleman Wall Heaters and Floor Furnaces.


Name \_\_\_\_\_

Firm \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ Zone \_\_\_\_\_ State \_\_\_\_\_

# You'll be closer to a closing if



**This strikingly beautiful** Weldwood walnut paneled fireplace wall will be featured in full color along with other woods in the April issue of Better Homes and Gardens, American Home, House Beautiful, Living for Young Homemakers and Sunset magazine. It's an example of Weldwood's advertising which appears month after month in leading consumer publications. It's selling everybody on the beauty of real wood paneling . . . it will help you sell your homes if you panel with Weldwood.

# you panel a wall with Weldwood

**Do one wall in Weldwood paneling and all the other walls will look better. A Weldwood paneled wall perks up a room —adds the punch that helps to sell!**

The idea of doing at least one wall in Weldwood paneling is really catching on with builders everywhere. At the recent Builder's Convention in Chicago we were told time after time about the big trend to wood paneling for interior finishing.

It makes plenty of sense, too, because after all what other material can match the warmth and beauty of *real wood*? Women prospects love it. Men respect its quality. Weldwood paneled interiors really help to sell a home!

**MAKE THIS TEST!** If you have shied away from wood paneling because you think it costs too much then make this simple test. Take any 8' x 12' wall area in

the homes you are building. Figure out just what it is costing you to install this wall with materials other than Weldwood paneling. Now compare this cost with that of beautiful Weldwood paneling.

**IT'S INEXPENSIVE!** For instance, you can do the same wall in luxurious Korina® for about \$53 for materials, in cheerful knotty pine for about \$38, in traditional oak at about \$53, in popular Weldtex® at about \$25, in rustic Surfwood® for about \$23 and in dramatic Novoply® at about \$25. Then there's Plankweld® in a variety of wood faces which saves you even more because it is prefinished—*requires no on-the-job finishing.*

We think you'll find remarkably little difference in cost, if any. Yet, there will be a whale of a difference in *sales appeal* when the house is ready to be sold.

For further information see your local lumber dealer now or contact any of the 60 United States Plywood or U.S.-Mengel Plywoods distributing units in principal cities, or mail coupon.

## FOLLOW THESE SUGGESTIONS—THEY'LL HELP YOU CLOSE SALES!



**IN YOUR HOMES**—Check your blueprints and see where Weldwood paneling can most effectively be used. (For homes under construction Weldwood paneling can be included for less than you think.) Visit your local lumber dealer or Weldwood showroom and see the paneling.



**IN YOUR PROMOTION**—Weldwood products are constantly being advertised in other leading national magazines. Your building site display boards and promotional literature should place strong emphasis on the fact that your homes feature beautiful Weldwood paneling.



**IN YOUR ADVERTISING**—The Weldwood *guarantee* has tremendous sales appeal! Use it in your newspaper advertising and promotional literature. You can even include it in your sales contract because the guarantee is backed by the largest plywood organization in the world.



# Weldwood®

**United States Plywood Corporation**

*World's Largest Plywood Organization*

55 West 44th Street, New York 36, N. Y.

**U.S.-Mengel Plywoods, Inc.,** Louisville, Ky.

*Distributing Agents in 60 Principal Cities*

**United States Plywood Corporation** AB-3-54

**55 West 44th Street, New York 36, N. Y.**

**FREE:** Please send me new Weldwood Catalog packed full of Weldwood data and specifications. ( )

NAME.....

ADDRESS.....

CITY.....STATE.....



## plants are important in cooling a house

Plants have a great capacity for preventing the passage of solar heat to surfaces on the opposite side. The main reason for this is that most of this solar energy is used in photo-

Structure designed to carry deciduous vines as summer protection against solar radiation or South oriented glass areas. Designed by Robert B. Deering of the University of California's Department of Landscape Management

synthesis and in transpiration. Part of the heat is lost by conduction and convection to the cooler air and part by radiation. Some is reflected from the surface to the plant.

On the other hand, soils and construction materials absorb great quantities of heat, later radiating it back into the atmosphere. These materials need some sort of protection against the sun so that they will not receive this initial radiation.

In considering these basic facts, a recent conference on housing and building in hot-humid and hot-dry climates, sponsored by the Building Research Advisory Board of the National Research Council, came to these general conclusions:

(1) In areas where the warm winter sun is desired, deciduous trees should be used. Even when leaves are not present, thickness of branching and twiginess can screen out great quantities of radiation.

(2) The placement of trees and the use of grass near the house allows the heavier cool air to flow inside, provided low openings are present. High strip windows are not desirable in this respect.

(3) The greater the number and size of trees and square footage of lawn area, the more cooling there is.

(4) Shrubs may even increase the heat if the air circulation which aids transpiration is cut off. The use of very low ones is suggested.

(5) Windbreaks, however, may be necessary in order to keep out hot-dry and winter wind.

(6) Keep sun off walls to prevent heat absorption and reradiation, and off glass to prevent it from penetrating inside.

(7) Deciduous vines may be used on trellises over windows.

(8) Radiation may be partially stopped by the use of a wall cover of vines. This creates a cool air space between the foliage and wall.

(9) Roofs may even be covered in the same manner as walls, resulting in a double roof; the upper one of living materials.

(10) Keep lawns and trees well watered during dry weather.

(11) Shade as much paving as possible by trees and vines to prevent heat absorption. In hot climates it is well to keep paving to minimum.

# NEW DUSTLESS FINISHING SANDER



■ You know what sanding drywall joints is like. You raise a cloud of fine, talc-like dust that settles on everything. It gets in your eyes — your nose — your throat. Unless you wear a mask, all you can smell and taste hours after it powdered plaster.



■ Now this new Model 127 Finishing Sander gets the dust before it gets you. Like a miniature vacuum cleaner, it sucks up the dust — traps it in a sealed bag. Keeps the room clean — the air clear. No more masks — no more wheezing and sneezing for you!

### Clears the air...and the work...of aggravating dust!



Large size bag optional.  
Costs only \$2.

**Porter-Cable**  
**DUSTLESS**  
**FINISHING**  
**SANDER**

Model 127

**\$59<sup>50</sup>**

■ See your Porter-Cable dealer for details and free demonstration. Or mail coupon today.

**Porter-Cable**  
*Quality Electric Tools*

Manufacturers of SPEEDMATIC and GUILD Electric Tools

PORTER-CABLE Machine Co.  
2003 N. Solina St., Syracuse, N. Y.

IN CANADA send to:  
Stearns, Ltd., London, Ont.

Please send me complete information on the new Porter-Cable Dustless 127 Finishing Sander... also name of nearest dealer.

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

County \_\_\_\_\_

State \_\_\_\_\_

# TRIPLE ECONOMY

*It's the biggest truck news of '54*


New Ford F-100 Pickup has big 45 cu.ft. payload capacity. Choose new 115-h.p. *Cost Clipper Six* or all-new 130-h.p. *Power King V-8*!




- 1. NEW LOW-FRICTION ENGINES** offer power increases up to 23% with *gas-saving economy!* One reason: modern Deep-Block, short-stroke design cuts internal friction up to 33%!
- 2. NEW 3-MAN DRIVERIZED CABS** cut fatigue. New long-wearing woven plastic seat upholstery. Exclusive Ford seat shock snubbers! Huge one-piece windshield!
- 3. BIG CAPACITIES!** Ford's 221 new models offer low curb weights, top payloads! New Ford-built 6-Wheelers, up to 40,000 lbs. GVW! Two new Cab Forwards!

**Ford advances further with big new savings in all 3 vital truck areas! There's more gas-saving power! Still better drivers' working facilities! Big capacities, too!**

New Ford Trucks for '54 offer the mightiest concentration of power per cubic inch ever built into *any* truck engine line! And, smaller-displacement engines like Ford's five new truck powerplants normally need *less* gas! That's only *one* big factor behind Ford Truck *Triple Economy* for 1954. For more information, write: Ford Division, Ford Motor Co., Dept. T-23, Box 658, Dearborn, Michigan—or call on your Ford Dealer, *today!*



**New Fordomatic Drive** saves driver time and energy. Fully automatic—no clutching, no shifting! Available in all Ford light-duty models for '54.\*



**5 great truck engines:** 115-h.p. *Cost Clipper Six*, 130- and 138-h.p. *Power King V-8*'s, 152- and 170-h.p. *Cargo King V-8*'s!

\*All items marked by asterisk available at worthwhile extra cost.



**New Vacuum Boosted Power Brakes** now available on half-tonners make stopping up to 25% easier.\* The foot pressure needed to stop truck won't break an ordinary light bulb.

**Only Ford** gives you Gas-Saving, Low-Friction, High-Compression, Overhead-Valve, Deep-Block engines in *all* truck models! Advancements like rotating valves increase valve life and full-flow oil filter lengthens engine life.

**FORD *TRIPLE ECONOMY* TRUCKS**  
MORE TRUCK FOR YOUR MONEY

# new products

## STEEL FRAME FORMS AB35406

A lightweight steel frame form for plywood panels features ease of handling and quick field assembly. The width of the



steel frame is only 2½ inches, as compared with 4¾ inches for wood frame forms. The manufacturer has developed a simple, easy-to-follow procedure that enables a contractor to build his own concrete forms in the field, using the frame and purchasing his plywood panels locally. Symons Clamp & Mfg. Co., Dept. AB, 4249 Diversey Ave., Chicago 39, Ill.

## PLASTIC WALL TILE AB35403

New plastic wall tile is 4¼ inches square and conforms to the commercial standards of the S.P.I. An improved water-seal flange and a knife edge enter the cement without resistance and force the cement under the water-seal flange, assuring a positive waterproof installation, making this tile safe for shower areas and tub recesses. The economy of installation and the shallow cavity back are said to save several cents per square foot on mastic cost.

The contour face provides attractive wall surface with the bevel edge highlights and shadows. Design also practically eliminates clean-up after installation, as the knife edge prevents cement from coming out between the joints of the



tile. Inside and outside corners, feature strip and half tile, bull nose cap, with bull nose inside and outside corners, are made to accompany this new tile. Hächmeister-Inc., Dept. AB, P.O. Box 357, Pittsburgh 30, Pa.



## MULTIPLE-USE AWNING WINDOWS AB35401


Said to meet all demands of modern architecture, this new awning window emphasizes horizontal lines and great flexibility, making it ideal for the current trend toward more interior light and ventilation. The laboratory tested unit combines hardware that is especially designed but simple in construction with weathertightness. Called "Bilt-Well" awning windows, they may be grouped together or used singly as swing-out awning windows, swing-in hopper units, or stood on end as a casement unit. Builders will

discover their flexibility in using them in ribbons, stacked, or in combination with fixed or picture window units.

The windows are stated to be simple to install and furnished with all hardware. They are available with either a bar operator or a locking handle for easy opening or closing. All cleaning may be done from the inside exclusively. Units are made from kiln-dried Ponderosa pine which has been water-repellent preservative treated. Carr, Adams & Collier Co., Dept. AB, Dubuque, Iowa.

## RECESSED CEILING LIGHT AB35414

This new recessed lighting unit bears the trade name of "Ecco." It is provided with a built-in junction box, a specular re-




flector for maximum light output, lens of Corning Alba-lite glass and a chrome finish frame hinged for easy relamping. Designed to be installed with the manufacturer's bar hangers (an accessory), the fixture can be installed in 30 seconds.

Because of its economical features, the unit is recommended as a built-in fixture for tract homes selling for as low as \$5,000. According to the manufacturer, the salability of the house is increased at no additional cost to the builder with the addition of an "extra that costs no extra." Marvin Manufacturing Co., Dept. AB, 3071 E. 12th St., Los Angeles 23, Calif.

## PORTABLE SAW AB35404

The "Power-Guide" portable saw weighs only 11 pounds, and will miter a two-inch plank at 45 degrees; it has a shoe adjustment for slotting from ¼ inch up to 2 7/16 inches deep.

The saw is equipped with an air-cooled motor in an aluminum housing that delivers one full horsepower under peak load, using a standard 7-inch blade. The gear-box is sealed in grease and has a



one-year factory guarantee. With special blades, the unit will cut steel, tile, brick, concrete or corrugated metal. Motor is at left of blade, insuring good balance, safe control. Ram Tool Corp., Dept. AB, 411 N. Claremont Ave., Chicago 12, Ill.


◆ FOR MORE INFORMATION USE COUPON ON PAGE 202



# BUILDING BUY-WORDS *Herb Willson*

An Advertising Page.

NOW, using the Safway-designed FD-1 folding device, work towers can clear narrow openings and be re-opened into working position on the other side. The FD-1, attached to standard Safway scaffold frames, makes it possible to move a 4 or 5-foot wide scaffold through 30-inch doors without time consuming disassembly and re-erection. To fold the work tower, simply detach one end of the diagonal brace; to put the tower into working position, re-attach the brace. You can get the full story on the money-saving FD-1 folding device by writing to Safway Steel Products, Inc., 6246 W. State Street, Milwaukee 13, Wisconsin.



**NEW HOMES SELL FASTER** with colorful, distinctive **SHAKERTOWN SIDEWALLS...** and new Shakertown **GLUMAC** Units help you finish more homes easier, faster at surprising new low cost. A Shakertown Sidewall is not only factory grooved and stained . . . it is "double-coursed" too: Thick-butted cedar shakes lend deep, soft shadow lines. They add eye-and-buy appeal, too, with decorator-selected colors, added insulation and real home economy. Here's a wood wall that won't blister or peel . . . can be applied in any climate, in any weather. See the Yellow Pages, or Write the Perma Products Co., Cleveland 27, Ohio.



## ADD A ROOM

**GROWING FAMILIES** need increased space. Add a room! The Richkraft Co. has products that make that new room easier to install, better to look at and cooler. Richflex, that highly efficient reflective insulation, is easy to apply in sidewalls and ceiling and it cuts heat losses and acts as an effective moisture barrier. In ceilings it can reduce inside temperatures as much as 15° and it has no superior as a guard against heat flow. Also, remember Richhead the metal wall corner when putting in your walls. It protects both interior and exterior corners from damage by toys and cleaning equipment. The Richkraft Company, Room 928, 510 N. Dearborn St., Chicago 10, Ill., can help you.

### I VISITED THE IN-SINK-ERATOR

booth during the NAHB convention and was I pleasantly surprised. There before me was a complete electric sink from food waste disposer to dishwasher. This sink will be a boon to builders as there, in one unit, is a home seller that will work like magic. The prospective housewife will see her kitchen chores practically melt away. And, the IN-SINK-ERATOR sink, dishwasher and disposer combination will give you a nationally advertised home selling feature that's been pre-sold for you. Get the facts from In-Sink-Erator, Racine, Wisconsin.



### HERE'S ECONOMICAL QUALITY

that helps sell homes. Cermak's three-style line of plastic wall tile is a sure bet for added quality that turns prospects into buyers. Budget Bevel, Cleveland Bevel Edge or the distinctive Carra-Plas answer every demand for Price, Style and Quality. As a lasting wall covering in kitchen, bath and utility rooms they give every home colorful sales appeal. Exclusive "Undergate" moulding makes Cermak tiles the strongest. What's more, only virgin



polystyrene is used. Be sure to ask your Cermak dealer for Armstrong's 1402 cement. Years of experience prove it best. See your local dealer or write Cermak Tile Company Inc., 4901 Brookpark Rd., Cleveland 29, Ohio.



**ELKAY'S STAINLESS STEEL LUSTERTONE SINKS** add the loveliness that attracts the women's eyes . . . the permanence that attracts the men's pocketbooks. Once a Lusterone sink has been installed in a kitchen, it never has to be replaced . . . Elkay

guarantees it to outlast the home! This fact, plus the sparkling easy to clean luster of genuine stainless steel, can be a mighty good sales point for your prospects. There is a model and size for every kitchen and don't let price worry you. ELKAY LUSTERTONE Stainless Steel sinks generally cost no more than colored porcelain sinks. Ask about LUSTERTONE and the marvelous new ELKAY DURATONE sink and counter tops of beauty bonded Formica on steel. Write Elkay Mfg. Co., 1854 S. 54th Ave., Chicago 50.

### KITCHEN DESIGNS FOR ONLY \$5?

Yes, it's a new service for builders and lumber dealers being offered by Mutschler . . . specialists in hardwood kitchens. You send rough floor plan with overall dimensions to be used, preference of natural or enamel cabinets, color and style desired . . . Modern, Early American or other. Mutschler then advises cost for detailed floor plan and artist's sketch of kitchen as it will appear when completed. (Cost, based on number of appliance and cabinet units used, may be as low as \$5.) Your "okay" starts a kitchen design like those featured editorially in leading women's magazines . . . a design that sells the kitchen, sells the home! For free quotations, mail rough plan and information to KITCHEN DESIGN SERVICE, Mutschler Brothers Co., Nappanee 4, Ind.



### BUILDING BUY-WORDS

5510 Cornelia Avenue  
Chicago 41, Illinois

Please send information on products checked:

- SAFWAY STEEL PRODUCTS, INC.—FD-1 folding device
- THE RICHKRAFT CO.—Insulation and metal wall corner
- IN-SINK-ERATOR MFG. CO.—Complete electric sink
- CERMAK TILE CO., INC.—Plastic wall tile
- PERMA PRODUCTS CO.—Shakertown sidewalls
- ELKAY MFG. CO.—Stainless steel Lusterone sinks
- MUTSCHLER BROS. CO.—Kitchen design service (Include rough plan)

Name .....

Address .....

# fastening costs cut 30%



## DRIVE-IT 320 WITH BREAK-OPEN ACTION

This Alaskan builder uses the new DRIVE-IT 320 with Break-Open Action to fasten 2x6 base plates to concrete block. The powder-operated tool "is more economical by at least 30%; results in material and money savings".

Almost all concrete or steel anchorages can be made with more savings and greater strength with DRIVE-IT.




BREAK-OPEN ACTION



ONE POWER LOAD



AUTOMATIC EXTENSION BARREL



SWIVEL SAFETY PAD

### NEW DRIVE-IT 320 FEATURES BREAK-OPEN ACTION FOR FAST, EASY LOADING AND EXTRACTION. OTHER JOB-PROVED DRIVE-IT FEATURES ARE:

**ONE POWER LOAD.** Variable penetration with one strength power load.

**AUTOMATIC EXTENSION BARREL.** Integral with tool. Extends to fasten in recesses.

**SWIVEL SAFETY PAD.** Swivels 360° to fasten near adjoining surface. Steel and tough Neoprene for protection.

**SAFE TWO-HAND FIRING.** Tool must be held against work to operate. Two-motion firing action for safety.

**LOW COST DRIVEPINS.** Prices are lower on wide range of drivepins.

### FOR MORE INFORMATION

#### MAIL THIS COUPON

POWDER POWER TOOL CORP.  
7526 S. W. Macadam Ave., Dept. D  
Portland 1, Oregon

- Please send literature on DRIVE-IT "320"  
 I'd like a demonstration of DRIVE-IT "320"

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_


**DRIVE-IT**  
*the original*

**POWDER-ACTUATED TOOL**

## new products

### BASEBOARD ENCLOSURES AB35421

New style KS enclosures are designed to provide a baseboard-type enclosure for commercial and industrial installations. The front and top are a one-piece unit, and the whole enclosure is mounted on a full metal backing, similar to the manufacturer's residential-type unit. Outline




louvers are in the front skirt, so that convection currents are directed away from wall to improve distribution.

Made of 18-gauge steel, either Galvalite or prime-coated, style KS enclosures can be furnished in lengths of three-inch increments up to a maximum of eight feet in one piece. A full line of accessories is available, including joining and corner pieces and end enclosures. Radiator elements are hung from the backing by patented rod-type hangers. Vulcan Radiator Co., Dept. AB, 16 Francis Ave., Hartford, Conn.

### REDESIGNED BUTT HINGE AB35407


A new feature of the manufacturer's butt hinge is a special "EZ Out Notch" for easy removal of the pin. The annoyance of trying to remove pins, especially those with button tips, is overcome by the



simple device of having a specially designed notch on the pin knuckle at the upper left corner of the right leaf. A screw driver will push the pin up without marring or damaging the edges or face of the butt hinge. When the butt hinge is set, the notch is practically invisible. McKinney Manufacturing Co., Dept. AB, 1939 McKinney St., Pittsburgh 12, Pa.

♦ FOR MORE INFORMATION  
USE COUPON, PAGE 202

AMERICAN BUILDER



7500

## New Home Prospects

... came to inspect this attractive model home



erected by noted builder, C. Di Felice



(average price \$22,500)

A feature attraction



was year 'round air

conditioning by Bryant's famous "Command-Aire" Twins.



Result: **SOLD** 50 sales in 90 days... a profitable

transaction for which Mr. Di Felice gives due credit to the

strong sales appeal inherent in the "Command-Aire" equipped

home. Specifically, Mr. Di Felice... and home buyers... liked

these unique features of the Bryant "Command-Aire" system...

• A new low price—makes "Command-Aire" conditioning a practical feature in moderately priced homes.

• Unusually compact design—permits the "Twins" to be installed in a closet or alcove... saves up to 100 dollars in space costs per home.

• Independent heating and cooling units—assure proper delivery of air for both heating and cooling... provide better dehumidification control... eliminate overload on furnace blower.

• Cooling initially—or later—The "Command-Aire" furnace member can be installed first, and the cooling "Twin" offered later... whichever is most convenient for the buyer.

• A unique Bryant warranty eliminates service headaches.

# bryant®



\*Mr. Di Felice's homes, offered in 3 and 5-bedroom styles, are located at Bob White Farm, a 200-acre tract of scenic land in Montgomery County near King of Prussia, Pa.



HEATING • AIR CONDITIONING • WATER HEATING

For full information write BRYANT HEATER DIVISION, 17825 St. Clair Ave., Cleveland 10, Ohio



# Home buyers are sold — when they see a carefree **NEVAMAR**® kitchen

Not only in kitchens, but in dining nooks, bathrooms and utility rooms—NEVAMAR adds a new protective beauty that's designed for a lifetime of faithful service. In attractive colors and patterns, including natural wood grains, it gives you endless opportunities for creating carefree rooms in many exciting decorative schemes. NEVAMAR is a pre-finished surfacing material—a high-pressure laminate that's easy to apply on both vertical and horizontal surfaces. Write for complete information and samples.


DISTRIBUTOR: THE NEVAMAR COMPANY, BALTIMORE-30, MARYLAND

 **The NATIONAL Plastic Products Company**

Manufacturers of Nevamar High Pressure Laminates • SARAN FILAMENTS • Wynene Molded Products

ODENTON, MARYLAND • NEW YORK: EMPIRE STATE BUILDING • LOS ANGELES: 5025 HAMPTON STREET

In Canada: Richmond Plastics, Limited • Richmond, P. Q.



## SLASH LIGHTING COSTS with FREE SUN LIGHT

get **CHEM-O-GLAS** facts



IT MAY PAY YOU WELL to get full details on economics now possible through use of these shatterproof, translucent, chemical-glass sheets.

Only one of its type L.A. Code Approved as "Flame resistant." Colorful. Colorfast. Fadeproof. Maintenance-free. No paint needed—ever. Precision-molded under 400,000 lbs. to give greater strength of 26,000 psi, and absolute uniformity throughout. 5 colors in flat, or exclusive RIBBED shape so easy to install without costly special moldings. Small 1/8" rib overlap saves up to 5c per sq. ft. Get facts!

"Tomorrow's Product"—available today. For complete facts, prices, free "Idea Folder" or name of nearest dealer, tear out coupon, now. Mail when convenient.

FLAT CHEM-O-GLAS ENDS BREAKAGE

Use as replacement for standard glass.

**NEWEST USE:** To replace glass in Jalousie or Louver Windows. "Lets light in; keeps sight out." 5 colors. (Dealers: write for franchise details.)

**SEND NOW**

CHEMOLD COMPANY, Dept. AB-3  
2000 Colorado Ave.  
Santa Monica, Calif.

RUSH ME:  Chem-O-Glas "Idea Folder."  Name of nearest dealer.  
 Dealer franchise data.

Name.....  
Company.....  
Address.....  
City.....State.....

## Suggestion for BUILDERS

You find, when selling a house, that its special features help you make the sale. You know, too, that a lot of sales are closed in the kitchen—because that room is the focal point of interest for the homemaker.

A few years ago, the progressive builder could sell his houses if the kitchen had space for an electric range and electric refrigerator. Then he found that his kitchens must accommodate several more electric appliances. In fact, it usually was difficult to make the sale without them.

Now there's one more appliance that customers demand—a modern home freezer. The reason? They want to be modern—live electrically!

More and more home buyers every year want this appliance that saves them time, money and labor, allows them to serve better meals, at lower cost. Last year, more than 1,000,000 freezers were installed in American homes.

That's why you should design your kitchens with space for a freezer—allowing, too, for the weight of this appliance and its contents, in figuring the load-bearing strength of the floor.

Don't miss out on this important selling feature. If you need more information, write to any of the manufacturers listed below—or see their dealers in your community.

FARM & HOME FREEZER SECTION  
National Electrical Manufacturers Association  
135 East 44th Street, New York 17, N. Y.

ADMIRAL • BENDIX • COOLERATOR • CROSLY • DEEFPREEZE  
FRIGIDAIRE • GENERAL ELECTRIC • GIBSON • HOTPOINT  
INTERNATIONAL HARVESTER • KELVINATOR • NORGE • PHILCO  
QUICFREZ • REVCO • SEEGER • WESTINGHOUSE

## new products

### METAL WEATHERSTRIP AB35417


"Seal-Draft," a new development in weatherstripping steel and aluminum casement windows, is said to seal out drafts and dirt from infiltrating around window openings. It is made of a weather- and corrosion-resistant alloy of chromium, magnesium and aluminum which permits contact with a steel without electrolytic decomposition of the product.



The alloy strip is easy to install; it simply slides onto the window frame. Corner pieces hold it securely in place. The wide sealing flange enables the stripping to conform to such window deformities as the ventilator's not closing tightly against the frame around the perimeter of the opening. This makes possible a tight seal, instead of providing only occasional contact. Because of the thin-gauge metal, the stripping fits into window manufacturers' tolerances for ventilator clearance and does not bind the window. It allows full freedom of opening and closing, and does not interfere with storm window or screen placement. Steel Sash Service, Inc., Dept. AB, 2141 Lawrence Ave., Chicago 25, Ill.

### DRAWER SLIDE AB35422

A lightweight, nylon ball-bearing extension drawer slide is available in 14-, 16-, 18-, 20-, 22- and 24-inch lengths. Although



the unit is a low-cost and lightweight unit, it will easily carry loads of well over 100 pounds, according to its manufacturer, Knappe and Vogt Manufacturing Co., 658 Richmond St., N.W., Grand Rapids 4, Mich.

◆ FOR MORE INFORMATION  
USE COUPON, PAGE 202

MARCH 1954



## Pour faster with a Jaeger

Look how this mixer puts out stiff concrete as fast as you can take it. You charge in only 5 to 7 seconds with Jaeger's "Skip Shaker" loader. You mix and remix more thoroughly with Jaeger's criss-cross action, then discharge in another 5 to 7 seconds with Jaeger's big bucket and flight blades and special "catch all" spoon.

With that speed you can really turn out yardage with a mixer that's as rugged as it is fast. Your Jaeger has a bigger engine, automotive transmission, Timken bearing drum rollers and heavy duty drum with machined steel tracks — all to give you years of service with low upkeep and without costly breakdowns on your jobs.

Available in 3 1/2, 6, 11, and 165 sizes. Ask for Catalog M-10.

**THE JAEGER MACHINE COMPANY** 521 Dublin Avenue

Columbus 16, Ohio

PUMPS • COMPRESSORS • HOISTS • TRUCK MIXERS • PAVING MACHINES



## SHOWER ENCLOSURES

add to prospective-buyer evaluation

- Heavy-quality metals and glass, precision-engineered.
- Easy-gliding overhead track or piano-type hinges.
- Leak-proof mastics and special drips — designed to prevent leakage.

Gulf Spray shower doors and tub enclosures help prove that IF YOU PUT MORE OF THE BETTER THINGS INTO A HOUSE you'll get more for it. Easy installation and maintenance and beautiful design make Gulf Spray enclosures favorites with builders — and home buyers everywhere!

For information or literature write to:

**Binswanger + co.**  
*of Texas*

207 NORTH MAIN • HOUSTON, TEXAS



only the *Amazing New*  
**PER-FIT SLIDER**  
 ALUMINUM

**gives you all these features!**

**Mr. Builder:** PRICE? You will be astounded at the low cost of this window when your dealer quotes you.

Acclaimed by everyone as the window they have been waiting for. Its new

advanced design results in amazing quality at surprising low cost. Study each of these important features. You too will say "This is the window I've been waiting for".

Screw-lock smooth, mitted frame corners factory sealed. Rack-free rigidity. Close fitted joints—wind, water and dust tight forever. Factory located hardware assures perfect fit of storm sash and screens.

● All frames have continuous perimeter installation fins. ● Semi-pneumatic Ventiseal weather stripping inside jambs. The most advanced weathering system, plus a sash cushion. ● Continuous zinc weathering strip in frame head; smooth operation and full length weather seal. ● Rubbing block on zinc weather strip in head assures perfect closure and seal of meeting rails. ● Scientifically designed weep holes in sill frame for immediate drainage under all conditions. ● Weep holes in sill frame protected from weather by continuous beaded flange which is an integral part of the removable cover plate. ● All weathering is built into the window frame where it belongs; out of harm's way and thoroughly protected by the frame. ● Screw-lock mitted sash corners permit easy job re-glazing. Lifetime Ventiseal glazing. ● Sash siderails have two-point contact with semi-pneumatic jamb weather strip for double weather protection. ● Nylon pressure buttons in sash head rail, actuated by stainless steel springs, eliminate wind rattles in any sash position; constantly push sash firmly against the zinc weather strip. Nylon-aluminum, aluminum-zinc contact provides natural lubrication for permanent, easy, fingertip operation. ● Full-length self-sealing action provided between sash and sill cover-plate. ● Forged and machined cam action lock forces sash against the semi-pneumatic jamb weather seal in side jambs; seals meeting-rails air-tight, dust-tight; maximum weather seal. ● Top to bottom finger rail for quick, easy opening; prevents pinched fingers; adds beauty—and rigidity—at a critical point. ● No sharp, easily damaged weather strip exposed when sash is out; no home-owner injury hazard.



Continuous perimeter fins permit the cheapest, most inexperienced help to install PER-FIT sliders accurately!




No more dirt or bug trench—for you or the owner. The sash track is protected with a removable zinc cover plate.



Screw-lock mitted sash corners permit easy re-glazing. ANYBODY can re-glaze a PER-FIT slider sash—in minutes.



Screen sash and screen hardware are factory located; the actual recess is designed into the frame—no difficult job condition decisions to make.




Exterior trim is part of the window—no special wood work needed. When the PER-FIT slider is in—you're done!




No dirt, wind, air or water leakage—weather stripped better than double hung. Eliminates owner complaints.

# NEW SLIDER SOLVES ALL INSTALLATION PROBLEMS



1 1/8" deep by 1/2" wide exterior trim (casing) and 5/8" wide pre-punched full perimeter nailing fin is integral part of window frame. Installed over sheathing in framed rough opening in less than five minutes. Almost impossible to rack. Easily milled. May be used for masonry block construction; however, Job Condition Frame recommended.



100% versatile. Exterior trim (casing) is integral with window frame; contains continuous perimeter dovetails to accept simple installation fins (#51, #52 or #53) for wood frame or masonry construction. Simple vertical mulls. Jamb pre-drilled for positive screwing to rabbeted wood bucks. #51 Nailing Fin (pre-punched) provides six adjustments; one of three side dovetails chosen; inset in fin leg reversible before sliding fin into dovetail. #52 Masonry Block Fin (not shown) centers window frame in block slots. #53 Veneer Extension Fin provides wide brick mould when greater than 1" finger space required. #10 Interior Complete Trim used in wood frame construction in conjunction with #51 Nailing Fin; a complete package fitting any through-wall thickness from 4 3/8" to 5 3/8" regardless of thickness of exterior sheathing and thickness of interior wall materials. Infinite adjustment. #20 Interior Cove Trim (not shown) used when frame is installed in block construction with #52 Masonry Block Fin and interior masonry left exposed; #20 Trim also applicable for other types of wall construction.

PER-FIT DOUBLE HUNG • BEST-VENT DOUBLE HUNG • PER-FIT SLIDER • PER-FIT GLASS BLOCK VENTILATOR



PER-FIT PRODUCTS CORP.


1204 EAST 52nd STREET • INDIANAPOLIS, INDIANA

MARCH 1954

## new products

### RECESSED WALL HEATERS AB35419

Eight models of recessed, vented wall heaters are available in sizes of 15,000 through 60,000 Btu input, in single as well as dual units. The Model C-35 single is unusual because by removing a plate at the rear and adding a dual kit, it can be converted to a dual unit. This heater is useful to place between a hall



and dining room, hall or bathroom, or for regular placement, because it has the warm-air outlet only on one side; all the intake air is from the control side, which has both intake and outlet.

The Model C-60 can be bought as a gravity flow unit, or by adding the blower kit, it can be used with a blower for added circulation. Hammel Radiator Engineering Co., Dept. AB, 3348 Motor Ave., Los Angeles 34, Calif.

### CHAIN SAW AB35411

Faster cutting, light weight, high power and low maintenance are among the features claimed for this 30-pound, 5 1/2-h.p. gasoline powered chain saw. Its makers state that the tool will cut through a 20-inch tree in as little as 20 seconds, and will bring down four- or five-foot diameter timber quickly and easily.

Because of its light and balanced weight, the saw is said to be easy to



handle; it cuts in any position—up, down or upside down—on all types of cuts, for felling, bucking, boring, notching, trimming or undercutting. Blade sizes include straight blades in 18-, 23-, 30-, 34-, 42-, and 44-inch sizes, and plunge-cut bow saws for one- or two-man operation available in 14- and 18-inch sizes. Homelite Corp., Dept. AB, 111 Riverdale Ave., Port Chester, N. Y.

♦ FOR MORE INFORMATION USE COUPON, PAGE 202



There are two mighty good reasons why craftsmen everywhere prefer MALL saws. First—MALL offers a bigger selection of styles and sizes to give you the EXACT saw you want. And MALL saws are built better, designed better to give many years of dependable service. Here are three of the many MALL saws to choose from—

**MODEL 70**—7 1/4" blade. Cuts wood to a maximum depth of 2 1/4". Free blade speed of 4800 r.p.m. Bevel cut adjustment allows cuts to 2" at 45°. Depth adjustment for minimum cut of 1 1/2". Arbor hole size of 1 1/2". Weighs 16 pounds. Equipment—combination blade, 15-foot cord, metal case, special tools, and lubricant. \$115.00, f.o.b. Chicago

**MODEL 96**—9 1/2" blade. Cuts to maximum depth of 3 1/4". Free blade speed of 3800 r.p.m. Bevel cut adjustment gives cuts to 2 3/4" at 45°. Depth adjustment for minimum cut of 2 1/4". Arbor hole size of 1 1/2". Weighs 19 pounds. Equipment—combination blade, 15-foot cord, metal case, special tools, and lubricant. \$155.00, f.o.b. Chicago

**MODEL 128**—12" blade. Cuts to maximum depth of 4 1/2". Free blade speed of 3200 r.p.m. Bevel cut adjustment allows cuts to 3 1/2". Depth adjustment for minimum cut of 2 3/4". Arbor hole size of 1 1/2". Weighs 36 pounds. Equipment—combination blade, 15-foot cord, rip fence guide, metal case, special tools, and lubricant. \$215.00, f.o.b. Chicago

### OTHER MALL TOOLS FOR BUILDERS

In addition to manufacturing top quality electric and pneumatic saws, MALL produces an outstanding line of drills, sanders, polishers, screwdrivers, planes, door lock mortisers, impact wrenches, flexible shaft machines, and the world's finest line of chain saws.

40 Factory-Owned Service Warehouses, Coast to Coast, To Give Fast, Dependable Service.

### MALL TOOL COMPANY

7732 S. Chicago Ave., Chicago 19, Ill.

Send me more information about MALL saws

and \_\_\_\_\_

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

BU-82

Now—get all your answers  
automatically!



**WITH THE NEW, FULLY AUTOMATIC,  
REMINGTON RAND PRINTING CALCULATOR**

This new, printing calculator automatically multiplies, divides, adds and subtracts amounts up to ten trillion. It proves and prints every calculation on the tape. It's the *first* fully automatic printing calculator with *all* these features:

*Automatic multiplication*

*Automatic division*

*Automatic credit balances*

*Simpla-tape . . . printed proof in black and red.*

*10-Key touch addition and subtraction . . . for faster operation.*

*Constant key . . . the exclusive multiplication "memory" feature.*

*Automatic Total Control . . . individual or accumulative totals.*

*Two-color ribbon . . . totals, subtotals and credit balances in red.*

**FREE!** Ask your Remington Rand Representative for an eye-opening demonstration, or send for your copy of the "show how" folder illustrated here. Write Remington Rand, Room 1882, today. Ask for C669.




**Remington Rand**

PROFIT-BUILDING IDEAS FOR BUSINESS • 315 FOURTH AVENUE, NEW YORK 10, N. Y.

**new products**

.....  
**GLASS DOOR WEATHERSTRIP AB35420**

An improvement for the manufacturers' sliding glass doors uses mohair pile for the weather strip and guide in the glass-run channel of the top section of the door. The door now uses no top guide rollers, wheels or other moving parts. The mohair pile guide makes the door nearly noiseless in operation. The door




rolls on ball-bearing brass sheaves in the bottom rail on a stainless steel track.

A double weatherstrip with mohair pile touches both sides of the vertical flange in the head of the frame. With this double contact, the mohair pile seals out drafts, regardless of the wind load applied to the sliding panel. Arcadia Metal Products, Dept. AB, 324 N. Second Ave., Arcadia, Calif.

**TACKER STAPLE AB35410**

A 3/4-inch leg length staple has been added to the Arrow Model T-50 gun tacker staple sizes, 3/8-, 1/2- and 9/16-inch. The new staple size has been made for tacking jobs which require a shorter leg length. Like the other three sizes, the 3/4-inch staple is wedge pointed and made of .050-inch carbon steel wire.

The new staple's uses include upholstering; installing ceiling tile, insulation,



building paper, batt wool, foil, roofing felt and underdecking; for shingles and siding; and numerous other uses. Arrow Fastener Co., Inc., Dept. AB, 1 Junius St., Brooklyn 12, N. Y.

♦ FOR MORE INFORMATION  
USE COUPON, PAGE 202

**AMERICAN BUILDER**



## This little pig goes to town for builders using Temlok sheathing

Suppose there were a fourth Little Pig—  
Would he build his house with brick, straw, or twig?

Would his home be Modern or Colonial?  
A tiny cottage or a mansion baronial?

Whatever his choice, this porker is smart,  
He'd build his home right, right from the start.

Both wolf proof and draft proof, with comfort just sheathing,  
And well insulated with Temlok Sheathing.

**Better Homes and Gardens**  
The AMERICAN HOME  
January 25th

Starting in March, this little pig will help you sell houses by opening an imaginative advertising campaign. It is designed to create new interest in Temlok® Sheathing and help pre-sell prospective home buyers on its many advantages.

Home buyers recognize brand names in home building as a guarantee of the quality they expect in a well-built house. They know that houses built with the name brand products give them the most house for their building dollar. The brand name, "Armstrong's Temlok Sheathing," has been built by many years of constant advertising.

Now, a new series of Temlok ads featuring familiar figures of folklore will appear regularly in American Home and Better Homes and Gardens. This smart little porker demonstrates, in a refreshing new way, how to build a comfortable and draft-free house with Temlok Sheathing.

In today's competitive market, famous brand names work as effective salesmen to help you sell houses. You're adding a strong sales feature when you tell prospects that your homes are sheathed with Armstrong's Temlok.

If you would like full-color reprints of ads from this series to display in your houses, write Armstrong Cork Company, 3703 Rider Avenue, Lancaster, Penna.



## ARMSTRONG'S TEMLOK

*The sheathing that helps you sell houses*



**SHOW 'EM *Regulaire*\* — THE COMFORT  
FEATURE ONLY PERFECTION CAN OFFER**

Perfection can make the difference between a big "YES" and a "maybe" from prospects. These automatic gas or oil-fired furnaces with exclusive *Regulaire* make the heating system a *real* talking point with home buyers. *Regulaire* ends cold floors forever . . . stops cold blasts and sudden surges of hot air. Ask your heating contractor about it. Perfection Stove Company, 7519-B Platt Avenue, Cleveland 4, Ohio. \*Pat. Pending



**CENTRAL COOLING, TOO**  
Perfection heating contractors and dealers are pledged to back you with service you can count on.

**YOUR HOME DESERVES**  
**Perfection**



FURNACES • HOME HEATERS • RANGES • AIR CONDITIONERS • WATER HEATERS




PORTABLE  
HEATERS

**new products**

**TRIANGLE VENTILATOR AB35418**

The "Giant" triangle ventilators are designed to provide builders with a large-sized, assembled unit that gives adequate ventilation on low 5-12 pitch roofs. They are built in three widths: 90 inches opening width, 18 $\frac{3}{4}$  inches high, providing 344 square inches free area; 69 inches



opening width, 19 $\frac{3}{4}$  inches high, providing 187 square inches free area; and 47 inches opening width, 9 $\frac{3}{4}$  inches high, with 84 square inches of free area.

Louvers are held to the side frame with tabs and cannot come apart or fall out. Louvers are designed to keep out snow and rain and have extra rigidity to prevent rattle. The wide frame of the ventilator seals around the opening. A screen is provided in back to keep out birds and insects. Air Control Products, Inc., Dept. AB, Coopersville, Mich.

**FOOD WASTE DISPOSER AB35405**

This unit features easy installation and quiet, fast operation. Waste material is ground away from the bottom, instead of the sides, so that material remains relatively stationary in the disposer. This type of cutting action eliminates much noise and is exceptionally fast, disposing of a pound of ordinary food waste in 30 seconds.


The disposal unit weighs 24 $\frac{1}{2}$  pounds and features a special mounting ring which lets the disposer support its own weight before any bolted connections are made. The mounting ring also permits the disposer to be rotated a full 360 de-



grees for quick connection between the tail piece and existing trap. Absence of any metal-to-metal contact between the disposer unit and the sink, or between the disposer and the waste lines, prevents the transmission of any vibration, and cuts noise. Universal-Rundle Corp., Dept. AB, 157 River Road, New Castle, Pa.

♦ **FOR MORE INFORMATION  
USE COUPON, PAGE 202**

**AMERICAN BUILDER**



... of course, it's electric!

## Low-cost sales clincher

Don't overlook the "buy appeal" of this new Westinghouse Disposer

Important house merchandising features should be considered in the planning stage. Here, for instance, is one that offers "buy appeal" far in excess of its modest cost. It's the plumbed-in appliance most new home buyers expect to find in their home. And why not? They want the freedom it offers from unsightly garbage cans and unpleasant kitchen tasks.


New in every way, this Westinghouse Food Waste Disposer shreds all kinds of food waste as fast as it can be loaded. The reversing switch doubles the unit's life by allowing use of both edges of the double-edged shredders. Operation is truly quiet with all metal-to-metal contacts cushioned by Neoprene "shock absorbers".

For complete details, see your Westinghouse Distributor or write direct.

**WESTINGHOUSE ELECTRIC CORPORATION**  
Electric Appliance Division • Mansfield, Ohio

Makers of Refrigerators, Home Freezers, Ranges, Laundromats, Dryers,  
Dishwashers, Water Heaters, Vent Fans and Food Waste Disposers.


**YOU CAN BE SURE...IF IT'S Westinghouse**



**UNIFORM SHREDDING**—Waste is reduced to fine particles that scour drain lines, keep them clean, and allow efficient reduction in septic tanks.



**EASIER TO INSTALL**—Easily installed by one man, this unit fits all standard sinks, requires no extra plumbing fittings, is 50% lighter in weight than previous models.



## GET YOUR POWER TOOLS ON THE JOB—IN A HURRY!

### TEMPORARY SERVICE MAST INSTALLS IN MINUTES

MITI-MAST lets you get ready for power the first fifteen minutes you're at the site. Complete unit includes heavy duty wire holders, entrance head and pre-wire utility box. Raises service wires to 12 ft. but telescopes to eight feet for hauling and storage.

**36.50**  
freight paid

Slightly higher  
in some areas



UTILITY  
BOX

Exclusive Design. Has two 120V outlets, one 220V outlet. Fuses in box. Padlock.

## UTILITY SERVICE CO., INC.


921 THIRTEENTH ST.  
RACINE, WISCONSIN

Write for complete line catalog

# NEW VULCAN TRIMLINE RADI-VECTOR\*

FIRST CHOICE FOR FASTER INSTALLATION  
Save Time...Man Hours...Money...On Every Job

\*Trade-mark Reg.



Cover snaps on brackets. Simple installation.

Rod hangers... adjustable for any type construction.

Complete  
I-B-R  
Ratings

### PRICE

TRIMLINE radiation costs less. New TRIMLINE features save time and money. Fewer joints necessary, less fittings. All parts mount on one piece top and back. Front cover snaps on after installation.

### PERFORMANCE

TRIMLINE provides the two most used types of heat. Radiant for floor level comfort. Convection for warm air throughout "comfort zone". Continuous inlet and outlet slots assure more heat output.

### ATTRACTIVENESS

Vulcan's NEW, TRIMLINE COVER is designed for enduring beauty... built to harmonize with any residential decor. The STREAMLINED top of cover reduces apparent depth. Front easily removed for cleaning.

Representatives in Principal Cities  
Write for New TRIMLINE Catalog No. 54

## The VULCAN RADIATOR COMPANY

Over Twenty-Eight Years  
A Leader in  
Fin-Tube Radiation




26 FRANCIS AVENUE  
HARTFORD 6, CONNECTICUT

## new products

### PANEL ENTRANCE DOORS AB35415


A series of new panel entrance doors, specifically designed for current architec-



tural trends, is available in eleven new styles to suit modern, contemporary and ranch style architecture. The designs are, in most instances, interchangeable to an extent with various types of architecture. Some will fit into ranch style and contemporary homes, others will go into contemporary or modern, and even colonial entrances can acquire a fresh grace with the new styling, say designers, M and M Wood Working Co., Dept. AB, 2310 N. Columbia Blvd., Portland, Ore.

### RESIDENTIAL WINDOWS AB35413

Complete new window line called Fenestra Residential Projected Windows has been introduced. It includes ten types, and consists of projected-in and projected-out ventilator units and fixed lights for use in various combinations. The units solve the problem of weather-proof ventilation and offer new styling



that keeps pace with modern architectural progress, according to their manufacturers.

Weather protection offered includes the rain-shedding qualities of the projected-out ventilators and the draft-free ventilation provided by ventilators which tilt inwards. Proper inside screening and storm window protection are also available. The ten combinations of vented and fixed units, projecting in or out, may be combined to make up various window areas. Detroit Steel Products Co., Dept. AB, 3101 Griffin St., Detroit 11, Mich.

♦ FOR MORE INFORMATION  
USE COUPON, PAGE 202



*this picture  
demonstrates  
3 ways  
heat escapes  
from a house*

## Johns-Manville Spintex Insulation prevents heat escaping all 3 ways

Tomorrow at breakfast, let your coffee and a lighted match show you how Johns-Manville Spintex insulation can keep heat from moving out of a home.

Only this type insulation properly applied prevents heat escaping all 3 ways.

### ● *by conduction:*

Notice how quickly the handle of your spoon warms up. Fast-moving molecules in the hot coffee kick into action the slowed down molecules of a cold silver spoon. In this same way, furnace heat kicks its way out through uninsulated or poorly insulated walls and ceilings.

### ● *by convection:*

When you light a match for your cigarette, notice that the flame is pulled straight up by rising heat. Heat behaves the same way in a house with uninsulated walls and moves to the colder surfaces where it finds ready exit to outdoors. Drafts result.

### ● *by radiation:*

Now sip your coffee. Notice it has cooled perceptibly in a short time. What happened to the heat? Most of it propelled itself out into the air, will continue to radiate in all directions unless it is stopped by efficient insulation.



### Here's why J-M Spintex Batts and Blankets are superior:

1. Made of the new long fibre Spun Rock Wool originally developed by Johns-Manville.
2. This long fibre spun wool plus J-M "Know How" results in a better batt or blanket than ever before produced.
3. Spintex will not settle—its long fibres are firmly felted for maximum resistance to normal building movement.
4. Cuts clean; leaves clean sharp edges, for snug fit —will not fall apart.
5. Easy to install. They hold their shape. Rigid yet resilient characteristics assure easier handling, quicker installation.
6. Backed by Johns-Manville's years of experience in developing insulations for home and industry.

For full details about Spintex Insulation, write Johns-Manville, Box 60, New York 16, N. Y.



## Johns-Manville

## new products

### FOLDING DOOR

AB35416

The new "Veni-flex" folding door is being discovered by builders as a money-saving item and as a sales tool. The cost of in-




stallation and servicing is stated to be low and the money saved by elimination of jambs and casings, as well as over door construction when used as a ceiling-height closet closure or room divider amounts to an impressive figure, the manufacturers say.

The door's features include savings in space, better ventilation, increased accessibility and convenience. Consolidated Venetian Blind Co., Dept. AB, 2401 Nicholson St., Houston 8, Texas.

### FLOOR TILE

AB35408

Builders are reporting widespread, growing acceptance of Koroseal Floor Tile. This durable product is made of the same material from top to bottom. It is resistant to oil, fats, greases, acids and alkalis. It needs no waxing because the normal buffing action of walking feet develops a high luster. The tile is said to be especially suitable for installations where there is heavy foot traffic. It is available in 1/8-inch thickness for com-



mercial use and 80-gauge for home installation. B. F. Goodrich Co., Flooring Div., Dept. AB, Watertown 72, Mass.


### PORTABLE PUMP

AB35412

This new unit is stated to be useful for transfer of liquids, for fire fighting and for dewatering pits and flooded areas. The pump is completely self-priming, yet has no valves or moving parts other than the motor, pump impeller and seal. It

delivers over 100 gallons per minute at lowest head, and is capable of forcing water to a maximum height of 100 feet. Impeller is open-faced, non-clogging type which will handle all solids passed by the suction strainer affixed to the end of the suction hose.

A 3/16-inch thick steel wear plate is rigidly fastened to the pump casing by two heavy carriage bolts terminated on the outside by sealed dome nuts. Both impeller and wear plate can be replaced quickly in case of wear or damage. Intake and discharge connections are tapped




for a 1 1/2-inch pipe thread. Pump is powered by Briggs & Stratton 1 1/2 h.p. engine. Kenco Pump Co., Dept. AB, 1125 N. Ridge Road, Lorain, Ohio.

### BUILT-IN ELECTRIC OVEN

AB35402

A new built-in electric oven unit with a capacity of 4,905 cubic inches and a built-in surface unit is designed to minimize cooking effort. The front of both units is stainless steel with a satin finish. Oven controls are below the door; from left to right they consist of lighted pushbuttons for broiling, baking, timed baking and a rotary thermostat for desired oven temperatures. A separate time control provides for setting the oven for cooking at any time desired.

Companion piece to the oven is the surface section, available separately. This unit is flush with the counter top. Two 6-inch units of 1,250-watt capacity are set slightly forward, while two 8-inch units, 2,050-watt capacity, are set slightly be-




hind them. A separate indicator light adjacent to each surface unit lights up automatically, telling the user which unit is on. Surface section measures 34x20 inches. Hotpoint Co., Dept. AB, 5600 W. Taylor St., Chicago 44, Ill.

### PORTABLE POWER SHOP

AB35409

A jack-of-all-tools has been introduced that can handle special finish carpentry jobs. It obviates the necessity of taking a man off the job and sending him to the nearest lumber yard. This 5-in-1 power shop is an aid to builders who need an 8-inch tilt-arbor table saw on the job, combined with a vertical or horizontal drill press of unlimited capacity, a tilt-arbor disc sander, a wood-turning lathe.

A heavy steel box-girder provides a rigid base for the machine, and the whole



shop can be mounted on any improvised table or bench five feet long by 18 inches wide. Plana Centric Power Tools, Dept. AB, 20 Boylston St., Boston, Mass.

#### USE THIS COUPON FOR MORE INFORMATION ON NEW PRODUCTS AND CATALOGS IN THIS ISSUE

Save Time—Just Insert Key Numbers and Mail To:  
American Builder, 79 W. Monroe Street, Chicago 3, Illinois

Name .....

Address .....

City ..... State .....

Please indicate whether you are

Builder ( ) Dealer or Distributor ( ) Other ( )

No. .... No. .... No. .... No. ....

No. .... No. .... No. .... No. ....

No. .... No. .... No. .... No. ....

When you address inquiries direct to manufacturers concerning a new product described here, please mention that you saw it described in American Builder

# YOUR CUSTOMER SPEAKS:

I like this STRAND All-Steel door - and the man who sold it to me



*by don herold*

The man who sold me my STRAND All-Steel garage door did me a big favor.

After several years, it still works smooth as silk, and satisfies me every day.


And now I know that if that door had cost twice as much, I would have bought it. But, oddly, it cost less than some doors, because, as my builder explained, STRAND doors are standardized and mass-produced and built for simple, inexpensive installation.

I've struggled with other kinds of garage doors in my time—wood doors that rotted and sagged, aluminum doors that dented easily, even inferior steel doors. I've learned that STRAND doors don't shrink, swell, warp, rot, sag or hang heavy.

Most of my previous doors I just left open most of the time—too much trouble to close. But my STRAND door is so easy to close and so handsome to look at, I always shut it. The modern horizontal-line styling makes my house look smart.

*Lights in Strand door optional*

## STRICTLY SALES ANGLES



### Built Like a Bridge

Welded into a 1-piece masterpiece, with strong diagonal rear braces welded to the deep, sturdy steel frame. Truly, a "Lifetime Door."

STRAND doors are galvanized with a thick, oven-baked coat of zinc armor. No prime coat needed for painting.



### Up in a Hurry

The 1-piece construction, and factory-assembled hardware enable you to put STRAND doors up in a jiffy—more profit for you.



### For Today's Wide Cars

For only \$5.50 more (factory list) you can give your customer a 9'-wide STRAND door, and he'll thank you for the bigger target every time he drives in or out. (8' and 16'—double door—also available.)

### Wide National Distribution

STRAND doors are easy to get through 150 national distributors and thousands of dealers.

### This Book Will Help You

This 32-page book will make you a garage expert, and give you 12 designs and floor plans, how-to-build instructions, material lists, driveway sketches, etc.



Strand Garage Door Division  
Detroit Steel Products Co.  
Dept. AB-3, 2242 E. Grand Blvd.  
Detroit 11, Michigan

Please send 32-page booklet of Garage Plans and Ideas. I'm enclosing 10c for postage and handling

Please send free Strand literature and free Garage Plan of the Month

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_


State \_\_\_\_\_

## Depend on Goldblatt for

A Complete Line of

### QUALITY DRY WALL TOOLS

One source for everything you need!



**THREE-IN-ONE DRY WALL FINISHING TOOL.** A new, improved tool that's amazingly versatile! It shears, feathers, finishes! Has 3 interchangeable and replaceable blades... made of very flexible, perfectly tempered spring steel. Each blade locks quickly, securely into the lightweight aluminum blade clamp by means of two small brass wing nuts. All blades can be used in reverse trowel position (see small photo).  
**No. TRIO—Complete with 3 Blades.....\$5.95**  
**No. DW58—Bowed Shearing Blade Only, 11-in. x 4-in. with a 3/32-in. concave curve..... 1.75**  
**No. DW11—Flat Blade Only, 11-in. x 4-in..... 1.50**  
**No. DW8—Flat Blade Only, 8-in. x 4-in..... 1.50**  
**No. DWBC—Blade Clamp Only..... 2.75**



**ONE-MAN, DRY WALL TAPING MACHINE.** Low cost, easy to operate. Spreads cement and tape evenly in one quick operation. Cement spreads automatically to desired thickness. Learn to use in a few hours; tape many times faster. Lightweight alloy, weighs only 4 1/2 lbs. empty or 8 lbs. loaded with 250' of tape. Loads easily in seconds. Excellent balance, pencil-point precision. **ORDER TODAY!**  
**No. DWTM—Each..... \$32.00**



**NEW IMPROVED CORNER TAPING TOOL.** This redesigned and greatly improved tool is made out of a recently-developed, highly-flexible stainless steel. So flexible is this new alloy that we can now form the blade from one piece of steel and eliminate the split in the blade altogether! This new design eliminates all sharp, exposed working edges... and does away with any possibility of tape snagging. The sidewalls are wider—they're a full 4-in. now. The blade is set to an angle that invites just the right amount of pressure for clean, fast and easy inside corner taping. The steel in this tool is rust-resistant and almost self-cleaning... tough and durable. The lightweight aluminum mounting is set far back on the blade for perfect "hang." The hardwood handle spells out comfort.  
**No. DWCT—Each..... \$4.95**



**CURVED BLADE TROWEL.** 12 x 4 1/2-in. Tempered Spring Steel Blade has a 3/32-in. concave bow—just the ticket for finishing dry wall seams—and perfect for those who prefer a "Trowel" type tool. The fine blade is permanently riveted to a lightweight aluminum shank. Handle shaped for comfort.  
**No. DW34—Each..... \$4.50**

#### FREE NEW 1954 CATALOG!

Write today for details on other money-saving items in the Goldblatt complete line of Dry Wall tools and equipment. Just about everything you need for faster, easier and better work.

Get yours now! A "must" buying guide for anyone in the construction trades. Describes more than 1,000 items—50 brand new items. Hundreds of illustrations. 100 rotogravure pages. Check box in coupon, tear out and mail right now to Goldblatt Tool Company, 1912-D Walnut St., Kansas City, Mo.

SEE YOUR DEALER OR ORDER DIRECT FROM AD

If your dealer cannot supply you, use coupon to order from this ad. We ship promptly. Add 5% to order for postage and packaging—minimum 25c.



#### Goldblatt TOOL COMPANY

1912-D Walnut Street  
Kansas City 8, Mo.

- Please send me the 1954 Goldblatt Catalog, FREE.
- Enclosed find my remittance in full for tools checked.  Enclosed find \$1.00. Send tools checked C.O.D. for balance.
- \_\_\_\_\_ **TRIO, Complete with 3 Blades, \$5.95 each** \_\_\_\_\_ **DWCT Taping Tool, \$4.95 each**
- \_\_\_\_\_ **DWTM Taping Machine, \$32.00 each** \_\_\_\_\_ **DW34 Trowel, \$4.50 each**

NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 STATE \_\_\_\_\_

## MASTER

TRADE MARK

## WEATHERSTRIPS

For the  
**PROFESSIONAL BUILDER**

There are no finer weatherstripping materials than those manufactured under the **MASTER** name.

- Thresholds
- Rib Strips
- Interlocking Strips
- Cushion Bronze
- Cushion Aluminum
- Metal Casement Strips
- Door Bottoms
- Felt and Rubber Strips
- Caulking
- Tools

Write for the  
**MASTER Catalog**  
today!



## MASTER

TRADE MARK

## NO-DRAFT SASH BALANCE

### MASTER METAL STRIP SERVICE, INC.

1736 North Kilbourn Avenue

Chicago 39, Illinois

## CRAIG

ATTIC STAIRWAYS



CONTRACTORS—BUILDERS  
**BUILD A BUSINESS**

INSTALLING CRAIG  
**FOLD-A-STAIRS**

MAKES THE WASTE SPACE  
OF THE ATTIC USABLE  
FOR STORAGE AND  
ADDED LIVING SPACE

EVERY HOMEOWNER  
A PROSPECT

GET OUR SALES PLAN

WRITE TODAY

**CRAIG WOOD-PRODUCTS**

BRENNAN RD.

COLUMBUS, GEORGIA

### DeLuxe Maroon Finish



**IMPROVED 78" ONLY**  
**3 lb. MAGNESIUM LEVEL \$17.45**

Plain Electroplate Finish 78" \$15.95—72" \$15.45  
 DeLuxe 72" \$16.95

For setting door jumbs and window frames! No other like it. 4 Plumbs, 2 LEVELS. Use either end or edge up. Weighs only 3 lbs. I-Beam type—stronger than aluminum. Direct from factory. Patented.

**NO FACTORY REPAIRS NEEDED**

Spirit tube holder (50¢) replaced in a minute with screwdriver. An ideal gift for any occasion. Send check or M.O. or C.O.D.


**SIMPLEX LEVEL CO., INC.**

P.O. Box 329

Jackson, Michigan

**CECO HAS ACHIEVED AN EXACTNESS IN INTERMEDIATE WINDOW DESIGN THAT MEETS THE NEED OF THE PRESENT... SETS THE PATTERN FOR THE FUTURE**

It's easy to make a cheap product and it's easy to over-manufacture. But it requires ingenuity and infinite skill to create the ideal of quality and selection without compromising value or indulging extravagance.



**Only CECO offers you  
1¼" and 1½" intermediate windows**

For years Ceco engineers have been experimenting so as to give you the "just right" window.

Today we can announce mission accomplished in the two new Ceco creations . . .

1¼" Intermediate Windows and 1½" Intermediate Windows.

For here are two windows that can be adapted to any building problem where intermediate design is indicated. The 1¼" window gives you weight and strength plus beauty at a *sensible* price. Hardware is handsome bronze lacquer finish.

The 1½" window assures greater strength and rigidity, *adequate* for any need, longest trouble-free service, will outlast any structure.

New beauty is reflected in rich solid bronze hardware.

In these new windows Ceco has reached deeply into the future to bring you truly balanced design plus an innovation in simplicity . . . an exactness you can find nowhere else.



**CECO STEEL PRODUCTS CORPORATION**

Offices, warehouses and fabricating plants in principal cities  
General Offices: 5601 W. 26th St., Chicago 50, Illinois




**CECO PRE-PLANNING CONSULTATION SERVICE**

Ceco Product and Design Specialists will assist you in the application of Ceco building products at the pre-planning stage . . . Call your nearest Ceco office for overnight consultation service. 

# technical guide

for builders and craftsmen

## key the construction to soil and drainage



If a house is to have a basement, it should be planned and constructed as carefully as the rest of the structure. The type of construction, waterproofing and drainage for watertight basements depend on conditions of soil and drainage. Three conditions are described below and recommended construction for each is given in the chart.

**EXTREMELY SEVERE CONDITIONS** exist where water pressure against the sidewalls or the floor of the basement cannot be relieved by the standard drainage methods of foot- or underfloor drains leading to natural drainage or storm sewer.

**AVERAGE CONDITIONS** exist where heavy soil normally holds water, but where the water pressure on the basement walls can be relieved by footing drains.


**MILD CONDITIONS** exist where water readily dis-

(Continued on page 210)

### KEY TO DRAWINGS

- A. Ground should slope away from house
- B. Backfill
- C. Foundation wall
- D. Concrete footing
- E. Concrete floor slab
- F. Porous drained bed or firm undisturbed soil
- G. Floor drain with trap
- H. Bituminous coating
- I. One-half inch mortar (not necessary on poured concrete foundations)
- J. Cove
- K. Coarse gravel or other porous fill
- L. Footing drain or field tile with open joints
- M. Building paper over joints
- N. Perimeter gutter sloping to floor drains
- O. Firm undisturbed soil
- P. Ground-water level
- Q. Membrane waterproofing
- R. Structural slab with reinforcing if necessary
- S. Underfloor drain laid in gravel
- T. Thin concrete slab
- U. Hot tar or asphalt poured in joint
- V. Sump pit with pump

# WHO SAID AIR IS FREE?



Multiple accordion aluminum as it comes compactly from package contains very little air:—

As installed creates five additional layers of "free" air.



INFRA INSULATION, INC.  
525 Broadway, New York, N. Y., Dept. B3

- Please send ASHVE booklet "Insulating Effect of Successive Air Spaces Bounded by Bright Metallic Surfaces."
- Please send description of new Infra Insulation.
- Please send samples.

Name \_\_\_\_\_

Firm \_\_\_\_\_

Address \_\_\_\_\_

INFRA INSULATION, INC., 525 BROADWAY, NEW YORK, N. Y.

MARCH 1954

Were it not for Radiation and Convection, empty air spaces inside walls, roofs, etc. would be the best insulation. But why pay costly labor and storage bills for handling "free" air entrapped **before** it is used in bulky insulation? Bulky materials also require more freight cars, trailers and trucks. The "free" air is paid for over and over again.

Multiple accordion aluminum envelops large volumes of air and creates layers of air spaces **only** as it is opened when finally stapled in place. This air is **really** free.

With respect to radiant heat flow, the aluminum sheets have 97% reflectivity, and 3% absorptivity and emissivity. Low conduction results from the preponderant air spaces of low density. The layers of multiple aluminum and fiber retard inner and outer convection. The tough aluminum sheets are impervious to vapor flow. Infiltration under flat stapled flanges is slight. Condensation formation on or within is minimized by the scientific construction of multiple layers of joist-to-joist, full-depth accordion aluminum, fiber, and air spaces.

## MILLION SQ. FT. IN ROOM 12' x 13' x 13'

Because of the low mass of unopened, practically airless multiple accordion aluminum, an ordinary passenger automobile will hold 20,000 sq. ft. of it without being or even looking overloaded. A standard railroad freight car, a huge interstate trailer, or a number of trucks would be needed to transport an equivalent amount of ordinary insulation.

A \*new multiple accordion aluminum, Infra, Types 6-Si, and 4-Si, gives **edge to edge** insulation between beams or studs, forming a "blanket" of uniform depth against heat and vapor flow, and condensation formation.

The AMERICAN SOCIETY OF HEATING VENTILATING ENGINEERS has published a booklet which describes convection, conduction, and radiation heat flow through *ordinary* air spaces and what happens when an ordinary building space is lined or subdivided by reflective metals, thus creating reflective air spaces. Ask us for a copy—it's free.

\*Patent applied for.

**COST OF INFRA INSTALLED**  
in new construction between wood joists, material with labor,

Type 6-S, under 9½¢ sq. ft.

Type 4-S, under 7½¢ sq. ft.

*This year switch to  
conventionally built - easy to sell*

# Place Homes

*for a fast, clean operation with a BIGGER, MORE PROFITABLE FUTURE!*




Photo by Hedrich-Blessing

**FIVE TESTED FLOOR PLANS - FIFTEEN BEAUTIFUL EXTERIORS!**



Photo by Hedrich-Blessing

**POSITIVE PROFITS!...EASIER SALES!...MINIMUM INVENTORY!...LESS RISK!...CONTEMPORARY PLANNING!...FACTORY TRAINED SERVICE!...FHA and VA APPROVED!**

Get the jump on your competition—become a Place Homes dealer. Take advantage of Place Home's contemporary architecture! It's paved the way for terrific sales. Enjoy Place Home's mass buying that assures greater home values and lower inventories for you. Share in the benefits of Place Home's "Trade Secrets" so widely publicized in national magazines. You get all this and more when you build Place Homes *under your own name!*

The complete line is pre-cut and conventionally built on your sites. Place Homes have such sales clinching features as famous Kitchen Maid Kitchens . . . Thermopane or Twindow Windows . . . Radair Perimeter Heating . . . double closets with sliding doors . . . a bath and a half!

There's a big market for Place Homes in your area. Be the man who builds them! Send coupon for franchise details today!

- Five tested, 3 and 4 bedroom plans ■ Fifteen elevations
- Kitchen Maid Kitchens ■ Thermopane or Twindow Windows
- Radair Perimeter Heating ■ Bath and a Half ■ Color styled by W. Shrewsbury Pusey.


Place Homes Inc., 1212 S. Walnut St., South Bend, Indiana  
 Rush details on Place Homes Franchise. I built \_\_\_\_\_ homes in 1953.  
 I plan to build \_\_\_\_\_ homes for 1954.  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_  
 A-3

WHEREVER YOU GO

# Place Homes

STEAL THE SHOW!

# MODEL 450 REMINGTON STUD DRIVER



*Simplifies construction fastening  
in new medical center*



**Contractors use ten Stud Drivers  
for fastening in steel and concrete**

Contractors for University of Minnesota's new Mayo Memorial Medical Center gave the Remington Stud Driver a real workout. They used 10 of these powerful tools to install ventilating ductwork and to anchor 2,500 metal door bucks to concrete. Door bucks were set separately, walls finished later. This meant plenty of open space for moving in equipment and other material.

For fastening 900 window frames, Remington Stud Drivers again proved fast and convenient. Workmen found the rugged 5½-lb. tools easy to handle, simple to operate. They liked the fact that there were no wires or hose to get in the way as they worked from frame to frame. And every stud was driven arrow-straight—thanks to the precision power supplied by 32 caliber cartridges.

**Can the Stud Driver help you?**

Your local distributor will be glad to show you the Remington Stud Driver in action—on concrete, brick or steel. Find out how you can cut construction costs and speed fastening jobs. For the name of the distributor nearest you and for full information about this modern fastening system, send in the coupon below.

**MAIL THIS COUPON TODAY**

Industrial Sales Division, Dept. AB-3  
Remington Arms Company, Inc.  
939 Barnum Ave., Bridgeport 2, Connecticut

Please send me *free* copies of the new booklets showing how I can cut my fastening costs — and the name of the distributor nearest me.

Name \_\_\_\_\_  
 Position \_\_\_\_\_  
 Firm \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_



*"If It's Remington—It's Right!"*

**Remington**



Listed & Approved by Underwriters' Laboratories, Inc.

# technical guide

for builders and craftsmen

(Continued from page 206)

appears in sandy or gravelly soil, and the ground water level is below the basement floor, making footing drains unnecessary.

In the chart, drain lines leading to sanitary sewers and septic tanks are grouped together as sanitary drains; drain lines connected to storm sewers, dry wells or open ditches, as storm drains. The proper disposal of drainage water will depend on whether the sanitary and storm drain lines are both low, both high, or one is low and the other is high. Drain lines leading to the sanitary or storm sewer are called low if they are below basement floor.

After a house has been built, any one or all three forms of dampness—leakage, seepage, condensation—may appear in the basement. Leakage and seepage can be reduced or eliminated by the same techniques recommended for new construction; however, most of those

methods entail considerable expense since they require excavation of the earth down to the footing. Interior waterproofing and drain lines, if applied and installed correctly, are effective in all but the worst cases.

Dampness on walls can be controlled by applying several coats of cement-base waterproofing to the inside surface of the basement wall. The waterproofing, which is packaged in dry form and mixed with water to a pancake batter consistency, should be scrubbed into the pores, cracks, and crevices with a bristle brush.

The following material is reprinted by permission of the University of Illinois, from its circular F2.0. This, and other circulars in this series on home building, are available from the Small Homes Council of the University for ten cents. For a list of publications write to the Small Homes Council, Mumford House, University of Illinois, Urbana, Illinois.

## RECOMMENDATIONS FOR BASEMENT CONSTRUCTION

	Extremely Severe Conditions	Average Conditions				Mild Conditions			
<b>Walls (Foundations)</b>	Poured concrete recommended. (Reinforcing may be needed.)	Poured concrete or masonry.				Poured concrete or masonry.			
<b>Floor</b>	Double concrete slab with membrane waterproofing between. (The thickness and reinforcing depend primarily on water pressure.)	Concrete slab on firm undisturbed soil or drain bed of gravel or crushed stone.				Concrete slab on firm undisturbed soil.			
<b>Waterproofing or Dampproofing</b>	Membrane extending above waterline on outside of foundation, and continuously under slab.	Bituminous coating on outside of all foundations from grade to footing. Masonry foundations should first be coated with mortar 1/2-inch thick.				None required.			
<b>Drainage Connections</b> (Numbers refer to notes below)		Sanitary, low Storm, low	Sanitary, low Storm, high	Sanitary, high Storm, low	Sanitary, high Storm, high	Sanitary, low Storm, low	Sanitary, low Storm, high	Sanitary, high Storm, low	Sanitary, high Storm, high
<b>Floor Drain</b>		2	2	5 or 4	4	2	2	5 or 4	4
<b>Underfloor Drain</b>	Conditions prevent use.	7 & 1	7 & 3	7 & 1	7 & 3	Not required.			
<b>Footing Drain</b>	Conditions prevent use.	1	3	1	3	Not required.			
<b>Areaway Drain</b>	Connect to storm drain.	Use post-hole filled with gravel to lead water to footing drains.				Not required.			
<b>Gutter &amp; Downspout</b>	Connect to storm drain.	Connect to storm drain or Discharge on splash block or Omit gutter.				Discharge on splash block or Omit gutter.			

1. Connect to storm drain.

2. Connect to sanitary drain.

3. Connect to sump, then to storm drain.

4. Connect to sump, then to sanitary drain.

5. Connect to storm drain if code allows. No laundry or shower discharge permitted in floor drain.

6. Connect to sump, then to storm drain if code allows. No laundry or shower discharge permitted.

7. Required only if underground spring feeds water beneath floor slab.

## 'how to do it' roundup

(Continued from page 89)

### application of insulating board siding—

Insulation Siding Institute



Above illustration demonstrates application of overlap joint insulating siding over a wood sheathing, in this case plywood. Sheathing paper should be used between the wood sheathing and siding, and a vapor barrier should be added on the warm sidewall in areas of the country where required. (Exception would be in areas where the established FHA outdoor design temperature for heating is 20 degrees or higher.) Available in two types, square top edge and shiplap, siding panels are nailed top and bottom. Use 10 to 16 nails per panel depending on the size of panel. For wood sheathing, nails should be hot-dipped galvanized, minimum size 1 1/4 inches—13 gauge, 1/4-inch head. When 5/16-inch plywood is used, nails should be barbed.




Photo above shows installation of insulating siding over fiber board or gypsum board sheathing. Black painted galvanized or electro-plated copper twist nails are used to secure vertical joints between studs. Nails must be twist clinched (see photo right) on back side of sheathing before inside wall is finished. Use 2 1/4-inch 11 1/2 gauge black painted siding nails or aluminum nails (etched or plain) at studs only.

MARCH 1954

# For **CLASS** Market Homes at **MASS** Market Prices



## ...PREFABRICATION!



Prefabricated home manufacturers have made their product more attractive than ever to 1954 buyers . . . and to builders, realtors and investors.

The well-established fact that prefabrication offers "more house for the money"—more living comfort, more all-around quality, more investment security—is one of the reasons. Add to this what the manufacturers have done to give individuality to each home, whether only a few are built or an entire project is developed.

### BETTER PROFITS...BETTER SATISFIED CUSTOMERS!

Prefabrication's achievement in using mass production methods to produce homes that nevertheless meet every requirement of the individual owner assures you of easier sales, better profits and better satisfied customers. Ask the PHMI manufacturer serving your territory for information on the opportunity prefabrication offers you.

## PREFABRICATED HOME MANUFACTURERS' INSTITUTE



945 20th STREET N. W. • WASHINGTON, D. C.

**make  
it  
yourself**



**New, Fashionable  
Iron - Wood Furniture**

Save one-half or more on the new iron-wood furniture, plus designing it to your own specifications. It's simple with Coffman wrought iron table and chair legs. All you need is a screw driver! Fasten legs to beautiful veneers and mahogany plywood, Micarta or Formica tops and build your own. . . .

- Dining Table
  - Dining Set
  - Chairs
  - Sofa Bed
  - Coffee Table
  - Occasional Chairs
  - Cocktail Table
  - TV Table
  - End Table
- and much, much more.



**No. 770** 16 inch legs.  
In sets of four



**No. 771** 28 1/2 inch legs.  
In sets of four

**No. 772** 16 inch legs.  
In sets of four

**No. 773** 11 inch legs.  
In sets of six

Legs are round, solid iron. Rigid one-piece welded construction. Finish is black primer coat. Prices range from approximately \$9.95 to \$13.50.

Write for FREE descriptive literature or see your lumber or building supply dealer.


**R. G. Coffman Co.**

ORLANDO, FLORIDA Dept. A.C.

**how would you do it?**

*ideas for the man on the job*

**to cut rake moldings—**




Before the last pair of rafters are raised, they can be used to make a temporary miter box for cutting the gable cuts of rake moldings. Lay out the rafters on the subfloor. Draw a line along one edge of each rafter and then remove rafters.

Tack a 2x4 along each line after

they have been miter cut. The two 2x4's will then form the temporary miter box or jig along which the rake moldings can be placed. The correct top or miter cut for the moldings can then be made.—H. E. Hermanson, Jewell, Iowa

**how to repair a slate roof—**




To replace a slate that is missing, take a strip of aluminum one inch wide by about six inches long. Place two diagonal cuts in the strip as shown above. Nail the strip to the exposed surface. Slide the new slate in place, and then bend the

two edges of the aluminum strip where the two diagonal cuts were made. The slate will be held secure in the angle formed by the bent sections of the aluminum strip.—J. E. Kmetzo, Stratford, Conn.

**CASH FOR JOB SHORTCUTS**—American Builder will pay five dollars (\$5) in cash for each shortcut or job pointer accepted for publication. Send all material to the Architectural Editor, American Builder, 79 W. Monroe St., Chicago 3, Ill.

**how to make a saw table—**




Make a sturdy wooden saw table that lets sawdust and splinters drop through. Use wood strips about  $\frac{3}{4}$  x 2 inches in thickness and as long as you want your table to be. Use the  $\frac{3}{4}$ -inch edge as the face of the table. Separate these strips with  $\frac{3}{8}$ -inch plywood blocks about 4 inches long. Space these every 18 inches.—W. W. Howe, Longview, Wash.

**save that old flashlight case—**

Save that old flashlight case. Use it in your toolbox to hold many of those items like pencils, chalk, soapstone, etc. In this way, you can keep these items within easy reach when you want them and you can keep them from being broken.—A. Tanner Jr., Cold Spring, N. Y.

**folding bench for narrow garage—**



Take two angle irons of desired length. Bolt them to 2x4's inside the garage so that the angle irons will swing easily. Place them at a height of about 36 inches from the floor. Bolt a 2x10 or 2x12 plank to the angle irons. Use a 3/4-inch piece or pieces of wood as props to hold the bench when in use. When not in use, bench can drop out of the way.—M. J. Hiland, Lansing, Ill.

**Get WINTER CONCRETE**



**with HIGH  
EARLY STRENGTH  
by using**



**CALCIUM  
CHLORIDE**

- **Lowers Costs!**
- **Saves Time Between Operations!**
- **Permits Quicker Finishing!**
- **Cuts Protection Time!**
- **Assures Full Ultimate Strength!**

Today—with SOLVAY Calcium Chloride, it is both possible and practical to carry on concreting operations during the winter months. The addition of SOLVAY Calcium Chloride assures fast setting to permit quick finishing, full ultimate strength and a short protection period—even in freezing weather.

Whether you do your own mixing or use ready-mix concrete, you will be sure of quality work, minimum cost and a faster operation if you are sure that your specifications include: 1. The use of heated water and materials. 2. The use of SOLVAY Calcium Chloride in the mix. 3. The use of proper covering or protection against anticipated temperatures.



Send for **FREE BOOK**  
Containing Full Details!  
"The Effects of Calcium Chloride on Portland Cement" is filled with important information and answers to your questions about the use of calcium chloride in concrete. Mail coupon below for your free copy.

**When ordering  
READY MIXED CONCRETE  
IN COLD WEATHER  
—Be sure to Specify  
SOLVAY  
Calcium Chloride**



**SOLVAY PROCESS DIVISION**  
Allied Chemical & Dye Corporation  
61 Broadway, New York 6, N. Y.

Please send me without obligation your book, "The Effects of Calcium Chloride on Portland Cement."

Name .....


Company ..... Position .....

Address .....

City ..... Zone ..... State ..... 34-3

# 98 ACRES of HOMES

and an **Adjusto Shower**  
in every one!



PROJECT OF PAUL E. SCHLEICHER & ASSOC.

**Why 3 out of 4  
Gary Builders  
Specify Adjusto  
tub and shower fixtures...**

We went to Gary and found the facts! 75% of Gary's builders specified Adjustos in large plumbing contracts year after year—project after project. Why? Because ADJUSTOS cost less per unit—were easier to install and offered another major feature in selling the home. From Maine to the 3000 home Panorama City in California, ADJUSTOS are the answer to large housing projects.



OTTO J. FIFIELD HOUSING PROJECT

**CUTS COSTS...** Adjusto may be put on after tiling and decorating... on the outside of the wall. Takes half the time and labor of other type fixtures. Later installation assures you Adjusto is safe from vandalism, damage or theft.



**HOMES SELL FASTER...** Yes, and rent easier too, because ADJUSTO is both an Adjustable Shower and Tub Filling Spout. Costs little more than separate tub filler and offers more advantages than a regular shower because it adjusts to any height. A beautiful fixture, it compliments any bathroom.



**MAKES HAPPY HOME OWNERS...** An Adjusto meets needs of the entire family. A fine needle spray full height shower for father, a leisurely tub bath and shampoo for mother and it's adjustable to any height for children.

Available at your dealers,  
or jobber, or write direct



CLIP AND MAIL TODAY FOR COMPLETE DETAILS

**MILWAUKEE flush valve co.**  
333 E. Reservoir Ave.  
Milwaukee 12, Wis.


NAME \_\_\_\_\_  
FIRM \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY & STATE \_\_\_\_\_

## how would you do it?


*ideas for the man on the job*

### use a tape plumbob—

An always available, fairly accurate plumbob may be made by using a tape rule. Pull the rule partially out of its case. Place a small nail through the rivet hole. Drive the nail part way into the piece to be plumbed. The tape will hang free and its case will act as a plumbob. Merely make the piece to be plumbed parallel with the tape and the piece itself will be plumb.—W. W. Howe, Longview, Wash.




### keep your paint can clean!



Drive a nail or screw driver through several places in the lip of the paint can to allow accumulated paint to drip back into the can. This not only will keep the sides of the can comparatively neat and clean, but also assures a perfect seal when the lid is replaced.—W. A. Fredricks, New Cuyama, Calif.

### how to make a rafter jig—



To make this simple jig for notching rafters, roofing or stairs, drill a couple of holes in the square at the desired pitches. Then drop common wire nails in the applicable holes, and the jig is ready to use. The illustration shows a 6:12 pitch. Other commonly used pitches can also be devised by drilling the holes where you want them.—G. A. Heffelfinger, Lehighton, Penn.

# BEST for BUILDERS

**NEW IMPROVED TRI-SAW**  
All-Purpose Portable Power Hacksaw  
only **\$37<sup>50</sup>**



**makes any cutting job quick  
... easy ... economical**

Zips through wood, sheet metal, lath, plaster, pipe, nails, etc. in seconds! Attaches to any heavy duty 1/4" or 5/16" drill.

Use this sensational time and work-saving tool. You'll say it is the best portable, all-purpose hacksaw on the market.

See Tri-Saw at your jobber or write us for descriptive literature.

**TRI-SAW CORPORATION**  
2207 HANLEY INDUSTRIAL COURT  
ST. LOUIS 17, MISSOURI

These New  
**MULLER MIXERS**  
give you  
more for your money



From all angles—performance, price, upkeep and operating costs—the new Muller Plaster and Mortar Mixers hold first place. The Muller Patented Paddle Shaft Seal is guaranteed for the life of the mixer. Larger drums, power throw-out and other new features give top efficiency.

Made in sizes from 2 to 9 cubic feet. Prices from \$324.00 F.O.B. Factory up.

Rubber Blades (Pat. Pdg.) available at slight extra cost.

**MULLER MACHINERY COMPANY, INC.**  
Metuchen 4, N. J. Cable Address MULMIX

MARCH 1954

## 'Housing . . . U.S.A.' a must for schools, laymen, builders

.....

**HOUSING . . . U.S.A., AS INDUSTRY LEADERS SEE IT**, compiled by 14-man editorial board of authorities in the building field. Simmons-Boardman Publishing Corp., New York; 1954; 224 pages; \$5.00

This timely book has hit the housing market just when it is most needed. Its 22 chapters are loaded with pertinent information which has been correlated by some of the country's most successful builders and housing experts, all of them past presidents of the National Association of Home Builders. However, the contents are presented in language which is as easy for the layman to follow as the professional builder. It tells of the emergence of housing as a modern industry and the concurrent development of today's home builder.

Subjects covered include mortgage credit, the American housing inventory and production capacity, builder research, public relations and merchandising programs, the values of home ownership, urban redevelopment and what is being done to attack the city slum problem.

Also treated are the federal housing agencies, the government's role in housing, cooperative and low-cost housing, public housing programs, building codes, housing and manpower in national emergencies, inflation, taxes and housing in Europe.

This book will fill a much-needed gap in the present limited bibliography of housing, according to NAHB. In addition to general discussions of the subject matter, many figures from governmental and other authoritative sources are included.



"I'M KIND OF ANXIOUS TO CHECK ON THAT NEW MAN;—I'VE GOT HIM HANGING DOORS."



**kitchens look larger**

HAVE MORE WORKING SPACE  
—SEAT MORE DINERS

**and cost less**

WITH BIANCO

*Kitchen Hostess*

READY BUILT NOOKS

### OPEN FLOOR PLANNING

The trend is to open floor planning and Bianco Kitchen Hostess Nooks spark the trend with style, comfort, utility, economy and "buy" appeal. Many of America's foremost architects and builders now incorporate Bianco Ready Built Nooks into the Nation's most popular homes. Adaptable to interesting architectural details. Investigate.

Many styles and sizes to meet all floor plans. Hardwood frames. No-sag springs. Custom upholstered in heavy vinyl plastic (your choice of colors and designs) over rubberized hair. Free kitchen-planning drafting service.



Write for catalog and send kitchen floor plans for suggestions.

*Bianco*  
Representatives in principal cities.  
MANUFACTURING CO.

2734 VICTOR STREET • ST. LOUIS 4, MO.  
OTHER FACTORIES IN FORT WORTH AND BALTIMORE

# ask the experts about


- 
- 
- Planning
- Concrete Work
- Framing
- Roofing
- Heating and Plumbing
- Air Conditioning
- Wiring
- Insulation
- Interior Finish
- Power Equipment

## roof slab for garage

I plan to build a garage which will be attached to my two-story brick veneer home. I plan to build the garage of concrete block and

ment rods? What is the best mix to use? Do I need any support for the slab other than the concrete walls? Should I tie the garage and the house together?

E. W. G., Wexford, Penn.



want to place a concrete slab over the garage as a roof. There are, therefore, a number of questions that I would like to ask of you.

How thick should the garage roof slab be? What size and what spacing should I use for reinforce-

ment rods? Do not tie the house and garage together. Butt the walls to maintain independent action particularly with regard to footings. The footing loads of the present building are unknown.

Here are the recommendations

for the construction of the slab:

1. Use a 1:3:4 mix for the slab. (Use only enough water to make the concrete workable.)
2. Make slab four inches thick. Use #5 reinforcing bars and place them nine inches apart, bending them alternately.
3. No lintel is required over the garage door for support because the roof slab is spanning in that direction.
4. Use six inches of concrete for garage floor slab over fill. No reinforcing bars would be required for the floor.

Wilbur Tuggle,  
Structural Engineer

## do woods change color?

Redwood was used as exterior siding for a house. The siding was finished with oil, was sanded and given two coats of hot linseed oil. The eastern and western exposures are fading. Is there any way of making this finish permanent so it will not fade or darken? A shiny finish, such as varnishing would give, is not wanted.

G. R. S., East Jewett, N. Y.

All woods change in color to some degree when exposed to sunlight. The fading which you have noted on redwood siding coated with oil is a natural change of color produced by sunlight on the wood. It would have occurred even though the two coats of hot linseed oil had not been applied. Later you will note that this fading or change in color will darken more and more and become a pleasing, almost red mahogany color.

National Paint, Varnish and Lacquer Association, Inc.

**GOT** a problem you haven't solved? Can't solve? Haven't the time to solve?

Have you solved a problem with an answer you aren't sure of? Are you doing some particular job—big or little—in a way that you think might be improved?

Then "ASK THE EXPERTS"—a group of industry authorities—experts in their fields. They'll give you the answer.

Address your questions to: "Ask The Experts," *American Builder*, 79 West Monroe St., Chicago 3, Ill.


As many questions and answers as space permits will be published monthly in *American Builder*, under the head—"Ask The Experts."

# ask the experts

## needs sound deadener

I have a two-story hotel of frame construction. Subfloors are laid over 2x10 joists and the finish floors are oak. What is the best method of insulating against the sound made by guests on the second floor so that guests on the first may not be disturbed?

L. S. E., Livingston Manor, N.Y.



The normal method is to use sound deadening material on top of the subfloor with wood sleepers over it. The finished floor is laid over the sleepers. This method, however, is not most satisfactory.

A plaster ceiling suspended below ceiling joists is a better method, but more expensive than the one above. This is done by using a system of suspended hangers, a stock item used by the U.S. Gypsum Company in its recommended practice for such ceilings. (See illustration.) For this method, clips are attached to joists. The clips suspend beneath the joists and to them is attached metal lath. The surface is then plastered.

One of the greatest problems of deadening sound in floors is that the nails used to secure finished and rough floors to ceiling joists are direct conductors of sound. Until a definite break is made in the construction elements, it is impossible to eliminate the noise.

## basement effloresces

When I built my basement three years ago, I did not waterproof it. Last winter was very wet. Efflorescence of alkali on the basement

walls was the result. What can be done? Will washing the walls with water take the alkali out?

C. E. B., Camas, Mont.



The existing efflorescence can usually be washed away by scrubbing with a 10 per cent solution of muriatic acid and water. Further difficulties may be avoided by liberal application of a good penetrating silicone water repellent.

Protection Products Mfg. Co.

## window, door frames for cavity walls

I would very much like your advice on details of window sills, jamb or head sections for the framing of the window and door openings in walls of double-wall tile.

J. E. M., St. Paul, Minn.



You, no doubt, have reference to a cavity wall consisting of two four-inch thicknesses of brick or tile with two inches of air space in between. If this is true, then the normal type of door and window frames can be placed in the wall openings without difficulty. In other words, the cavity area would receive the normal windbreak of the double-hung frame. Then a brick mold can be inserted at the intersection of the brick jamb and the windbreak. Placing of the frame would be typical. The same arrangement also applies to doors.

## Remember!



## TREE LIFE HEMLOCK— "There is a Difference"

Right! West Coast Hemlock should never, never be confused with Eastern Hemlock. West Coast Hemlock (*Tsuga heterophylla*) is an entirely different species. TREE LIFE West Coast Upland Hemlock, grown only at high altitudes on western slopes of the Cascade Mountains, is a superior wood for many uses—the finest type of Hemlock grown! Check its features!

- West Coast Hemlock is strong. Has fewer and smaller knots.
- West Coast Hemlock is uniform, relatively hard. Minimum spiral grain. Fine texture.
- West Coast Hemlock is stable, easy to work. Takes paint smoothly. NO pitch pockets.
- West Coast Hemlock is durable. Not brashy.



Write for "TREE LIFE HEMLOCK," a 20-page booklet on properties and uses. St. Paul & Tacoma Lumber Company, Dept. AB, Tacoma 2, Washington.

Specify with Confidence

## TREE LIFE WEST COAST UPLAND HEMLOCK

ANOTHER MEMBER OF THE FAMOUS TREE LIFE FOREST PRODUCTS FAMILY



# If it's CAST IRON It's FOREVER



**SEWER LINES SHOULD  
BE AS DURABLE & PERMANENT  
FOR PRIVATE HOMES  
AS FOR COMMERCIAL BUILDINGS**


During a recent 6-year period, 78 per cent of all buildings over 19 stories high erected in the United States were equipped with Cast Iron soil pipe for plumbing drainage lines. Those who invest millions of dollars in great commercial buildings demand the durability, dependability and economy of Cast Iron—the pipe that lasts for centuries.

Home buyers should enjoy the advantages of Cast Iron Pipe, too. They want to avoid the risks of inconvenience and costly repairs of plumbing drainage failure. It is easy to do by using Cast Iron soil pipe in house construction for waste pipe lines and house sewers.

Substitutes are available at a lower price. But no home buyer wants substitute material when he realizes the "high cost of a low price." He wants Cast Iron—the pipe that lasts for centuries.

*Woodward Iron Company does not manufacture pipe, but we supply leading Cast Iron Pipe foundries with high grade foundry pig iron from which pipe is made.*

**WOODWARD IRON COMPANY**  
WOODWARD, ALABAMA



Above: Bouvier Apartments, Philadelphia, Pa.




Above: Industrial Trust Building, Providence, R. I. Below: Tudor City—40th to 44th Streets—New York City

## ask the *experts*

### checking chimney leaks

*I have trouble with a leaking chimney particularly after a two- or three-hour rain. The chimney is made of common brick to the roof-line and face brick from the roof-line up. It is corbeled slightly in the attic. The chimney has been flashed three different times and I have had a cap installed over it, yet it still leaks considerably.*

*W. A. S., Southfields, N. Y.*



About the only advice we can give you (not having seen the chimney) is in the form of recommendations for checking possible trouble spots. The first place to look is at the flashing between the roof-line and the masonry chimney. For example, the mastic seal should be carefully checked. All nail heads should be sealed. Check for ruptured flashing seams and joints which might be caused by either the settling of the house or of the masonry chimney.

Check the brickwork itself. It is highly unlikely that moisture is coming through the face brick themselves; therefore, check the joints between the brick for cracks. If necessary, the joints should be waterproofed. If the joints are in a bad condition, cut them out and tuck point with fresh mortar. Check the chimney cap to be certain that it sheds rain water and, if necessary, the top should be beveled to aid in its shedding of excess moisture. Without first having seen the chimney it is impossible to give more definite corrective measures.

Structural Products Institute

AMERICAN BUILDER

### about nails for siding

*Are cement-coated nails (dipped in glue) satisfactory for putting on asbestos-cement siding? The siding will be placed on a side of the building subject to driving rains in the winter. My neighbor and I have a difference of opinion. I contend that the glue will wash off in a short time leaving just rusty nail heads. He disagrees. We would appreciate your views on the subject.*

*R. L. P., Pullman, Wash.*

You are correct in your assumption that the cement coating on nails used for attaching exterior siding will disintegrate within a short period of time. Such a nail will have a tendency to rust and stain the asbestos siding. In time, the nail itself will disintegrate.

All of the leading manufacturers of asbestos shingles supply rust-proof nails with their product. These nails are made from solid aluminum, stainless steel or cadmium-plated bronze. Few asbestos companies supply a galvanized asbestos siding nail. Of course, a galvanized asbestos nail is much superior to a cement-coated nail in resisting attack by corrosion.

For both the galvanized and the cement-coated nail, the coating on the head of the nail is damaged extensively when the nail is driven. In this way, oxidation of the underlying metal is permitted.

### wants information

*Where can I obtain a table or slide rule showing roof pitches on all types of roofs, then giving these pitches converted into degrees?*

*R. P., St. Louis, Mo.*

There is a book called "Architectural Graphic Standards" by Charles George Ramsey and Harold Reeve Sleeper containing a wealth of information on roof details of all kinds. It includes a chart of roof slopes in run and rise, pitches and degrees. You can use this as a basis for your computation to determine the various cuts of rafters you may need.

*A bibliography of the home building industry, prepared by the NAHB, will be an exclusive feature in the giant AMERICAN BUILDER CATALOG-DIRECTORY out in April!*

MARCH 1954

# Precision Folding Stairway FIRST AGAIN!



now equipped with  
**Hydraulic Safety  
Checks**

1. Prevent slamming on opening and closing.
2. Operate stairway silently, safely, without effort.
3. Close stairway completely.



**5 YEAR**  
written guarantee  
furnished  
with each stairway

Add safety checks to  
present **PRECISION**  
Stairways at small cost.

*Manufactured by*

**PRECISION PARTS CORP.**

400-AB North First Street . . . Nashville 7, Tennessee



**Evans King-Size  
10-ft. Steel Tape  
STANDS UP STRAIGHT  
92 INCHES for UPRIGHT  
MEASUREMENTS**

Those long upright measurements are easy and accurate with this new EVANS King-Size 10-ft. White-Tape. The 33% wider blade (full 3/4") stays straight up without bending or buckling. You get a free belt clip and Tenite utility case with every tape. Sliding end hook for inside or outside measuring and...

*it's marked so you don't have to figure!  
no other tape is marked this Evans way.*

This Edge—marked in feet and inches with foot markings at every inch



This Edge—marked in inches from 1" to 120"

Whichever way you work, in inches or feet and inches, you read instantly without having to stop and figure.

The EVANS King-Size White-Tape Is the Top 10-ft. Tape Value at only \$232\* at hardware stores everywhere.

**another  
EVANS  
value—  
THE  
ONLY  
12-FOOT  
POCKET  
WHITE-TAPE**

Standard blade  
1/2" wide

Now, a pocket steel tape that measures a full 12 feet — eliminates the inconvenience and inaccuracy of adding two measurements as you do with shorter tapes. Exclusive EVANS double markings (same as King-Size above). Chrome plated case is no bigger than cases for shorter tapes. Self-adjusting sliding hook for 100% accurate inside or outside measurements. Each tape packed in FREE transparent Tenite utility case.



**This L-O-N-G-E-R  
Pocket White-Tape only \$189\*  
at your hardware store**

\*Prices slightly higher  
Denver West

**Evans & Co.**

400 Trumbull Street, Elizabeth, N. J., U. S. A.

Makers of Evans "Long Tapes"—25-50-75-100 ft. and Evans 6-ft. Folding Rules

**To Build Modern ... without  
Price Penalty... Build of Cavitex**

Among today's home builders the swing is to masonry. And the ultra-modern masonry is Cavitex. With eye-appeal and price appeal, Cavitex has unusual interest for building contractors and owners alert to modern trends.




Cavitex is new—in size, proportion, design and color range. Cored-out design provides insulation values and saves weight. Easily the most practicable unit for cavity-type wall construction. Ideal also, as veneer over frame, or as facing over 4" concrete block, for exposed masonry interior walls.

Expensive? Just the reverse! Material for material, Cavitex costs less than frame. This low price made possible by manufacturing economies. Local plants convert local raw materials into units for local builders. Usual high costs of freight and distribution are practically eliminated. Write today for 4-color brochure and name of nearest local production plant.

**W. E. Dunn Mfg. Co.**  
418 W. 24th St., Holland, Mich.

today for 4-color brochure  
and name of nearest local  
production plant.




**Local Manufacturing Opportunity**

Many choice locations are open for the local manufacturing of Cavitex. Excellent opportunity for building contractors. Each plant operates under franchise in protected territories. Cavitex machine available on lease or sale. If interested, ask for important book "Opportunity Unlimited."

X-1

**Majestic CIRCULATOR  
FIREPLACE**



Almost everyone wants a fireplace! And with Majestic Circulator you can give them the best in fireplace enjoyment and service. One that works perfectly and will not smoke. Also one that really heats! Guess work is eliminated. Saves labor and materials. Greater profit all around for you.

This all-steel, ready built unit fits inside any type mantel, in old or new fireplaces. Includes damper, downdraft shelf, smoke dome, firebox, and heat-boosting "Radiant Blades"

**PROVIDES AUXILIARY HEAT**

Cold-air returns and warm-air grilles circulate constant, even heat to all corners of room. Can also be piped to other rooms! Ideal for chilly days! Perfect for summer homes!



**WRITE  
For details  
TODAY**

**The Majestic Co., Inc.**

300-B Erie St. Huntington, Indiana

## several proposed labor law changes will affect builders adversely

By John F. McCarthy  
Attorney at Law



PRESIDENT EISENHOWER'S labor law proposals include several suggestions to the Congress for liberalization of The National Labor Relations, or Taft-Hartley, Act in favor of labor and at the expense of the building industry. Three of these suggestions are discussed in this article. Builders should study the President's proposals and give their elected representatives in the Congress the benefit of their views for the proper protection of their legitimate interests.

The building industry more than any other has been plagued by the so-called secondary boycott. This usually is a strike or refusal to work with certain goods or materials to force the employer to cease doing business with a particular firm or to cease handling a specific product. This practice, if it affects interstate commerce, is prohibited by the present provisions of the Taft-Hartley Act. These provisions require the National Labor Relations Board (NLRB), where a preliminary investigation shows reasonable grounds to believe that a secondary boycott affecting interstate commerce exists, to obtain an injunction against this practice from the appropriate federal court.

The President proposes that in secondary boycott cases the application by NLRB for an injunction shall be discretionary with that body. He further suggests that the Act be amended to exclude from the concept of a secondary boycott any strike against (1) an employer who is performing "farmed-out" work for another employer whose workers are on strike, or (2) an employer on a construction project who, together with other employers,

is engaged in on-site work.

As we have observed, the building industry has been the particular butt of secondary boycotts. Any liberalization of the law concerning them, as suggested by the President, should be opposed and defeated.

The President has noted that in the amusement, construction and maritime industries, employment often is temporary or intermittent. He therefore recommends that in those fields employers be permitted to enter into so-called prehire agreements with the unions. Whatever may be the merit in the suggestion of the President, it must be accompanied by amendments to the Act regulating the union's prehire practices. In the construction field some of the greatest abuses occur before any employer-employee relationship is established. For example, a union may refuse to assign any workers, or at least any competent workers, to any employer in retaliation against the employer's alleged grievous conduct.

The present law makes both employers and unions responsible for the acts of their agents. The President recommends that the older traditional common-law rules of agency again be made applicable. Thus inevitably there would arise the problem of whether a specific act originally was authorized or subsequently was ratified. This often presents a difficult problem of proof. The responsibility of unions long has been a problem. Any suggestion such as the present proposal of the President, which makes them less responsible for their members' acts, should be opposed and defeated.

Renew your subscription TODAY!



**WOODLIFE**  
CONTAINING  
PENTAchlorophenol  
The Original  
WATER REPELLENT  
PRESERVATIVE

The Unseen Value You Can Sell

... and Sell!

When you use Woodlife treated wood that goes in the homes you design you're gaining these important advantages...

**A Powerful Sales Feature...** Because Woodlife so effectively guards against warping, swelling, shrinking caused by water absorption—and gives immunity to termites and decay.

**A Higher Value...** For the same reasons, lending institutions invariably give higher appraisals to Woodlife-treated homes—to an extent far greater than the small cost of the treatment itself.

**Value That Lasts!**... Woodlife enables you to present the charm and utility of wood in all its aspects with the knowledge that you're building for LONG-LASTING SATISFACTION!

SEND TODAY for the informative folder, "WOOD PRESERVATION WITH WOODLIFE" which gives test data along with suggested specifications. Ask your retail lumber dealer, jobber, or write:

**Protection Products**  
**MANUFACTURING COMPANY**

Since 1921

Dept. A

Kalamazoo, Michigan

Ask the man behind the gun ...


# Coated optics give you this ↘ not this ↘



Model 3000, \$195.00,\* complete with tripod.

## with a White Universal Level-Transit

HERE'S what coated optics can do for you. You can put in a full day without eyestrain or headache. There's less chance for a mis-reading. You get a clear, sharp sight — not a fuzzy image. What's more, you get your reading in far less time. Check this diagram. See for yourself how coated optics pass through up to 40% more light, provide a clearer image contrast.



**And there's more!**



\*Prices subject to change without notice.

White Universal Level-Transits also offer you internal focusing, guarded vertical arc and ball bearing race which insures smooth operation, even in sub-zero temperatures. Check one out on your next trip. You'll soon be convinced a White can make your work faster, easier, more accurate. Write for Bulletin 1053. DAVID WHITE COMPANY, 311 W. Court Street, Milwaukee 12, Wisconsin.

**Expert REPAIR SERVICE**  
on all makes, all types of instruments



Donald F. Coenen

## Donald F. Coenen joins American Builder as associate editor

Donald F. Coenen, whose editorial experience in the construction field has won him a wide acquaintance among home builders, has joined the staff of *American Builder* as associate editor.

Until last December 15, he had been affiliated for more than a year with the National Association of Home Builders as editor of its monthly publication, the *Correlator*, in Washington, D. C. For five years prior to that, he was managing editor of *Realty and Building*, weekly real estate and construction news magazine published in Chicago.

Early in 1946, Coenen began post-war employment with the *Chicago Journal of Commerce*, then owner of *Realty and Building*. He spent five years in the army, rising in rank from private to major. Much time was spent in key Quartermaster Corps posts at Baer Field, Fort Wayne, Indiana. At the end of the war with Japan, he supervised separation processing at this base. He is now an active reserve officer.

A 35-year-old Milwaukeean, Coenen was graduated in 1940 from the School of Journalism at Marquette University. During school days, he served as a Milwaukee *Journal* copy boy and worked in the university print shop. After graduation he was a reporter for the old *Milwaukee Post* and engaged in consumer research for the *Journal*.


Coenen is married and has one daughter, 10. He has just purchased a new home in Chicago's Northwest Side area. His father is a small volume home builder in West Allis, Wisconsin, a Milwaukee suburb.

AMERICAN BUILDER




"A salute to those who made it possible" \*

## Another builder speaks his mind about Fenestra Windows...



Mr. Ferd E. Gast (holding plans) and Mr. A. A. Francis of Gast, Francis & Wilson, well-known Missouri builders, talk Fenestra Ready-Trimmed Casements with Mr. M. F. Holmberg of Sears & Piou, Fenestra Distributors. All pictures are of Mr. Francis' home in the Fieldcrest Development.

Here are the three-light high Fenestra Casements Mr. Gast praises in the third paragraph of his letter.



\* Your need for residential windows, casings, screens and storm sash that were designed for each other—that could be installed literally in seconds—that would add to the sales appeal of your homes, encouraged us to develop our present Fenestra Residential Steel Window line.

FERD E. GAST  
A. A. FRANCIS  
J. F. WILSON

Parkview 5114

*Gast, Francis & Wilson*  
BUILDERS and DEVELOPERS  
812 FOREST BLVD.  
CLAYTON 8, MO.

Detroit Steel Products Co.  
4501 North Broadway  
St. Louis 7, Missouri

Attention: Mr. J. Edward McIlvaine

Gentlemen:

We are using your Fenestra steel casement windows in our Briarwood Subdivision, as we did in our Fieldcrest Development.

Your inside-outside trim package unit, when installed in either frame or masonry walls, has proven most practical and blends in with our architectural scheme. As to costs, we have found that the unit compares favorably with any other type window of equal area and quality.

In our opinion, the two and three light high casement sash provide plenty of light and ventilation and permit greater use of the wall areas for furniture placement.

Your local distributors, Sears & Piou, through their Mr. Milton Holmberg, have been cooperative at all times and we are happy to continue our pleasant association with them.

Yours very truly,

GAST, FRANCIS & WILSON

By

Ferd E. Gast

FED:LL

DEVELOPERS OF ELMONT PARK, FIELDCREST, BRIARWOOD, BELLWOOD PARK AND ASSOCIATES WITH DEVELOPMENTS OF BRITANNY WOODS, ALGONQUIN RIDGE, BRITANNY HILLS, PARADISE AND HILLYALE PARK

We have only this to add . . . the modern streamlined beauty of Fenestra® Steel Windows adds a whale of a lot of sales appeal to your houses. For full information on Fenestra Ready-Trimmed Casements, Screens, Storm Sash, Interior Doors, Sliding Closet Doors and other famous Fenestra Residential Building products (and Fenestra Super, Hot-Dip Galvanizing), see your dealer, call your local Fenestra Representative or write to Detroit Steel Products Company, Dept. AB-3, 2260 East Grand Boulevard, Detroit 11, Michigan. ®

*Fenestra* | RESIDENTIAL STEEL WINDOWS

WINDOWS • HARDWARE • CASINGS • SCREENS • STORM SASH

# 5 Contractors tell why they make higher profits with

# American



American Super 8, 8" drum, super high production.



**NEW YORK.** "My 12 men demand American machines," says Alfred Dumaresq, of Lindenhurst, Long Island, in business 19 years. "With American Machines the sandpaper seems to last longer. I just purchased my 9th American Machine as I want only American Machines and supplies. Super 8 is tops!"



**RHODE ISLAND.** "Three generations of my family have continuously used American machines," says Robert Lamoureux of Woonsocket. "A good measure of our success is due to dependability and efficiency of American machines, to American Floor Finishes and to American's prompt service."



**TENNESSEE.** "I prefer American to any other equipment," says J. Kirby Carter of Nashville. Mr. Carter started his own flooring company nine years ago. From a one-man operation, he now owns 31 pieces of American equipment, has 7 trucks and employs 25 workmen. He sands floors and also installs floor coverings.



**FLORIDA.** "American Machines are toughest and fastest sanding machines I have ever run," says Ralph Coleman of Jacksonville, who has used American machines 18 years. "Any floor contractor can get more dollar value out of the operation of American equipment than any other machines."



**PENNSYLVANIA.** "Using American Machines from start to finish for five years," says Howard B. Snyder, of Hanover. "With the speed and efficiency and precision of American Standard 8 and 12, I accomplish finest quality work with minimum effort."

You, too, will find your *best buy* is American—to do *finest work, faster, and earn maximum dollars per job!* Let us demonstrate these great machines on your next job. Of course, no obligation.

# AMERICAN

Performance Proved MACHINES... Nation-wide SERVICE



- Floor Sanders
- Floor Edgers
- Maintenance Machines
- Abrasives
- Seal, Finishes
- Saws
- Wet or Dry Vacuum

The American Floor Surfacing Machine Co., 511 So. St. Clair St., Toledo 3, Ohio  
Send latest catalog on the above.

Name \_\_\_\_\_  
Street \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_

## No. G-52 making the old a part of the new

Modernization of this structure required floor plan changes, the addition of a new wing, and refacing of the street front. The result is a skillful blending of old and new elements without departing from the original architectural pattern.

The entrance features a wide glass area with stone piers at sides, and an extended circular canopy flush with cornice line above. This canopy is supported by four five-inch round columns of #10-gauge steel tubing.

Doors are surrounded with a molded wood architrave, capped with a broken pediment. The deeply molded profiles of frame, pediment and doors are well adapted to the general character of the entrance detail. Stone planters on each side of the doors complete the entrance assembly.

All glass in windows, circular bays and entrance is set in standard-type steel sash applied to a two-inch channel frame at head and jambs of special openings.

A four-inch steel H column is imbedded three feet into concrete below floor line at entrance door mullions. These columns extend the height of mullions and across the head of opening to provide rigidity for the door frame.



"SEE WHAT I MEAN, JOE?--THAT EXHAUST FAN IS PRETTY POWERFUL!"


AMERICAN BUILDER

# AMERICAN BUILDER'S STORE FRONT DETAILS


Detailed by K. Roderick O'Neal, A.I.A. for American Builder

Designed by Sidney C. Finck, Architect; Harold S. Pawlan, Associate


## NO. G-52 FUNERAL HOME



*Elevation . . .*



*Elevation (PARTIAL DOOR)*



*Section (PLANTING BOX)*

*Section (DOORWAY)*

# preparing the house for SUMMER COOLING

by S. Konzo

Professor of Mechanical Engineering  
University of Illinois

## PART I

THE purpose of this and the next article is to present a few of the more important factors concerning home-cooling devices that are of direct interest to the home builder. What can the builder do to provide a house best adapted to summer cooling? What is possible in the way of a real air conditioning job for the home? What about the average home owner who cannot afford complete mechanical equipment? Perhaps some of these questions can be answered without presenting too many technical details.

### The House Should be Protected from Sun

Anyone who has opened up an automobile sitting in the sun has experienced the oven-high temperature within the car. The obvious explanation is that solar energy passed through the car windows was absorbed by the interior furnishings and eventually resulted in heating of the air. In other words, the car was a solar heat trap. To a lesser extent every house is also a solar heat trap; solar energy can pass through windows but the energy in the heated air cannot readily escape to the outdoors. The first lesson that every architect and builder must learn about making homes more comfortable in summer is to shield the house from the sun, especially windows which permit ready one-way passage to solar energy.

An examination of the sources of solar input to a house reveals that the following components need special attention:

1. Windows should be shaded, especially those on the east, southeast, southwest and west walls.
2. Ceilings should be protected from high temperatures.
3. Walls should be protected, especially those on the east, southeast, south, southwest and west sides of the house.

The magnitude of solar energy is much larger than is generally appreciated. For example, a 20-square-foot surface which faces the sun squarely will receive about 6,000 Btu's per hour. In other words, the energy received by the 20-square-foot surface is of the same order of magnitude as the capacity of a small room air




FIGURE 1. A house is a heat trap. Reproduced from University of Illinois Small Homes Council Circular 3.2

conditioner. Fortunately, the cooling load on a 20-square-foot surface of glass, wall or ceiling is not as large as the example might indicate because of the following factors:

1. The surfaces of a building do not face the sun squarely, and are usually at an angle with the direct rays.
2. Part of the solar energy is reflected from the surface of the wall or window.
3. The solar radiation can be blocked before it strikes the building walls or windows.
4. The heated air resulting from the absorption of solar radiation can be replaced by ventilation air.

The trick in obtaining a small cooling load consists in utilizing each of these possible methods for reducing the solar energy input to the house.

### Reducing Solar Radiation Through Windows

The most vulnerable part of the house as far as summer heat gains are concerned are the windows and glass block walls.

1. North windows do not present any problem, even though the sun may shine on them at a low intensity during early morning and late evening hours.
2. South windows are relatively easy to handle by means of roof overhangs, as shown in Figure 3.
3. East, southeast, southwest, and west windows are

### Simple Method for Determining Overhang Needed on South Wall to Cut Off Summer Sun from Windows and Walls

For Latitude of	Overhang =	Height
25 degrees North	0.37	Height
30	0.48	Height
35	0.59	Height
40	0.71	Height
45	0.85	Height
50	1.02	Height

EXAMPLE. For latitude of 40 degrees North, height of shadow desired is 6 feet.  
Overhang needed is 0.71 x 6 or 4¼ feet.

FIGURE 2.




FIGURE 3. Sectional profile of house

difficult to shade completely at all times of the day.

No single solution for shading windows is available for all houses. The following list of shading devices may suggest the treatment to be used for any specific installation:

Method of Shading Windows	Effectiveness in Reducing Solar Heat Gain to Room
1. Shade trees	Variable
2. Louvered walls and fences on east and west of building	Variable
3. Awnings	65 to 75 per cent
4. Louver-type insect screens	25 to 50 per cent
a. for sun at low altitudes	25 to 50 per cent
b. for sun at 20- to 40-degree altitude	55 to 75 per cent
c. for sun at altitudes greater than 40 degrees	78 per cent
5. Outside Venetian blinds, slats at 45 degrees	60 to 70 per cent
6. Inside Venetian blinds, slats at 45 degrees	15 to 25 per cent
7. Inside roller shades, fully drawn	20 to 35 per cent
8. Inside roller shades, half drawn	10 to 20 per cent

Note: Lighter colored shades and blinds are more effective than darker colored equipment.

### Protecting Ceilings from High Temperatures

The roof can serve as a sun shade. The energy of the sun is intercepted by the roof, which will both reflect the radiation as well as absorb it. Obviously the more radiation that is reflected from the roof surface, the less radiation is absorbed by the roof material. The following table gives the ability of various surface finishes to reflect solar radiation:

Surface	Percentage of Solar Radiation Reflected
1. Black non-metallic surfaces	5 to 15 per cent
2. Dark paints (red, brown, green) red brick and tile	20 to 35 per cent
3. Yellow and buff brick and stone	30 to 50 per cent
4. Whitewash, white paint, light cream brick and tile	50 to 70 per cent
5. Dull brass, copper, or aluminum; galvanized steel, polished iron	35 to 60 per cent
6. Bright aluminum paint, gilt or bronze paint	50 to 70 per cent
7. Polished brass, copper, Monel metal	50 to 70 per cent
8. Highly polished aluminum, tin plate, nickel, chromium	60 to 90 per cent

In the case of plank-type roof, when solar energy cannot be reflected and will be absorbed as well as transferred to the room below, the use of a reflecting surface finish is recommended. This might consist of light-colored rock chips or gravel, or even a white-wash treatment.

For reasons of appearance or availability of materials, it will not always be possible to use a light-colored or metallic reflecting roof surface. In other words, a fairly large proportion of solar energy will be absorbed by the roof structure. Under certain conditions it is possible to design a roof for either:

1. A pool of water on top of a flat roof. This will require special waterproof treatment of the roof to maintain a depth of water of, say, two inches during the entire summer. The problem of maintaining a supply of water as well as preventing the formation of scum and algae does not make this scheme practical for most home applications.

2. A spray of water on the roof surface. This is more effective in a dry, hot climate. Provisions should be made to dispose of the water that drains off the roof.

Neither scheme is suited for extensive applications to homes, particularly since ordinary roofing materials may not be well adapted to constant soaking with water.

The problem resolves itself, therefore, in permitting a large proportion of solar energy to be absorbed by the roof, but preventing the heat from penetrating through the ceiling. The best way this can be simply accomplished is to ventilate the space between the roof and the ceiling. If the attic cannot be properly vented, the ceiling surface may give a panel heating effect to the room below. Some of the common methods of attic ventilation in use are as follows:

1. Place large screened louvers at both gable ends to




FIGURE 4. Effectiveness of a fully insulated wall in reducing heat gain in summer. (From Univ. of Ill. Eng. Exp. Sta. Bulletin No. 321.) Fully insulated wall reduced heat gain about 50 per cent, compared to uninsulated frame wall

## Do more work, make more money with CMC Hoe Type Mixers



Above, NO. 6 WONDER

### No other mixers can compare in performance, dependability

CMC Hoe-Type Mixers are real producers. They speed up work, save many man hours on every job and are known everywhere for their quality and rugged construction. CMC Hoe-Type Mixers are the result of over 40 years of mixer manufacturing experience. There's a complete range from the 3½-4½ foot Hoe Boy through two 6-foot models, an 8 and 12-foot Mechanical Hoeman.



HOE BOY



MECHANICAL HOEMAN

CONSTRUCTION MACHINERY COMPANY • Waterloo, Iowa

EASY TO USE!

*Butt Weld*

EASY TO SELL!

# DUR-O-WAL

WITH TRUSSED DESIGN

The Backbone of Steel for EVERY masonry wall. Dur-O-wal is the electrically-welded, custom-designed reinforcing member that lies flat in the mortar joint. Saves you time and money, protects against cracks. Easy to sell because it's easy to use.

- Dur-O-wal Products, Inc.  
P. O. Box 628  
Syracuse 1, New York
- Dur-O-wal Division  
Frontier Manufacturing Company  
Phoenix, Arizona
- Dur-O-wal Div., Dept. 658 • Dur-O-wal Products of Alabama, Inc.  
Cedar Rapids Block Company  
Cedar Rapids, Iowa
- Dur-O-wal Products of Alabama, Inc.  
P. O. Box 5446  
Birmingham 7, Alabama

¾ INCH WIDE WHITE BLADE  
MEASURES 10 FEET UP  
*without buckling!*

Handy for all your measuring, the new BIG CHIEF is especially designed for extended overhead and reach-in measurements. The extra rigid ¾-inch wide blade extends farther horizontally, and a full 10 feet overhead without buckling. Easy-to-read white blade is graduated in feet and inches.

EXTRA RIGIDITY

with these famous CARLSON features

- Double graduations feet and inches
- Ten second blade change
- Easy-action swing-tip
- Easy-to-read crackproof white blade
- Built-in automatic brake

AT YOUR HARDWARE DEALER TODAY

Produced under patents 2089209, 2510939, 2629180

CARLSON & SULLIVAN, INC.  
MONROVIA, CALIFORNIA

CARLSON

CARLSON

BIG  
CHIEF

## summer cooling

(Continued from page 227)

permit the passage of air through the attic.

2. Install a continuous soffit ventilator with, say, a two-inch-wide opening, to permit air to enter the attic space at the eaves. The heated air in the attic should then be vented through ridge ventilators, gable louvers, or even a chimney vent.

3. For flat roofs or shed roofs, air should be permitted to enter the ends of the joist spaces above the insulation and travel to the higher end. A slight pitch in a flat roof is desirable to promote this gravity circulation of heated air.

4. Where difficulty is encountered in providing for an exit for the heated attic air, it may be necessary to use mechanical ventilators which will collect the air at a central point and discharge it to the outdoors.

5. In all cases the ventilation air should travel above the ceiling insulation. If the space is properly ventilated and attic temperatures can be kept reasonably low, the heat will not be stored in the insulation to be released at night into the rooms below.

### Reducing Heat Flow through the Walls


The amount of heat transfer through the walls of a house will normally not be as large as that through windows and ceilings. Nevertheless, the principle of shading the wall is just as important as in the case of windows. Other means of reducing the heat flow through walls consist of:

1. The use of light-colored paint.
2. The use of roof overhangs on the south to shade wall as well as windows.
3. The use of screened porches on west and east to keep the sun from striking the house walls directly.
4. The use of adequate insulation to delay the passage of heat as well as to reduce its magnitude.
5. The use of walls with considerable mass, such as a brick veneer wall with an air passage between the bricks and the sheathing.

Considerable emphasis has been given to construction details, since full-scale mechanical refrigeration is relatively costly and should not be considered except for houses that are prepared for it. It does not make sense to allow solar heat to pour into a structure and then install oversized mechanical refrigeration equipment to counteract solar effects. Equipment is available for residential service that will provide a cooling effect the equivalent of 2 tons to 7½ tons of refrigeration capacity. At current prices in the neighborhood of \$400 per ton of capacity, it will pay the home owner to spend a little more on the house in order to reduce the initial installation cost of the cooling equipment as well as the yearly operating cost.

The current trend towards sprawled-out, one-story, ranch-type homes is contrary to the design principles enumerated for reducing the cooling load. The more spread out the house is, the greater becomes the problem of reducing the heat flow from outdoors to indoors. The most severe problems are those encountered with the ceiling of one-story houses, and the large picture windows that face east or west. In the future, when cooling the home will be as important as heating the house, the builder and architect should give serious consideration to some of the items summarized here.

## a proving ground for new ideas— U.S. Gypsum's 6 'Test Tube' Houses



Plot plan showing orientation of the six research houses

The United States Gypsum Company's "Research Village" is a test tube project of six houses to be built in Barrington, Illinois, by the Maxon Construction Company of Chicago. Its objective is to provide project builders of small or medium-sized houses with ideas for more attractive and saleable houses. By duplicating in part or in whole these new ideas, builders around the country should gain a strong selling edge in the competitive market that lies ahead.

Although "Research Village" was conceived and developed by the U.S. Gypsum Company, it actually is being carried out by 12 of the most prominent architectural and builder representatives in the country. This group was divided into six builder-architect teams to achieve the following:

- (1) Contribute new design and construction ideas, particularly for the project home builder.
- (2) Create new uses for building materials.
- (3) Create more livability, comfort, safety, and value for the home owner.

To assure the best results, advisory panels were set up. One consisted of architects L. Morgan Yost, John Root, and Richard Bennett, all of Chicago; another represented the National Association of Home Builders; and the third, the U.S. Gypsum Company.

When the invitation to participate was extended by these panels, 36 architects responded. Six were selected, together with their builder teammates, from as many climatic regions.

The first meeting held by the panel members, the contributing architects and builders concluded that a research village was not only desirable, but it was long overdue. The architects felt that:

(Continued on page 230)

The American Builder will report the month by month progress of the U.S. Gypsum Company Research Village. Two of the six houses have been selected for detailed coverage, concluding with a comprehensive editorial display when the houses are completed.



**You can  
sell...  
quality  
they  
can see**

**WILLIAMSON**  
ASSEMBLED FURNACES

Here's a quality, nationally advertised, brand name warm air furnace line packed with features you can merchandise. In addition, the small space requirements, low installation cost and national dealer service organization satisfy the most discriminating new home builder.



● Hi-Boy, Lo-Boy, Counter-Flow and Horizontal units.

● Units pre-wired and pre-assembled.

● Units occupying less than two feet square.

● Gas or Oil Convertibility—change only the burner package.

● Heating capacities from 70,000 to 145,000 B.T.U.

● Competitively priced—Nationally advertised.



Select WILLIAMSON Assembled Furnaces for your next project—styled for sales appeal—designed to builders' specifications.



*Write today for complete details.*

The Williamson Heater Company  
3515 Madison Road, Cincinnati 9, Ohio  
Please send me literature on:

Gas Furnaces  Oil Furnaces  
in the following style:  
 Hi-Boy  Lo-Boy  
 Counter-Flow  Horizontal

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_

ZONE \_\_\_\_\_ STATE \_\_\_\_\_

MR. BUILDER

THE

# KOTA

ALL EXTRUDED ALUMINUM  
HORIZONTAL GLIDE

is the perfect high quality  
window for Low Cost Housing  
ASK FOR DETAILS and CATALOG

We make 26 different style Windows  
for every room—For every home.

**KOTA PRODUCTS INC.**

ROUTE 25-A

ROCKY POINT, N. Y.

## ORNAMENTAL LETTERS ALUMINUM



Any letter desired. Adds distinction  
and identifies the home. Put owner's  
initials on chimney, fireplace, garage  
doors, porches, etc. Size 18" high up  
to 16" wide.

Artistic, antique style workmanship.  
Solid cast aluminum from hand carved  
patterns. Has beautiful, hand-rubbed,  
black antique finish. Fastens with two  
cap screws.

Write For FREE Folder

Lakeside Metalcraft Co.

339 W. Hovey Ave.  
Muskegon Heights, Mich.



### I CAN DO THE WORK OF TWO MEN AND A TRANSIT!"

Any workman can handle any leveling job with 100%  
accuracy . . . and do it speedily and easily, all by himself.

For LEVELALL is a 75' transparent plastic tube with  
shut-off valves, mounting brackets and filled with a  
special anti-freeze liquid. And here's how it works:  
fasten tube brackets to forms, batter-boards, etc., snap  
open the valves and the liquid gives two accurately level  
points. The job is level . . . no doubt about it.

LEVELALL is an investment, a time-saving, cost-  
saving precision instrument at the extraordinarily low  
cost of only \$12.95.

Start leveling your costs by sending for "On the  
Level," a free booklet aimed to help solve your leveling  
headaches . . . or ask us to send your LEVELALL post-  
paid immediately.

Money-back satisfaction guaranteed. Dealer inquiries  
welcome.

LEVELALL, 83C, Webster St., Rockland, Mass.

Please send free booklet, "On the Level."  Mail me Deluxe LEVELALL  
@ \$12.95  Regular 50' model at \$9.95  Ship postpaid full price enclosed.  
 Ship C.O.D.

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

Zone \_\_\_\_\_

State \_\_\_\_\_

[In Canada, prices slightly higher; write  
LEVELALL, INC., 5465 Decarie Blvd., Montreal, Que.]

## a proving ground for new ideas

(Continued from page 229)

- (1) Such a project, with each architect from a separate region responsible for the design of one house, would convey in one location the design influence of every region of the country, yet show how design need not be a barrier to construction in one climate area, such as Chicago.
- (2) Since the architects would be designing houses to be built adjacent in the same project, the competitive spirit would motivate the best efforts each could contribute.

The U.S. Gypsum Company exposed their entire line of building materials for the architects' study, although they insisted they were not to be used unless they offered the best possible solution to the architect's problem. Out of this meeting, however, this company already has started several research projects, based on product needs expressed by the architects.

The contemplated plans call for breaking ground in the early spring and having the houses completely finished by early fall.

The thinking of the builders with regard to the designs and ideas submitted, was expressed by one of the NAHB panel members with: "Gentlemen, these are the kinds of houses we will be building ten years from now."



O'Neil Ford,  
Architect,  
San Antonio, Texas




Frank Robertson,  
Builder,  
San Antonio, Texas

HOUSE NO. 1: Complete design flexibility is possible in this house which has a reinforced concrete roof slab built on the ground and raised into position with hydraulic jacks. This permits outer walls and inside partitions to be non-load bearing



Roof slab is supported by columns independent of the exterior walls. This permits continuous window fenestration in the wall. The cantilevered roof slab makes possible wide overhangs



Plan contains 1,624 square feet of floor area. The bedrooms and play-utility room are grouped around bath and half-bath which are close to the kitchen. The entrance door in the center of side wall divides the living room into two groups, one for conversation, the other for a TV area.




A. Quincy Jones, Jr., Archt.  
Los Angeles, California



Joseph Eichler, Builder,  
Palo Alto, California

HOUSE NO. 2: Advantages of this design, says Jones, are: "flexibility, high fire resistance, and quick construction." Metal

roof decking over steel roof trusses are supported by structural columns. Lateral load is carried independent of all partitions



This house features the use of outside patio enclosures for added privacy. Long, low roof over steel joists serves as ceiling. Steel decking is used for fences



Plan contains 1,395 square feet of floor area and is laid out on a seven foot module. House can be turned in any direction and is designed so carport can be placed on any side  
(Continued on page 232)



Every home is a

MODEL home . . .

that has the "Lifetime"  
SHAMPOO SPRAY!

Installation shown in  
model home built by:  
Thomas Wilson & Co., Inc.,  
Raleigh, N. C.

Introduced last Fall in the Better Homes & Gardens "Reader's Choice" home erected by prominent builders all over the country, the "Lifetime" won immediate and enthusiastic acceptance! Easy to install using standard diverter valves or separate fixtures. Stainless steel and chrome, beautiful and inexpensive, \$13.50 (suggested retail). Sold through \*plumbing and heating wholesalers and dealers only. Write Dept. A-2 today for plans of installation and literature.

\*write for our sales plan—it will make money for you



BRASS & BRONZE WORKS, INC.

32 Urban Avenue, Westbury, Long Island, N. Y.

Before you build another **STAIRCASE**



Get an

**ELIASON STAIR GAUGE** SAVES ITS COST IN 1 DAY

DOES A BETTER JOB IN HALF THE TIME



This Eliason Stair Gauge takes all the grief and bother out of building staircases. In a few seconds you get both the correct length and angle for stair treads, risers, closet shelves, etc. ready to mark board. Each end automatically pivots and locks at exact length and angle needed for perfect fit. Adjustable to fit any stairway. Saves a day or more.

Increases your profits \$20 to \$30 on each staircase. Fully guaranteed. Made of nickel plated steel. Circular on request.

Postpaid (cash with order) or C.O.D. plus postage, only **\$12.95**

Dealers and Agents Wanted  
**ELIASON TOOL CO.** 6940 Pillsbury Ave. Minneapolis 23, Minn.

**CONNOR**

forest products since 1872

maple  
"LAYTITE" birch FLOORING  
oak

Block, Continuous or Regular Strip & Slats

Mixed cars or trucks

MFMA graded and trade marked

Our Specialty—"School Gym" Grade

**CONNOR LUMBER & LAND CO.**

P. O. Box 810B

Wausau, Wis.

Phone No. 2-2091




'pre-fabbed' **HEAT**



... with **INDIVIDUAL ROOM TEMPERATURE CONTROL**

A compact "in-the-wall" heater, in super-insulated wall box, ready to install. Fits standard 2" x 4" studding, adjusts to exact wall thickness. For inside or outside walls, all gases, high altitudes. Non-clog Burner and Combustion Chamber head are cast-iron. Heating section 100% welded (no sweating, odor). Fully enclosed; controls accessible via handy service door. Packaged Auto-Control Manifold install easily, may be stocked in modest supply. Sectional wall panel finished in baked beige enamel; durable, lustrous. Sizes from 17,500 Btu up.

\*DUAL-ROOM models actually 2 heaters in one wall box; single gas and flue connections.



**IDEAL FOR**

NEW HOMES OR OLD

APARTMENT MOTEL CARIN TOURIST HOME

OFFICE CLUB LODGE GRILL

SALON SHOP STORE LABORATORY

CHURCH SCHOOL HOBBY SHOP REST ROOM

FOR ALL CASES



**Brilliant-Fine**  
RECESSED VENTED **WALL HEATER**

THE OHIO FOUNDRY & MANUFACTURING CO., STENNVILLE, OHIO

THE OHIO FOUNDRY & MFG. CO.  
STENNVILLE, OHIO  
Rush NEW Catalog SW4 and Prices.

NAME \_\_\_\_\_  
FIRM \_\_\_\_\_  
STREET \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_

**a proving ground**

(Continued from page 231)



Harris Armstrong, Archt.  
Kirkwood, Missouri



Don Drummond, Builder  
Kansas City, Kansas

HOUSE NO. 3: Plan contains 1,174 square feet of floor area. Privacy, both indoors and out, are offered by careful placing of glass areas. "There really isn't a front to it," says Drummond. "That's what makes it so interesting."



The extra large patio adjoining the living-dining area adds living space at a minimum cost. Open grille in roof over entrance passage provides extra daylight to living room



Floor plan features a single hallway making all rooms easily accessible. Sales features are a workshop, extra storage in carport, and convertible study sleeping quarters.

AMERICAN BUILDER

## for new ideas




Hugh Stubbins, Jr. Archt.  
Lexington, Massachusetts




Leonard Frank, Builder,  
Hempstead, New York

HOUSE NO. 4: The following ideas help sell, according to Leonard Frank: "The bedroom area is separated from service and living; children can go in and out of the recreation room with-




out disturbing any other part of the house." House appears spacious because of sliding wall panels in front bedroom

This house offers a new approach to the split-level arrangement by placing the living and service areas on different levels. Sliding doors of living room provide access to outdoor garden



Plan contains a total of 1,582 square feet of floor area, which includes both levels. The house offers an abundance of living area with the formal portion at grade and recreation area one half flight down. Three bedrooms are located on upper level



Section shows how living, sleeping and dining areas are separated, obtaining maximum usable floor space with split-level

(Continued on page 234)

## MR. BUILDER:


End irritating after-sale metal window service calls. Make homeowners YOUR BEST SALESMEN . . . . WITH

**SEAL-DRAFT**  
ALCROSIMUM METAL ALLOY\*  
LIFE-TIME WEATHERSTRIP

\*Aluminum-Magnesium-Chromium

### The Perfect Weatherstrip for Metal Casement Windows

Here, at last, is the trouble-free weatherstrip for metal casement windows! For a small expenditure per window, SEAL-DRAFT bars forever cold-inducing drafts—soot, dust, grime from drapes and sills—costly heat loss through windows. Available in cut-to-size sets easy to install from the inside. SEAL-DRAFT comes in Redi-cut sizes for all standard casement window sizes, or in lineal lengths, easily cut on-the-job. Prominent manufacturers of steel and aluminum casement windows have approved SEAL-DRAFT by making it standard accessory equipment. If your window supplier does not have SEAL-DRAFT, ask him to procure through his factory, or write us for window brands supplying SEAL-DRAFT as a standard accessory.



LEARN HOW BUILDERS ARE ELIMINATING METAL WINDOW SERVICE HEADACHES

WRITE FOR FULL INFORMATION TO:

**SUN SCREEN PRODUCTS CO.**

Manufacturers

107 N. Maple St., Spokane, Wash.

East of Mississippi River to:


**STEEL SASH SERVICE, Factory Sales Outlet**

2141 W. Lawrence Ave.,

Chicago, Ill.

BE WEATHERFAST WITH SEAL-DRAFT

## HOW TO BUILD MORE SALEABLE SPACE INTO HOMES




Write today for FREE BESSLER CATALOG showing how easily and economically you can use BESSLER DISAPPEARING STAIRWAYS (7 Models) to assure more cubic feet per building dollar!

### IMMEDIATE DELIVERY

assured on all models!

THE BESSLER DISAPPEARING STAIRWAY CO.  
1900-A East Market Street, Akron 5, Ohio



install  
it faster  
easier...

### ATLITE'S NEW

PRE-WIRED  
ASSEMBLY

Drive four nails  
... turn the screws!  
It's up—without  
framing out  
or boxing out.

### More Money and Time Saving Features...

Pull "R", "T" or "TW" wire directly into J-box.  
No asbestos or slow burning wire required  
No additional pull boxes needed  
J-box always accessible

**NOW!** ATLITE'S pre-wired assembly is available for 60 watt fixtures as well as for 100, 150, 200-300 watts.

ORDER FROM YOUR JOBBER—or WRITE FOR LITERATURE and COMPETITIVE PRICE LIST.



**ATLAS ELECTRIC PRODUCTS CO.**  
319 Ten Eyck Street, Brooklyn 6, New York

## a proving ground

(Continued from page 233)



Francis Lethbridge, Archt.  
Washington, D. C.




Eli Luria, Builder  
Arlington, Virginia

HOUSE NO. 5: "Our objectives were to provide some measure of privacy for each member of the family," says the architect. This was achieved by dividing the house into three zones. In this way the master bedroom separates children's area from the living room, and the kitchen is in center point for housewife supervision at all areas



Wide window areas overlook garden and patio. Carport is connected to house by roof which extends over walk, making it an integral part of the house



Plan contains 1,089 square feet of floor area. Rooms are centered around a "mechanical core" which serves both kitchen and baths. Lowered ceiling in bathroom makes the area above available for the installation of an air conditioning unit

AMERICAN BUILDER

## for new ideas



Gilbert Coddington, Archt.  
Columbus, Ohio




Alex Simms, Builder,  
Dayton, Ohio

HOUSE NO. 6: "Split level houses will gain in popularity because of the large number of teen-agers who want space for their own activities, which is so easy to obtain with this type of house," says Simms, the builder who co-operated with Coddington in designing this home. Supervision of all activities is easily controlled by the housewife from her position in the kitchen



This split-level house takes full advantage of a sloping lot, featuring a patio on the lower grade, front entrance at the intermediate level, and a kitchen "housewife supervisory" area on the top level. Structural steel frame of basic house is exposed along side walls




Plan contains about 1,680 square feet of floor area which includes both levels. The area normally used for basement can be effectively used as a recreational room and study—or for an extra bedroom—on grade level. House features a four-passenger compartmented bath

## A completely Packaged Fireplace and Chimney

SOLD AND INSTALLED  
at a surprisingly  
**LOW COST**

Write for price  
and full details.  
Dealerships open!



# Thulman FIREPLACE

- Everything needed—all in one low-cost unit  
(Mantel and facing material extra)
- Ample clearance to combustibles is built in
- Installs easily in new or existing homes
- No special construction necessary

You'll be amazed at the low cost of installing this fireplace and chimney unit in any home—small or large, old or new. This full 30" fireplace is far more economical than ordinary bricked-up types. It installs easily even on wood floors and needs *no clearance from combustibles* because the clearance is built in. Not just a fireplace form—not an auxiliary heater—the Majestic Thulman Fireplace is a completely self-contained, all-metal unit, easy to install, efficient in operation, durably built to last a housetime.



ADD TRIM  
OR MANTEL  
OF ANY DESIGN  
AROUND THESE  
ECONOMICAL  
METAL UNITS

The space-saving size and design features of the Majestic Thulman Fireplace give the architect or builder full leeway in the planning of decorative treatment. Write today for complete details.

## The *Majestic* Co., Inc.

433 Erie Street

Huntington, Indiana

**"TROUBLE SAVERS"**  
save time,  
too!



**LADDER JACKS**

- ONE-MAN Ladder Jacks (left) adjust to any pitch on either side of the ladder.
- Weight distributed on three rungs.
- New, rail-type jack (right) uses side rails of ladder for extra safety.

Write for Catalog M: complete information on all "Trouble Saver" Scaffolding Accessories.



**SCAFFOLD BRACKETS**

- Erected and dismantled faster than you can build a make-shift wooden scaffold.
- 3 and 3½ ft. lengths—rail carbon steel.
- Nail, studding and bolt-attached types.
- Attachments to convert any one type to any other type.



**The Steel Scaffolding Company, Inc.**

846 Humboldt Street, Dept. AB, Brooklyn 22, New York • Telephone: EVERgreen 3-5510

**Scott's® LAWN BEAUTY**  
a Plus Value that sells homes

Many "extra features" are incorporated into today's homes to attract prospects, make sales. A Scott lawn is the standard of perfection known to everyone because it adds so much to the final appearance of any home . . . it's a natural plus value that's in step with the outdoor living atmosphere wanted today. You can furnish homes with a beautiful carpet of Scott's velvety turf for very little, if any more, than ordinary lawns.

Start now to benefit from the extra sales appeal of saying "my homes include a Scott's lawn." Spring is a very favorable seeding time, so don't delay seeing your local Scott dealer or writing our turf specialists for recommendations and prices.

O M Scott & SONS CO, 31 Spring Street, Marysville, Ohio  
also Palo Alto, Cal



**READ Lawn Care**  
Keep up to date on lawn building developments along with practical tips on soil conditioning, grading, feeding, drainage, seeding, sprinkling, etc. Lifetime subscription to Lawn Care and digest of 100 back issues is yours for the asking.



Start now to distinguish your homes with **Scott's LAWN PERFECTION**

**NAHB Research**  
**air conditioning**

Austin, Texas, is destined to become this nation's "nerve center" for residential air conditioning.

Here, slender, energetic architect-builder Ned Cole, as project director, is working tirelessly to lay the foundation for the first co-ordinated



Architect-builder  
Ned Cole of Austin,  
project director for  
"Research Village"

effort of air conditioning producers and home builders to find answers to residential air conditioning problems.

"I can't publicize too many of the details at this time because we still are in the process of negotiating contracts," said Cole in a recent interview. "However, we are most happy with the unprecedented response of air conditioning producers, home builders and other interested groups."

Sponsored by the National Association of Home Builders, the Austin project, known as "Research Village," was conceived last year in the minds of the nine trustee members of NAHB's Research Institute. In a few short months here is a rundown on the scope and preliminary progress of the Institute's first major, long-range research activity.

Twenty-one manufacturer-home builder teams already have consented to participate in "Research Village," and this is likely to expand to 25. Originally, only 14 houses of varying design and air conditioning equipment were contemplated, but the unexpected interest on the part of air conditioning equipment producers and local Austin builders justified raising our sights, Cole explained.

Purpose of the project is three-fold:

1. Collect technical data for submission to the Federal Housing Administration, Veterans Administration, and other lending agencies. This data should serve as a standard for appraisal of air conditioned houses.

## Institute broadens study project

.....

2. Develop construction details necessary for the economical use of air conditioning.

3. Promote greater consumer knowledge and interest in year 'round air conditioning.

Research will proceed in three phases. The first, technical, will be conducted by a mobile laboratory of the National Warm Air Association, in co-operation with the Department of Engineering Research of the University of Texas. The second phase, medical research, and third, psychological, will be conducted by the University of Texas' Medical Department.

Other groups co-operating with NAHB's Research Institute include the U.S. Public Health Service, U.S. Weather Bureau, American Refrigeration Institute, National Mineral Wool Association and Structural Clay Products Institute.

Civic interest in the project has been amazing, said Cole. An Austin developer sold the land for "Research Village" at one-half of its market value. Even though ground has not been broken, 13 of the 21 houses already have been sold, three to builders themselves. The Mayor of Austin will proclaim an Air Conditioning Week.

Cole said traffic in his office had reached such proportion that a more suitable arrangement was necessary. The Austin Home Builders Association responded to the need by building a house adjacent to the project which will be sold by the association after it no longer is needed for project office purposes.

The research project site will be divided into 25 lots, averaging 30 by 120 feet. Since the site is square, houses will face in all four directions.


On the edges of the project, negotiations already are underway between air conditioning manufacturers and builders to erect other houses for additional testing purposes. Cole said. The research site itself is well located, and is adjoined on one side by a beautifully wooded subdivision of high priced houses.

MARCH 1954

Those who want the finest  
choose **R-W**



## Overhead Garage Door Hardware



**R-W 999 Overhead Garage Door Hardware** is designed and manufactured with extra precision and extra care, for smoother, easier, more efficient operation. That's why builders of better homes and garages all over America are making R-W 999 standard equipment for Overhead Garage Door Hardware.


R-W Overhead Garage Door Hardware is packed complete in one box. Order No. 999-1 for doors up to 9 ft. wide weighing not more than 200 lbs.; No. 999-2 for doors up to 12 ft. wide weighing not more than 375 lbs.

### Extra convenience for the home-owner

#### R-W Electric Garage Door Operators


R-W Electric Garage Door Operators offer maximum efficiency and safety. Completely assembled in a single carton at the factory. Simple adjustments requiring no special tools keep doors working smoothly. A large friction clutch prevents property damage due to operational failures and in case of power failures, doors may be operated manually.

**No. 1251 Standard Control**  
—operates from driveway by switch key.



**No. 1504 Radio Control**  
—operates from dash control button. Opens and closes doors within 75 feet.

Write today for illustrated booklets on these two precision R-W products.



SLIDING DOOR HANGERS & TRACK • RISE DOORS & FIXTURES • GARAGE DOORS & EQUIPMENT • INDUSTRIAL CONVEYORS & CRANES • SCHOOL WARDROBES & PARTITIONS

**Richards-Wilcox Mfg. Co.**

220 THIRD STREET, AURORA, ILLINOIS

"Service-Master saves me up to one hour of service time every day"



## Service-Master

THE IDEAL BUILDING,  
PLUMBING, AND ELECTRICAL  
CONTRACTING SERVICE BODY

Here's the body that takes a completely equipped shop to the job, and saves up to 75 minutes per day. Using the latest average service base rate of 6 cents a minute and an average saving of 30 minutes a day . . . Service-Master saves \$478.00 worth of time a year. Available in sizes for 1/2, 3/4, 1, and 1 1/2 ton chassis — regardless of age or make. The coupon below will bring complete details, with no obligation to you.

MAKE YOUR PICK-UP TRUCK  
A SERVICE TRUCK, TOO!

## SERVICE-TWINS

for 1/2 and 3/4 ton pick-up trucks



These easy-to-install tool and material compartments are finished in baked-on, medium-dark green enamel. Parts bins are built-in. Doors have slam-action catches, with locks keyed alike. Available with overhead rack.

**McCABE-POWERS AUTO BODY CO.**  
3900 No. Broadway • St. Louis 13, Mo.

Please send me complete details on:

SERVICE-MASTER  SERVICE-TWINS

Name \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City & State \_\_\_\_\_

IN



Display room on wheels contains complete Dunham line of operating and cut-away models

### heating equipment firm sends out road show

The C. A. Dunham Company, Chicago, manufacturer of steam and hot water heating equipment is sending out a super-sized mobile demonstration unit on a year-long nation-wide tour which began in February.

The company's red and black tractor-trailer unit, named "Parade of Products," contains operating and cutaway models of all Dunham steam and hot water heating equipment. The trailer is heated by one of Dunham's gas-fired unit heaters.

### ACOUSTICAL TILE NAILS ... designed for the job




When installing acoustical tile choose a job-designed nail that combines ease of application with these special features: a head end which allows the nail to be driven home without damaging the tiles . . . a collar which holds the tiles firmly in place . . . annular threading which gives superior holding power. The nails are furnished with a plated finish to prevent rust streaks where moisture is present. Send for free samples and descriptive literature.




**JOHN HASSALL, INC.**

P. O. Box 2150  
Westbury, N. Y.  
Established 1850



FOR  
SAFETY  
SPEED  
LOW COST



### "Open Stock" Design Lets You SAVE In Many Ways!

Ideal for many purposes. Easy to erect, dismantle . . . heights up to 100 feet . . . loads to 4000 lbs. Standard sections may also be used for scaffolding, sidewalk bridging and the like.

**OTHER BIL-JAX EQUIPMENT**—Steel scaffolding, steel ladders, ladder jacks, putlogs, leveling jacks, scaffold brackets . . . accessories.

**RENT OR BUY**—Distributors in principal cities.

Write for catalog. Address Dept. D-3  
Export Office: 80 Broad St., New York 4, N. Y.

West Coast: 216 W. Los Feliz Rd., Glendale, Calif.



AMERICAN BUILDER

ask the *experts*

### radiant heat under frame flooring?

We are planning our new home and would like to use a floor-type radiant heat, but we also want a basement. We desire wood floors throughout without the necessity of a self-supporting concrete slab.

Could we notch the floor joists and run copper tubing in loops underneath the subfloor? We thought that we could use a reflective-type insulation to keep the biggest percentage of heat in the rooms above and in this way make use of the heat loss into the basement to heat the basement.

### How much heat loss?

Would there be enough loss of heat through the copper pipes even though they were not enclosed in concrete? If not, what could be substituted in the place of concrete to transmit the heat from the pipes by conduction to the subfloor above without increasing the expense and too great an additional weight?

We have also considered using 1/4-inch plywood and aluminum foil over the tops of the joists and 1x2 strips between the pipes to carry the main subfloor. What is your recommendation?

J. A. L., Seneca Falls, N. Y.

Installations similar to the one you suggest have been proposed many times. Many heating contractors have given them careful consideration. They have pointed out that there are many problems that would come up if an installation such as you propose were used.

### Wood Insulates

Double wood flooring offers relatively high resistance to the transmission of heat. In this respect, wood acts primarily as an insulating material. Therefore, to get and keep a floor surface temperature sufficiently high to satisfy proper heating conditions, experience shows that high temperatures and sometimes excessively high ones would have to be maintained on the underside of the floor. Conventional floor coverings would aggravate the situation and offer greater resist-

(Continued on page 210)

make homes more tempting to buyers—at no extra cost to you!



## Thermo-Base

BASEBOARD · HEATING · COOLING

... the perfectly engineered system  
for distributing WARM and COOL air.


ONLY THERMO-BASE provides even heat distribution and up to 20% or more radiant heat at floor level — where it is needed most.

ONLY THERMO-BASE has the Conversion Chamber which converts high velocity pressure to low static pressure, thus providing even distribution along its entire length.

ONLY THERMO-BASE offers this proven performance.

# X-46

A "RED END"  
RULE—YOUR  
Guarantee  
of Quality



Built  
Stronger—  
Lasts Longer!

## LUFKIN X-46

An Extra Heavy Duty Extension Rule  
That Stands Up On The Job!

- 50% thicker sections
- Triple-locking solid brass joints maintain accuracy
- Solid brass strike plates prevent wear
- Graduations on both edges of the rule
- Markings and graduations embedded right into the wood
- Bold easy-to-read figures
- Brass extension for accurate inside measurements has black-filled figures and graduations for easy reading
- Durable boxwood finish further protected by tough clear plastic coating

BUY **LUFKIN** TAPES • RULES • PRECISION TOOLS  
FROM YOUR HARDWARE OR SUPPLY STORE

THE LUFKIN RULE CO., SAGINAW, MICHIGAN

132-138 LaFayette St., New York, N.Y.—Barrie, Ontario

216

THERMO-BASE NOW  
COSTS LESS!  
... for all these  
proven features:

- Delivers both radiant and convected heat
- Used on outer walls, where heat is most needed
- Occupies little space and harmonizes with room furnishings
- Even, uniform flow of warmth, eliminating the discomfort of "cold 70's"
- Fast heat — quick response, no lag, no run-over temperature
- Humidified and filtered air, in constant circulation
- Factory guaranteed layouts.

### SEND TODAY!

See why there is no substitute for  
THERMO-BASE

THERMO-BASE Division—Dept. H  
Gerwin Industries, Inc.  
Michigan City, Indiana

Please send me latest information about  
new low-cost Thermo-Base and name of  
nearest distributor.

Name \_\_\_\_\_

Company Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

# New reasons why.. Sherman Power Diggers give you More for '54



Important new features, combined with advantages proven by thousands of users, add up to more production for your digging dollar! The Sherman Hydraulic Power Digger is designed and built for that wide range of job requirements beyond the economical use of hand labor and below the efficient use of larger equipment. Yes, between the smallest and largest jobs, you'll find there's always a place for your Sherman Power Digger! Ask your nearby Sherman dealer for an on-the-job demonstration today. Write for free literature, Dept. T-49.

**FREE**  
Literature on  
new features.  
Write for your  
copy now.



Designed, Engineered and Manufactured jointly by  
SHERMAN PRODUCTS, Inc., Royal Oak, Mich.  
WAIN-ROY CORPORATION, Hubbardston, Mass.  
Patent No. 2,303,825. Other patents pending.

**SHERMAN PRODUCTS, INC.**  
Dept. T49  
Royal Oak, Michigan

Please send me, without obligation, literature on the new Sherman Power Digger and some of its uses. I own, (or am interested in) a ..... tractor.  
(Make and Model)

.....  
(Name) (Title)

.....  
(Company) (Street Address)

.....  
(City) (Zone) (State)

## ask the experts

(Continued from page 239)

ance to heat transmission.

### Floors May Crack

High temperatures must be maintained underneath the wood flooring to assure transmission of heat upward to the room in adequate amounts. This raises the question as to the possible effect on the flooring itself. Wide variations in moisture content of the wood between the on and off heating seasons will inevitably occur, with the likelihood that wide cracks in the finished flooring due to shrinkage will result in the heating season.

### Floors May Creak

Passage of the copper tube in loops through the floor joists will be a potential source of creaking noises. A temperature change of 100 degrees Fahrenheit will produce an expansion or contraction of approximately 1/8 inch per ten feet of copper piping run. It can be seen that the temperature variations that will occur between periods when the circulator is operating, or not operating, will cause the tube to shift position with respect to its supports and create noises that will be readily transmitted through the flooring.

### tubing Should Be Embedded

In spite of its high conductivity, the use of copper tubing suspended in the air for the purpose of heat transfer is not recommended because of its low emissivity. Put in other words, copper will do an excellent job of conducting heat from the water within the tube to its outer surface.


The smoothness of its exterior surface, however, gives it very poor radiating qualities. For this reason, copper tube is most efficiently used in any radiant heating system when it is embedded in a dense medium.

Concrete or plaster are dense mediums that will conduct the heat from the copper tube to the surface of the concrete floor slab or plastered ceiling surface which do possess high radiating qualities. This statement is true regardless of the kind of piping material used.

### Use a Ceiling Panel

If you want to use wood floors throughout and want to avoid the

(Continued on page 241)



## Symons Form Hardware for Foundation 24' x 32'

Cost **\$223<sup>56</sup>**

Symons Forms can be erected and stripped faster, are safer, require a minimum amount of waling and bracing, and produce better looking walls.

### FORM HARDWARE SUMMARY


Quantity	Item	Cost
512	Short Connecting Bolts.....	\$ 53.76
32	Long Connecting Bolts.....	3.52
544	Wedges.....	35.36
1200	Steel Strips.....	48.00
992	Stop Plates.....	39.68
8	Inside Corner Brackets.....	2.80
64	Waler Sets.....	13.44
4	7' Outside Corners.....	32.00
	<b>Total</b>	<b>\$223.56</b>

Take advantage of Symons Engineering and Sales Service. Send in the plans for your next job and get complete layout and cost sheet which will show the number of standard panels your job requires, as well as the number and size fillers and corner pieces needed, plus all form hardware necessary. Our Catalog F-9 will also be sent upon request. Symons Clamp & Mfg. Co., 4261 Diversey Avenue, Dept. C4, Chicago 39, Illinois.

## ask the experts

(Continued from page 240)

use of relatively massive concrete floor slabs, we would recommend the use of ceiling panels in which the copper tube is fastened directly



to the ceiling joists. Place expanded metal lath below, but in good contact with the copper tube.

The application of plaster in the normal way to the metal lath will cause it to key through the lath in sufficient amount to partially embed the tube, but to an extent that will permit the property of high thermal conductivity of the copper tube to be fully realized. Three inches of batt insulation above the ceiling will make the reverse heat loss from the panel negligible.

Research Department,  
Revere Copper and Brass Inc.




here's the best

stock and custom work—LOW PRICES!

Demand for Artercraft Ornamental Iron Work has mushroomed because of painstaking craftsmanship, charming consumer appeal and low cost. No assembly

on the job! Custom work is produced from specifications with the same careful attention to detail. Quick service—rush delivery.



No. 120 30 27 14 24 20 25

### PORCH COLUMNS

1" square solid steel supporting posts.

Average weight of 90° porch column is 125 lbs.

Always specify single or 90° corner columns when ordering.

PRICES — 12" 90° corner columns: 7'—\$28; 7'6"—\$30; 8'—\$32

Single 12" panels: 7'—\$17; 7'6"—\$18; 8'—\$19

F.O.B. Columbus

write for FREE CATALOG

New 40-page catalog showing stock and custom work prices and installations. Many ideas for your own plans.


*Art* CRAFT

ORNAMENTAL IRON CO.

720 E. HUDSON ST., COLUMBUS 11, OHIO

MR. BUILDER

# NOW HANG A DOOR IN JUST 6 MINUTES




Yes, an average door can be hung accurately in just 6 minutes by the clock, with the new, modern FASTINGE Hinge. Think of it, no more chiseling, no mortising, no muss, no clutter and no beveling of door on hinge side.

FASTINGE HINGES are completely self-aligning and self-gapping. Available in all standard sizes and finishes. Prove it to yourself, send for free samples.

## "STOP CHISELING!"

USE THE HINGE THAT  
"JUST SCREWS ON"



NO-MORTISE

## FASINGE

NEW, IMPROVED 5 KNUCKLE HINGE

Order Today from Your Jobber or Direct

## NO-MORTISE HINGE CORP.


BOUND BROOK 3, NEW JERSEY

Here's How  
**SONOAIRDUCT**  
PAT. APP. FOR

FIBRE DUCT

Saved Time and Money for  
**McKEE and McHALE**

Well-known Philadelphia heating  
 contractors for 1000 FAIRLESS HILLS,  
 Pa., Gunnison homes.



SONOAIRDUCT fits all standard  
 metal elbows, bends, T's, regis-  
 ters, etc.

Economical, light weight  
 SONOAIRDUCT fibre duct was  
 designed to save installation cost  
 in gas and oil fired loop, radial  
 and lateral slab perimeter warm  
 air systems. Widely used by  
 builders everywhere—permitted  
 by F.H.A. Sizes 2" to 36" I.D., in  
 specified lengths up to 50 feet,  
 or can be sawed to desired  
 lengths on the job.



Write for complete information and prices

**SONOCO PRODUCTS COMPANY**  
 Construction Products Division

LOS ANGELES, CAL. 3805 SOUTH WESTERN AVE. HARTSVILLE, S. C. — MAIN PLANT MONTCLAIR, N. J. 14 SOUTH PARK STREET  
 GARWOOD, N. J. BRANTFORD, ONT. AKRON, IND.

how to build



Fence combines panels of both wide and  
 narrow grooved fir plywood, applied to  
 redwood frames

This attractive fence for a terrace  
 uses a new building material devel-  
 oped by Western fir plywood manu-  
 facturers. Called Texture One-  
 Eleven, the new product is  $\frac{7}{8}$ -inch  
 exterior fir plywood manufactured  
 in panels with 100 per cent water-  
 proof glue. The panels are deeply  
 grooved, and come in two widths,  
 16 inches (16 $\frac{3}{8}$ -inches over-all)  
 and 32 inches (32 $\frac{3}{8}$ -inches over-  
 all). Grooves in the wider panel are  
 spaced 4 inches o.c. Those in the 16-  
 inch width are spaced 2 inches o.c.  
 The panels come in 8-foot and 10-  
 foot lengths, and shorter lengths are  
 also available.

This fence uses both sizes, applied  
 to frames built of 2x4 redwood. Post  
 lengths are 8 feet, and the wider  
 frames are 59 $\frac{3}{4}$  inches. Two of the  
 32-inch panels of Texture One-  
 Eleven, with the shiplap ripped off  
 on opposite sides, overhang this  
 width sufficiently to cover the 2x4's  
 of the adjoining narrow sections,  
 thus tying the two sections together.  
 Width of the narrow frames is 27 $\frac{3}{4}$   
 inches. Height of all sections from  
 top to bottom of bottom rail is 64  
 inches.

The Douglas Fir Plywood Asso-  
 ciation, Tacoma, Washington, is the  
 sponsor for the development.

## a PRIVACY FENCE



Constructing narrow frame. Width is 27 $\frac{3}{4}$  inches. Height is 64 inches



Nailing together one of the wide section frames of 2x4 redwood. Width is 59 $\frac{3}{4}$  in.




Applying narrow panels of Texture One-Eleven to a part of the terrace fence

### tile drainage information

"Why Drain Land" is the title of an eight page booklet which describes and illustrates in detail the reasons for tile drainage and underground irrigation. It enumerates the benefits which may be derived from draining land or using a subsoil irrigation system. A list of governmental agencies where financial aid and technical assistance can be obtained is included. Copies of the booklet are available free to drainage contractors upon request to Gar Wood Industries, Inc., Customer Service Dept., Wayne, Mich.

MARCH 1954



# Novafold

## BAMBOO DOORS and WINDOW DRAPES

*add beauty — save money*

In Novafold you have top-quality, imported bamboo, carefully processed and assembled by American methods. Mildew- and warp-proofed inner-core bamboo is assembled with Seine cord, self-lubricating Nylon slides and specially designed American hardware for long life. After more than 82,000 opening and closing cycles, independent laboratory tests revealed *no visible wear or weakening of materials.*



Novafold, on straight or curved track, saves space over swinging doors — compresses to 10% of its total expanse. Its ventilated closure permits air to circulate — prevents mildew with slab heating. Novafold Window Drapes screen sun's glare — pass cooling breezes.

Novafold is available in Natural and in nine standard colors; in sizes up to 16' wide,

12' high. Yet Novafold is far less expensive than any other folding door or room divider. Novafold comes complete in every detail — finished in the color you specify — "custom tailored" to your job. The enameled steel track, screwed to the top of the opening, completes the installation in 5 minutes' time. There is no floor guide. In new construction — no added cost for furring, trim, roughing or extra hardware.

May we send you illustrated literature and specifications? Please address your inquiry to Dept. 38.


Molded Plastic Clip — locked to bamboo — assures perfect accordion folding.



# NOVA SALES

*Co.* TRENTON 3, N. J.

A wholly owned subsidiary of Homasote Company—manufacturers of the oldest and strongest insulating-building board; wood-textured and striated panels.



look what you get... in newly styled

## FIR PANEL DOORS



**style** . . . Today's trend toward dramatic use of color and texture provides an important role for panel doors. Newly styled fir panel doors offer refreshing relief from the monotony of flat surfaces. The new wide molding becomes a frame for exciting decorative treatments that add colorful deep-shadow accents—a definite sales feature in any home you build.

**dependability** . . . Fir panel doors are made to last—a fact attested by over one hundred million installations. When you specify this hallmark **FDI\*** you get doors that are strong, durable, structurally sound; built to meet exacting U. S. Commercial Standards. Fir panel doors won't warp; won't come apart. Cabinet makers working with straight grain, old growth Western fir detail each door meticulously, carefully sand, trim edges square and true. No shortcuts, no shoddy materials—to West Coast fir door craftsmen, dependability is a word with real meaning.



**economy** . . . New fir panel doors offer custom features at competitive prices. Compare them for style . . . compare quality . . . compare dollar for dollar price—then specify new fir panel doors. Call your regular supplier, or write Fir Door Institute, Tacoma 2, Washington.

...you buy all this in hallmarked

## FIR PANEL DOORS

**FDI** THIS INDUSTRY MARK IS IMPORTANT TO YOU

\*This grade-trademark on the edge of a fir panel door signifies that the door has been independently inspected and approved in accordance with strict industry standards. It is your assurance that the door will meet exacting U. S. Commercial Standards.



Building front presents a wall of glass:

### louvered window wall meets heat and glare problems


The office frontage of the Robertson Square building in the Decorators' Row area of Los Angeles is made of louvered windows which form an integral element of the building's design. The structure faces west, so the architect's problem was to admit light into the building without excess heat.

Robert E. Faxon, AIA, the building's architect, stated that he used these louver-type windows "to solve the problem of afternoon sun and heat, while utilizing the vertical and horizontal rhythms of the six-inch glass strips to add to the beauty of the basic design."

A further advantage of using louvered windows in this building was the simplicity of their installation. There was no need for extensive carpentry and plastering. No multiple window openings were required. The hardware uprights bolt into the narrow vertical girders. Glass louvers were inserted into the uprights, and clips, closed over the edges, secured them. No putty was used.

Easy maintenance and replacement will furnish future economies. Both sides of the glass louvers can be washed from the inside of the building, and in case of accidental breakage, louvers can be replaced from the inside.

Data courtesy Sun-Sash Co.



Close-up of building front; open louvers provide floor-to-ceiling ventilation

AMERICAN BUILDER

## TRADE-INS are good for higher price market

Rollin E. Meyer & Son, builders and developers in the San Francisco area, think that the market for houses in the higher price bracket has not been exploited, and that the way to do it is to use trade-in selling. Meyer outlines the following case history of a recent new house sale through trade-in, which illustrates the method:

The new house built by Meyer was priced at \$65,000 and was sold to a family which had a home in another area, which Meyer took in for \$40,000. Before doing so, however,




Trading in old house for a new contemporary model is part of selling campaign by Rollin E. Meyer & Son for their tract near Hillsborough, California, featuring houses at \$37,500 and up

Meyer called several realtors who specialized in property in that area. Combining his own appraisals with those of the brokers, it was decided that the old house would sell quickly at between \$36,000 and \$39,500. "Analyzing their appraisals and knowing our maximum allowable margin for the trade, we were able to give the owner the \$40,000."

Now the purchaser of the \$40,000 house moved from a house on which Meyer allowed \$19,000 toward the purchase of the first house in trade. This amount was based on appraisals from competent brokers familiar with the area, and upon close study of the sales and listings within the same block, through the multiple listing service.

"The second house ultimately sold for \$20,000, thus allowing us to realize our intended profit on our new house."



## METAL WEATHERSTRIP an Essential Home Economy

- for Fuel Saving
- for Protecting Home Furnishings
- for Healthful Comfort
- for All Around Efficiency

Prospective home buyers will sell themselves on the quality of the homes you build when they see they have been completely weatherstripped, and when you tell them of the needless heat loss and discomfort it prevents. Actual tests show (University of Minnesota Institute of Technology) the air infiltration is 6 TIMES LESS through weatherstripped windows than non-weatherstripped windows; which means an average savings of approximately 24% in fuel costs. Also that a weatherstripped home means clean, comfortable living in every room—that's vitally important to their families' health and well-being.

The metal weatherstrip that is installed should depend mainly on two factors: reputation of the product and reputation of the manufacturer. Members of the Weatherstrip Research Institute possess both—a reputable product, and all are reputable, long established companies. Remember these facts when considering metal weatherstrip for the homes you build.



**Research INSTITUTE**

OFFICE OF THE SECRETARY  
BOX 101, RIVERSIDE, ILLINOIS  
DEPT. AB34

For complete facts on the economic value of weatherstrip, send for Bulletin No. 35—"Air Infiltration Through Weatherstripped and Non-Weatherstripped Windows," published by the University of Minnesota Institute of Technology—no charge or obligation.

### INSTITUTE MEMBERS

**ALLMETAL WEATHERSTRIP CO.**  
2241 N. Knox Ave., Chicago 39, Ill.

**BARLAND WEATHERSTRIP MATERIAL CO.**  
1960 E. 59th St., Cleveland 3, Ohio

**CENTRAL METAL STRIP CO.**  
4343 N. Western Ave., Chicago 18, Ill.

**CHAMBERLIN CO. OF AMERICA**  
1254 LaBrasse St., Detroit, Mich.

**DENNIS & CO., W. J.**  
4444 W. Irving Park, Chicago 41, Ill.

**DORBIN METAL STRIP MFG. CO.**  
2410 S. Cicero Ave., Cicero 50, Ill.

**E-Z TIGHT, INC.**  
Box 1421, 611 S. Broadway, Albuquerque, N.M.

**GARDNER WIRE CO.**  
1325 S. Cicero Ave., Cicero 50, Ill.

**MACKLANBURG-DUNCAN CO.**  
Box 1197, Oklahoma City, Okla.

**MASTER METAL STRIP SERVICE**  
1720 N. Kilbourn Ave., Chicago 39, Ill.

**MONARCH METAL WEATHERSTRIP CORP.**  
6333 Etzel Ave., St. Louis 14, Mo.

**NATIONAL GUARD PRODUCTS, INC.**  
Box 4754, Memphis 7, Tenn.

**NATIONAL METAL PRODUCTS CO.**  
1001 Ridge Ave., Pittsburgh 33, Pa.

**NICHOLS METAL STRIP SERVICE**  
2104 Gilbert Ave., Cincinnati 6, Ohio

**REESE METAL WEATHERSTRIP CO.**  
712 Park Ave., Minneapolis 15, Minn.

**SECURITY CO., THE**  
385 Midland Ave., Detroit 3, Mich.

**SOUTHERN METAL PRODUCTS CORP.**  
921 Rayner, Memphis 6, Tenn.

**SPANJERS CO., A. J.**  
1915 N. Lilac Dr., Minneapolis 12, Minn.

**WARNICA PRODUCTS**  
6416 S. Ashland Ave., Chicago 36, Ill.

**ZEGERS, INC.**  
8090 So. Chicago Ave., Chicago 17, Ill.

## how to install terne metal chimney flashing

One of the most critical spots in the construction of a roof is the chimney flashing. This point is especially vital when a chimney straddles both slopes of a roof.

Continuous flashing of terne metal can be installed on such a chimney, avoiding stepdowns and eliminating most of the seams.


After the roofing pans have been turned up to form the base flashing around the chimney, and the corners closed off with corner patches,

the roofer uses a quarter-inch grinding wheel in an electric drill to cut a half-inch groove at a point  $4\frac{1}{4}$  inches above the roof line.

The cap flashing is then fashioned to go all around the chimney. It is cut and bent to fit into the groove in the brick, stone or block of which the chimney is made. When the cap flashing has been inserted, it is wedged into place by driving masonry nails into groove above it.

The finished flashing is caulked


with some suitable compound, giving a flexible, weatherproof flashing that considerably enhances the appearance of the house.




Using grinding wheel, roofer cuts a  $\frac{1}{2}$ -inch groove,  $4\frac{1}{4}$  inches above roof line



Cap flashing is cut and bent all around chimney to fit into the groove in masonry




Flashing is wedged into place by driving masonry nails into groove above flashing



Finished flashing is caulked with compound, giving flexible, waterproof finish

Courtesy of Follansbee Steel Corp.



IT'S  
WHAT'S  
BEHIND  
THE BLIND  
THAT'S  
IMPORTANT...

ROLLA-HEAD

Rolla-Head, all metal venetian blinds, custom-made to your specifications, fill the bill for every type of installation. Pioneered by Eastern and manufactured with Eastern equipment and processes by local manufacturers everywhere, Rolla-Head is quality controlled from precision-built tilting gear to streamlined tape clips.

Ideal for commercial installations because of initial low cost plus lowest possible maintenance cost (snap-in hardware can be replaced without use of tools). For complete data see

Eastern's 16-page catalog in the 1954 Sweet's File. For complete satisfaction . . . specify Rolla-Head.

Custom-made by independent venetian blind manufacturers everywhere.



THE EASTERN MACHINE PRODUCTS CO.

GENERAL OFFICES & PLANT: 1601 WICOMICO ST., BALTIMORE 30, MD.  
NEW YORK • ATLANTA • PITTSBURGH  
Canada: Eastern Machine Products, Ltd., Toronto • Montreal • Vancouver

AN INDUSTRY FIRST! A bibliography of the home building industry will appear for the first time in any publication in American Builder's 1954 Catalog-Directory issue—out in April. Don't miss it!

## NAHB plaque awarded homemakers' magazine

The President's Plaque "for distinguished reporting of home building news in 1953 by consumer magazines" was presented by retiring NAHB President Emanuel M. Spiegel to "Living for Young Homemakers." Mrs. Edith Brazwell Evans, editor of the publication, received the award at a general session of the 1954 NAHB convention in the Hilton grand ballroom.

The occasion marked the first time that NAHB had so honored a consumer publication. Members of



NAHB's first President's Plaque to a consumer magazine for distinguished reporting of housing achievements is presented by its retiring leader, Emanuel M. Spiegel, to Edith Brazwell Evans, editor of "Living for Young Homemakers"

a public relations committee headed by Leslie Hill acted as judges.

During the past year, "Living for Young Homemakers" selected several homes it felt were well constructed, well designed and well priced, and assigned its staff decorators to color scheme and decorate them to enhance their features. Among them were seven houses in Columbus, Ohio; four in Tyler, Texas; three in Houston, and individual homes in Los Angeles, Minneapolis, Milwaukee, Dayton, Chicago, Louisville, Lafayette, Indiana; Racine, Wisconsin; Schenectady, New York; Brookville, Ohio, and Jackson, Mississippi. Reports from the builders benefiting from the service indicated their homes became more saleable and reported a substantial volume of sales.

MARCH 1954

# "It's easier to sell houses from the floor up!"

## ...that's the beauty of Higgins Block



The Robert P. Gerholz houses in Flint, Michigan, have gained national attention because of their up-to-the-minute design. Right from the first, these houses have featured the up-to-the-minute flooring, Higgins Block. Besides the lustrous, sales-making richness of texture, look at all the other advantages of this flooring:

- 9" x 9" net face hardwood blocks—easy to install
- 3-ply cross-grain construction—when properly installed will not warp, buckle, cup or crack
- Selected oak face—comes with final finish
- Pressure bonded with marine-type glue—water-repellent, climate-proof
- Deep-impregnated with famous "Penta"—rot-proof, termite-proof
- Grooved back anchors into adhesive—quiet and comfortable
- Can be laid *without* special preparation directly on concrete slab—ideal for radiant heat
- Blocks fit flush—without large, visible V-grooves

**Higgins** BONDED HARDWOOD BLOCK FLOORING  
INC. THE WORLD-FAMOUS BOAT BUILDERS 



Use this coupon for free sample block and literature

Higgins, Inc., Dept. A-34, New Orleans, La.  
Gentlemen: Please send sample block and literature to


Firm Name.....

Address.....

City..... Zone..... State.....

## When Your Clients Ask For TV Sockets

Specify and Install  
**MOSLEY**  
TV LEAD-IN  
WALL SOCKETS!



- Made for television!
- Low cost!
- Flush mount in almost any type wall!
- Available in types for every installation requirement!

MOSLEY Cat. F-1PK TV Wall Socket for single lead-in. Supplied with attractive ivory or brown face plate, mating plug and instructions. List Price, only \$1.95.

Other MOSLEY TV WIRING ACCESSORIES include: MOSLEY TV Conduit, Plaster Rings, Roof and Wall Lead-in Entrance Devices, 3-Way Antenna Switches, 2-Set Couplers, etc.


Available at Radio and Television Parts Distributors, coast-to-coast. Write for name of nearest supplier, free catalog and booklet "How Builders Fit Into The TV Picture."

### MOSLEY ELECTRONICS, INC.

8622 St. Charles Rock Road

St. Louis 14, Missouri

# Sharpen your local perspective . . . get the NATIONAL housing picture



The fascinating story of the home building industry, with 22 informative chapters edited and correlated by a 14-man editorial group of America's most successful builders and housing experts—all past presidents of the National Association of Home Builders. Subjects treated include mortgage credit, the U.S. housing inventory and production capacity, builder research, public relations and merchandising programs, values of home ownership, urban development, city blight, and slum problem. "Must" reading for anyone interested in learning more about the great industry that has made America the best-housed nation.

Save Time and Money . . . Avoid Mistakes . . . Use

## SIMPLIFIED CARPENTRY ESTIMATING

HERE IS EVERYTHING YOU NEED to know to "take off" a bill of materials from set of plans and specifications for a frame house. Saves you time figuring jobs, protects you against oversights or mistakes that waste materials and cost money. Nothing complicated—just use simple arithmetic to do house carpentry estimating with this easy-to-use ready reference handbook.

**CONTENTS:** Estimating Fundamentals. Foundation Material. Framing. Exterior Finish. Hardware. Building Information. Estimating Short Cuts. Labor Hours per Unit of Work. Carpentry Mensuration. Mathematical Reference Tables. Stair Estimating. How to Plan a House.

1950. 5th Ed. 304 p. 123 illus. 60 tables. 5x8. \$3.75



### FREE EXAMINATION COUPON

Simmons-Boardman Books, Dept. AB354  
30 Church St., New York 7, N.Y.

Please send me a copy of *Simplified Carpentry Estimating*. If after 5 days trial I am not fully satisfied, I'll return it and owe nothing. Otherwise I'll keep the book and send \$3.75 plus a few cents for postage and handling in full payment.

Name .....

Street .....

City ..... State .....

SAVE. Send \$3.75 with your order. We pay postage, handling. Same trial terms.

**225 pages . . . many pictures**  
**\$5.00 postpaid**

(Return for refund in 10 days if not satisfied)

**AMERICAN BUILDER BOOKS**  
30 Church St. New York 7, N. Y.

AMERICAN BUILDER

## new house plan book contains 80 selected homes

**HOMES FOR LIVING**, by Samuel Paul, A.I.A. Simmons-Boardman Publishing Corp., New York; 1952; 192 pages; \$3.95.


This big book of house plans, designed by one of the country's most distinguished architects of small homes, contains 80 of his newest and most popular designs. A wide variety of architectural styles is included—ranch, contemporary, Cape Cod, split-level and colonial. They are designed to provide the most house for the money in three different income groups. There are 30 selected homes for families earning from \$3,000 to \$5,000; 25 homes for families in the \$5,000-\$7,000 group; and 25 homes for families earning \$7,000 and up.

Each home is presented in a two-page spread, with a drawing of the front elevation and description of the house on one page and a detailed floor plan on the facing page.

In addition to the house plans, the book presents seven practical steps for the potential home owner's guidance in considering the purchase of a home.

Standard working blueprints prepared by expert draftsmen in the architect's office are available for each of the houses shown in the book. They are reproduced in the standard builders' scale of 1/4 inch to one foot.

## GRAINGER'S SUPPLY SERVICE




### USE YOUR NEARBY GRAINGER STOCK

Next time you need attic fans, kitchen fans, sump pumps and other electrical items—save time and money—order from your Grainger Motor Book. You'll get fast shipping and pick-up service from your nearby Grainger Warehouse—and lowest possible prices always. Your Grainger Salesman is at your service too—let him help you. Let Grainger Service help build your sales.




### DEALER CATALOG

Request on Letterhead  
ADDRESS DEPT. AB-1

## W. W. GRAINGER, INC.

46 WAREHOUSES—COAST TO COAST—SEE PHONE BOOK  
GENERAL OFFICE 118 S. OAKLEY BLVD. CHICAGO 12

MARCH 1954



## KOHLER

### ELECTRIC PLANTS

Portable Power Anywhere,  
Any Time

### Take your own electricity to the job

Save expense and bother of temporary power line hook-ups—use a low-cost, portable Kohler plant. Operates saws, drills, planers, grinders, pipe threaders and cutters, other tools. Develops 1500 watts AC. Engineered throughout by Kohler. Two-wheel, rubber-tired hand truck available. Other sizes 500 watts to 30 KW. Write for folder 21-R.

Model 1.5M25, 1500 watts, 115 volt AC.  
Manual control. Weight 130 lbs.  
Also 115 volt DC weighing 101 lbs.

Kohler Co., Kohler, Wisconsin. Established 1873

# KOHLER OF KOHLER

PLUMBING FIXTURES • HEATING EQUIPMENT • ELECTRIC PLANTS  
AIR-COOLED ENGINES • PRECISION CONTROLS

#### YOU CAN MAKE THESE PIECES

Scissors, Pipe Box, Hanging Bookshelf, Standing Bookshelf, Cutlery Tray, Spice Box Lamp Base, Sawbuck Coffee Table, Lamp Table, Trestle, Dining Table, Drop Leaf Table, Hutch Table, Modern Tray Table, Loose-Seat Stool, Fire-Board Bench, Joint Stool, Wing Chair, Chaise Lounge, Modern Bedstead, Low-Post Bedstead, Tall-Post Bedstead, Welsh Dresser, Chest of Drawers, Framed Desk, Corner Cupboard, Side Chair and Arm Chair.

#### AND THESE BUILT-INS, TOO

Recessed Bookshelf Cupboard, Corner Cupboard, Door-Flanking Bookcase, Three-Unit Counter and Cupboard, Closet and Dressing Table Alcove, Corner Seat, Closet-Bunk-Desk, Divan with Drawers, Twin Beds with Bookshelf Desk, Sofa with Bookcase and End Tables, Wall Angle Cabinet, Corner Counter with Drop Table, Bathroom Kitchen or Bar Counter, Double Bunks, Detached or Attached, Cabinet Table for Corner Beds.

## 10-Day FREE Trial How To Make Your Own Furniture

#### WHY PAY HIGH PRICES FOR FURNITURE?

Make it yourself! Easy-to-follow, step-by-step directions in this big new book show you professional methods and tricks of the trade. Everything you need to know to make attractive, sturdy pieces for every room in the home. Have fun—and save up to 80% of the cost of store-bought articles! Gain a wonderfully relaxing hobby.

#### HUNDREDS OF PICTURES HELP YOU BUILD

Every job is explained in careful detail. Nearly 400 large, clear drawings show exact working procedure for each step. Professional methods given for setting up shop, choosing tools and equipment, selecting proper varieties of wood, cutting and joining operations, seraping, raising the grain, staining, varnishing, bleaching, toning, antiquing, designing furniture—everything you'll want to know.

This interesting, heavily-illustrated book has nearly two hundred big 8 1/2 x 11 inch pages. It costs only \$3.95. You'll save five to ten times this amount on the first piece of furniture you make!

**—MAIL TODAY—**

Simmons-Boardman Books, Dept. AB-345  
30 Church St., New York 7, N. Y.

Please send me for a **FREE** working trial a copy of **HOW TO MAKE YOUR OWN FURNITURE**. If after 10 days I am not completely delighted, I will return the book and owe nothing. Or, I will keep the book and remit \$3.95 plus a few cents for postage and handling in full payment.

Name

Street

City, State

**SAVE MONEY!** Send \$3.95 with your order and we pay postage and handling. Same return privilege guaranteed. Your money refunded if not satisfied.


249

# ADVERTISERS IN THIS ISSUE

Airtemp Division, Chrysler Corporation	37
Allis Chalmers Tractor Division	142
American Builder	248, 249
American Floor Surfacing Machine Co.	224
American Gas Association	170, 171
American Hardware Corp., The, Russell & Erwin Division	127
American Houses Inc.	2
American Kitchens Division, AVCO Manufacturing Corp.	115
American Machine & Foundry Company, The, De Walt, Inc.	101
American Radiator & Standard Sanitary Corporation	4
American Sta-Dri Company	57
American Telephone & Telegraph Co.	32
Andersen Corporation	152, 153
Arkansas Soft Pine Bureau	130, 131
Armstrong Cork Company	197
Artcraft Ornamental Iron Co.	241
Atlas Electric Products Co.	234
Atlas Plywood Corporation	136
AVCO Manufacturing Corp., American Kitchens Division	115
Bessler Disappearing Stairway Co., The	234
Better Homes & Gardens	162, 163
Bianco Manufacturing Co.	215
Bilco Co., The	176
Bill-jax Inc.	258
Bilswanger & Co.	193
Bird & Son, Inc.	Cover 3
Black & Decker Mfg. Co., The	168, 169
Bolta	138
Brown & Co., Inc. Geo. C.	180
Brown-Graves Co.	157
Bryant Heater Division	191
Building Buy-Words	189
Bundy Tubing Company	137
Cabler Manufacturing Co.	58
Carey Mfg. Co., Philip, The	34, 35
Carlson & Sullivan, Inc.	228
Ceco Steel Products Corporation	205
Cedar Rapids Block Company, Division of, Dur-O-Wal	228
Chase Brass & Copper Co.	144
Chemold Company	192
Chevrolet Division, General Motors	122
Clippier Manufacturing Co.	63
Cloud Oak Flooring Company	62
Coffman Co., Inc., R. G.	212
Coleman Company, Inc., The	182, 183
Colorado Fuel & Iron Corp.	
Wickwire Spencer Steel Div.	41
Colorcrete Industries, Inc.	220
Congoleum Narm Inc.	73
Connor Lumber & Land Co.	232
Construction Machinery Company	228
Corbin Division, P & F	50, 51
Craig Wood Products Company	204
Crossett Lumber Company	18
Curtis Companies Service Bureau	151
Delta Power Tool Division, Rockwell Manufacturing Company	116, 117
Detroit Steel Products Company	223
De Walt, Inc., American Machine & Foundry Company, The	101
Dodge Corporation, F. W.	172
Douglas Fir Plywood Association	96, 97
Dunn Mfg. Co., W. E.	220

Dur-O-Wal, Division of Cedar Rapids Block Company	228
Eastern Machine Products Co.	246
Eliason Tool Company	232
Eljer Co.	58
Emco Cement Products, Inc.	69
Evans & Co.	220
Eveready Brikspan Company	145
Fir Door Institute	244
Flintkote Company, The	36
Flynn Manufacturing Co., Michael	11
Ford Division, Ford Motor Company	187
Ford Motor Company, Tractor & Implement Division	179
General Electric	120, 121
General Plywood Corporation	66
General Products Company	55
Georgia-Pacific Plywood Company	124, 125
Gerwin Industries, Inc., Thermo-Base Division	239
Goldblatt Tool Co.	204
Grainger, Inc., W. W.	249
Hall-Mack Company	133
Harloc Products	15
Harnischfeger Corporation	100
Hartmeister Mfg., Inc.	175
Hassall Inc., John	238
Higgins Inc.	247
Holt Mfg. Co.	64
Homasote Company	243
Homelite Corporation	54
Hotpoint Co.	53
Hunter Fan and Ventilating Company	147
Infra Insulation Inc.	207
Inland Steel Products Company	177
Insulite Division, Minnesota and Ontario Paper Company	158, 159
Jaeger Machine Company, The	193
Johns-Manville	201
Kaustine Company, Inc.	143
Keasbey & Mattison Company	33
Kentile, Inc.	102
Keystone Steel & Wire Company	154, 155
Kohler Co.	249
Kota Products, Inc.	249
Kwikset Sales and Service Company	1
Lakeside Metalcraft Co.	230
Leonard Company, R. B.	61
Levelall, Thom-Wood Company	230
Libbey-Owens-Ford Glass Company	112
Living For Young Home Makers	28, 29
Louisville Cement Co.	45
Lufkin Rule Co.	239
McCabe-Powers Auto Body Co.	238
McKinney Manufacturing Company	56
Macklanburg-Duncan Co.	12, 13
Majestic Co., Inc., The	220, 235
Mall Tool Company	195
Malta Manufacturing Company	49
Manufacturer's Association Committee	24, 25
Master Metal Strip Service, Inc.	204
Mastic Tile Corporation Of America	181
Miller Mfg. Company, Frank B.	57
Milwaukee Flush Valve Co.	214
Minneapolis Honeywell Regulator Co.	148, 149

Minnesota and Ontario Paper Company Insulite Division	158, 159
Miracle Adhesives Corp.	172
Modern Homes Corp.	119
Morrison Steel Products, Inc.	70, 71, 60
Moley Electronics, Inc.	248
Muller Machinery Company, Inc.	215
National Electrical Manufacturers Association	192
National Homes Corporation	134
National Manufacturing Company	Cover 4
National Plastic Products Company	192
N. Y. Wire Cloth Co., Inc.	118
N-Mortise Hinge Corp.	241
NuTone Inc.	Cover 2
Ohio Foundry & Manufacturing Co.	232
Oregon Lumber Company	164
Pabco Products Inc.	123
Perfection Stove Company	198
Per-Fit Products Corporation	194, 195
Place Homes, Inc.	208
Porter-Cable Machine Co.	103, 186
Powder Power Tool Corp.	190
Precision Parts Corporation	219
Prefabricated Homes Manufacturers' Institute	211
Protection Products Mfg. Co.	221
Raynor Manufacturing Company	57
Reel Cedar Shingle Bureau	132
Remington Arms Company, Inc.	196
Remington Rand	196
Reynolds Metals Company	68, 160
Richards-Wilcox Mfg. Co.	237
Richmond Radiator Company	65
Rilco Laminated Products Inc.	70
Rockwell Manufacturing Company, Delta Power Tool Division	116, 117
Rose Manufacturing Company	115
R.O.W. Sales Company	6, 7
Ruberoid Co., The	173
Russell & Erwin Division, The American Hardware Corporation	127
St. Paul & Tacoma Lumber Co.	217
Sargent & Co.	113, 114
Saturday Evening Post, The	9
Scharf Mfg. Co., J. H.	250
Scott & Sons Co., O. M.	256
Sherman Products, Inc.	240
Simplex Level Co., Inc.	16, 17
Skil Corporation	204
Solvay Process Division	213
Sonoco Products Company	242
Spencer Heaters, Lycoming Division	98, 99
Stanley Works, The	174
Steel Sash Service	233
Steel Scolding Company, Inc., The	236
Sterling Hardware Mfg. Co.	146
Strand Garage Door Division, Detroit Steel Products Co.	203
Structural Clay Products Institute	150
Sun Screen Products Co.	233
Symons Clamp & Manufacturing Company	241
T & S Brass & Bronze Works, Inc.	231
Temco Inc.	159
Thermo-Base Division, Gerwin Industries, Inc.	239
Thomson Plywood Corporation	64
Thor Corporation	72
Thyer Manufacturing Corp., The	135
Tile Council of America	71
Tradewind Motorfans, Inc.	45
Tri-Saw Corp.	215
United States Gypsum Co.	156
United States Plywood Corporation	184, 185
United States Steel Homes, Inc.	110, 111
Upson Company, The	161
Utility Service Co., Inc.	200
Vikon Tile Corporation	67
Vulcan Radiator Company, The	200
Wallace Co., William Metal Bestos Division	59
Ware Laboratories, Inc.	46
Weather Strip Research Institute	245
West Coast Lumbermen's Association	126
Western Pine Association	146
Westinghouse Electric Corporation	199
White Company, David	222
Wickwire Spencer Steel Division, Colorado Fuel & Iron Corporation	41
Williamson Heater Company, The	229
Woodward Iron Co.	218
Zegers Inc.	52



## Scharf PROTRACTOR LEVELS


Eliminate "GUESSING" at Difficult Angles  
One simple turn of dial gives you angle or drop-per-foot wanted . . .  
Quickly, easily, accurately. Replaceable vial units.

If your dealer can't supply you, Write Dept. A-2

J. H. SCHARF MFG. CO. - OMAHA, NEBRASKA

# BIRD

## Shingles & Sidings



**A SUREFIRE MERCHANDISING FEATURE IS COLOR** in selling today's home — and BIRD roofing has it! Today's low roofline has rapidly built up a tremendous homeowner interest in the color of the roof.

BIRD Master-Bilt shingles are available in an unequalled array of *Rainbow Colors* . . . from strong striking hues to delicate pastels.

To help builders sell their houses, BIRD Master-Bilt shingles offer highly merchandisable colors in a first quality product of thick-butt construction with two deeply embedded layers of granules.

*Ask your distributor for further information or write  
BIRD & SON, inc., Dept. AB-3, East Walpole, Massachusetts.*

QUALITY PRODUCTS SINCE 1795



EAST WALPOLE, MASS., NEW YORK, N. Y., CHICAGO, ILL., SHREVEPORT, LA.


Let in the healthful fresh air but  
 keep out the flies and insects!

*National* SCREEN HARDWARE  
 — does the trick!

Open wide the doors and windows during the warm spring and summer days for full enjoyment of the invigorating fresh air. No need, however, to suffer the annoyance of flies and insects when adequate screen protection can keep out these disease-carrying intruders. The open porch with snug-fitting screens becomes the ideal spot for dining or relaxing when temperatures rise.

Note the wide variety of screen and storm door sets here illustrated which provide all the necessary hardware for a complete installation.


Dealers everywhere find the popular National line of hardware a consistent sales leader.



No. 90 Screen and Storm Door Set



No. 97 Screen and Storm Door Set



No. 91 Screen and Storm Door Set



No. 93 Screen and Storm Door Set



NATIONAL MANUFACTURING COMPANY

Sterling,  
 Illinois