

Suntile walls at work in the Hamm Brewery, St. Paul, Minn. Architect: C. H. Johnston, Contractor: Wm. Baumeister Const. Co. Authorized Suntile Dealer: Drake Marble Co., all of St. Paul.

It's easy-to-clean, hard-wearing, real clay

You won't actually see the sign-but where you see Suntile in an industrial interior, you'll know the walls (and floors) are hard at work.

Day-in, day-out, these tough, trouble-resistant surfaces keep busy cutting down plant overhead. Routine maintenance costs next to nothing-and long run expenses, refinishing, redecorating and repairs, cost even less! An occasional plain water washing is all the attention Suntile ever needs. This means real savings for your client.

Product processing gets valuable help from Suntile, too. That's because of Suntile's impervious surface. It washes clean, really clean. Dirt, grease, moisture, many acids or bacteria cannot penetrate

Cambridge

Suntile

Suntile's hard, fired-in finish. They stay on the surface where they can be thoroughly washed away.

And what a beautiful job Suntile does brightening up a working place! The colors *stay* lustrous and unfaded. Suntile's Color-Balance gives you practically unlimited color combinations to choose from, makes it easy to provide a cheerful, morale-building setting for any kind of production.

Put this versatile, real clay tile to work in the next interior you plan. Your Authorized Suntile Dealer can give you valuable help in this. He knows tile and he knows how to give you the finest installation. Every job carries his guarantee. See your classified telephone directory for his name, or write us.

NEW COLOR FOLDER AVAILABLE

Created under the direction of Faber Birren, leading color authority. 22 attractive wall colors, 27 beautiful shades of unglazed ceranic mosaic tile, 10 unique Suntile Camargo colors. All selected to give you a wide range of effective color treatments for walls and floors. Write today for your FREE copy, or see our Sweet's Catalog. Dept. AF11, The Cambridge Tile Mfg. Co., Cincinnati 15, Ohio.

WAREHOUSES The Cambridge Tile Mfg. Co.

470 Alabama Street San Francisco 10, California


The Cambridge Tile Mfg. Co. 941 N. Citrus Avenue Los Arigeles 38, California


Ideal for: schools hospitals • stores public buildings industrial plants residences



SUNTILE OFFERS YOU BOTH . BETTER TILE

BETTER INSTALLATION






There's one word usually associated with hospitals—"QUIET." But there's another word that's equally important—"SAFETY"—and it covers every phase of hospital activity. So, when the Sequoia Hospital of Redwood, California was designed, extra consideration was given the matter of construction methods. Here's where Ceco Concrete Joist Construction met the need. It provides strong, rigid floor construction. Yes, construction strong enough to resist an earthquake shockproof yet flexible enough to

CECO

absorb great strain—safe again since it's fire resistive. And Ceco Concrete Joist Construction answers the need of "QUIET" in hospitals because it assures a soundproof building. All this is possible at definite savings less labor, less concrete, less lumber. And since removable steelforms are used over and over again, from floor to floor, only a nominal rental is charged. As originator of the steelform method, Ceco is first in the field. So for concrete joist construction, call on Ceco, the leader over all.

CECO STEEL PRODUCTS CORPORATION

General Offices: 5601 West 26th Street, Chicago 50, Illinois Offices, warehouses and fabricating plants in principal cities Labor of placing and removing steelforms by skilled Ceco workmen is ordinarily included with the rental charge.



Placement of Ceco reinforcing steel is detailed by our engineers and supervised by trained erection crews.

Douglas Dacre Stone & Lou B. Mulloy, Architects. Kingsford H. Jones, Associate Architect. Parker, Steffens & Pearce, Contractors.

In construction products CECO ENGINEERING makes the big difference

"That's what I want in my house!" h


Everyone likes the charm and beauty of pegged oak floors

■ Nothing adds more style and appeal to a home than a bright, colorful Ranch Plank Floor with its walnut pegs, alternate widths, and Decorator Finish.

These distinctive oak floors have been commended by top architects and interior decorators for homes of all styles, modern and traditional. No matter what an owner's decorative scheme may be, the mellow coloring and interesting pattern of a Bruce Ranch Plank Floor will always harmonize with furniture and furnishings. They are in good taste in any setting. The beauty of these floors will never grow old . . . because they are solid oak with a superb factory-applied finish. With simple care a Ranch Plank Floor will last not only a lifetime . . . but for generations.

These floors are easily laid by blind nailing over wood subfloor or old floors. Their installed cost is about the same as for regular strip floors sanded and finished on the job.

For color booklet and complete data on Ranch Plank Floors, write: E. L. BRUCE CO., MEMPHIS 1, TENNESSEE.



BRUCE) IT'S PEGGED AND FINISHED AT THE FACTORY

ARCHITECTURAL FORUM

THE MAGAZINE OF Building

		2.4.61
	NEWS Building in a controlled accommute the effect of predit such an	9
	Building in a controlled economy—the effect of credit curbs on housebuilding, the stop-order on amusement buildings and the possibility of still more limitations on the industry.	
	BEHIND THE BLUEPRINTS	20
rporated		
R. Luce	LETTERS	26
E. Larsen	REPORT FROM GREECE	46
w Billings		OF
the second s	UNITED NATIONS SECRETARIAT	93
m	The history behind the most controversial building of this century a critique by three dozen proponents and opponents here and	
DING	abroad an analysis of its design and its influence on future buildings a discussion of its orientation and how it affected	
	air conditioning and other mechanical installations.	
A State	FOUR SAN ANTONIO HOUSES	113
	Quality design and construction by architect-builder teams win	113
	recognition by Southwest Research Institute's Quality House Pro- gram: Stilt foundations and a wet roof by Architect-Builder Milton Ryan A large and odd-shaped roof over a rectangular plan by Architects Cocke, Bowman & York and Builder George S.	
arch), Peter	McCreless A carport angled to enclose a rear yard patio by Architect DeHaven Pitts and Builder Walter Lowrie A small	
hle Kennedy, arl Norcross,	house with a garden room by Architect Ned A. Cole and Builder	
arl Norcross, ard Saunders	Walter Steves.	
In Pala	MODEL HOUSE REMODELED	100
Linn Ericson, ice O'Connor,	With an extra \$322 Netherwoods Estates, Inc., New Jersey devel-	122
mith (South	opers, add a dozen design improvements to their 870 sq. ft. house,	
S, Goldman.	make seven rooms out of five.	
odhue.	EGG-SHAPED HOUSE	124
ey, Jr,	The hit of a New York art show, Frederick J. Kiesler's airborne	124
ueninger.	ovoid design raises hob with common sense.	
Mester.	DEFLEATIVE WALLS	107
	REFLECTIVE WALLS Depreciating the importance of air temperature and insulation, Dr. Clarence Mills lines his new Cincinnati house with metalic wallpaper and foil to reflect heat and cold from coils hidden in the	127
BUILDING is Life Building,	ceiling coves.	
Address sub-	DOCTOR'S OFFICE-RESIDENCE	132
Chicago 11, Time & Life	A two-way combination of building types (with extra rooms for	132
N. Y. Yearly	rent) by Architect Paul Beidler handsomely solves an economic	
uals or firms -design, con-	problem in Lake Placid, N. Y.	
ion, produc-	FARM MACHINERY BUILDING	136
and super- organizations	A distinctively different design by South American Architects	
ves; teachers	Roberto gives Caterpillar Tractor Co. an eye-catching advertise-	
ring; profes- ns connected	ment as well as efficient sales, exhibit and repair space.	
l publishers; an American	WORKS OF OSCAR NIEMEYER	138
e \$12.00. To	New buildings by South America's most famous architect — a	
lustry; USA. 17.50. Single	review.	
flat, Copy-	TOP LIGHTED HIGH SCHOOL AUDITORIUM	140
n. All rights t Convention.	A lesson in lighting and crisp design detailing by Swedish Archi-	
4 at the Post of March 3,	tects Nils Ahrbom and Helge Zimdahl.	
	TECHNICAL NEWS	
	Building for A-bomb protection—suggestions by the Atomic Energy	
TUNE, Chair- arsen; Execu-	Commission based on what happened at Hiroshima and Nagasaki.	146
L. Stillman;	Concrete floors poured from the top down—Mexican builders re- verse the usual formula for multistory buildings with sizable	
oward Black; iskell, C. D.	savings in time and money.	149
President and	Ceramic tile set in mastic reduces installation cost, permits the	150
and Assis- Director, F.	tiling of dry-built walls. A new heating and ventilating system for the classroom designed	150
e, Richard de	to eliminate drafts from big window areas.	151
ADD	A post mortem on Ingersoll's Utility Unit probes the reasons be-	
AKD	hind the failure of a promising venture in packaging the mech- anical elements of the house.	152
		158
-	REVIEWS	150
	PRODUCT NEWS	194

Published by TIME Inco

PRESIDENT......Roy EDITORIAL DIRECTOR......John Sh

Architectural Foru The Magazine of BUII

EDITOR AND PUBLISHER P. I. Prentice

EXECUTIVE EDITOR Joseph C. Hazen, Jr.

ARCHITECTURAL EDITOR Douglas Haskell

ART DIRECTOR Paul Grotz

ASSOCIATES: Eleanor Bittermann (Re ASSOCIATES: Eleanor Bittermann (Res Blake, Louise Cooper, Wilson Dizard, Si Walter McQuade, Harry J. Middleton, Boyce P. Price, Amnon Rubinstein, Ric (Washington), Madelaine Thatcher.

ASSISTANTS: Rosalind Klein Berlin, Marilyn Grayboff, Mary Jane Lightbown, Nina Rabinowitz, Chloethiel Woodard America).

MARKET RESEARCH DIRECTOR: Arth CONSULTANTS: Miles L. Colean, Ruth GENERAL MANAGER: Robert W. Chast CIRCULATION MANAGER: Walter F. O

PRODUCTION MANAGER: Lawrence W

ADVERTISING DIRECTOR George P. Shutt

Architectural Forum, The Magazine of published monthly by TIME Inc., Time & 9 Rockefeller Plaza, New York 20, N. Y. scriptions to 540 North Michigan Avenue III. Address all editorial correspondence to Building, 9 Rockefeller Plaza, New York 20 subscription payable in advance. To indiv (and their employes) engaged in Building struction, finance, realty; material distrib tion or manufacture; government agenci struction, finance, reality; material distribution or manufacture; government agencie visory employes; commercial and industria with a building program and their execut and students of Architecture and Engine sional clubs, societies and trade associati with the building industry; advertisers an USA. Possessions and Canada, \$5.50; I Union and the Philippines, \$9.00; elsewhet those not connected with the Building In Possessions and Canada, \$11.00; elsewhere, copies, if available, \$2. All copies maile right under International Copyright Conventi reserved under the Pan American Copyrigh Entered as Second Class Matter July 17, 19 Office at New York, N. Y., under the act 1879. Copyright 1950 by TIME Inc.

TIME INC. also publishes TIME, LIFE and F TIME INC. also publishes TIME, LIVE and F. man, Maurice T. Moore; President, Roy E. i tive Vice President and Treasurer, Charle Executive Vice President for Publishing, I Vice Presidents, Allen Grover, Andrew H Jackson, J. A. Linen, P. I. Prentice; Vice Secretary, D. W. Brumbaugh; Comptroll tant Secretary, A. W. Carlson; Circulatio DeW, Pratt; Producer, THE MARCH OF TH Bachemont.

VOLUME 93, NUMBER 5



TECHNICAL LITERATURE

242

How <u>Trumbull</u> United Nations

In the construction of the United Nations' new and striking Secretariat Building, first of several buildings to form its permanent headquarters, Trumbull products played an important role.

Trumbull LVD (Low Voltage Drop) FLEX-A-POWER[®] busway system, for instance, serves as the building's electric power artery . . . tapping power from the main switchboards, then taking it upward and delivering it to light and power loads on each of the 40 floors above.

Trumbull Centr-A-Power Control Centers, panelboards and other Trumbull equipment also help serve the unusually heavy power requirements in this outstanding building.

Planning Director: W. K. HARRISON Consulting Engineers: SYSKA & HENNESSY, INC. General Contractor: FULLER-TURNER-WALSH-SLATTERY, INC. Electrical Contractor: FISCHBACH & MOORE, INC.

at


Distributes Electric Power Permanent Headquarters

PRE-FAB, FLEXIBLE ELECTRIC HIGHWAY

LVD is one form of Trumbull FLEX-A-POWER—prefabricated busway. It is used as main feeder from switchboard or as riser. Ease of installing 10-foot sections saves installation cost. Ease of rearranging sections and inserting cable tap boxes at any point gives utmost flexibility and makes it unnecessary to make costly investments in anticipation of future needs.

Other forms of FLEX-A-POWER include FVK for secondary feeder (15 outlets every 10-foot section) and LTG plug-in or trolley for light duty (can be tapped at any point).

Centr-A-Power, Trumbull's new and highly flexible Control Center, groups standardized motor and miscellaneous controls in a convenient central location.



LYD FLEX-A-POWER carries high currents over long distances with low voltage drop.

Individual Units grouped to suit requirements

Centr-A-Power is the answer to the problem of providing safe, economical and flexible grouping of controls.

Standardized, compact control units are mounted in rigid steel, prefabricated troughs which are grouped to provide a complete dead-front, totally-enclosed Control Center.

Greater control unit capacity of trough requires smaller area . . . saves valuable floor space.

Control units inserted in trough with simple clip action. Saves time ... makes re-arrangement easy.

Spacious wiring gutter runs full length of trough and gives easy access for wiring.

Get familiar with Trumbull's Aids to Architects-write for information to THE TRUMBULL ELECTRIC MANUFACTURING COMPANY, Plainville, Connecticut.

TRUMBULL T ELECTRIC



A revolutionary, pre-engineered, new forced warm-air system, with all standard parts delivered complete for easy low-cost installation



This illustration shows a Coleman BLEND-AIR installation with the furnace located in the utility room. The Heat Tubes are located in the attic. In basement installations, the Heat Tubes are located in the basement immediately beneath the floor.




A statement about ELEND-AIR by W. C. COLEMAN, Founder and President of The Coleman Company, Inc.

WE AT Coleman are proud to introduce to you the first really important development in forced warm-air heating in years. BLEND-AIR is the biggest thing in home heating since furnaces took the place of open grates and pot-bellied stoves. It makes central heating easier to install and homes easier to sell. It fits any construction, old or new. There is nothing else like it.

It is not just a furnace. BLEND-AIR is a complete, pre-engineered, forced warm-air heating and ventilating system with an adjustable fresh air intake for continual inflow of freshly heated air. The system has three parts: (1) $3\frac{1}{2}$ -inch Heat Tubes that fit inside walls. They carry freshly heated air from the furnace to the (2) MAGIC BLENDERS that fit in the walls of each room. They blend the heated furnace air with room air and recirculate it for even comfort floor to ceiling — no drafts, no dead air pockets; (3) MODUMATIC FURNACE designed just for the BLEND-AIR system. Models for gas and oil fuels.

For new homes, for old homes, BLEND-AIR is a new kind of central heating comfort



Heating and Ventilating System

FOR GAS AND OIL FUELS



What a difference! Compare the low cost and ease of handling of BLEND-AIR'S compact 3½-inch Heat Tubes with that of gravity warmair pipes 8 to 14 inches in diameter. Saves metal-saves time-saves work.



No more of this! Gone is the sprawling, space-consuming monster that clutters basements. Instead you install a space-saving, highefficiency Coleman Modumatic forced warm-air Furnace operating through 3½-inch Heat Tubes.

that is economical and easy to install. The Blender in each room adjusts to warmth wanted. At the same time, there is over-all automatic thermostat temperature control for the whole house. BLEND-AIR is delivered complete — all parts are standardized and packaged, ready to install. Nowhere will you find a comparable heating system, and the cost may be less than the equipment you are now using. For more information on this revolutionary new central heating system, write: The Coleman Company, Inc., Dept. AF, Wichita 1, Kansas.



Couldn't be easier! See how simple and easy it is to install these 3½-inch Heat Tubes! They fit together quickly! Prefabricated elbows bend around obstacles. A development that simplifies heat installation.



Extra space galore! In the basement BLEND-AIR gives more room for game tables, closet space, laundry, work shop, etc. It's quiet, clean and compact. Put the Coleman Modumatic Furnace anywhere—basement, kitchen, utility room.



How Blender works! Blends warm air from the furnace and cool room air, recirculates it through the room. Three types fit any construction problem. This blending magic is an exclusive Coleman invention.



Here it is complete! It is Coleman designed, Coleman made with the famous Coleman quality of construction and performance. It is delivered complete, ready to install—the greatest development in modern automatic home heating!

A BIG BOON TO BUILDERS! You get quick, easy installation in this pre-engineered, completely packaged, low-cost central heating and ventilating system. Assures more even distribution of heat in every room. Has built-in flexibility to overcome bad job conditions. Investigate BLEND-AIR, compare its advantages, see how it saves you money and simplifies your heating equipment problems.

Comfort costs so little with a Coleman America's leader in home heating The Coleman Company, Inc., Wichita 1, Kansas




Take it from these SUCCESSFUL builders!



54 years' experience backs **Gross-Morton** choice of Kelvinator!

Unique new project of famous 54-year building firm to feature products by America's Pioneer of Electrical **Refrigeration!**



1638 KELVINATORS CHOSEN FOR THE WINDSOR PARK APARTMENTS, Queens, N.Y.

Three men who are today turning the picture at the right into superbly modern apartments for 1638 families are, from left to right, Alfred Gross, George M. Gross, and Lawrence Morton. Their

new project, Windsor Park, in Queens, N. Y., will have 100 percent off-street parking space for all the families, a 10-acre private picnic area, and a \$100,000 master television antenna system.

In keeping with Gross-Morton's objective of providing finest facilities, each of Windsor Park's 1638 apartments will be equipped with a new Kelvinator refrigerator. Gross-Morton's choice of Kelvinator thus brings together a 54-year record of construction experience and Kelvinator's unsurpassed 36 years in building the

finest electrical appliances.

Mr. George M. Gross says, "We are certain that Kelvinators will satisfy our tenants for the all-important reasons of beauty, efficiency and dependability over the years."

Let Kelvinator's unparalleled experience satisfy the kitchen needs of your next project, too! For further information, write to: Dept. AF, Kelvinator, Division of Nash-Kelvinator Corporation, Detroit 32, Michigan.



NEWS: BUILDING AND CONTROLS

DRASTIC CUT IN HOUSE PRODUCTION will result from credit curb. Industry survey also indicates that higher labor wages will boost house prices despite anticipated decline in material costs

What was happening to the building business? Staggering from the twin blows of the new crackdown on housing credit and the ban on recreation building with its threat of more bans to follow, the building industry last month probed and poked its own mammoth, unmeasurable anatomy to see if it could find out just how badly it had been hit.

One plain answer came from the No. 1 housebuilder Long Island's Levitt & Sons, who said they are cutting 1951 starts to 2,500 units, or just half what they are building this year. If this cut proves par for the nation as a whole, 1951 housebuilding will amount to about 600,000 units or half this year's expected total of between 1,200,000 and 1,300,000 starts. This would be some 200,000 units less than the 800,000 house starts which the new credit curb was intended to produce in 1951.

According to the housebuilders who last month replied to BUILDING's survey of their post-Regulation X plans, this estimate of a 50 per cent cut may be optimistic. The majority expect to cut 1951 output 75 per cent under this year. In Detroit, big Miller Homes, which is building more than 1,500 houses this year, said it will cut next year to 400. In Philadelphia, Tyson Construction Co. is cutting from 850 starts this year to 200 next. In Columbus, John W. Galbreath this year counts 550 starts, thinks he will next year put up no more than 25-30 houses. The only builders seemingly immune to the general alarm are Sampson Bros. of Pittsburgh, who told BUILDING they expect to increase this year's program of 1,050 starts to 1,700 next year.

Almost as alarming as this drop in volume are reports of a correlative increase in market prices. A well-defined shift to market prices from \$1,000 to \$2,000 above those of this year is plain in the replies to BUILDING's survey. Where builders have been producing in two price-lines (low cost and luxury), they seem to be dropping their low cost output and concentrating on the high price line for next year. A representative response comes from D. L. Stokes & Co., Atlanta. This year Stokes is building 350 houses, priced from \$7,000 to \$20,000. Next year Stokes expects to start 100 houses priced from \$15,000 to \$20,000.

Although builders hoped for a price drop in materials (in most cities they were buying close to the belt and refusing to stock up even when short items appeared on the market), little happened to them last month to bolster their hope. They told BUILDING that the spectacular price drop in lumber had been offset by rises in other itemsin Columbus and Miami plumbing was reported up 20-25 per cent and was mentioned for smaller increases in other cities. If other materials do follow lumber down by spring, housebuilders dourly expect the difference to be more than offset by increased labor costs (labor-short Los Angeles was already rocked by an industry row over the Metropolitan Life's bid for plasterers-\$48 for Saturday work.)

The credit curb had caught some housebuilders with substantial investment in suburban land, the price of which has been dropping sharply (estimated on Long Island at from 10 to 20 per cent). In Chicago, George F. Nixon has already improved a \$500,000 tract intended to carry \$15,000 to \$20,000 houses. Now, he says, he will build no houses on it, but nobody else wants to buy it either. Almost everywhere, housebuilders were nervously dropping options to buy suburban tracts. Even if they changed their mind later, the dopesters said, the thousands they lost on dropping an option would be more than offset by the decline in land prices.

The full impact of the October credit curbs would not be felt until Spring. Lenders replying to BUILDING's survey almost universally said that they believed alert housebuilders had shoved enough applications under the wire before the October 12 crackdown to keep the industry humming for another six months at least.

If, as the industry feared, the credit cut was stiff enough to reduce housebuilding by half or even three-fourths, would the government come to the rescue? The probable pattern of rescue, if it comes, was also plain last month: the Housing Advisory Commission of the Department of Defense has recommended that housing around military areas be exempted from Regulation X (in effect, an inversion of Title VI).

But it was equally plain that the economists responsible for pushing the government along its tight-rope over the abyss of runaway inflation would be in no hurry to reverse on the housebuilding question. Their reason: with the boom in direct military production, the Administration no longer needs government-backed housebuilding as a prop to the economy. Housebuilders who thought they were being cut down merely as a sacrifice to the military need for scarce materials had neglected some plain talk from Commissioner Foley at their emergency meeting in Texas: "You operative builders are not the whole building industry. You do not control your costs, or your supplies, or the services you need. You compete for them among yourselves and with other construction interests. Soon you will compete for them with the defense demands of America. So long as there is unlimited competition for limited supplies, costs will rise, prices will rise, but the market for houses will tend to shrink even with unlimited credit to support it.

"We seek to restore competition-not for goods and services-but for customers."

REGULATION X—a second look reveals labor and vets allied with industry opposition, Federal Reserve searching for facts, builders finding loopholes, a boom in applications at the deadline and more curbs coming

After taking their Regulation X medicine for the first few weeks, housebuilders still thought that as a reducing tonic it was slow poison. Instead of getting a girlish figure as a result, they felt building would be more apt to come out looking like a fugitive from a concentration camp.

In addition to the efforts of the builders and other elements of the industry to get the credit curbs eased, demands for relief were coming in from many other sources. Some of the loudest beefing came from organized labor and veterans groups. At its Los Angeles convention, the American Legion cut loose with a blast against the regulation and related FHA and VA controls. It also voiced a strong objection to the White House action making the VA subordinate to HHFAdministrator Foley for the duration of the emergency. The VFW complained bitterly that veterans and non-veterans too would be kept in a "tenant status"; insisted that it would therefore be more necessary than ever to keep the lid on rents.

One thing seemed reasonably clear. If any real relief was to be obtained it would have to come from Congress and not the executive hierarchy. The special "Watchdog Committee" set up by the Defense Production Act to keep tabs on the various control programs had already agreed to hear the gripes of automobile dealers about what the curbs on installment credit were doing to their business. Once it started its checking activities there was no doubt that it would take a look at the building picture too. The industry was not overlooking this opportunity of stating its case for modification of the controls. It had a convincing story to tell the committee. While most of its leaders were disposed to go along with the government's objective of holding residential construction to 800,000 units next year, all felt that the regulations would cut the volume much below this level (see p. 9). (Incidentally, no one knows on what basis this 800,000 goal was determined; it was apparently picked out of a hat by some government planner.)

An industry consultant for the "Fed"

There were a few developments on the brighter side of the picture. The Federal Reserve Board hit upon the smart idea of getting hold of a consultant who knew the practical side of home selling and finance. Drafted for this purpose was William A. Clarke, outstanding Philadelphia real estate man and mortgage broker. In

Reni Photos

William Clarke



addition to advising the Board on matters of general policy he will act as a liaison man with the industry; attend trade meetings around the country and help smooth out the regulations where there is evidence that they are operating unfairly.

As Clarke sees it, one of the immediate questions the Board will have to deal with concerns the effect the credit clamp-down is having in driving people out of the market.* The restrictions are of course intended to discourage a certain amount of buying. But he points out that many veterans and others who previously bought houses for small down payments were simply latching on to the best terms they could find and could have put up more money to keep the deal from falling through. "The Board's dilemma" he stated "is to find some way of estimating the number of sales that will stand up under the stiffer terms."

Acting with Clarke's advice, the "Fed" has asked the University of Michigan's research experts to survey recent house buyers to determine what portion of them would have been frustrated by the bigger down payment and monthly amortization requirements of Regulation X.

For its part the VA managed to win approval for a special concession to needy veterans before the ink was dry on the new regulations. Under this relaxation, smaller monthly payments are provided for veterans who would otherwise be crowded out of the market. In such cases the maturity period for the loan may be extended to 30 years. Illustration: On a \$9,000 house the borrower's monthly payments would be \$48.48, assuming a mortgage of \$8,000. With the repayment period hiked to 30 years, the payments would be \$38.24 each month—\$10.24 less.

End runs around the law

While no major loopholes in the program had been uncovered, several ways of making small runs around the end were beginning to appear. Examples: A veteran could work out a deal to buy a house and then sell it to a non-veteran, thus passing on his differential of lower down payments and monthly carrying charges. But he would have to stay on the mortgage. It was not believed that this practice (which VA admits has gone on ever since it started operations) would be very widely used since the participating veteran would be relinquishing his benefits under the GI bill. Another method involves the cooperative housing section of the FHA act. A builder could put up individual houses in a cooperative project covered by a blanket mortgage. If 65 per cent of the members were veterans, the entire group would get the advantage of more favorable terms for former service men when the individual houses were lifted out from under the general loan and refinanced with separate mortgages.

Deadline stampede

Still another factor on the plus side of the argument was the large number of applications for VA guaranteed or FHA insured loans that managed to squeeze in under the ropes before the October 12 deadline for the more stringent terms. For both programs they added up to almost 500,000 units. Even assuming there would be a certain amount of rejections and casualties, this would be a sizable chunk of business that would be carried over into the new year that could thumb its nose at Regulation X and companion programs.

From a high of 8,200 a week back in July, FHA applications had recently gone down hill. In September they were 5,000 a week. Then there was an anticipatory climb to 6,000 a week just before the regulation was issued. During the week it came out the volume took a real spurt; shot up to 22,000. But the next week it fell to 3,800 and for the last week of October sank to barely more than 2,000. Explaining that it was too soon to draw conclusions from this erratic behavior of its business barometer, FHA pointed out that a certain drop was to be expected because so many builders had rushed ahead with their applications. Also it felt that part of the decline was seasonable.

In the case of VA, the race to beat the gun piled up much higher totals. By the evening of October 11, applications involving a total of 55,000 units of new or proposed construction had piled up in its various offices. To accommodate the last minute rush some of them kept their doors open until long after normal quitting time.

More curbs coming

Even if it managed to stop worrying about Regulation X, the building industry would not be able to relax. There was more to come. The Federal Reserve Board and the HHFA were already putting their heads together to work out a program for tightening up on rental housing which so far has been exempted. Housing financiers pointed out that the easiest way to control rental housing would be to put FHA's Section 213 (special aid for cooperative housing) on a par with the regular Section 207 rental program. This would mean reducing 213's allowable mortgage from 90 per cent of *cost* to 85 per cent of *value*.

Plans were also being discussed to place restrictions on commercial construction although action in this field was less imminent. When it comes it is expected to take the form of an outright ban similar to the one imposed by NPA on recreational and amusement building. It was not quite clear just what commercial construction the government would want to discourage. Best guess was that there would be some exempt types—perhaps warehouses and office buildings. But one thing was sure. Heavy industrial construction that fits into the defense effort would get a green light (see p. 13).

^{*} Nearly 40 per cent of the mortgage-financed new houses were bought with no down payment in nine big city areas during the last half of 1949, according to a just-released Bureau of Labor Statistics study.

NEWS: BUILDING AND CONTROLS

LIMITATION ORDER halts unnecessary building, raises a question about other building types

Designating construction of the amusement and recreational type as its new target, the government late last month fired a third salvo at the building industry. Building men hastily summoned to Washington to confer with NPAdministrator Harrison in the matter had the uneasy feeling that this was where they had come in.* It was all too reminiscent of the events leading up to the famous L-41 order of World War II days which froze all construction except projects necessary in the national emergency. As they trudged into the Commerce Department's plush conference chamber, they detected the same atmosphere of doubt and uncertainty. The only difference, as one of them put it, was that "the confusion was better organized this time."

Patiently outlining the strategy behind the move, General Harrison explained that the credit restriction mechanism used to curb housebuilding in the orders of July 19 and October 12 could not be effectively applied to race tracks, bowling alleys, night clubs and the like. Lenders look on building of this sort with a jaundiced eye which means that if it is to get going at all its promoters have to do their own financing. Something had to be done, he insisted, to reduce further any unnecessary drains on the supply of scarce materials needed for defense. He estimated that building of the frivolous variety grossed around \$1/2 billion a year; used 1/2 million tons of steel.

A sacrificial lamb

There were some things he did not need to emphasize. All knew that the White House had been under terrific pressure from labor and veterans groups to ease up on Regulation X—the order of October 12 putting a severe crimp on housebuilding credit. The squawk: it was squeezing the little fellow out of the market. It seemed likely that the Truman crew was casting about for a sacrificial victim to toss to the wolves. Recreational and amusement building filled the bill perfectly. Even though it did not bulk large in the construction picture (government estimates put it at 2 per cent of the total construction volume) it was the kind of building most apt to rub the public the wrong way when there was not enough material to go around. What struck the industry representatives as a little raw about the proceedings was the clear implication that the Administration had decided on its course of action before seeking their views. They realized General Harrison was not to blame but they still did not like it.

With the stage all set, there was not much they could do about it except to speak their minds. To a man, they told the General that Regulation X had already knocked the props from under the industry and would cut next year's residential volume way below the government's goal of 800,-000 units. Consensus was that there would be no more than 600,000 starts. As far as so-called frivolous construction was concerned, they were not prepared to wage a knock-down-drag-out fight to protect it. They thought it was peanuts anyway. Its entire elimination would not save much in the way of critical material. What bothered them the most was the fear that once a ban against even trivial operations was on the books, it could be easily open-ended by subsequent amendments to apply to any other type of building the bureaucrats might want to stop.

By far the most perplexing part of the whole business was the all too apparent fact that the government did not know how much scarce material it needed to save. The building team kept hammering on this point. Repeatedly they shot this question at General Harrison: "What will the military take be?" All the General could tell them was that it would be considerable. The plain truth of the matter was that the military men themselves did not know yet, he conceded. His view: the whole program was something that had to be played by ear until the unsettled issues could jell. Some of the industry men thought privately that such a musical feat would be difficult.

In its final form, the order was even worse than expected. Designated as M-4, it became effective midnight on October 26. It ran the whole gamut of the amusement and recreational category of building, taking in among other things stadiums, dude ranches, theaters, and swimming pools (except when part of a new school building). While it was probably an academic question, legal experts thought the federal government would be hard put to find any constitutional grounds for keeping a state from building a new football stadium for its university or engaging in any other type of construction. Resort hotels were eliminated at the last moment largely because of the difficulty of hitting upon a clear-cut definition.

Altogether the order applies to 44 types of projects which it painstakingly spells out. It also bans reconstruction, remodeling, extensions, and additions in the specified construction fields. Only exemptions: Construction actually started to the point where the foundations had been laid before the deadline-phony starts involving such operations as preliminary site work or the demolition of old buildings will not count. Restoration of structures destroyed by fire, flood, or storm, or by enemy action. Small jobs costing no more than \$5,000 in a 12-month period. Construction of recreation facilities by the Department of Defense or the Atomic Energy Commission.

Open-end law

But what stirred up an angry chorus of protests from contractors and other elements of the industry was the gratuitous slap taken at all other forms of construction not specifically nailed down. As an afterthought, Harrison's brain trust had slipped in a clause warning that any type of construction not on the banned list would be started at its own peril. The blunt statement: further construction might be halted "when such action is deemed necessary in the interest of national defense to minimize material shortages." This was more drastic



Photo: Robert D. Stamm & Co.

NAHB'S TEXAS ROUND-UP of Board of Directors heard Government explain credit curbs. Here, in a lighter moment Government and Industry wear smiles and ten-gallon hats. L. to r.: Troy Jones, FHA's Franklin Richards, Thomas Coogan, Housing Administrator Raymond Foley, NAHB executive Frank Cortwright, VA's T. B. King.

^{*} Under the Defense Production Act, the administrative agencies are required to confer with representatives of the industries involved before imposing restrictions. Gen. Harrison picked a first rate team from the building industry. Included were such men as L. M. Cassidy of Johns-Manville, Falkner of U. S. Gypsum, Best of National Gypsum, Donald Couch of American Radiator, Max Foley of the architectural firm of Voorhees, Walker, Foley & Smith, Chan Turner of the Turner Construction Co., Norman Mason, retail lumber dealer and chairman of the construction and civic development department of U. S. Chamber of Commerce, Rodney Lockwood of NAHB and Robert Gerholz of NAREB.

than anything done during the last war when those contemplating various types of building projects knew where they stood.

Industry representatives immediately began sending in protests. It was pointed out to NPA that this wide-open language would have the effect of putting the skids under all future building of a nonresidential nature. Except for industrial construction that clearly fitted into the defense pattern —many small undertakings like dry cleaning plants obviously would not—and certain other chosen categories such as schools and hospitals, it was doubted that few firms or individuals with building ventures up their sleeves would be inclined to take the gamble. Bankers certainly would not.

In a terse wire to General Harrison, the Associated General Contractors requested enlightment as to what types of projects NPA would allow to go ahead. Apparently NPA realized that it had gone too far. It still felt that unless it threw a scare into the industry, M-4 might start more building than it stopped. It reasoned (not without some logic) that those not included in this particular order would get the idea that more regulations might be in the works, would rush ahead with their building before the government got their range. Nevertheless NPA condecended to give the industry a few crumbs of assurance.

At month's end, Stuart Fitzpatrick, head of the U.S. Chamber of Commerce's construction and civic development division. called industry leaders together for a look at what-if anything-could be done. General Harrison came to the meeting and was cornered by the embarrassingly logical arguments presented by such industry spokesmen as Architect Ralph Walker and Engineer Carlton Proctor. Harrison's NPA finally admitted that it had pulled a boner and revised the M-4 order. The revision makes it safe to start buildings, which are not specifically banned, without fear of having their construction stopped by some future NPA order.



ON-THE-JOB EDUCATION for the building industry



Convinced that both students and building professionals want to know a lot more about modern building methods, the Philadelphia chapter of the American Institute of Architects is hard at work giving them a chance. The Philadelphia architects have Joined with housebuilders, contractors and the building trades unions in setting up a Research Foundation for the Construction Industry. The Foundation's first effort: a concrete clinic, held on the site of a new veterans' hospital, where several hundred students, practicing architects, mortgage lenders, builders, etc. got a thorough explanation of prestressed concrete construction—and a chance to see, handle and apply the building materials.

NONRESIDENTIAL BUILDING fears cost increases more than controls

What does the threat of building bans yet to come mean to the industry's nonresidential customers? Big building investors have launched no head-long rush to get ahead of a possible future order curtailing commercial construction. Of the 24 big chain stores who replied to BUILDING's survey, only two firms said they had speeded up their building programs since the outbreak of the Korean war. These speedups, the merchants explained, were an effort to beat rising building costs.

Although all these big merchants believe that building costs will go higher in 1951, the majority say they will build about as many stores next year as they are building this year. Only four chains say their building programs will be cut in 1951; one of them blames high building costs for the curtailment. (One ominous measure of what Korea has so far meant to building costs came from Denver: the school board reluctantly let two schools at low bids just \$150,000 above pre-Korean estimates.)

Investors in other types of building registered a divided opinion as to whether to push or to shelve construction plans. In Detroit, for example, Fisher & Co., decided to defer construction of a \$10 million office building. This 11-story structure would have been Detroit's first general office building in 20 years. In Houston, Walter Hoving sold a choice block of downtown real estate, said high taxes and building costs had persuaded him against establishing a Bonwit Teller store in Houston. The South Texas National Bank temporarily halted plans for a 17-story building, is now considering a smaller building instead. On the other hand, Prudential Life last month broke ground for its 18-story southwestern home office in Houston, and Jesse Jones pushed plans for a 16-story addition to his Gulf Building. (Houston builders were snapping up British building materials. Taking advantage of the fact that U. S. plaster board had risen from \$39 to \$125 per 1,000 sq. ft., the British were shipping plaster board into southwestern ports to sell at \$61 per 1,000 sq. ft. Cement is \$3.80 per sack compared to the U.S. price of \$6.).

In Dallas, where builders were critically short of carpenters and common labor, Statler Hotels said they will go ahead with their building and anticipate no difficulty in steel delivery. Republic Bank, planning the South's tallest building, is also racing toward a construction start.

In San Francisco, where lack of plasterers lathers, tile setters, bricklayers were delaying some building jobs, local commercial

NEWS: BUILDING AND CONTROLS

investors were showing considerable caution. But a number of eastern manufacturers with defense contracts were shopping the Bay area for industrial sites.

In Chicago, where Ford is converting the huge Dodge-Tucker plant to production of Pratt & Whitney wasp aircraft engines, permits for both industrial and commercial construction showed substantial increases in September.

Defense orders were booming industrial real estate in Cleveland, but brokers reported more commercial properties on the market, with some offered for longt-erm leases at lower rents. Samples of the boom in industrial property: when the government took over a one time bomber plant for tank production, compaines who had been using this plant for warehouse space had to go out and buy their own buildings. One 150,000 sq. ft. plant, empty for two years, was leased at a higher rate than when last occupied.

INDUSTRIAL BUILDING gets tax assistance. A boom is in prospect

Whatever happens to the rest of the building industry, industrial building is certain to boom next year. Federal defense bosses are in agreement that, despite material shortages, additions to the country's basic industrial strength must go full speed ahead.

The National Security Resources Board took the first step to make sure this happens: it announced that manufacturers may make tax savings by writing new plants off in five years—if NSRB says they are necessary. This does not mean just plants producing military goods; any plant "indirectly contributing" to the defense program may be eligible for the fast write-off, chairman W. Stuart Symington said. Federal economists hope that plants built now can expand total U. S. production so much that we can soon have our guns without sacrificing much butter.

Other steps may soon follow, if tax saving fails to stimulate enough plant building. The government will offer to guarantee loans made for needed plant building by private financiers, and it will also make direct loans to manufacturers for building purposes.

Production Boss Harrison is setting up plans to allot short building materials on a company-by-company basis—if necessary. But curtailment of residential building, defense officials hope, will make more materials available for needed factory building.

War-connected industries are already seething with expansion plans. BUILD-ING's survey of leading manufacturers showed that the basic industries—steel, oil, chemicals—all will greatly expand 1951 building over 1950, in some cases by as much as 30 per cent. Although all replying firms, without exception, expected building costs to be higher next year, the majority of them told BUILDING that they are planning to increase their construction program next year. On war-connected industries, the effect of Korea has been to accelerate building plans. On non-war industries, the impact of Korea has not been enough to cause curtailment of building plans.

There was a big building job to be done. The recent census of manufacturers shows that 72 per cent of all our industrial buildings are more than 25 years old. Half of these are from 35-45 years old, a fourth are over 45 years old.

But industrial building would have to boom high indeed before its increase had much of an impact on 1951's building total. This year industrial building will amount to only about 4 per cent of an estimated total \$28 billion building expenditure, while housebuilding will probably amount to over 47 per cent.

MORTGAGE COMPETITION promises premiums for builders but not on construction loans

Many a lender was shedding no more than crocodile tears over Regulation X. Some of the big ones did not trouble to conceal their relief that the "great federally financed hayride for the housebuilding industry had finally come to a halt." These lenders have long made no secret of their fear that easy federal credit was pushing residential real estate values to a precipice from which bankrupting collapse would be inevitable. Others merely said piously, "What the government has given, the government can take away."

Metropolitan Life's Frederic W. Ecker was the most forthright: "When booms are built out of government-inspired inflationary forces, the only thing to do is to undo the errors of the past and do so as promptly as possible. This is, I believe, what the Federal Reserve Board is attempting to do . . . I would say that we can look forward to a material reduction in construction in the housing field, but we will be proceeding on a much sounder basis and with some of the dangerously inflationary forces removed."

Mortgage bankers were quick to point out that Ecker and the other big life insurance lenders might have to scratch hard next year for mortgages. (For some, this is no cause for concern. Many smaller insurance companies and even big New York Life are now out of the home mortgage market, having already loaded up to their portfolio limits. For Metropolitan, the amount of new home mortgages on the market will be of more concern. With some hundreds of millions already invested in amortizing home mortgages, Metropolitan has a formidable 10 per cent return to re-invest every year even if it allocates no new capital to mortgage investment.)

Big lender competition for a diminished number of mortgages promises, of course, a reduction in net terms (now firming around 5 per cent in many cities). Mortgage bankers predict that this will be reflected by the re-appearance of premiums of at least 1 per cent early next year.

Since housebuilders will control the mortgage supply, most of these premiums will go into their pockets. But the anticipated mortgage premiums will be more than offset by stiffened rates on construction loans. Construction money is already scarcer in Los Angeles, Minneapolis, San Francisco, Seattle, Chicago, and Philadelphia, according to lenders replying to BUILDING'S survey of how Regulation X is hitting the industry (see p. 9). Hesitancy over the Regulation is not the only reason, according to Chicago's big Dovenmuehle, Inc., insurance companies are also expecting a big government bond drive.

Construction money is not only scarcer it is also being offered on a more conservative basis. In the first place, the reduced loan percentages under FHA and VA financing now greatly increase the amount of cash equities which builders have to put up. Moreover, lenders are requiring extra cushions for cost increases. Said N. N. Wolfson of Philadelphia's Eastern Mortgage Service Co., "The average construction loan lender is now requiring the builder to deposit a cushion of from 8 to 10 per cent cash above present-day estimated costs. This requirement alone causes a considerable decrease in starts due to the builder's lack of such cash money."


More than anybody else, the construction lenders will decide who will be in the housebuilding business this time next year. Big, well-financed housebuilders with already well-established credit will continue to command the polite attention of the construction lenders; the small operators, who have been borrowing construction money against sure 100 per cent government financing, will not.

PREFABRICATION smiles at credit curbs and expanding Government market

To one sector of the housebuilding industry Regulation X seemed to bring no distress. The prefabricators, long at odds with conventional methods of house finance, said they would actually benefit from the effects of this credit crackdown.

President of the Prefabricated Home Manufacturers Institute James Price (National Homes) told the Institute's annual meeting in Milwaukee that "severest restrictions will fall on costlier homes and the manufacturer of prefabricated houses will actually benefit as more people become more interested in lower cost homes because of the downpayment factors." Price said "our competitors, the conventional builders, are even more confused than we are" and predicted that a large number of conventional housebuilders would no longer be in business a year from now.

One reason for prefab's optimism: both the National Security Resources Board and the Department of Defense are known to be interested in the use of prefabricated housing in important military areas and around




STACKED-UP PARKING in new shopping center plan

The Hecht Co. announced a new design solution for the suburban retail district. This big Washington, D. C. department store is building a \$10 million shopping center in nearby Virginia. Plans released last month show that the Hecht center will depart from the horizontal schemes of previous centers (BUILDING, Aug. '50) and stack up parking in concrete decks to reduce walking distance.

The triangular building scheme is organized around four parking decks. Customers parked on any deck will be able to enter directly the corresponding floor of the Hecht store. Additional parking space will be provided on two levels in the interior of the building triangle and on the roofs of the store buildings which form two sides of the triangle. Total parking space accommodates 2,500 cars.

The Hecht branch store will amount to 250,000 sq. ft. in four floors and basement. Its solid glass facade is one more sign of the wide influence of the UN Secretariat (p. 93). Some 40 types of other retail stores, most of them directly competitive with the Hecht branch store, will be located in the center.

Abbott, Merkt & Co., New York are engineers and architects for the project. Kahn & Jacobs, New York, are consulting architects. Edward A. Ashley, New York, is consulting mechanical engineer. The Prescott Construction Co., Washington, are builders.



defense plants. NSRB feels that where such defense housing is needed, it will cost too much—both in time and money—to consider private enterprise, as was done last time under the FHA Title VI program. The Department of Defense housing commission is currently considering a recommendation for revival of the old Lanham Act, under which any extra housing in important defense areas would be built by the government itself. Prefabers remembered that it was the old pre-World War II Defense Homes Corp., operating with Lanham Act funds, which gave the prefabrication industry its first real start.

Undismayed by the fact that Lustron's Columbus plant is currently being cased for airplane engines again, a new contender appeared on this seemingly irresistible front. As a leading Detroit steel fabricator, the newcomer was worth some attention. Copco Steel & Engineering Co. made public its first model: an all-welded steel frame, with steel siding and roofing riveted to the frame. Roofing and siding is coated with a plastic which, Copco said provided both thermal and sound insulation. Architects were Beneicke, Pajot & Lorenz, Detroit.

The company plans to erect the units on foundations prepared by individual builders; the builder will install utilities, conventional interior plaster finish and kitchen equipment. Copco was mum about its delivery price, but claimed market price of the finished house would be less than comparable conventionally built houses. The firm said one builder had already contracted for 400 houses.

COMMERCIAL RENTS come under Government scrutiny, but control extension is denied

Determined to live up to its billing as a mother hen for the small chick performers on the economic stage, the Senate Small Business Committee under the energetic direction of Chairman Sparkman has decided to make a quickie survey of commercial rents. It reasons that rents are a substantial cost item for millions of small business men. While it denies any intention of building up a case for an extension of controls to this field, it wants to find out what has been going on in the last ten years; how much commercial rents have risen; whether many small business firms are being forced to the wall as a result.

The survey will cover 20,000 small business establishments ranging from filling stations to barber shops in five key cities. To make the sampling as accurate as pos-

sible the cities have been selected on a geographic as well as a population basis. The questionnaires are being sent to business men in large, medium-sized, and small cities. No section is being overlooked. Also an attempt has been made to pick static as well as expanding communities so that the findings will reflect more than the natural outgrowth of a boom.

Where percentage leases exist-a practice becoming increasingly prevalent for commercial establishments-the committee will seek information as to how much the landlords have increased their take. Also it will dig up data on whether the percentage vardsticks have been modified. One of the surprising discoveries it has made so far is that business is highly mobile. Only about one out of eight of the reporting establishments were in their present locations ten years ago.

HOUSING CENSUS shows nine million gain during past decade

With housebuilding about to shut up like an accordion, the U.S. looked anxiously to see how much it now had in housing supply. From the Census Bureau came exact data:

Count of U. S. houses in 1950 was 46,151,170. This compares with 37,325,470 houses in 1940. The nearly nine million boost in dwelling units in the last decade represents the greatest numerical increase in U.S. history, but as a percentage increase (23.6 per cent) it has been exceeded in many previous expansive decades.

States which have grown at the fastest


rate: Arizona, 63.9 per cent above 1940; District of Columbia, 62.8 per cent; Nevada, 56.3 per cent; California, 54.2 per cent; Oregon, 42.4 per cent.

LUMBER PRICES PLUNGE, other materials rise

Lumber prices, after soaring to dizzy heights in mid-summer, suddenly crumbled the last week in September, nose-dived as much as 25 per cent for cheaper grades in five weeks. Hardest hit was common green dimension lumber for framing, with Oregon mill prices of random length fir 2 x 4's and 2 x 6's down from an unprecedented peak of \$86-90 per thousand board feet to \$55-65. Hardwoods and finished dry lumber, needed to complete thousands of houses started since July, fared better, declined less than 10 per cent, brought the overall price plunge to between 10 and 15 per cent.

Lumber prices, always more volatile than those of other building materials, were reacting with typical swiftness to two major changes: the improved rail car situation and the slackening demand (housing starts registered the greatest August-to-September decline on record). As the major grain movement passed its peak, releasing boxcars to join the new and repaired ones coming into the fleet, lumber moved more freely through the nation's choked railroad arteries. But lumber retailers were no longer anxious to accept shipments. To cancel orders, some were even invoking the National Production Authority's regulation forbidding excessive inventories.

HOWARD MYERS MEMORIAL AWARD



The Architectural League of New York has announced the Howard Myers Memorial Award in memory of the late Howard Myers, for 22 years the publisher and editor of BUILDING.

A committee of Mr. Myers' friends. under the leadership of Architect Wallace K. Harrison, director of planning for the U. N. Headquarters assembled a fund, from which they have asked the League to make \$500 cash awards from time to time for the "best written, most progressive and most influential writing, whether of a provocative nature or not."

The League's committee on scholarships will administer the Myers Memorial Award with the advice of Douglas Haskell, architectural editor, BUILDING: Harold Hauf, editor-in-chief, Architectural Record; and Charles Magruder, managing editor, Progressive Architecture. (Articles published in magazines edited by the advisory group will not be considered for the first award.)

As for the price outlook, everybody sported a different shade of opinion. Some mill operators anticipated a further drop, pointed to Regulation X and possible new controls, and to the traditional pattern of fall and winter lumber prices as proof. Said T. L. O'Gara, merchandising manager of Weyerhaeuser, one of the largest producers: "If Regulation X is not modified or if no other favorable demand factors develop, lumber prices may continue to sag until spring demand forces buying." Keen observers were also watching the prices of dry finished lumber. After the current batch of houses is finished, would the better grades fall as precipitously as the cheaper?

Those who expected lumber prices to surge upward again reasoned that other building materials had continued to rise as lumber fell, therefore how could lumber keep dropping? In BUILDING's survey last month, housebuilders all over the country reported price hikes in plumbing, heating and electrical supplies, paints, masonry items, plaster and nails. Further substantiation for the price rise stemmed from the inherent nature of the lumber industry, a diffuse, competitive conglomeration of producers with the lowest degree of concentration of any major industry. The more than 53,000 mills in the field included a substantial and important number of small, marginal, high-cost producers who entered the market only when prices and demand were high. Many of these were already dropping out, thereby exerting a stabilizing and upward pressure on lumber prices.

In any case, lumber prices next summer were hardly likely to approach this year's peak.* And lumber's decline last month had somewhat arrested the upward march of total building costs.

ARCHITECT-HOUSEBUILDER TEAMS tackle the fee problem at Houston

Housebuilders and architects have taken the important first step which may mean vastly improved design in the great majority of U. S. houses. Last month in Houston committees representing the National Association of Home Builders and the American Institute of Architects sat down to discuss for the first time how architects can play a greater part in the design of operative-built houses. Talks between the top executives of these trade associations had paved the way for the meeting, which sought to establish the basis of a satisfactory working relation-

^{*} BLS index of wholesale lumber prices for September, 1950 was 371, compared with 299 for April, 1950, and 280 for September, 1949. The weighted index for all materials was 220 for September, 1950, 195 for April, 1950 and 189 for September, 1949.

ship between operative housebuilder and independent architect (see BUILDING, Apr. '50 et seq.).

Two days of plain talk cleared away much of the underbrush of misunderstanding which has so far kept architects and housebuilders from admiring each other. At the end of the talk, Hugh Stubbins expressed what seemed to be a general feeling: "We're at the end of the beginning. There's still a lot of work to be done but I think that we understand one another."

On the basic question of what fee an architect can ethically accept-and what a housebuilder can afford to pay-for the design of a single house to be built in quantity, the joint committees logically agreed that decision must be made on a local level (any national agreement might conceivably violate anti-trust laws against price-fixing). Both groups plan meetings between builders and architects in every big city to reach satisfactory agreements as to architects' fees. Government officials expressed great interest in the program and pledged all possible assistance from the research and financing facilities of the Housing & Home Finance Agency.

The committees who talked things over were:

For the architects: Kenneth E. Wischmayer, St. Louis, chairman; John Highland, Jr., Buffalo, vice chairman; Hubert H. Crane, Ft. Worth; Alfred B. Parker, Miami; Howell B. Penell, Wynewood, Pa.; George D. Riddle, Los Angeles; David B. Runnels, Kansas City, Mo.; Hugh A. Stubbins, Jr., Lexington, Mass.; Lawrence Galen Waldren, Seattle; L. Morgan Yost, Kenilworth, Ill.

For the housebuilders: Clarke Daniel, Washington, D. C., chairman; W. P. Atkinson, Oklahoma City; Albert Balch, Seattle; Paul L. Burkhardt, Glendale, Calif.; Franklin L. Burns, Denver; Thomas Coogan, Miami; Joseph Driskell, Ft. Worth; Walter S. Johnson, Niagara Falls; H. Morton Robbins, Chicago; Emanuel M. Spiegel, Glenrock, N. J.; Clark B. Sudin, Worcester, Mass.; John Taylor, Kansas City, Mo.; Cy Williams, Roslyn, N. Y.; Joseph H. Vatterott, St. Louis.

PEOPLE

Lumber dealers took time out from their troubles (see page 15) to convene in Houston on October 9th, for a meeting of the Board of Directors of their National Retail Lumber Dealers Association. They elected a new president, Clyde A. Fulton, of the Colborn-Fulton Lumber Co., Charlotte. Mich., endorsed BUILDING's Round Table reso-

lutions (Extra Issue, Sept. 30, 1950), listened intently to reports that builders were not paying bills as promptly as earlier this year.

Architect Pietro Belluschi, Portland, Ore. was named the new dean of the Massachu-



setts Institute of Technology's School of Architecture and Planning. He succeeds William Wilson Wurster, who is now dean of the University of California's School of Architecture. Famed Architect

of the aluminum and glass sheathed Equitable Savings & Loan building in Portland and many another distinguished building in the Northwest, Belluschi came to the U. S. from Italy on an exchange scholarship in architecture offered by Cornell University. He worked in Idaho mines for a year before settling down at a drafting board for a steady climb to his present eminence in the architectural profession.

First major building appointment in the National Production Authority fell pleasantly on industry ears. Able, affable James



Follin was named by General Harrison to set up an NPA organization to operate the M-4 building control order. So far, Follin has no formal title. His job will be to handle appeals and keep M-4 from being too

arbitrary in hardship cases. Well-known in the industry as a onetime managing director of the Producers' Council, Follin has been given a leave of absence from the General Services Administration to undertake his NPA assignment.

The Producers' Council, at its annual meeting, elected A. Naughton Lane, St. Louis, Mo. as president. Lane is vice-president of the Monarch Metal Weatherstrip Corp.

Architects Skidmore, Owings & Merrill, Chicago and New York, have established a \$1,000 scholarship for fifth-year students in the College of Architecture at Cornell University. First winner of what is to be an annual award: Robert F. Gatje, Brooklyn. Cornell counts Nathaniel Owings among its many distinguished architectural alumni.

The National Association of Real Estate Board's veteran Herbert U. Nelson accepted the Congressional probe of lobbying activi-

ties with his usual aplomb. Nelson reported to his membership that the House Select Committee on Lobbying Activities had described NAREB as a "highly effective opinion-maker." This was only one of the many "laudatory descriptions and other accolades" contained in the Committee's report, Nelson said. Sample: "The National Association of Real Estate Boards . . . has systematized all means of direct contact between its members and legislators more completely than any other group appearing before this committee."

PUBLIC HOUSING, suffering from rising costs, blames Architecture

As the housebuilding industry wiggled to feel just how much it had been hurt, it naturally cast an inquiring eye on what it had long regarded as its natural enemy: public housing. The housebuilders might take what comfort they could from the fact that public housing was hit even harder than they were. But, by a different weapon: high costs.

This ticklish matter of costs set off some angry words at the meeting of the National Association of Housing Officials in Detroit. Warning that the whole public housing program would fail if building costs could not be kept within the budget, Public Housing Commissioner John Egan said there was a "tendency away from a strict economical approach in the design of the projects . . . We are getting high costs because the projects are not being designed down to minimum requirements for livability."

"Dwelling space," Egan said solemaly, "was found to occur most frequently" as the "expensive or very extravagant" element.

Snapped back Frederick Gutheim, attending the meeting as a representative of the American Institute of Architects: "It is not necessary to make architects the whipping boy for inflated building prices or administrative shortcomings.

"The high costs of land and site improvement, failure to get really competitive bids, and high construction costs are the basic factors in the present breakdown of public housing's productivity. It is understandable that the officials running this program are under strong political pressure to explain their failures, but there is no sense in blaming architecture."

How minimum would public housing become? Egan said from now on 1942 (war) standards would be established as minimum space standards, present PHA space standards would become maximums. He suggested that local authorities defer large units for big families to sometime later in the six-year program.

The World's Finest Locks are of pin-tumbler design

Pin-tumbler security has been combined with economy, in the KWIKSET "400" Line Locksets, making possible top-quality locks at rock-bottom prices. Architects prefer KWIKSET's simplicity and beauty of design. Builders and contractors appreciate the economy of KWIKSET's fast, easy installation. Wholesalers, Jobbers and Dealers cash in on KWIKSET's low cost and fast turnover. Everyone deserves KWIKSET's precision construction with high quality materials that results in such amazing durability.[•]

A DUMMENT

Whether you need one lock or thousands, investigate

KWIKSET'S "400" Line pin-tumbler Locksets thoroughly before you buy. Remember, every KWIKSET Lockset is unconditionally guaranteed.

IMPORTANT: KWIKSET LOCKS, INC. will soon be in production of their new "600" Line 6-pin tumbler cylindrical Locksets, of all steel and brass construction. Send for your copy of the new, colorfully illustrated catalog, giving full details of this new KWIKSET Lock.

*Random selected KWIKSET Locksets were subjected to wear tests equivalent to 100 years of hard, everyday usage on our specially designed testing machine. Every lock functioned perfectly at the end of the test.

Kwikset Sales and Service Company

DEPT. A-11 ANAHEIM, CALIFORNIA


Orders for Skylike® are piling sky-high!



Silvray SKYLIKE lighting* — introduced only a couple of months ago — has excited everyone in the business: user, architect, contractor, lighting engineer. Orders and inquiries are coming in at a rate that has us jumping.

It's just our luck that STEEL has become as *hard to buy* as SKYLIKE is *easy to sell*. The Silvray Lighting purchasing department just can't find steel fast enough right now to catch up with the overnight-sensation popularity of this *Potent pending brilliant new concept of commercial lighting. You know the worth-while reason, of course, so there's nothing to do but realize that Silvray SKYLIKE units will be produced — and orders will be filled — just as fast as conditions permit.

Meanwhile, for your future planning, we'll gladly send you a copy of the brochure, "Skylike Louvered Incandescent Lighting Systems". Write to Room 1501 Graybar Electric Company, Inc., 420 Lexington Avenue, New York 17, N. Y.



Why so many businesses want Skylike



The SKYLIKE system combines the best features of silveredbowl incandescent lighting with the architectural appeal of a fluorescent-type troffer. No other type of lighting has all its advantages! Here are some quick facts:

Warm color — most desired by merchandising experts

High initial and maintained light output.

Softly diffused shadows.

Low brightness and 90° shielding.

No flickering, blinking, or hum.

Instant starting.


Variable lamp size-150- to 500-watt.

No light loss from darkened walls or ceilings.

Floor-service relamping-no ladders or scaffolds.

Hermetically sealed silver reflecting surface.

- Units fit 24" x 24" ceiling tiles, fully or partly recessed, or surface-mounted, in rows or patterns.
- Easily converted, with simple accessory, for directional or accent lighting.
- Simple in construction; simple in wiring; free of ballasts, starters, transformers.
- Lightweight; low-cost supporting construction.
- 87% reflection factor, easily maintained by occasional wiping with a damp cloth.
- Low-cost! ½ to ½ the cost of equipment delivering comparable results.





Unexcelled quality and service have made this the Largest Selling Line of Flush Doors in the World! This new name for long established products is intended to eliminate possible confusion with other "General" names, and identify a distinguished line of top quality flush doors.

Other than the name, there is no change whatever in the character or completeness of this line.

General **GIBRALTAR** Flush Doors offer these extraordinary features and advantages:

3-PLY FACES exclusively, balanced construction, for extra rigidity and utmost resistance to warping. Hot-press bonding – lifetime permanence.

FACE PANELS are painstakingly matched as to grain pattern and coloring – for extra beauty and decorative value.

BEAUTIFUL WOODS - genuine striped African Mahogany,

American Black Walnut, Red and White Oak-plain or rift sliced, Birch and Gum.

HOLLOW CORE and solid core types, interior and exterior. Standard light openings. All standard sizes to accurate dimensions.

General **GIBRALTAR** Flush Doors are distributed by leading sash & door and building products concerns in all major markets, with stocks and service within a few miles of every point in the country.





DAMPPROOFING WATERPROOFING FLOOR TREATMENTS PROTECTIVE COATINGS TECHNICAL PAINTS

Safeguarding all types of building surfaces against wear and deterioration is a job which R. I. W. protective products have been doing successfully for over one hundred years. Because they contain scientifically compounded ingredients, R. I. W. products have been chosen to prolong the life and good appearance of many well-known buildings. Get this top quality protection on your very next project by specifying R. I. W. —made by Toch Bros.

The Buildings shown are a few of the many outstanding structures which comprise Tach City. Numerous such buildings have been protected through the years by R. I. W. products.

BROTHERS,

INC.

CHICAGO







For Planning Director WALLACE K. HARRISON the shimmering UN Secretariat (p. 93) represents the zenith of a distinguished career. Years before his appointment to the helm of the world capital's Design Board, he had already received acclaim for his role in the design of Rockefeller Center plus a host of other impressive office, apartment, industrial and hotel buildings. He has taught architecture at Columbia and Yale Universities, served as Director of the Office of Inter-American Affairs, 1945-46.

MILTON RYAN played dual roles as architect and builder of the contemporary San Antonio house on page 113. Ryan is a registered architect (1938) with extensive "on the job", rather than academic, training. His college degree (University of Texas) was in Business Administration.

> Builder G. S. MCCRELESS (1.) and Architects COCKE, BOWMAN (c.) and YORK (r.) are jointly responsible for the San Antonio Revere house on page 116. McCreless is a native Texan and real estate broker turned

builder. Bartlett Cocke, Walter C. Bowman and John G. York have been practicing architecture together in Harlingen, Texas since 1948.

DE HAVEN PITTS and **ALBERT A. LOWERY** were architect and housebuilder respectively for Meadowbrook Estates (p. 119). Architect Pitts has been in private practice intermittently since 1929, merged his firm last year with William Orrison, Engineer. Lowery worked for his builder-father until college graduation, formed his own construction company, now heads Lowery-Cato-Hubbard, Inc., in San Antonio.







Architect NED A. COLE has operated his own design office since graduating from the University of Texas in 1939, except for five wartime years with the U. S. Army Engineers. Since returning from overseas, he has focused his attention on the merchant-built house, designed the San Antonio home (p. 120) built by WALTER STEVENS' Mercury Building Corporation,

FREDERICK J. KIESLER's daring work as pioneen architect, stage designer and structural theoris has been more influential than widely executed Viennese-born and famed in Europe for his ex citing stage designs, he came to America in 1926 has been Scenic Director of New York's fame Julliard School for 16 years, still does the unin hibited design explorations typified by the End less House (p. 124).

Dr. CLARENCE A. MILLS holds doctorates in medicine and biochemistry, is Professor of Ex perimental Medicine at University of Cincinnati's Medical School. As teacher and medical re searcher, he has done exhaustive studies or climatology and reflective radiant conditioning developed the unique heating system used in his own house (p. 127).

NEW YORK



Secretariat Building, United Nations Permanent Headquarters, New York, N.Y. Architects: Wallace K. Harrison (chairman); Max Abramovitz (deputy); Voorhees, Walker, Foley & Smith; Skidmore, Owings & Merrill; Clarke, Rapuano & Holleran. Mechanical Engineers: Syska & Hennessy, New York, N. Y. Heating & Air Conditioning Contractors: Almirall & Company, New York, N.Y.

The world is seeing engineering at its best in the Secretariat Building at the United Nations permanent headquarters. Because of the variety of areas in which comfortable temperatures must be maintained, the temperature control system is vitally important to the thousands, from all the climates of the world, who come to this "workshop for world unity."

Modern air conditioning systems of every type depend upon Johnson Automatic Temperature Control for successful performance. The modern "Carrier" air conditioning units, located in the rooms on the periphery of the Secretariat, are controlled by a Johnson "Heating-Cooling" thermostat located in each unit. The temperature bulb, connected to each thermostat by a capillary tube, is mounted close behind the recirculating air grille, where it quickly responds to the average temperature in the room. Thus, every room enjoys its own individual temperature control, for a Johnson valve, on the hot and cold water supply to the coil in each unit, is operated by the thermostat and determines the amount of heating or cooling effect applied to the recirculated air.

The areas in the center of the building are served by central air conditioning systems, and, there too, room thermostats control the temperatures.

In addition to the room temperature control, Johnson Master Control of temperatures and humidities regulates the systems which supply primary air to the units and also those which operate as independent central air conditioning systems. These master control instruments "telegraph" changes in outdoor conditions to the equipment inside the building, which then anticipates the changed requirements and automatically compensates for them.

Yes, here is one of the world's largest automatic temperature control systems, involving over 2,500 air conditioning units. But, large or small, ask a nearby Johnson engineer for recommendations on any control problem in both new and existing buildings. There is no obligation. JOHNSON SERVICE COMPANY, Milwaukee 2, Wisconsin. Direct Branch Offices in Principal Cities.

Automatic Temperature and JOHNSON Air Conditioning CONTROL DESIGN - MANUFACTURE - INSTALLATION - SINCE 1885



Provides the Beauty of Natural Wood

New RAYLO, FIREDOOR

For both public and residential buildings, the new Kaylo Firedoor offers these important advantages:

FIRE PROTECTION—Built around an incombustible Kaylo core, using fire retardent treated wood edge bands, the Kaylo Firedoor carries an Underwriters' fire rating for Class B and C openings.


HANDSOME APPEARANCE—The wood veneer-faced Kaylo Firedoor equals the richness of the most striking conventional wood doors.

GREAT DIMENSIONAL STABILITY—A Kaylo Firedoor does not warp, swell or shrink—even when subjected to heat or cold, dampness or dryness.

HIGH INSULATING VALUE—Installed in an exterior opening with weather stripping, a Kaylo Firedoor insulates more effectively than a conventional door, *plus* a storm door.

LIGHT WEIGHT PLUS STRENGTH—A standard $3'4'' \ge 7'$ Kaylo Firedoor weighs only 90 lbs., but can support an 8000-lb. distributed load with only $\frac{1}{2}$ -inch deflection while loaded. After unloading, there is no permanent deflection.

Get all the facts now about the new Kaylo Firedoor.



CROSS SECTION OF A KAYLO FIREDOOR

10

NOW SPECIFY THE finest type of water heater for <u>All your clients</u>!

NEW A.O. SMITH *Jermaglas* AUTOMATIC WATER HEATERS NOW <u>COST</u> <u>NO</u> <u>MORE</u> THAN ORDINARY WATER HEATERS!

Mass production savings make possible new low prices . . . shipment of more than a million water heaters from the huge Kankakee works shows that public acceptance and unprecedented demand have made *Permaglas America's largest selling* top-quality water heater. Why? Because more and more homeowners want freedom from tank-rust . . . they want *Permaglas*, the glass-surfaced steel water heater that can't rust because glass can't rust.

There's a model and size for *every* home need...all backed by the 76-year-old name and reputation of the A.O. Smith Corporation...known for its high caliber engineering, welding and production skills.

A nearby A. O. Smith distributor will help you solve any water heating problem; he can give you all the facts about the new models. Send in the coupon today.

Your clients have read about *Permaglas*...the best known name in water heaters ... because *Permaglas* is backed by the most powerful *continuous* national advertising program in the water heater industry.



Atlanta 3 • Boston 16 • Chicago 4 • Dallas 2 • Denver 2 • Detroit 2 • Houston 2 Los Angeles 12 • Midland 5, Texas • Milwaukee 2 • New York 17 • Philadelphia 3 Phoenix • Pittsburgh 19 • Salt Lake City 1 • San Diego 1 • San Francisco 4 • Seattle-1 Tulsa 3 • Washington 6, D.C. • International Division: Milwaukee 1 • Licensee in Canada: John Inglis Co., Ltd. NEW! EXCLUSIVE CERAMITRON CONSTRUCTION (Patent No. 2267361) assures positive provident tection of glass-surfaced steel tanks against attack by all corrosive waters. Only A. O. Smith PERMAGLAS has it!

A.O. SMITH

ermaglas

WATER HEATER All A. O. Smith *Permaglas* Automatic Gas Water Heaters carry the American Gas

AUTOMATIC GAS

Water Heaters carry the American Gas Association Testing Laboratories' Seal of Approval.



A. O. Smith Permaglas Automatic Electric Water Heaters bear the approval of the Underwriters' Laboratories, Inc.

MAIL THIS NOW!

A. O. Smith Corporation, Dept. AF-1150 Water Heater Division, Kankakee, Illinois

- □ Send me complete information on the new models, new low prices of A. O. Smith *Permaglas* Automatic Water Heaters.
- Please furnish name and address of nearest A. O. Smith distributor.

Name	
Firm	The Mark Agents
Street	
City	State



REINFORCED

CONCRETE

CONCRETE REINFORCING STEEL INSTITUTE 38 S. Dearborn St., Chicago 3, Illinois




FOR THE NEW UNITED NATIONS SECRETARIAT... A BARRETT SPECIFICATION* ROOF

Whenever men build for permanence, a Barrett Specification* roof is the likely choice.

Barrett materials, specifications and application procedures result in the strongest, longestlasting built-up roof ever devised . . . a roof that regularly outlives its guaranty bond by many years.

That is why most of the important buildings constructed year after year are Barrett-roofed.

Genl. Cont.: Fuller-Turner-Walsh-Slattery, Inc. Arch.: United Nations Headquarters Planning Office. Roofer: The New York Roofing Co. All of New York City.



Nature's Beauties Really Captured

DI-LON Wallpaper Extraordinary

will add character and distinction to any room, giving that "something different" effect everyone wants.

Authentic reproductions of interesting marbles, warm leathers, rich wood grains, unusual raffias and other equally choice patterns.

DI-LON is practical and economical... it is sunfast and washable.

For homes, offices, industrial plants, institutions.

Write for descriptive literature and name of nearest dealer.



THE DI-NOC COMPANY 1700 LONDON ROAD • CLEVELAND 12, OHIO

LETTERS

ROUND TABLE EXTRA

BUILDING:

I've read and re-read the Round Table discussions and think BUILDING's extra issue should be given the widest possible circulation....

It was the most constructive move I've seen in a long time.... I appreciated the solid analysis of our industry and its prospects. We all owe a vote of thanks to BUILDING for making it possible.

> PAUL FARVER Rolscreen Co. Pella, Ia.

BUILDING:

Congratulations on the Report and Recommendations of your "Round Table. . . ."

> HENRY K. HOLSMAN, Architect Chicago, Ill.

BUILDING:

... about the best article summarizing the current situation in the building industry that I have seen and I am passing it along to the other members of our organization....

> JOSEPH R. MURPHY Vice President Taco Heaters, Inc. New York, N. Y.

BUILDING:

... it is certainly a relief and pleasure to follow the thoughts of sensible men in the midst of the never-ending babble deluging us from all sides.

EVERED DEWEY REED Director of Merchandising Universal Corp. Dallas, Tex.

FORUM TO BUILDING

BUILDING:

... The change in the logotype of your valued publication enables the front cover to catch up with the contents.

Most magazines pick a title and then try to live up to it. In contrast, yours has first achieved the position of thought leader of the building industry. Securely established, you now adopt the name you have already earned.

Congratulations and continued success.


KENNETH LAIRD Tatham-Laird, Inc. Chicago, Ill.

BUILDING:

While you have prepared us for the change, it is with something of a shock that we see for the first time our leading architectural magazine bearing at its masthead the dominant title: BUILDING. The motive is not difficult to understand and we shall not quarrel with you at the change. There are many, alas, who are inter-(Continued on page 30)



ENGINEERS . . CONTRACTORS . . BUILDING OWNERS . . TENANTS TECTS



The standard of convenience outlets in the floor

There are lots of reasons why everyone likes Nepcoduct. For one thing, it's an efficient, simplified electrical distribution system that fits any type of floor construction. It offers a multiplicity of inexpensive outlets-already threaded-at the surface of the floor, available for immediate use. Tenants are provided complete electrical service without routing concrete, cutting building structure or interrupting office routine. Furthermore, present or future tenants have all the electric service they will ever need-a feature that adds to the economic life of the building.

Nepcoduct is a single-, double-, or triple-duct system for power and light, communication and telephone. Outlets have a wide radius sweep for easy pulling of large telephone cables. The cost of electrical extensions and maintenance is reduced through easy accessibility of all electric services in one junction through a common hand-hole opening.

veryone


Your electrical distribution system is the lifeline of your building-select it with care! Select Nepcoduct, the system everyone likes.

FREE-Write today for the new illustrated Nepcoduct Catalog. This coupon will bring you a copy.



National Electric Products Corporation 1334 Chamber of Commerce Building Pittsburgh 19, Pennsylvania				
Please send me your new NEPCODUCT Catalo				
NAME				
TITLE				
COMPANY				
ADDRESS				

GMR



INSIDE AND OUT ... it costs less to build better WITH GPX PLASTIC-FACED PLYWOOD

You may have heard about the savings being made by contractors who use Georgia-Pacific's miracle plywood, GPX, for Concrete Forms, but did you know that GPX is also made in two painting grades plus a beautiful wood grain surface? GPX's plastic coating is applied under heat and pressure at the time the plywood is being bonded. The plastic flows, condenses and sets to become part of the plywood itself—not merely an extra surface layer. The result is a smooth, hard material with all of the inherent strength of plywood plus the efficiency and durability of plastic.

USE GPX FOR SMART INTERIORS

Painted Surfaces-for interior surfaces that are to be painted, specify the white paint-grade of GPX. It won't check or crack and, if enamel is used, one coat is enough to provide a perfect cover. Smooth, hard and long lasting, the white paint-grade is ideal for shelves, table tops, counters, closets, kitchen, laundry and work room cabinets.

Natural Wood Surfaces-for the natural wood surfaces that are so much in demand for today's interiors, specify the natural grade of GPX. Use it for sliding doors, panels, all interior surfaces. Economi-cal and efficient, long lasting GPX saves the expense of painting, keeps refinishing and upkeep costs to a minimum.


USE GPX FOR ATTRACTIVE EXTERIORS

Painted Siding-for exterior siding that is to get a painted finish, specify the brown paint-grade of GPX. This grade is engineered especially for use where the surface will be painted and it covers smoothly and evenly with less paint. And the paint lasts longer.

Natural Wood Siding-if you want attractive wood-grained siding, specify the natural-grade of GPX. With an armor-hard surface that never needs painting, natural GPX is economical, amazingly durable and attractive.

All grades of GPX combine the moistureproof, waterproof and weatherproof surface properties of plastic with the strength and stability of plywood.






HOME OFFICE: SOUTHERN FINANCE BUILDING . AUGUSTA, GEORGIA

INVESTIGATE GPX TODAY!

It is a quality product of Georgia-Pacific Plywood & Lumber Co. with practically unlimited application in the home, on the farm and for industry. For further information, write today on your letterhead or fill in, tear out and mail the attached coupon:

OTHER GEORGIA - PACIFIC PRODUCTS:

Douglas Fir plywood Hardwood plywood and veneers Giant-sized Scarfed panels Fir and Hardwood doors Douglas Fir lumber and timbers Western Pine lumber Treated lumber and timbers Cypress and Redwood lumber Western and Southern mouldings Southern and Appalachian Hardwood lumber Long leaf and short leaf Pine lumber and timbers Residential and factory flooring Poles and pilings



GEORGIA-PACIFIC PLYWOOD & LUMBER CO.

1251 Southern Finance Building

<u>GPX 60/60</u>

GPX PAINTING GRADE

GPX 60/60

A CONTRACTOR OF A CONTRACT OF

Augusta, Georgia

Please send me information on Georgia-Pacific's miracle plywood, GPX.

NAME
FIRM NAME
FIRM ADDRESS
YOUR POSITION

ARE YOU SPECIFYING MONEY-Making, Money-saving FLOORS?

Do your floors increase business?

Smart-looking floors are mighty effective businessbuilders. That's one of the reasons why you'll find floors of WRIGHT RUBBER TILE in leading retail and commercial establishments throughout the country. You can be confident when you specify either of Wright's rubber tile floors, WRIGHTEX or WRIGHTFLOR, that you'll be helping your clients gain prestige and win customers.

Do your floors cut down overhead?

Large commercial users report that WRIGHT RUBBER TILE cuts cleaning costs by more than half. Savings in maintenance costs, they say, often pay for an installation within two years. Floors of WRIGHT RUBBER TILE which have been in heavy service for 25 years and more still look like new. This is convincing proof that per-year costs are less than for any other floor covering.

Do your floors improve employee efficiency

Floors of WRIGHT RUBBER TILE improve employee efficiency in two important ways. The shock-absorbent resiliency of this miracle floor covering cushions every step, drastically reduces fatigue. At the same time, its quietness reduces nervous tension, contributes to efficiency and morale.



Send today for free samples of WRIGHTFLOR and WRIGHTEX, together with details on characteristics, standard architects specifications, and the name of your nearest dealer.

> WRIGHT MANUFACTURING COMPANY 5204 POST OAK ROAD, HOUSTON 5 ,TEXAS



FLOORS OF DISTINCTION

WRIGHTEX — Soft Rubber Tile
 WRIGHTFLOR — Hard Surface Rubber Tile
 WRIGHT-ON-TOP Compression Cove Base

LETTERS

ested in building, but to whom architecture is caviar. I shall not argue with them here except to point out that every building has its architecture, good or bad, efficient or nonefficient, adding or detracting from the enjoyment of life.

Any fears which the architect may have had at the change in name of the magazine are dispelled by your editorial "Pittsburgh and the Architect's Problem" in the September issue. Hold fast to this concept. "Where there is no vision, the people perish." The dream must come first. It is in the early synthesis of the problem's vital needs that the architect exercises his life-giving function.

> ELECTUS D. LITCHFIELD, Architect New York, N. Y.

BUILDING;

What's the matter with the fine old name that means so much to all of us? Why turn your back on a heritage?

> HARRIS ARMSTRONG, Architect Kirkwood, Mo.

• Mindful of its heritage, BUILDING will make its new name mean even more to its readers than its fine old name did.—ED.

BUILDING:

Congratulations and happy sailing for your magazine under the masthead of BUILDING.

With the last publication of the magazine as FORUM, you can look back with pride upon a service as significant and as influential in its own way as the creative work you have fostered. It is fantastic to realize that a small but powerful group of architects and designers could give us within a matter of 50 years a new and meaningful architecture for our age. It is even more fantastic to realize that despite the opposition of the status quo this new and meaningful architecture has taken root....

As BUILDING, your magazine has the burdensome responsibility of continuing its know-how in the capacity of coordinator and integrator.... It is in this practical relationship between the thinkers and the doers of building that our horizons are unlimited. To this end perhaps it was fitting that the last issue of FORUM paid its respects to Eliel Saarinen who understood, as few do, the need for communication between the theorist and the practical minded builders.

As you relaunch your ship under a new name, I am sure your pilot has familiarized himself with some of Saarinen's charts. One of them reads: "It could and it might happen that the profession of architecture would become the supreme educator of the people: toward better physical living, toward better spiritual living, toward better standards of taste, and toward deeper cultural aims." . . .

VINCENT GLEASON East Lansing, Mich.

BUILDING:

My compliments on the manner in which you lap-dissolved from the FORUM fitle to BUILD-(Continued on page 34)

IF THERE EVER WAS A REASON FOR NOT USING WALL TYPE FIXTURES, IT NO LONGER EXISTS!

OF INSTALLING WALL TYPE CLOSETS IS THE EASY, FAST, SAFE WAY

RRIERS

WALL CLOSET FITTINGS

FOR WALL FIXTURES

J. A. ZURN MFG. CO

ERIE. PA. U.

PLUMBING DIVISION

THE CIRD WAY

NEW Zurn Catalog and Handbook No. 50 on Wall Closet Fittings and Carriers for Wall Type Fixtures

> The Zurn Way lifts fixtures up off the floorfrees them from support of the wall. Both the floor and the fixture are more easily and quickly cleaned. Wall type toilet facilities are more sanitary and reduce maintenance cost.

Carrier Catalog and Handbook No. 50



THE NEW ZURN Carrier Catalog and Handbook No. 50 is the only complete and authoritative book on when, where and how to install wall type fixtures. It presents a whole new concept of wall type closets, and is virtually a manual for the specification, buying and installing of all types and makes of wall fixtures. Write for a copy now! You'll be needing it! No charge to architects, engineers and contractors.

* *

The Zurn Way is the fast way; adjustments are easy; nothing is left to chance. Wall type closets installed in batteries or singly with Zurn Wall Closet Fittings provide all necessary drainage facilities up to the drainage line. Zurn Wall Closet Fittings are designed for any make of wall type closet.

J. A. ZURN MFG. CO. PLUMBING ERIE, PA., U.S.A. SALES OFFICES IN ALL PRINCIPAL CITIES

J. A. ZURN MFG. CO., PLUMBING DIVISION, ERI	E, PA., U. S.A.
Please send me the new Zurn "Carrier Catalog	and Handbook No. 50" for wall type fixtures.
Name and Title	Company
Street	City and State
Please attach coupon to your business letterhead.	Dept. AF


SELECTED FOR

UNITED NATIONS SECRETARIAT BUILDING

The world's most notable building structure . . . rising from the banks of New York's East River . . . tall, serious, structurally efficient forerunner of world history in the making . . . workshop for member delegations and specialized agencies in their organized efforts for world peace and advancement.

The United Nations Secretariat Building ...a 39 story window, framed in marble, through which can be seen a huge city, product of a democratic form of government fostering free enterprise ... solemnly stands as a

> SYMBOL OF WORLD HOPE FOR SECURITY.



EXCELLEI

PERFORMANCE...





0



TOP: "5100 series" Heavy Duty Mortise Lockset keyed in Lockwood secure "12 Section Grand Master Key System." Specially designed urnshaped knob with screwless rose.

MIDDLE: Ball-Bearing Rack and Pinion Door Closer, the ultimate in efficient door control. BOTTOM: Specially designed Door Pull made in cast aluminum. Has concealed throughbolts.

Wallace K. Harrison Director of Planning

Lockwood is proud of its selection to furnish the locks and other finishing hardware equipment throughout this great project. Such an honor constitutes the highest tribute to the quality and unexcelled performance of Lockwood products.

For over 70 years Lockwood has kept its line complete and abreast of requirements. In the past two decades its contributions to advancement in product design and performance have been rewarded by an ever growing number of architectural offices throughout the country which regularly specify Lockwood as a

SYMBOL OF BUILDING'S STANDARD OF SECURITY.

RE MFG. CO MASSACHUSETT



47 YEARS OF SERVICE and a few repairs make it ready for 47 more



The door at left has been in continuous service since 1903—for 47 years! The picture was taken this year, just before curtain slats were replaced and a few minor repairs made. In the photo below, the door is ready for many more years of efficient service and protection.

Another User Proves the Extra Value of **KINNEAR Steel Rolling Doors**

You can find many similar records of long service for these famous doors in the Kinnear files—more proof that their interlocking steel-slat construction, originated by Kinnear, combines rugged durability and protection with smooth action and space-saving efficiency.

Kinnear Rolling Doors open straight upward and coil completely out of the way above the lintel. All surrounding floor, wall and ceiling space is fully usable at all times, because the doors need no extra room for opening and closing action,



When closed, these all-steel doors give an extra measure of protection against fire, theft, intrusion, wind and weather, or accidental damage.

Kinnear Rolling Doors, built to fit openings of any size, are easily installed in old or new buildings. Equipped for operation by hand-lift, chain, crank or electric motor. With Kinnear Motor Operators, they offer the added convenience of pushbutton control, plus remote controls at any number of points, if desired. Write today for complete information.

THE KINNEAR MANUFACTURING CO.

Factories: 1640-60 Fields Ave., Columbus 16, O. 1742 Yosemite Ave., San Francisco 24, Calif. Offices and Agents in All Principal Cities

LETTERS

ING. It makes much more sense. The magazine has improved enormously in reader interest during the last six months.

I am sorry not to have known of your intention to do a story on "Theaters in the Round" (BUILDING, Sept. '50). I have designed four during the last two years, one of which has been in operation for more than a year. Your story refers to the theater in the round I did for the Chicago World's Fair, but failed to mention the plans I made for Winthrop Ames in 1922, and which is the first modern architectural handling of "Theater in the Round."

> NORMAN BEL GEDDES New York, N. Y.

PITTSBURGH AND THE ARCHITECTS

BUILDING:

The editorial in your September issue about Pittsburgh and the architects is splendid. . . .

> N. A. OWINGS, Architect Skidmore, Owings & Merrill Chicago, Ill.

BUILDING:

... My heart-felt congratulations on your editorial on "Pittsburgh and the Architect's Problem."

Needless to say, I have followed with great expectancy the Golden Triangle Project, and now that you show us something of what it will be like, I am filled with a great sadness.

Yes, I agree, all of us as architects are probably somewhat at fault. But you must admit that architectural magazines, architectural critics are much more at fault. It is up to you to keep convincing great builders that they have everything to gain and nothing to lose by taking the architect into their confidence from the very start.

Thought and care of the owner's own interest are important parts of our obligation to him. But, Mr. Owner, don't you see that it is not in your best interest to start new buildings with ten years' obsolescence against them?

> WILLIAM LESCAZE, Architect New York, N. Y.


AND THEN WHAT?

BUILDING:

With what good intentions is this hell to be paved? The clearance of what evil to be replaced by what evil?

Here (in the long, thin, high apartment buildings proposed for Chicago's redevelopment— BUILDING, Aug. '50) modern architecture at the climax echoes in its transparent emptiness the modern idea of man. Such economic packaging of humanity, however it may vary on a quantitative level, reveals the identical materialist idea of man that is the data of the communist solution for the world, while at any moment these prospective inhabitants may be called to give their lives against this same concept of man.

Together with the current concept of man, the (Continued on page 38)



Plain or fancy, large or small . . . the living area *outside* a home can be planned to give a big bonus in pleasure.

And the outdoor furnishings needed to execute such plans are plentiful, durable and reasonable . . . because they're made of *steel*. Steel is America's great bargain metal for modern living.

As a matter of fact, even the siding of the home above is steel. That's a brand new idea in building . . . siding panels of *Weirzin* electrolytic zinc-coated steel that resist rot, fire, termites, fungus and corrosion; provide a wonderful base for paint; safeguard home beauty and reduce maintenance costs.

No other metal-only steel-can give you so much for so little.

WEIRTON STEEL COMPANY WEIRTON, WEST VIRGINIA

NATIONAL STEEL

Metal sculpture, executed in Weirzin steel, demonstrates the exceptional workability of this easily fabricated metal.

EIRTO

WEIRZIN LECTRONYTIC ZINC COATED STEEL


Protects the Value

It Adds

Outstanding Lighting Versatility

Yours with <u>New</u>

.. for scores of applications



Continuous rows of Sylvania Trimline Fluorescent Fixtures in the Love School, Jamestown, New York, combine ample intensity with low surface-brightness for the protection of children's eyes.



Offices and stores choose Sylvania Trimline Fixtures for their attractive appearance, efficiency, easy installation, and low maintenance costs

Now, with Sylvania's new Trimline Fluorescent Fixtures, you can plan your lighting as accurately as you plan other essential building details.

This line of beautiful fluorescent fixtures offers you 19 coordinated units . . . designed to harmonize with every type of institutional and commercial building.

Fixtures are made in 4-foot and 8-foo lengths...louvered or full-plastic shielded Equipped with 2 or 4 lamps...standard of instant start.

All are engineered to meet the most exact ing requirements. Handsomely designed an finished in durable "Miracoat" white ename! Equipped with either plastic or metal sid panels, they assure maximum transmission of glare-free light, and true lamp color.

Unlimited Variety

Sylvania's new Trimline Fixtures and Trim spots enable you to offer your customers a unlimited variety of lighting patterns an possibilities.

The Trimspots are equipped with Sylvani PAR 38 reflector lamps. Finished in glean ing "Miracoat" enamel to harmonize per fectly with both the 2-lamp and the 4-lam Trimline fixtures. Easily focused anywher within a 360° arc, approximately 20° fror the perpendicular.

In department, food and drug stores, fo

FLUORESCENT TUBES, FIXTURES, SIGN TUBING, WIRING DEVICES; LIGHT BULBS; RADIO TUBES; TELEVISION PICTURE TUBES; ELECTRONIC PRODUCTS; ELECTRONIC TEST EQUIPMENT; PHOTOLAMPS; TELEVISION SETS SYLVANIA

Sylvania Trimline Fixtures

example, Sylvania Trimspots are used to highlight displays and selling areas with dramatic impact.

Design with light!

Now, you can plan for bright, cheerful lighting . . . even in and around irregular areas . . . over counters and work tables.

Briefly, Sylvania Trimline Fluorescent Fixtures and Trimspots offer architects and lighting engineers a new and flexible modern lighting medium, enabling them to coordinate the latest and best in lighting with the best in building design.


The coupon brings you our new illustrated folder describing the complete Sylvania Trimline Series. *Mail it today!*





Showing how Sylvania Trimline Fixtures and Trimspots are readily adapted to the design and individual requirements of any store.

Custom-designed ceiling patterns

Plan your ceiling lighting for efficiency and attractive appearance, too. Shown here are 4 of the many ceiling lighting patterns now possible with Sylvania Trimline Fixtures and Trimspots.







Sylvania Electric Products Inc.
Dept. L-1111
1740 Broadway, New York 19, N. Y.
Please send me illustrated literature describing the complete line of Trimline Fixtures and
Trimspots.
Name
Street
CityZoneState

an Architect's File of Information

on Follansbee Terne Metal Roofing



- How to specify it.
- How it's applied.
- Design and color details.
- Use in weathersealing.

Your copy of this A.I.A. File is all ready for mailing. Just use the coupon or write us on your business letterhead. If you'd also like a copy of the Follansbee Forge Certificate Book, just check the coupon.



FOLLANSBEE STEEL CORPORATION

GENERAL OFFICES, PITTSBURGH 30, PA, COLD ROLLED STRIP . ELECTRICAL SHEETS . POLISHED BLUE SHEETS SEAMLESS TERNE ROLL ROOFING

StamLESS TERNE ROLL ROOFING Sales Offices—New York, Philadelphia, Rochester, Cleveland, Detroit, Milwaukee. Sales Agents—Chicago, Indianapolis, Kansas City, Nashville, Los Angeles, San Francisco, Seattle; Toronto and Montreal, Canada. Plants—Follansbee, W. Va.

Follansbee Metal Warehouses: Pittsburgh, Pa. • Rochester, N.Y. • Fairfield, Conn.

Please send me the foll	owing: A.I.A. Fil	e	
	Certificate		
Name		_Company	
Address			

LETTERS

arts have lost the spirit, the religions have lost the spirit and architecture bears witness. When the spirit is lost the form is sought. When the form is lost the function is sought. When the function is lost economy reigns,

And then what?

PAFFORD KEATINGE CLAY Phoenix, Ariz.

STUYVESANT TOWN

BUILDING:

In the article "Chicago Redevelops" in the August BUILDING the statement is made that "Stuyvesant Town quadrupled the previous population."

Stuyvesant Town occupies an 18 block area, about half of which was long used for industrial or business purposes. About 27,000 persons lived in the district around 1920. The number had decreased to some 11,000 in 1943 when the Metropolitan Life acquired ownership. There now live in Stuyvesant Town about 24,000 persons.

GUSTAV ZISMER

Metropolitan Life Insurance Co. New York, N. Y.

• Unable to refute these facts, BUILDING's editors must have looked at Stuyvesant Town's population through a magnifying glass.—ED.

GUIDE TO ENGLAND

BUILDING:

A large number of visitors is expected in England next year, particularly for the Festival of Britain....

As an architectural student, I offer your readers who may be visiting England my services as guide, in payment of which I should ask an exchange of views and opinions on architecture in the U. S. as compared with Great Britain....

> GEORGE A. ASKEW 4 Dorchester Court Colney Hatch Lane London, N. 10, England

PUBLIC HOUSING SCORE

BUILDING:


I have observed . . . a departure from your established policy of giving uncolored truths in your editorial columns.

I refer to the statement in your August 1950 issue . . . "Houston last month became the twelfth city to reject public housing by referendum (seven have accepted by referendum)."


PHA Bulletin of June-July 1950 shows "public housing under way in 499 places with 45,000,000 people, rejected in 29 places with 2,000,000 people."

EDWARD P. FINEGAN, Architect Beverly Hills, Calif.

• BUILDING and the PHA Bulletin were talking about two different scores: BUILDING about the number of cities which have accepted or rejected public housing as a result of referenda of the voters; the Bulletin about the number which have accepted or rejected it through decisions of local governments. —ED.



Simplest switching! Exclusive push-button switching sells clients on modern Pushmatic Electri-Centers. Nothing could be simpler! Push of the finger switches the current either ON or OFF. If Pushmatic is automatically tripped by short or overload, user just pushes and service is restored. No bothersome resetting . . . no fuses to buy.





BULLDOG ELECTRIC PRODUCTS COMPANY DETROIT 32, MICHIGAN • FIELD OFFICES IN ALL PRINCIPAL CITIES IN CANADA: BULLDOG ELECTRIC PRODUCTS OF CANADA, LTD., TORONTO


Factories

See *Pushmatic* before you specify any circuit breaker



PIONEERS IN FLEXIBLE ELECTRICAL DISTRIBUTION SYSTEMS

Finest styling! Handsome, compact Pushmatic Electri-Centers can be installed almost anywhere to give your clients convenience never possible with oldfashioned panelboards. Revolutionary Pushmatics, smaller than a pack of cigarettes, make Electri-Centers more compact for real space saving and attractiveness. Attractive gray enamel finish, standard on all Electri-Centers, harmonizes with any color scheme.



Most flexibility! Compact Pushmatics are identical in size and contour, regardless of rating or type. Each unit can be quickly, easily inserted or removed from an Electri-Center without disturbing other units. Pushmatics may also be quickly interchanged any time to meet changing electrical requirements, still retaining the neat, symmetrical appearance of original installation.



Surest protection! Pushmatics operate with splitsecond precision when overload or short occurs. Automatic tripping is entirely independent of manual operation. For installations subject to unusual temperature variables, Ambient Compensated Pushmatics carry 100% of their normal rating at any ambient temperature between 30°F. and 150°F.

the magazine of BUILDING 39

good names to know...

INSTITUTE MEMBERS

BELDEN BRICK CO. Canton, Ohie CHARLESTON CLAY PRODUCTS CO. Charleston 22, West Virginia HANLEY CO. New York 17, New York

HYDRAULIC PRESS BRICK CO. Indianapolis, Indiana MAPLETON CLAY PRODUCTS CO. Canton, Ohio Canton, Ohio McNEES-KITTANNING CO. Kittanning, Pennsylvania NATIONAL FIREPROOFING CORP. Pittsburgh 22, Pennsylvania STARK CERAMICS, INC. Canton, Ohio

METROPOLITAN BRICK, INC.

WEST VIRGINIA BRICK CO. Charleston, West Virginia IN <u>ANY</u> KIND OF BUILDING MARKET



It moves fast, this building business.

Each year, each season in fact, it brings new problems for you to solve, new conditions to which you must adjust your plans and actions.

It's a business which places a premium on stability.

That's why these "10 good names to know" are *particularly* good to know today.

Here are companies you can depend on—manufacturers whose promises are backed with action and supported with a long standing reputation for "making good"..., whose product, Structural Clay Facing Tile, sets the highest quality standards for the industry.

Whatever your plans and needs, you'll do well to get acquainted with one of these "10 good names." Many building men can tell you that such an acquaintanceship is not only a good source of conscientious service and reliable products—it's an excellent long-run investment for future building.

You can get more detailed information about the Facing Tile Institute and its products from our new catalog, 51-C. If you do not yet have this valuable reference piece in your files, just write the Institute, Desk AF-11, or contact the Institute member nearest you.

FACING TILE INSTITUTE

1520 18th Street, N. W., Washington 6, D. C.



THIS SYMBOL MEANS CLIENT ACCEPTANCE

TEXTOLITE*

Roddiscraft

THIS PRODUCT MEANS BEAUTY AND STRENGTH

PLASTIC SURFACING


THIS DISTRIBUTOR MEANS SERVICE

• Your clients know General Electric. They have faith in its products. Now General Electric makes Textolite — a quality plastic surfacing material — a beauty with brawn. It's tops for tops wherever you need it homes, stores, restaurants, clubs, cocktail lounges. Available in a wide variety of solid colors and patterns to carry out decorative schemes.

GE Textolite is distributed through a nationwide Roddiscraft warehouse organization.

Here you have the perfect combination — a top quality surfacing material that your clients know and accept, easily available for prompt delivery wherever you are.

Your nearest Roddiscraft warehouse will show you samples of G-E Textolite. A descriptive folder illustrating the many attractive patterns and solid colors is yours for the asking.



RODDIS PLYWOOD CORPORATION

MARSHFIELD, WISCONSIN

*Reg. U. S. Pat. Off.

NATIONWIDE Ruddiscraft warehouse service

 Cambridge, Mass. • Charlotte, N. C. • Chicago, III. • Cincinnati, Ohio • Dallas, Texas Detroit, Mich. • Houston, Texas. • Kansas City, Kan. • L. I. City, N. Y. Los Angeles, Calif. • Louisville, Ky. • Marshfield, Wis. • Milwaukee, Wis. New York, N. Y. • Port Newark, N. J. • Philadelphia, Pa. • St. Louis, Mo. San Antonio, Texas • San Francisco, Calif.



MOSES H. CONE MEMORIAL HOSPITAL Greensboro, North Carolina • Joseph S. Lichty, M. D., administrator Samuel Hannaford & Sons, Cincinnati, Ohio, architects • Dr. C. G. Parnall, Ann Arbor, Michigan, consultant J. A. Jones Construction Company, Charlotte, N. C., general contractor

Another New Hospital Designed by Hannaford... with FABRON, the <u>modern</u> wall treatment, specified throughout.

• The continued specification of FABRON by prominent architects and designers is the best evidence that this fabric-plastic-lacquer wall covering meets the highest standards of institutional decoration.


This wide-spread acceptance stems from FABRON's excellent performance record in several thousand institutional installations throughout the country. In the hospital field *alone* the list of users totals more than 1100!... and a like number of hotels and countless schools, universities and other institutions are also benefiting through FABRON's use. In short, FABRON is not an *unproven product*, but one that has been tested under all conditions.

At an investment within the average decorating budget, FABRON offers: 1. an unmatched range of colors, textures and patterns (more than 160 in all); 2. unlimited washability, plus sunfast, lacquer colors; 3. positive protection against plaster cracks; 4. easy repairability in case of damage; 5. proven durability which eliminates periodic redecorating expense; and —of the most vital importance—*certified fire protection*, evidenced by the label of the Underwriters' Laboratories, Inc. on every roll.

Our comprehensive Data Sheets containing cost information, advice on the proper specifications of FABRON, and also describing our free estimating and decorating services,



are available on request. Write today. There's no obligation.



FREDERIC BLANK & COMPANY, INC. • Est. 1913 • 230 PARK AVENUE, NEW YORK 17, N.Y. Represented in Canada by the Robert Simpson Company Limited Special Contract Division

the fabric-plastic-lacquer wall covering for institutions.

LET'S FI

Because Only the Best Will Do!

MA·TI·CO SELECTED FOR USE THROUGHOUT THIS

Day by day, the list of impressive MA-TI-CO Asphalt Tile installations continues to grow. More and more architects and builders are discovering that MA-TI-CO's outstanding advantages are the answer to almost every flooring problem.


MODERN HOSPITAL

MA-TI-CO assures long-lasting wear, resilience, economy, sanitation and easier, faster installation - qualities that make MA-TI-CO ideal for every type of installation. And MA-TI-CO's 27 rich, clear colors in solid tones and marbleized patterns - including five new "Petal Tones" - add charm to any decorating scheme - offer unlimited design possibilities.

Whatever your next project - apartment, theatre, industrial plant, church, hotel, commercial store, institution or private home - be sure to specify MA-TI-CO Asphalt Tile. You couldn't choose a better all-around flooring.

GET TO KNOW MA-TI-CO

See our insert in Sweet's File Architectural, Section 13. Or send us a letter on your business stationery and we will mail you samples.



Brooklyn, N.Y. Architect: Skidmore, Owings & Merrill Gen. Contractor: Cauldwell-Wingate Co. Flooring Contractor: Circle Floor Co.,Inc.

FORT HAMILTON VETERANS ADMINISTRATION HOSPITAL

Dept. 611

MASTIC TILE CORPORATION OF AMERICA

Factories: NEWBURGH. N.Y. . LONG BEACH, CALIFORNIA


Member: ASPHALT TILE INSTITUTE

QUALITY CONTROLLED

ASPHALT TILE FLODRING

A18

the **FIRST** fundamental improvement





in schoolroom ventilation in twenty years

Draft Stop is the dramatic new system* of schoolroom ventilation designed by Herman Nelson engineers to insure greater classroom comfort and better student health. Architects and engineers responsible for the design of modern school buildings will recognize this entirely new concept of ventilating and heating the classroom as the answer to a problem posed by the trend toward more and more window area.

Draft|Stop literally feeds on drafts—drafts caused by cold air and leakage at the windows. With Draft|Stop Ventilation all sources of drafts are controlled. For the first time, all cold air or air introduced into the schoolroom is processed by the Herman Nelson Draft|Stop System.

Draft|Stop is new! Draft|Stop is entirely different! Draft|Stop will be hailed by architects and engineers as the first fundamental improvement in schoolroom ventilation in twenty years. Certainly there have been minor changes and advances in unit ventilators during this time. In fact, Herman Nelson has pioneered most of these. But now, the introduction of Draft|Stop Ventilation achieves the ideal in modern classroom comfort—a classroom free of drafts—a classroom with atmosphere which inspires rather than retards the learning process.

From the days of the "little red schoolhouse" to the present, proper classroom heating and ventilating has been a major factor in pupil comfort and efficiency. Since 1918, when Herman Nelson manufactured the first unit ventilator—a type of equipment that is being used in most schools being built today—Herman Nelson engineers have been foremost in solving school ventilating problems.

As Herman Nelson pioneered when the science of ventilation was in its infancy, so now it pioneers when the modern design of school buildings make proper air treatment a prime factor.


Schools you are now designing may be obsolete before they are off the drafting boards. Complete information, however, is now available on Draft|Stop. Send your requests today to Dept. AF-11

*Patent Pending

herman moline

HERMAN NELSON DIVISION AMERICAN AIR FILTER COMPANY, INC. MOLINE, ILLINOIS

SECURITY MODEL SFA AUTOMATIC GAS-FIRED HI-LO COMBINATION



For Closet Installations Eliminates Duplicate Stock . . . Completely Factory-Assembled in One Package!



For Basement Installations

Yes, sir . . . TWO-IN-ONE because only standard Security SFA Furnaces need be kept in stock. Factory-assembled and wired to serve in closet-type or usual basement-type installations. Return air duct connector for basement application is shipped knocked down . . . can be attached to the back or to either side in a matter of minutes.


All controls are located in one compartment, Quick, accurate adjustments . . . easy replacements are expedited without disturbing other wiring. Builtin filter racks can be placed at installer's option.

Built of top-quality materials throughout. Complete information, specifications, prices and discounts available. Write today !

SECURITY MANUFACTURING CO. 1630 Oakland Ave. Kansas City 3, Mo.

REPORT FROM GREECE

By G. E. Kidder Smith*



Whatever other merits forthcoming Greek building may have, it will probably never produce an architecture with the enormous ingenuousness and appeal displayed by the native work in the Greek islands. This vernacular building has a naivete and charm, a feeling for shapes and forms which is totally foreign to our overly sensitive and self-conscious civilization of today-in Greece or elsewhere. The little church at Thera, or Santorini (photos above and below), an island about half-way between Athens and Crete, has a brilliant (though perhaps subconscious) massing and awareness of line, light and shade. It is the perfect counterpoint to the highly intellectualized Parthenon. Its studied informality is, indeed, the very antithesis of the ancient Greek mathematical symmetry and geometry. Yet, in spite of glorying in the opposite of the elements which have produced "perfection," so to speak, it cannot be denied that this church has an esthetic appeal and architectural "rightness" whose impact it is impossible to refute. It (Continued on page 54)

* The sixth and final installment in a series of architectural impressions of European and North African countries, this is a report from Architect-Author-Photographer G. E. Kidder Smith, who is visiting these countries (with the aid of a President's Fellowship from Brown University) to study and photograph their native and contemporary architecture.



In Buffalo, too ... **PLEXIGLAS** Sets A New High in Store Identification

Forty-five feet above the sidewalk, these PLEXIGLAS letters at Loblaws (Buffalo, N. Y.) Supermarket flash the high sign to customers blocks away. Even the 6-foot-square clock face is PLEXIGLAS, and the whole display is interior lighted at night—for long-distance, glare-free legibility.


IDBIL-H

PLEXIGLAS letters on top of this pylon are 45 feet above the sidewalk. They are 4' high with 4'' returns and are lighted by 4 rows of rose pink cold cathode tubes, powered by 30 ma transformers. The doublefaced clock is white translucent PLEXIGLAS lighted by a double set of cold cathode grids using 15 mm white tubing with 60 ma transformers. 42'' interior-lighted white PLEXIGLAS letters are used on the marquee. Architect: Stanley Podd, Buffalo. Tower and letter contract: Eastern Signs, Inc., Buffalo. Letter Fabrication: Lee-Hy Plastics, Buffalo.

But radiance and readability aren't the only reasons for Loblaws use of PLEXIGLAS. Winters in Buffalo bring freezing gales and high winds from Lake Erie. It takes this *outdoor plastic*, PLEXIGLAS, to withstand severe weather and to keep its shape, sparkling color and brilliance year after year.

Also... because PLEXIGLAS weighs less than half as much as glass, large sections can be erected without difficulty. It's easily cleaned and shatter-resistant, and that means low-cost maintenance. And it's adaptable to all manner of indoor and outdoor merchandising needs—signs and displays, show cases, glazing, cabinets and partitions.

PLEXICLAS is a trade-mark, Reg. U. S. Pat. Off. and in principal foreign countries. Canadian Distributor: Crystal Glass & Plastics, Ltd., 54 Duke Street, Toronto, Ontario, Canada.



5 New Models! Delco-Heat Announces a Brilliantly Engineered Line of New Gas-Fired Conditionairs



AGA-approved for all gases, including LP and LP-air. Also for high-altitude installations.

"GA" Series Gas-Fired Conditionairs

	DI	MENSIO	NS	BLC	WER	В		APPRO ER HOU			
Model*	Ht.	Width	Depth		CFM	Nat., Mfg., Mixed Gas		LP-Air Gas		LP-Gas	
	In.	In.	In.	RPM	Max.	In- put	Out- put	In- put	Out- put	In- put	Out-
GA 63	56	22	26	550	550	62.5	50	62.5	50	60	48
GA 90	56	22	26	650	800	90	72	90	72	90	72
GA 120	56	281/2	26	660	1050	120	96	120	96	102	96
GA 150	56	35	26	620	1300	150	120	150	120	150	120
GA 210	56	48	26	600	1600	210	168	210	168	210	168

*Available with either 12 or 16 gauge heat exchanger.



Products of General Motors!

Here is a new line of gas-fired forced warm air furnaces *that* will add sales appeal and make your new homes easier to sell! Because for features, for value and for appearance—the new Delco-Heat "GA" Conditionairs challenge all competition!

The new "GA" Series includes 5 AGA-approved, forced warm air models—in both 12 and 16 gauge steel. Capacities are 62,500, 90,000, 120,000, 150,000, and 210,000 Btu input . . . a range that makes them applicable for all sizes of homes.

Note that the new "GA" Conditionair has extreme eyeappeal. It's compact, streamlined, and tastefully finished in Delco-green. Nothing protrudes—even the draft hood is concealed beneath the louvered panel.

Outstanding features of the "GA" Conditionair include the exclusive Multi-Rad heat exchanger—ribbon-type twin

burners — and a blowerfilter unit that is powered by Delco's famous *Rigidframe* motor.



Ribbon-type twin burners are engineered specifically for Multi-Rad sections. Made of cast iron, with expertly designed stainless steel ribbons. Design assures more even flame, more complete combustion, positive ignition and quiet operation.



Exclusive Multi-Rad heat exchanger has continuous-welded construction. Each of the multiple sections completely encloses the flame from a separate burner head. This affords greater radiation area – extracts maximum heat from fuel.

New Homes sell better when they're equipped with Delco-Heat!

Delco-Heat manufactures a complete line of automatic home heating products -for all types of fuels, all systems of heating and all sizes of homes. And our engineering and sales departments will be glad to serve you in any way possible. For information about Delco-Heat products, write to Delco Appliance Division, Dept. AF-11, General Motors Corporation, Rochester 1, New York.

Also manufacturers of Electric Water Systems for farms and homes-fractional horsepower electric motors-electric automobile clocks.



FILOOR

HELPS SALES APPEAL

Milliron's Department Store, in Los Angeles, is one of the most modern merchandising units in the world. Crack designers were assigned to put sales effectiveness and operating efficiency into every nook and cranny.

With this objective, they specified floors of Tile-Tex* Asphalt Tile. For Tile-Tex has a property very important to retail interiors. Laid in a solid, single color pattern of marbleized tiles, it enables designers to create a floor that provides an attractive background for

merchandise on display . . . without calling attention to itself.

Yet the very fact that Tile-Tex is installed a tile at a time... plus an unusually wide range of color... offers an almost unlimited choice of patterns, if that's a requirement. And there are other characteristics . . . important to any floor.

Tile-Tex is extraordinarily durable. You're laying the foundation for many, many years of flooring service when you select these *quality* asphalt tiles.

Maintenance is a simple, economical routine: Daily sweeping to remove loose dirt, periodic washing, water-waxing (if desired).

All of these advantages, plus low installed cost, add up to amazingly low cost-per-square-foot-per-year.

Tile-Tex ASPHALT FLOORS WALLS Comp St., Ch

Comprehensive literature and complete specifications are yours for the asking. Just write: THE TILE-TEX DIVISION, The Flintkote Company, Dept. C, 1234 McKinley St., Chicago Heights, Ill.

*REGISTERED TRADEMARK, THE FLINTKOTE COMPANY

They make an open- and-shut a case for specifying YALE

Your client will certainly approve of your choice of YALE hardware . . . and so will the builder.

The name YALE, of course, means the *finest in hardware* to everyone . . . the correct styling, dependable performance.

Take the YALE Compact Door Closer


The world's most beautiful and most efficient door closer. It's *more beautiful* in its simplicity of detail and freedom from ugly bulges, *more efficient* in its rotary piston checking. 36% less bulk than other closers of equal power.


Or this quality-built Front Door Set

YALE'S Stonington design. Simple classic lines, rugged construction. Bronze front and bolts. Armored front conceals cylinder set screws. Lock has compensating hub to prevent binding. Both latchbolt and deadbolt can be locked.

Make it your practice to specify YALE as architects have done for generations.

THE YALE & TOWNE MANUFACTURING COMPANY Stamford, Conn.






This valuable book for executives YOURS FOR THE ASKING


This is an *action* book for profit-minded businessmen. It illustrates, describes, *proves* the many money-saving, money-making advantages of Hauserman *Movable* Steel Interiors for offices, factories, hospitals, schools, etc. Filled with actual photographs showing Hauserman installations in *all* types of businesses, large, medium and small. No technical details—just easy-to-read, interesting facts. They prove the wisdom and economy of installing handsome Hauserman *Movable* Steel Interiors in new or old buildings. This valuable book is FREE ... send coupon or write on your business letterhead for a copy now.




Partitions • Wainscot • Railings • Acoustical Ceilings Complete Accessories Organized for Service Nationally Since 1913

THE E. F. HAUSERMAN 6768 Grant Ave., Clev	
Please send me The	Inside Story of Building Economy.
Name	
Title	
Company	
Street	






Bolt small steel plates (approximately 4" wide by 1/4" thick) to the top of the concrete block walls. Span the walls with Fenestra "D" Panels (standard lengths up to 24'). Then arc weld panels to plates.



of Structural Steel



You can cancel the cost of purlins. And girders. Your builders can paint instead of plaster. And you can have a one-story hospital or school to be proud of, if you use Fenestra* "D" Panels.

These long-span, lightweight Building Panels are strong and structural themselves. They are quickly laid and interlocked and their cellular, box-beam underside forms a beautiful finished ceiling. Their

Fenestra "D" Panels are non-combustible . . . easy to maintain . . . economical to use . . . versatile. If you

for insulation and built-up roofing.

to maintain . . . economical to use . . . versatile. If you wish, their box-beams can be perforated and backed with insulation to soak up sound. Or the cells can carry large pipes and ducts. You can run long lighting units in the space between the cells.

flat, smooth top surface makes a rugged roof, ready

How Fenestra "D" Panels are made and installed

Each unit is made of a flat plate with formed longitudinal male and female joints, and a formed "U" plate section, assembled by electric resistance spotwelding. This forms a strong, structural, cellular panel. Sidelaps are interlocked by inserting the male side of one sheet into the female part of the adjoining sheet. This forms a continuous joint.

After fabrication and before shipment, Fenestra "D" Panels receive a sprayed-on, oven-baked coat of rust inhibiting gray-green paint.

Type D Panels are standardized in 16" width with

gages and depths to fit job conditions. Specify this inexpensive, dual-purpose panel package for your next one-story school or hospital. It's structural material, finished ceiling, rugged roof, built-in acoustical treatment, safety measure against fire—all in one.

Also available are "AD" Panels, which have a flat surface top and bottom. For the particular panel to fit your job and budget, call your Fenestra Representative, listed in the yellow part of your phone book. See Sweet's Architectural File—Section 3c/1. Or mail the coupon.

*Trademark

Use Our 25 Years' Experience in Metal Panel Engineering

-	0
-	Fenestra
7	PHPSIM
0	crecoura

PANELS · WINDOWS · DOORS

D	ETROIT STEEL PRODUCTS COMPANY ept. AF-11, 2251 E. Grand Boulevard etroit 11, Michigan
в	Please send me, without obligation, information on Fenestra ailding Panels.
N	ame
С	ompany
A	ddress



Red Birch Flexwood, Hamburg Savings Bank, Brooklyn, N. Y. Architect—Harold Carlson

How FLEXWOOD SOLVED

3 "LONG SURFACE" problems ...

PROBLEM. To cover flat walls, square and round columns of two-floor height with decorative, dignified material that would create impressive yet friendly atmosphere.

SOLUTION. Skillful matching of Red Birch Flexwood sheets provides continuous, unbroken beauty on all "problem" surfaces. Columns handled as easily and handsomely as flat wall area.

SEND COUPON BELOW. See how Flexwood* helped solve 17 architectural problems.



United States Plywood Corporation 55 West 44th Street, N. Y. 18, N. Y. In Canada: Paul Collet & Co., Ltd., Montreal Flexwood is manufactured and marketed jointly by United States Plywood Corporation and The Mengel Company.

*Reg. U. S. Pat. Off,

United States Plywood Corporation, Dept, W-3 55 West 44th Street, New York 18, N. Y.

Please send me, without obligation, Flexwood's Case-History Book; shows how Flexwood helped solve 17 actual architectural problems.

NAME_____

Cleveland Municipal Stadium Refrigerated by Frigidaire!



When the Berlo Vending Company of Philadelphia took over the concessions of Cleveland's Municipal Stadium last spring, they were faced with a crisis.

The old refrigeration equipment was obsolete - couldn't serve a stadium of people - and baseball season was almost at hand!

Plenty of the right equipment had to be installed-and fast! So Frigidaire was called in to solve the problem.

30 Frigidaire Beverage Coolers and 21 Compressors Installed

Soon, an army of workmen had made alterations and erected 21 sectional walk-in coolers. Then, in four days, the Gardella Brothers Refrigeration Company, Frigidaire dealer in Cleveland, installed compressors and coils for the walk-ins, put in 30 beverage coolers, and had the complete system in operation in time for the season "opener" !

Since then, and throughout the baseball and football season, concession officials say they "always have ample supplies of cold drinks to fall back on in any emergency." Moreover, they point out that food preservation is more efficient, providing clean, healthful conditions as well as practical, economical operation.

Food and Drink Cooled for an Army of Fans

This was amply demonstrated when 79,000 roaring fans watched a double header between the Indians and Yankees one day last spring. These fans consumed 100,000 hot dogs, 19,000 ice cream bars, and 85,000 bottles of beverages—all refrigerated by this Frigidaire equipment.

Donald Holt, operations manager, says "The installation in Cleveland may go a long way toward revolutionizing the refrigeration systems in other stadiums throughout the country." Frigidaire Beverage Coolers assure cold drinks at less cost. Dry storage types available in sizes to fit your needs. All powered by the famous Meter-Miser-simplest refrigerating mechanism ever built.

Frigidaire Compressors provide trouble-free service at lowest cost. Regardless of the refrigerating capacity you require, you can assure yourself of dependable, uninterrupted, *automatic* service from Frigidaire.





You can't match FRIGIDAIRE

Water Coolers • Low-Temperature Cabinets • Compressors Ice Makers • Self-Contained and Central System Air Conditioners Beverage Coolers • Reach-In Refrigerators • Electric Dehumidifiers Household Appliances

Whatever your refrigeration problem, we suggest you see your Frigidaire Dealer. Look for his name in the Yellow Pages of your phone book, under "Refrigeration Equipment." Or write Frigidaire Division of General Motors, Dayton 1, Ohio. In Canada, Leaside 12, Ontario.

Over 400 Frigidaire Commercial refrigeration and air conditioning products - most complete line in the industry

One Word Specification Corruform

When you specify Corruform you get one standard product developed to meet your needs, uniform in quality, available anywhere without restriction on your choice of the major construction materials with which Corruform is used.

Patented Corruform is a 100,000 psi steel base for concrete in joist construction. Millions of square feet of Corruform testify to its service to architects and performance to contractors.

SAFE



—because Corruform was developed to provide an extra-tough, secure steel base which maintains structural principles and structural integrity.

-because the pleasing corrugated pattern

makes an attractive exposed ceiling. It remains

true and level. Corruform is available plain, gal-

vanized or vinylprimed for painting.

GOOD LOOKING

ECONOMICAL

—because, made of 100,000 psi steel, it performs adequately without waste. Corruform carries concrete without sag, stretch, bend or leakage.

STANDARDIZED

—to meet the specification requirements for joist construction, one gauge — .0156" steel — one shape—2 3/16" x 1/2" deep corrugations weight 3/4# per square foot with fasteners, steel of guaranteed average strength 100,000 psi single test minimum strength 95,000 psi.

SEND FOR AIA FILE TODAY



GRANCO STEEL PRODUCTS CO. (Subsidiary of Granite City Steel) Granite City, Illinois

REPORT FROM GREECE


might be said that within a relatively few miles of each other we have the supreme examples of the intellect vs. the emotion, the brain vs. the heart in architecture. All of which is another way of saying that there is no place like Greece!

The current architectural situation would appall even the stoutest souls. And whereas it also appalls the heroic Greeks—like other dismaying odds they have encountered in the last 130 years—they are tackling reconstruction as they tackled liberation, invasion and civil war. In this, too, it seems that they will eventually win.

To begin with, half the bridges in a rough country where bridges are the life line of communication were destroyed by the Germans. And, as the chief American ECA engineer has said, the Germans are the most thorough bridge destroyers known to man. Then ports were leveled, canals blown up, power stations demolished, transmission lines cut, tunnels dynamited. All communications were in chaos. Thus when it came to repairing the thousands of wrecked homes, the hundreds of burnt-out schools and hospitals, the countless ruins of every description, Greece was prostrate. And as if this desolation were not enough, the communists seized upon this moment of paralysis to wage a nearly successful civil war, a war which penetrated the very squares of Athens itself. Most of Europe fought from late 1939 until 1945; Greece always desperately poor, fought until 1948. The result can be imagined. Architecture there-that is, architecture as most of the western world knows it-is impossible. Shelter of the most elementary character is the demand and such shelter is the only possible answer.


New buildings with space standards which would horrify the FHA and most of Europe are not only accepted, they are avidly grabbed up as soon as the workmen are out. Shortages of virtually every known material except stone, unbelievable inflation, political instability and postwar reactions are only some of the most desperate problems trying this tiny country (size of North Carolina). When you add to these no money, almost no exports nor bottoms to ship them in, you can grasp what a staggering problem the Greeks have and how completely essential continued American aid must be. Without the ECA and American Mission, Greece would collapse; with them she is beginning to stand on her own feet.

The first tangible aid from the U. S. was in the form of the American Mission Aid to Greece (part of the Truman Doctrine for aid (Continued on page 60)



Chicago's gigantic South District Filtration plant gains light, cuts heating and maintenance costs with Insulux Glass Blocks that resist corrosion, condensation, need no painting, never rust or rot. Designed by Paul Gerhardt, Jr., constructed by S. N. Nielsen Co.

DESIGN FOR DAYLIGHT THROUGH Daylight Engineering



Direct sun causes uncomfortable brightness near windows, extreme contrast in other parts of room. Insulux Fenestration (glass block plus vision strip) directs and spreads daylight to ceiling, keeps brightness at comfortable levels, provides vision and ventilation.

Old style windows need shades, blinds or awnings, that shut out an average of 44% of the light, to reduce sunshine to tolerable levels. When pulled up and down these light-reducers make a crazy-quilt effect on the faces of beautiful buildings.

Now, with an Insulux Fenestration System you can direct daylight UP to ceilings, spread it evenly over large areas. Annoying contrasts are eliminated. Wall insulation increased. Fire hazards diminished.


An Insulux Fenestration System also picks up early morning and late afternoon light and refracts these low-angle light rays over the ceiling surface. The lighting effect is like having the building turn with the sun.

Our Daylight Engineering Staff is at your service. Call on it for information, specifications or help in applying the principles of Insulux Fenestration to your special needs. Write: Daylight

Engineering Laboratory, Dept. AF11, Box 1035, Toledo 1, Ohio. Insulux Division, American Structural Products Company, Subsidiary of Owens-Illinois Glass Company.








Looking east ... looking west ... windows of the United Nations Secretariat



© 1950 LEVOLOR LORENTZEN, INC., NEW YORK

umbering 4739, are fitted with venetian blinds

... manufactured with **LEVOLOR** enclosed metal heads and bottom bars



Interesting applications

AMONG THE ELEMENTS that help to make this building of the Pacific Telephone and Telegraph Company, Oakland, California, a landmark is the extensive use of Pittsburgh Glass. These products include Pittsburgh Polished Plate Glass, Herculite Doors and $\frac{1}{4}$ " Herculite Glass on the second floor stairwell. Architects: H. A. Thomsen—A. L. Wilson, San Francisco, California.





ARCHITECTS FIND Pittsburgh Products ideal for meeting the demands imposed by open-vision store fronts. These large expanses of transparent surfaces permit seeing the interior from the sidewalk, thus serving as a display and advertising medium. In this automobile showroom at Ardmore, Pennsylvania, Pittsburgh Products were utilized to help create a distinctive and appealing design. Among these materials are Pittsburgh Polished Plate Glass windows, Herculite Doors, and Pittco Premier Store Front Metal. Architect: J. Bedford Wooley, Philadelphia, Pa.

of GLASS in current construction



NO OTHER material can add so much beauty and utility to a bathroom as Carrara Glass. Architects agree on that. For Carrara lends itself to many interesting and pleasing treatments. It is available in ten colors, a wide range of thicknesses and numerous possible surface decorations. It lasts indefinitely, is easily kept clean.





ALL THE ADVANTAGES of Twindow—Pittsburgh's window with built-in insulation—plus a high degree of ventilation, are now available to your clients. That is because of the Vita Automatic Window—"the only picture window that opens electrically!"—offered by Vita Automatic Windows Inc., 101 Park Avenue, New York 17, N. Y.

This cut-away view shows the construction of a Twindow unit, using two panes of Pittsburgh Polished Plate Glass. The hermetically-sealed air space between the panes provides effective insulation which minimizes downdrafts, cuts heat losses through windows, reduces condensation. When three or more panes are used, insulation is even more efficient. Forty-seven standard Twindow sizes are available, adaptable either for wood or steel sash.

PLASTICS

Design it better with Pittsburgh Glass

BRUSHES

Your Sweet's Catalog File contains a complete listing and descriptions of Pittsburgh Plate Glass Company products.

.

CHEMICALS

PAINTS

GLASS



For the Secretariat building Weis furnished polished stainless steel doors with complete hardware for all toilet compartments. All other buildings of the United Nations group will be equipped with Weis-Art floor mounted toilet partitions similar to this installation in one of the nation's leading universities.



Designed and built in harmony with the most modern trends, and suited for use with the latest building techniques, WeisArt compartments combine fine appearance with thorough-going quality of construction.

BEAUTY

ANITATION

Doors, stiles and partitions are of flush steel construction with edges locked and sealed. Galvanized surface is smooth as furniture steel, and is Bonderized for additional corrosion resistance and positive adhesion of enamel to metal.

Baked synthetic primer and enamel, separately baked, combines a highly protective surface coating with lustrous beauty — in a wide range of colors.

STAMINA Measured in terms of years of dependable and troublefree service, WeisArt compartments are practical and economical – as well as highly suitable for the finest of modern structures. For detailed information, write

1102 WEISWAY BUILDING, ELKHART, INDIANA

REPORT FROM GREECE

to both Greece and Turkey). This began to function actively in July, 1947. A year later, in July 1948, this was taken over by the greatly expanded concept of American assistance which developed into the ECA, or Marshall Plan. This brought hundreds more Americans to Greece, including highly skilled specialists, and many are still there advising and helping in all phases of recovery and reconstruction. In architecture, George A. Speer, the housing expert from Chicago, has been very active.

In the architectural and engineering fields, in which there had been nothing but destruction for ten years, the range of activity is now enormous. Restoration of communications by road, railroad, sea and air were priority items among the main projects financed with ECA dollars and ECA Drachma Counterpart Funds. Roads, tunnels, bridges, canals, port and harbor facilities and airports were first put into some sort of order so that reconstruction of the rest of the country would proceed with at least a degree of transportation efficiency. Housing, schools, hospitals and clinics and other essential shelter of course followed liberation from war and Communist devastation, but these works could not be properly attacked until the means of reaching them were established.

All these reconstruction problems were seriously complicated by the fact that 10 per cent of the entire Greek population were refugees from the Communist's war. (For comparison, imagine 15 million hungry Americans uprooted from home and farm.) When these refugees could return to their homes they found between 800 and 900 villages more than half destroyed, including 300,000 homes almost beyond repair.

It was therefore obvious that these exigencies called for housing standards which would be distressingly low by normal standards but which would spread money and materials as far as possible.

New minimum housing was thus limited to a room and a half or two rooms with an average cost of between \$600 and \$700 per unit. Both free-standing houses and multiple housing were planned as nucleus units able to be expanded. Individual houses, especially those in the more remote areas, were all of local stone with often only enough lumber for half a floor in the one main room.

So that the utmost advantage could be made of given resources and needs a set of master standards was drawn up. This eventually evolved into 14 basic house types, all very clearly and capably published. Thus, in the field, houses to fit specific personal require-(Continued on page 68)

NOW-SELECTOMATIC PLUS

cuts elevator travel time 11/2 seconds per stop

Only Synchro-Glide Landing, the new, Westinghouse-perfected automatic landing control, gives you all these remarkable features:

FASTER FLOOR-TO-FLOOR TIME—Synchro-Glide makes the car accelerate fast and evenly to the maximum possible speed . . . slow down quickly and smoothly. And—as the car is making its perfect-level landing, the doors are opening . . . ready for passengers to exit. The total result—floor-to-floor time reduced by 1½ seconds per stop!

SOFTER, SMOOTHER LANDINGS—The smooth, uniform gliding stops will astound you. Synchro-Glide's <u>dynamic</u> braking action lands a car so softly you scarcely feel the brake set.

ACCURATE FLOOR-LEVEL LANDINGS UNDER ALL CONDITIONS —With Synchro-Glide you are sure of floor-level landings of unmatched exactness regardless of load or temperature changes. Yet, the accuracy of these landings is protected while passengers are entering or leaving the car.

The secret of Synchro-Glide Landing is the teaming of experience-proven Inductors with Rototrol—the exclusive Westinghouse developments that force each car to follow a predetermined pattern.


And—Synchro-Glide Landing is integrated with Selectomatic Supervision (the ingenious "electrical brain" that instantly and automatically matches calls to cars to floors.) This integration gives you the most perfect vertical transportation system you can buy...Selectomatic PLUS!

SEE IT TODAY—right in your own office! See and hear how Selectomatic PLUS Synchro-Glide Landing solves elevator problems. Write on your letterhead and we'll gladly arrange a showing of our new, sound motion picture "Synchro-Glide Landing for Elevators." Elevator Division, Westinghouse Electric Corporation, Dept. F-1, Jersey City, N. J.

estinghouse

YOU CAN BE SURE ... IF IT'S

1-98588



22 YEARS AND MILLIONS OF WINDOWS LATER

Twenty-two years ago the aluminum window was an Alcoa experimental project. Today the first aluminum windows made are still in use, functioning perfectly. And millions more have proved their value in actual service.

Now, world renowned architects have specified aluminum framing for the great glass walls of the United Nations Secretariat. Like the first aluminum windows in America, these largest windows in the world are framed in Alcoa Aluminum.

Because of their proved economy and efficiency-because aluminum lasts-windows of Alcoa Aluminum are being specified for more and more outstanding commercial, industrial, and residential projects.

Alcoa engineers have had a part in every pioneering use of aluminum in the building field, in the design of every major aluminum-clad building erected in America. Their services and experience are available to all architects and builders.

For information on any application of aluminum, call your nearby Alcoa Sales Office or write ALUMINUM COMPANY OF AMERICA, 1887L Gulf Building, Pittsburgh 19, Pennsylvania.



FIRST IN

ALUMINUM

United Nations Secretariat. All window framing of Alcoa Aluminum fabricated by General Bronze Corp. Architects: United Nations Board of Design, Wallace K. Harrison, Director of Planning, Max Abramovitz, Deputy Director of Planning. General Contractors: Fuller-Turner-Walsh-Slattery, Inc.

Here's how to start



This St. Louis sales riot is not an unusual event. Rather, it is the typical success pattern of builders all over the country. From Maryland, Colorado, New York and other sections come

similar enthusiastic reports of builders who install General Electric Kitchens. Why not let General Electric help sell *your* houses faster, too?

General Electric offers you all this :

- Tested merchandising programs that have helped so many other builders enjoy phenomenal sales results.
- The brand of electrical appliances that people prefer to all others.
- Assistance in designing and improving kitch-

en layouts for your houses.

- One source of supply for matched equipment . . . a full line of cabinets and appliances.
- And most important: G-E equipment is world-famous for its dependability! Remember, you can put your confidence in G-E!

a sales riot!

"Rather than spend money to sell our houses, we installed complete General Electric Kitchens so that people would *buy*. Result: We sold 109 houses the very first day!"

Mr. N. R. SCHUERMANN of Schuermann Building & Realty Co., St. Louis, Missouri

Today, more than ever, people want houses that include all-electric living.

They want *low-priced* homes that have kitchens in which dishes are washed and double-rinsed automatically—where there's a Disposall[®] for food waste.

They want plenty of hot water at all times . . . and they want an electric range that takes the trouble and guesswork out of cooking, and a family-size refrigerator.

What Schuermann did

The Schuermann Building and Realty Company offered the people of St. Louis, Mo., that kind of a house for the full price of \$8995... with less than \$1000 down!

You can see from the photograph at the left what happened. Hundreds of people were waiting to enter the General Electric equipped house at 10:00 a.m. More than 7000 people came out

As little as \$4.80 more a month!

You can include General Electric Kitchens in your houses for as little as \$4.80 a month extra when the G-E "Kitchen Package" is included in the long-term realty mortgage.

Furthermore, the slight increase in monthly payments may be offset by the economical operation, low maintenance and long life of General Electric appliances! to see the Schuermann home on opening day. 109 people bought houses the very first day!

A suggestion for you

We would like to work hand-in-hand with you to achieve similar results for *you* in your area. We can help you *pre-sell* your houses just as we have for so many other builders throughout the United States.

Get complete facts about the G-E "Kitchen Package" through your local General Electric distributor, or write to the Home Bureau, General Electric Company, Bridgeport 2, Connecticut.



The new Schuermann home and its General Electric Kitchen made a deep impression on future home buyers of St. Louis. It includes: Dishwasher, Disposall®, Refrigerator, Electric Range, and Steel Cabinets. Think how this type of worksaving electric kitchen would stimulate sales of *your* houses!

You can put your confidence in-





Steel pipe is first choice for home radiant heat

Imagine the surprise of the "girls" from the bridge club when they walked into their new member's living room. Out of the blustery cold, into the glowing warmth of a beautiful room which, as far as the eye could detect, seemed to have no heating system at all!

Yes, that's the effect radiant heating has on folks who have never experienced it before . . . as though the warmth of summer sunshine had been stored up in some magic way and gently released indoors when winter comes.

To bring these pleasant advantages of radiant heating to the home, architects, engineers and heating contractors are utilizing the favorable, inherent characteristics of steel pipe to provide outstandingly successful systems. For they know that steel pipe has not only been *proved* by more than 60 years of comparable service, but, for this new application, includes all the desired qualities of formability, weldability, durability and suitability . . . plus maximum economy!

Yes, for radiant heating there's no question . . . steel pipe is first choice!



COMMITTEE ON STEEL PIPE RESEARCH

350 Fifth Avenue, New York 1, N.Y.

Yes, it's so <u>quiet</u> because the ceilings are J-M SANACOUSTIC*

Qu'il fait silencieux

au Secrétariat des U.N.!

The United Nations' choice of Sanacoustic noise-quieting ceilings for use throughout the new Secretariat is a tribute earned by Johns-Manville's 40 years of acoustical treatments in all types of institutional and commercial buildings

Architects *like* the combination of advantages provided by the all-metal-and-mineral construction of J-M Sanacoustic Ceiling Panels: fire-safety...good appearance...removability...high light-reflection...ease of maintenance...extremely high sound-absorption qualities.

Because so many desirable features are combined in this one acoustical product, *millions* of square feet of Sanacoustic have been installed in institutions, offices, hospitals, schools, and places of public assembly.

Consisting of *perforated metal panels* backed up with a fireproof sound-absorbing element, Sanacoustic Ceilings will not burn, rot, or disintegrate. They're ideal for suspended ceiling construction, equally adaptable for new work or remodeling. The method of installation assures perfect alignment of units, allows easy access to services. Write for "Sound Control" brochure. Johns-Manville, Box 290, New York 16, New York.

*Reg. U. S. Pat. Off.



J-M Acoustical Materials include Sanacoustic Units, Transite* Acoustical Panels, and drilled Fibretone*


2 22 1




CORPORATION

DISTRICT SALES OFFICES, AGENTS AND DISTRIBUTORS IN ALL ARCHITECTURAL CENTERS .

REPORT FROM GREECE



Expandable basic house



ments (farming, nonfarming, etc.) can be selected by the local labor to fit various site conditions and orientations. One of these standard plans is shown above together with a photograph of a small village made up of several units.

However, it is not in free-standing houses that the greatest architectural interest lies, but in the two- and sometimes three-story multiple housing. Here some very ingenious designing has been done—with an ingenuity sparked by the sheerest necessity.

The three-story walkup, shown on page 76, is virtually unique in that it provides a private entry and lawn or roof space for each occupant on each floor. A private garden for vegetables, flowers, clothes drying and baby airing is considered quite necessary in Greece, and to achieve it in multiple housing is no mean feat, even though it does involve much vertical circulation. It is accomplished in this building by having the entries to the ground floor apartments on one side and the entries to the second floor on the opposite side. Thus the occupants of these two lower floors can walk right out onto their own plots of land which no one else crosses or enters upon. This much is relatively easy, but then to provide a privately reached outdoor drying area and sitting "room" for the third floor, much more head scratching was involved.

The solution arrived at is wasteful in its excess of vertical circulation, but it does resolve a difficult problem. It is solved by hav-(Continued on page 76) A Packaged Job for the system with mains not exceeding $1\frac{1}{2}$ ".

Particularly suited for:

1. Modernizing existing systems.

Automatic

- Changing Gravity Systems to forced continuous flow systems.
- 3. Changing "on" and "off" forced flow systems to forced continuous flow systems.

With the second second

HOFFMAN C-141 CONTROLLER: Automatically maintains indoor comfort and temperature by combining Room Thermostat control with continuous circulation of the heating medium.

HOFFMAN CIRCULATOR: Continuously circulates the heating medium throughout the heating season. Automatically stops when outdoor temperature goes above 65° and starts again in the fall when heat is required.

HOFFMAN CONTROL VALVE: An especially designed valve to keep the hot water in the heating system at the desired temperature to maintain heating comfort.

HOFFMAN BALANCING ORIFICE: Engineered to maintain proper balance between the circulating pipe and boiler circuit.

HOFFMAN ROOM THERMOSTAT: Heat anticipating thermostat adjustable to slow, medium and fast cycles.

A POPULAR PRICED CONTINUOUS CIRCULATION SYSTEM THERMOSTATICALLY CONTROLLED

TURE OF FOR AUTORATIC OPERATION OF SYSTER TURE OF WHEN AUTORATIC

HOT WATER SYSTEM

HOFFMAN

The Hoffman C-141 Comfort Package offers *precisely controlled heating*—yet the cost is within the budget of even modest homes.

The uniformity of a continuously circulated forced hot water heating system can now be obtained with simplified and inexpensive equipment. The Hoffman C-141 Comfort Package combines a Circulating Pump, Temperature Controller, Control Valve and Room Thermostat.

In operation, the C-141 Comfort Package effects a constant balance between heat loss and heat supply, so that the home temperature is held uniform, regardless of weather variations. Note in the diagram that the boiler is by-passed from the rest of the circulating system. Hot water from the boiler is admitted only when the room thermostat requires additional heat. Hence the system keeps pace with the actual need for heat and never delivers a fuel-wasting excess. Send for Bulletin No. AF-11.



Residence for The Owner-Builder

This house on paper is of special interest to you. A prospective plan today... tomorrow as solid in fact as steel and glass and brick can make it! A house that can mclude your product...if you are selling the superior type of materials the owner-builder is looking for. Let House & Garden tell your story to owner-builders of means and taste who have the power to specify your product.

House & Garden



HARDWOOD FLOORING by Higgins World-FAMOUS boar Builders

Widely Used in Homes for Beauty and Economy

Because it keeps luxurious beauty for life, with minimum housekeeping attention, Higgins Flooring is being specified for individual homes (in *all* price brackets). For housing developments and apartments, Higgins Flooring combines distinctive appearance with low maintenance cost.

Higgins Flooring is ideal over radiant heating. Grooves on back of blocks act as heat conductors, assuring uniform heat with practically no increase in water temperature. Higgins Flooring can be installed over any type of slab—will even breach slightly uneven slabs. Being simple to install, Higgins Flooring costs less, laid down, than any comparable hardwood flooring.

Even under severe conditions, you can specify Higgins Flooring with perfect assurance of low-cost, lifetime satisfaction.

10,000 Sq. Ft. Higgins-Floored Ballroom King Phillip Co., Wrentham, Mass.

GENERAL CONTR. APPALACHIAN FLOORING CO.

Said E. R. Enegren, Jr., general manager, King Philip Co.—"The flooring is most beautiful. After thirteen thousand people had danced on it, we inspected it carefully and could not find a single imperfection. And it *was laid in record time of six days*—including removal of old maple flooring."



How Can You Afford <u>Not</u> To Have GRINNELL PROTECTION?

PERHAPS YOU KNOW that automatic sprinkler systems justify themselves as the best protection against hotel fires and loss of life. But do you also know that, for many other reasons, Grinnell Sprinkler Protection is a sound business investment? For instance . . .



"FIREPROOF" HOTEL CONSTRUCTION is not enough. Like a furnace, the walls will not burn but the contents will. The interior can become a blazing inferno. Steel beams, weakened by the intense heat, can buckle . . . cement walls, crumble.



COSTLY DAMAGE SUITS are out. For over seventy years practically 100% of fires starting in Grinnell protected buildings have been extinguished without material damage. WATER DAMAGE FROM FIRE HOSES is often ruinous. Once fire gains way, firemen have no choice but to pour tons of water on the property. Grinnell Sprinklers check fire at its source immediately, automatically, day or night with minimum water. Over half the fires are put out by the prompt opening of only one or two sprinkler heads.



INSURANCE IS NOT ENOUGH. No indemnity check can ever compensate for the loss of lives, business records, time, profit, experienced personnel and occupancy. With Grinnell Protection, insurance premiums are reduced as much as 60% or more, dependent upon building construction. These insurance savings oftentimes pay for a Grinnell Sprinkler System in a few years.



When you consider the advantages of Grinnell Protection, and the fact that your client will probably be paying for it through insurance anyway . . . how can you afford NOT to include it? Get the facts from: Grinnell Company, Inc., Providence, R. I. Branch offices in principal cities.



America's Most Admired Fixture !

SIDENTIAL

ARTZIICA

Illumination PLUS Point-of-Sale Merchandising Wins New Friends for

LEADER VL-440 SPECIFICATIONS

Housing, channel and deep drawn end caps of 20 gauge steel, finished in white, highgloss baked enamel. Extruded tubular side panels and moulded one-piece louver is of glowing white plastic that is warp-proof, colorfast, and destaticized. Louver swings down for easy servicing. Choice of 31° or 45° shielding. May be used as single units or in continuous runs-suspended or ceiling mounted. VL Series uses 2, 3 or 4 40-watt 48″ T-12 lamps. Wired units include UL and ETL approved sockets, type FS easily replaceable starters and two high p.f. 2-lamp ballasts. Conventional 110-125 volts, 60 cycle A.C. Other voltages on request. NHC Series available for use with Slimline tubes and for 120, 200, 300 or 425 milliampere operation in lengths from 48″ to 96″.

VL and NHC Series

OFFICER


You'll find this attractive fixture installed in the most tastefully decorated offices, stores and office buildings. The "Officer" not only adds to any decorative effect, but helps sell goods and services through appealing highlighting of floors, furniture and display sales material. The LEADER "Officer" is rich in construction, too. For example, it is provided with the famous LEADER one-piece louver of destaticized plastic...a louver with a multitude of small, rigid apertures—made possible by one-piece molding to provide excellent shielding and soft, gracious light-diffusion.

Sold and installed only by the better electrical wholesalers and contractors

America's No. 1 Lighting Equipment Manufacturer

LEADER ELECTRIC COMPANY + 3500 NORTH KEDZIE AVENUE + CHICAGO 18, ILLINOIS LEADER ELECTRIC-WESTERN + 800 ONE HUNDREDTH AVENUE + OAKLAND 3, CALIFORNIA

THE BUILDING OF GREATEST WORLD INTEREST IS SLOAN EQUIPPED






WITHIN seven acres of glass and two thousand tons of marble, nd working on twenty acres of floor space, men and women of the United Nations will attempt to accomplish what has never been done before. Providing, as it does, for the widely varied needs of representatives from many lands, the U. N. SECRETARIAT BUILDING itself is an achievement never before attempted. Even the homeland climate

WALLACE K. HARRISON Planning Director SYSKA & HENNESSY, INC. Consulting Engineers FULLER-TURNER-WALSH-SLATTERY, INC. General Contractors EUGENE DUKLAUER, INC. Plumbing Contractor GAR SUPPLY CORP. Plumbing Wholesalers


many lands, the U. N. SECRETARIAT BUILDING itself is an achievement never before attempted. Even the homeland clima of each occupant can be duplicated for maximum comfort. SLOAN, whose Flush Valves are used in every civilized country, is especially proud that NC. in the building of greatest world prominence every flush valve bears this famous name.



are sold than all other makes combined

SLOAN VALVE COMPANY . CHICAGO . ILLINOIS

... these beauty spots PAY OFF!



first impressions

are mighty important in creating owner satisfaction. A Curtis entrance like this-design C-1733-adds that extra touch of quality because it is correctly styled-beautiful in its simple lines. Yet Curtis entrances-and there are many for your choice-are priced for even the most modest homes.





the place where they linger

Nothing like a Curtis mantel to give a living room grace and appeal. This Curtis mantel, for example design C-6059—is suitable for several styles of architecture, yet it does not sacrifice beauty and good detail. Many other Curtis mantel designs are available for your choice.



appreciate the additional value of Curtis Prespine doors. Curtis Prespine—the new Curtis wood product—won't warp, shrink or mar. Its surface duplicates the natural grain of ponderosa pine—takes natural finishes beautifully. Curtis doors with Prespine panels are available in several styles for any desired finish.






especially women

respond to the charm and convenience of a wellplaced Curtis china case. This one-design C-6558 —is made either for flat wall or corner installation. Curtis cases, available in many designs, are quickly and easily installed in any room.

Curtis imakes a complete line of woodwork for homes of all types and sizes. Make your next house "all Curtis."

Curtis Companies Service Bureau AF-11W Curtis Building
Clinton, Iowa
Gentlemen: Please send me literature on Curtis Architec- tural Woodwork.
Name
Address
CityState I am () Architect () Contractor () Prospective Home Builder () Student. (Please check above).

REPORT FROM GREECE





A.I.A. File No. 25-G on

A.I.A. File No. 25-G on Preparation, Finishing and Maintaining ALL Types of FLOORS

This data covers the subject of floor finishing and maintenance from A to Z—gives recommended seals, finishes, waxes, and cleaners for every desired result—glossy or satin—fast-drying or normal drying—on wood, cork, linoleum, terrazzo, asphalt tile, rubber tile, concrete, plastic, and other types. Also, recommended procedure for preparing floors and maintaining floors.



3 Foot Chart FREE

A handy reference in estimating coverage, drying time, selection of materials and other important data for all floors. Gives data and recommendations on 15 quality materials for treating floors, including penetrating floor seal finishes, surface floor finishes, floor cleaning and maintenance materials, and rapid drying special finishes. This chart which folds to file size, will be sent free to architects and builders upon request.



Write for this new complete file on finishing floors... also ask for the free chart showing all materials for all floors. The American Floor Surfacing Machine Co., 586 So. St. Clair St., Toledo 3, Ohio.

Floor Finishes, Maintenance Materials and Cleaners . . . by AMERICAN

Now you can specify an American finish for all kinds of floors. American's new complete line gives you the correct material—in the finest quality for each type of floor, and for each desired result. American, as floor surfacing and floor maintenance machine manufacturers, have been closely related to all types of floor work for years.


under Underwriters Laboratories as non-slip.


AMERICAN FLOOR SURFACING MACHINE CO.

ing the top six apartments served by a lateral balcony (as is often done elsewhere), and this balcony is reached by one central stairwell which serves *only* the third floor. Each individual apartment on this floor has, in addition, its own private flight of stairs to its own private area of roof. These stairs are located over the stairs which serve the units below, but do not communicate with the lower floor. Thus the scheme requires seven stairwells to serve 12 families on the two top floors.

Even more unusual than this multi-stairwell plan—and one more justifiably realistic—is the expandable row house. This expansion is (Continued on page 82)







another comfort and economy feature of fedders Heating Equipment

CONVECTOR-RADIATORS

Made in a complete line of free standing and recessed models, combining handsome appearance, and uniform comfort. Easily installed in new or remodeling work.




WALL RADIATION

Available in a wide range of lengths with expanded mesh, flat and sloping top cabinets for residential, institutional, commercial and industrial applications.




BASEBOARD RADIATION

Features exclusive ANTI-STREAK COVER DESIGN which eliminates streaking of walls and draperies (patents pending).



UNIT HEATERS

Made in a complete line of horizontal and downblow models ranging from 100 EDR up. Widely used throughout industry for heating in winter and air circulation in summer.



for HOME, APARTMENT, BUSINESS, INDUSTRIAL AND INSTITUTIONAL USE

Men who know heating are welcoming the quick response of Fedders high efficiency fin and tube heating elements. They are component parts of Fedders Convector-Radiators, Wall-Radiation and Baseboard Radiation. They provide quick warm-up and reduce time lag with resulting even firing curve so necessary under today's critical requirements for fuel economy. Overheating in off-season months and forcing of fire in severe weather are reduced because Fedders modern radiation equipment...

WORKS HAND-IN-HAND WITH MODERN THERMOSTATIC CONTROLS

Handsome styling, space saving, light weight for easy handling combine to provide ideal installations for the ultimate in comfort. Fedders offers a complete line to fit household, commercial, institutional and industrial requirements.


Write for Bulletins

FEDDERS-QUIGAN CORPORATION BUFFALO 7, NEW YORK



W. W. MEIRS, Designer

RIGHT FROM THE START...TELEPHONE OUTLETS




BELL TELEPHONE SYSTEM

It's both practical and profitable to plan for telephones while a house is still in the blueprint stage. Practical because it protects the beauty of walls and woodwork by keeping telephone wires concealed. Profitable because it impresses prospects and makes houses more salable.

Telephone outlets can be made an integral part of any house—with little effort and at little cost. A few lengths of pipe or tubing leading to outlet boxes are usually sufficient for the average house. Placed inside the walls during construction, they carry the wires unseen to the outlets, thus protecting the beauty of walls and woodwork.

Your Bell Telephone Company will be glad to help you in planning efficient, economical conduit layouts for houses and buildings. Just call your local Business Office for free telephone planning service.



NEW FACT-FILLED BOOKLET ON



WORLD'S MOST VERSATILE ALL-PURPOSE BUILDING MATERIAL



Modern residence at Berkeley, California. Architect: Richard J. Neutra.



42,000 square feet of Cemesto used for roof deck and curtain walls, B. F. Goodrich Co., Marietta, O.

This is a helpful, factual booklet that you will want to keep on file for ready reference. It shows how you can speed work and cut labor and material costs in building permanent, fire-resistant, *insulated* structural roof decks, curtain walls and partitions of every type through the use of Cemesto*... the modern marvel of building materials. Packed with practical application ideas, technical data and diagrams. Mail coupon below for your free copy.

No other insulating building board gives you all the advantages of Cemesto panels for *fast, permanent, low-cost* construction! That's why more and more builders and architects are specifying this amazingly versatile material for homes, factories, warehouses, and all types of industrial and commercial buildings.

Cemesto is a rigid structural panel made of Celotex cane fibre insulation to which cement-asbestos facing is bonded on both sides by a moistureproof bituminous adhesive. The result is a tough, durable board that combines high thermal insulation with remarkable structural strength.

Cemesto resists fire, weather and wear. Its hard, smooth, stone-grey surface has high light-reflection value, and provides both interior and exterior finish. Unless required for decorative purposes, Cemesto never needs painting or maintenance. And its cane fibre core is protected against dry rot, fungus and termites by the exclusive patented Ferox Process.

Over 19 years of outstandingly successful use in all kinds of construction, in all climates, all over the world prove the stability and permanence of Cemesto. Cemesto panels are easy to apply to steel or wood framing, and can be worked with ordinary hand or power tools. Discover how Cemesto can speed work and cut erection costs for you. Mail coupon below for booklet giving full technical data and application recommendations.

THE CELOTEX CORPORATION, CHICAGO 3, ILLINOIS	5
*Cemesto is a registered trademark identifying a product made only by The Celotex Corporation.	




U. S. Navy residence building of Cemesto and brick masonry built in 1939 at Brooklyn, N. Y. Contractor: White Const. Co., New York, N. Y.



Light steel framing for 53,760 sq. ft. of Cemesto for Watson Terminal Warehouse Co., Youngstown, O.

The Celotex Co Chicago 3, Illino		
Please send me free a copy of your new booklet giving technical data and appli- cation recommendations for Cemesto.		
Name		
Address		
	Zone State	

Special coil manufacturing equipment assures uniformity of coil quality and dependability.



In cooling or heating coils



For practically every cooling or heating application, you will find a Sturtevant coil that fills your needs. Because it is built under rigid specifications by skilled craftsmen using specialized equipment, it will be a quality product—with performance proved through years of successful installations.

Take the U. S. Department of the Interior Building in Washington, D. C., as an example. The thousands of Sturtevant coils installed there in 1934 have performed perfectly ever since. This is only one of many installations with a record of 15 years or more of efficient service.

Sturtevant's complete, standardized line contains all types and sizes of heat transfer coils. They are available in a wide range of capacities, with aluminum or copper fins that offer minimum resistance to air flow and are easy to clean.

By specifying Sturtevant, you are assured of long coil life at rated performance . . . the product of sound engineering, modern tooling and first-class workmanship. Call your nearest Westinghouse Sturtevant Office, or write to Westinghouse Electric Corp., Sturtevant Division, Hyde Park, Boston 36, Mass.

YOU CAN BE SURE ... IF IT'S

GIVES YOU

PROVEN

Westinghouse

PERFORMANCE

J-80187

fluorescent or incandescent

THE CURTIS CORONET

Curtis Sno-Flake for one 300 or 500 watt Mogul base silvered bowl lamp is highly efficient, economical to install, operate and maintain.

QUALITY WI FEATURES


CURI

Curtis "Coronet" series of fluorescent luminaires is designed and engineered to accomodate all 4, 5, 6 and 8-foot lamps ... slimline ... low-brightness or starter type.

THE CURTIS SNO-FLAKE

Whether a fluorescent or incandescent light source is required for your next lighting installation, there is a Curtis quality luminaire that will meet exact requirements for efficiency, appearance, installation and maintenance. The "Coronet" and "Sno-Flake" are two new Curtis developments designed and engineered to provide quality illumination for all commercial interiors and the modern classroom. Write for, descriptive illustrated bulletins.

LIGHTING, INC. . 6135 WEST 65th STREET



CHICAGO 38, ILLINOIS

REPORT FROM GREECE


How You Save with the NEW Niagara Method of Air Conditioning Using "Hygrol" Hygienic Absorbent Liquid

Because it absorbs moisture from the air directly, the new Niagara Controlled Humidity Method uses less, or no, mechanical refrigeration for dehumidifying. You save first costs and installing of heavy machinery. You save space, maintenance expense, power. You get easier, more convenient operation.


Using "Hygrol" hygienic absorbent liquid, this method gives complete control of temperature and relative humidity. Especially, it is a better way to obtain dry air for drying processes, packaging hygroscopic materials, preventing




Food Packaging under Controlled Humidity



Niagara Controlled Humidity Air Conditioner





moisture damage to metals, and obtaining better quality for chemical process products and food products—or in obtaining better results in comfort air conditioning for office or laboratory at lower refrigeration costs.

The diagram shows how filtered air is dehumidified by passing thru a spray of "Hygrol" —a liquid absorbent which removes air-borne moisture. This liquid is hygienic and non-corrosive; it contains no salts or solids to precipitate and cause maintenance troubles. It is continuously re-concentrated at the same rate at which it absorbs moisture, providing always the full capacity of the air conditioner, automatically.

Units provide a range of capacities from 1000 to 20,000 C. F. M. Multiple unit installations are in use successfully. Records of results are available. For further information, write Niagara Blower Co., Dept. AF, 405 Lexington Ave., New York 17, N. Y.



TB sanitorium



Village school

achieved by nothing so simple as an added story, or further units to make an increased length. It is achieved by adding new rooms to the back of existing apartments, provision having been made for this in the original plan. This can be done on both the ground floor and to the top floor apartments.

The two features of row house expandability and a private garden for each flat are the most interesting and rewarding in the new Greek architecture. The nonhousing construction is more conventional. Nearly all of it is logically based on using as much local material (e.g., stone) as possible. Among the larger new buildings are many sanatoria, hospitals and clinics. The most numerous are schools, of which almost 700 are under construction or major repair. The interiors of these are so rudimentary that no plaster, no ceilings and no finished floors can be provided.

Too much of the postwar Greek architecture-like that which preceded it in the 1930's -is unfortunately symmetrical for symmetry's sake. This dismal condition stems directly from the National Polytechnic School. In the five year architectural course there, students spend four years studying classic buildings, making careful drawings and reconstructions and fashioning anachronisms from a brilliant but long-dead past. There is no greater collection of buildings in the history of architecture than those on the Acropolis, dominating the Polytechnic. Conversely, there is no greater stupidity or crime against students than to teach them to parrot and bastardize these structures today.

Westchester County Home, New York Architects, Morris & O'Connor; builder, William L. Crow

hese windows will travel 1,000 miles this year

Operator 4703AF is a precision-built instrument. Its internal gearing was originated by, and is an exclusive feature of, the Getty Company. Because every component of this operator is of the highest quality, its maintenance cost is negligible.

Why an internal gear? This exclusive Getty feature provides longer life and greater power than any other method of gearing. Internal gearing permits the entire length of the worm to be engaged at all times with the gear teeth.



S. GETTY

ENDURANCE IS one characteristic of a fine operator. Year in, year out, during dry spells and damp days, in sunshine and snow, an operator must respond instantly to the touch of a finger. It is a life of stop and go, of twists and turns, of open, close, open, close ...

That's why architects, builders, contractors, casement manufacturers, building material dealers, hardware jobbers and dealers specify, use and carry the Getty line. That's why Getty operators are found on more casement windows than all other operators combined.

Write for our descriptive brochure F. It contains complete information on our three operators (internal gear, external gear, horizontal drive) and our specialty hardware for every type of wood and metal casement.

3348 NORTH 10th STREET

PHILADELPHIA 40, PA.

Specify

1010

ANACONDA COLD ROLLED COPPER

Here's why—Laboratory tests and studies in the construction field have demonstrated that cold rolled, light-tempered sheet copper, commonly known as cornice temper copper, is the best quality, most satisfactory material for copper roofing of all types.

Cornice temper copper, with its greater stiffness and higher yield strength, is better able to distribute the stresses induced by contraction and expansion caused by temperature changes and to eliminate sharp local buckling. The stiffer sheets also slide more readily in expansion joints and other mechanical devices used to absorb contraction and expansion.

Ask your supplier for ANACONDA Sheet Copper. It is available in all standard sizes and weights for roofing, flashing, valleys, hanging and built-in gutters, leaderheads and leaders. He also handles such specially developed ANACONDA products as Economy* Copper Roofing, Economy Strip Copper and ANACONDA Through-Wall Flashing. 5054 *Beg. U. S. Pat. 057.

You can build it better with **ANACONDA**



Get this new, helpful Anaconda Bulletin

Ask for the 1951 bulletin "ANACONDA Sheet Copper for Building Construction," It's new and up to date, based on extensive investigation and practical experience. Address The American Brass Company, Waterbury 20, Connecticut. In Canada: Anaconda American Brass Ltd., New Toronto, Ontario.

COPPER

DESU

ecommen

buy

GUARANTEED DELIVERY

GUARA

and

DELIVERY


GUAR

For some time now we have been helping supply the steel and cement requirements of leading American firms with shipments from Belgium, France and Germany. These are products of top quality and uniformity from well-established and utterly reliable sources that we know from our years of connections abroad. We are in a position to guarantee fast, dependable delivery.

engineering department EED DELIVERY

KAUNITZ & O'BRIEN, INC. 131 Water Street, New York 5, N.Y.

SELIVERY



Type C unit with optional louvered plenum base for floor mounting illustrated.

It's the NEW Modine Cabinet Unit


The new Modine Cabinet Unit — yours for fast, positive distribution of beated or cooled air! Perfect for stores, showrooms, schools, lobbies ... all modern commercial and public buildings. Available in 5 capacities - from 120 to 640 Edr.

• Winter's chill, summer's hot blast are problems no more! Single unit for forced hot water heating . . . cold water cooling. Steam models for heating only.

For fresh air ventilation, non-freeze steam coil and built-in mixing damper available.

 Hushed performance insured by skillful silencing of mechanical and air-rush noises.

WRITE FOR NEW BULLETIN 550 TODAY! You'll find your Modine Representative listed in the classified section of your phone book. Or write direct. Modine Mfg. Co., 1507 Dekoven Ave., Racine, Wis.



• You get easy accessibility to motor, blowers, coil, and piping simply by removing the front panel.






Type C — basic unit for wall mounting. Adaptable to other installations.



Type C, with optional inlet grille, for ceiling mounting. Duct connectors also available.



Type CR with face outlet grille and plenum base for recessed installation. U-1066

The Consolidation of THE ALUMINUM WINDOW MANUFACTURERS ASS'N. and THE ALUMINUM WINDOW INSTITUTE

Announcin

for the promotion and maintenance of highest quality standards in the design and manufacture of all types of aluminum windows

DOUBLE-HUNG

PROJECTED

Aluminum Window

Manufacturers Association

74 TRINITY PLACE, NEW YORK 6, N. Y.

MEMBERS

Associate Member: Aluminum Company of America, Pittsburgh, Pa.

A. B. C. Steel Equipment Co., Inc. Tampa, Florida The Adams & Westlake Company

Elkhart, Indiana

Alcasco Products Company Muskegon Heights, Michigan

All-Lite Metal Window Co. Bristol, Pennsylvania

Aluminum Home Products Co. Knoxville, Tennessee

The Wm. Bayley Company Springfield, Ohio

Cupples Products Corporation St. Louis, Missouri

Michael Flynn Manufacturing Co. Philadelphia, Pennsylvania

General Bronze Corporation and its subsidiary The Aluminum Window Corp. Garden City, N. Y.

Ludman Corporation Miami, Florida Metal Arts Mfg. Co., Inc. Atlanta, Georgia **Reynolds Metals Company** (Parts Division) Louisville, Kentucky Sterling Windows, Inc. New York, New York J. S. Thorn Company Philadelphia, Pennsylvania Timm Industries, Inc. Los Angeles, California Union Aluminum Co., Inc. Sheffield, Alabama Universal Window Co. Berkeley, California Ware Laboratories, Inc. Miami, Florida Windalume Corporation West New York, New Jersey

APPROVED ALUMINUM WINDOWS

Insist on this Seal when you Specify

OUALITY

d by Perm

NEWBER _ ALWANNER WINKOW MANN/ACTIVICES ASSALIATION

the Tratend I o

CASEMENT

...at work



A PERMAFLECTOR PORTRAIT The Levinson Steel Co. Pittsburgh, Pa. Elkan A. Avner, Architect D. Levinson, Elec. Contr.

PITTSBURGH PERMAFLECTOR LIGHTING EQUIPMENT

is "standard equipment" in offices, public buildings, and plants throughout the country. Pittsburgh Permaflector Fluorescent and Incandescent Units, or a combination of both, are designed to create exactly the illuminating results required for high level working efficiency and visual and manual acuity.

13

Too, unusual and dramatic lighting designs are easily achieved when Pittsburgh Permaflector Equipment is installed. Our lighting engineers will gladly work with you on your individual problems.

Pittsburgh Reflector Company

401 OLIVER BUILDING • PITTSBURGH 22, PENNSYLVANIA MANUFACTURER OF FLUORESCENT & INCANDESCENT LIGHTING EQUIPMENT Permaflector Lighting Engineers in All Principal Cities IF YOU TOO, WANT TO PUT "LIGHT TO WORK" Send for the booklet "Planned Lighting For Modern Offices", It's the picture story of how othershave putPittsburgh Permaflector Equipment to work in their offices.

PITTSBURGH PERMAFLECTOR LIGHTING EQUIPMENT IS DISTRIBUTED BY BETTER ELECTRICAL WHOLESALERS EVERYWHERE



...solved by kno-draft adjustable air diffusers

The air-conditioning problem in this company cafeteria was to select air diffusers that would "go" with its rich design and, at the same time, balance the great heat differential between the serving and the dining area.

Kno-Draft *Adjustable* Air Diffusers solved both problems.

Notice how well Kno-Draft's clean, concise lines harmonize with paneling and chandeliers. Take a satisfied user's word for it that the pattern of air flow provides equalized temperature and thorough distribution—without draft—

W. B. CONNOR ENGINEERING CORP. Danbury, Connecticut Air Diffusion • Air Purification • Air Recovery In Canada: Douglas Engineering Co., Ltd., 190 Murray Street, Montreal 3, P. Q. throughout the entire area.

With Kno-Draft *Adjustable* Air Diffusers, both air volume and direction are completely and easily controlled *after* installation. A screw driver is the only tool needed. Kno-Draft Air Diffusers are as much "at home" in modern as in traditional surroundings... and there are types and sizes to meet every requirement.

KNO-DRAFT DATA BOOK: Complete specifications, engineering and installation data on Kno-Draft *Adjustable* Air Diffusers. To get your copy, simply fill in and mail the coupon. No obligation, of course.



W. B. CONNOR ENGINEERING CORP. Dept. D-110, Danbury, Connecting

Please send me, without obligation, my copy of the Kno-Draft Air Diffuser Data Boek.

Name.....

Company.....

DRAMATIC PROOF of INCREASED SAFETY

with the WELDWOOD STANDARD **MINERAL CORE FLUSH DOOR**

Read what Architect Clayton B. Frye, of Duane Lyman and Associates, has to say about the Spectacular Durability of this Door in a Serious School Fire

U. S. Plywood Corp. 300 Greene Street, Buffalo, New York

Re: Sodus School

Dear Sirs:

We wish to state that the U.S. Plywood doors used in the Sodus School stood up remarkably well under fire and water conditions during the recent fire.

One door, which stood in 3/4" of water, showed no signs of the veneer becoming loose.

Another door, where the veneer was burned through, and the glass broken by the heat, showed no signs of warping.


The veneer was burned off both sides of another door, and the door had not warped in the least.

All these doors were subject to direct water for at least one hour, plus the heat and steam caused by the fire.

We highly recommend this type of door for its toughness and stability.

Very truly yours,

DUANE LYMAN AND ASSOCIATES (signed) Clayton B. Frye



Here's one of the doors in the Sodus School, Sodus, N. Y., described in Mr. Frye's letter. Although fire raged all around it, the door is unwarped. Except for superficial damage to appearance, it's in perfect working condition

THIS "ALL-ROUND" DOOR GIVES YOU OTHER BENEFITS, TOO

The Weldwood® Mineral Core Door is highly decorative. You can choose from a wide variety of carefully selected hardwood face veneers, either foreign or domestic. Any one will make a real addition to beauty and appeal.

Add to that such advantages as maximum dimensional stability . . . unusually light weight . . . waterproof glues ... guaranteed resistance to rot, fungus and vermin ... excellent insulation qualities . . . exceptional strength and durability . . . and you have a door that's tops in value for either interior or exterior use.

If you don't have complete data on this door, you should. Write us, now, and we'll rush complete specifications and product information.

WELDWOOD FLUSH DOORS

Manufactured and distributed by UNITED STATES PLYWOOD CORPORATION

New York 18, N.Y.

Branches in Principal Cities •

Distributing Units in Chief Trading Areas . Dealers Everywhere

60 nations to be served by OTIS AUTOTRONIC ELEVATORS

—and equally interesting, is the fact that all 60 nations are represented among the 16,700 employees of the international Otis organization.

"We assume full responsibility." When Otis turns over the keys to a new installation, management and architects alike are confident of its successful operation. For Otis is the only elevator manufacturer that designs and builds everything—from pit to penthouse!

Likewise, the vertical transportation system in the Secretariat Building of the United Nations is our responsibility. The unusually complex working day of the Secretary-General's administrative staff of 3,200 people presented an unusual combination of vertical traffic patterns. But we knew from long years of planning that 18 Autotronic elevators, coordinated with 8 Otis escalators would provide fast, dramatic — <u>and unexcelled service</u>! Autotronic elevators will serve 39 floors and 3 basements. Escalators will run from the 1st basement to the 4th floor.

AUTOTRONIC

Traffic-Timed ELEVATORING

We'll be glad to assume full responsibility—<u>anywhere</u>—for planning, designing, manufacturing and installing complete vertical transportation systems. In NEW or MODERNIZED office buildings, hospitals, banks, department stores and industrial plants. Otis Elevator Company, 260 11th Avenue, New York 1, N. Y.

Secretariat Building UNITED NATIONS New York City

12

SHURLOK SHINGLES

...self-locking at 4 points, nailed at 2 points...give homes snug security in any weather. Produced in a wide variety of colorful blends, with distinctive Cedartex graining ... Shurloks add beauty to any home. Available in Standard (as illustrated) or Double Coverage.

INTERIOR INSULATION BOARD

... in Gray-tex and Green-tex... gives you exciting new style, color and Textured Design for wall treatment. Flame resistant surface finish in Textured Design conforms to U. S. Dept. of Commerce Commercial Standard CS42-49 Class F.

SHADO-TEX INSULATED SIDINGS

add even more style and color, with a deep, attractive shadow linebuilt right into every panel. This new addition to the Flintkote line is available in both Shingle and Shake Design.

STRI-TEX ASBESTOS-CEMENT SIDINGS

give homes the permanent beauty and muchsought fire safety every home owner wants. And the colorful, textured beauty gives a world of style and charm to any building, new or old.

NATURAL COLOR MORTAR JOINT

makes this insulated brick siding so genuine-looking that we think even you, a trained observer, will be fooled from even a short distance. Wirescored-brick pattern adds even more authenticity.

Yes, you can look forward to plenty of design advantages in the new products Flintkote has introduced this year.

More and more, home *owners* are becoming styleand color-conscious . . . in remodeling materials, as well as those used for new construction. More and more, home *buyers* are looking for something that lifts houses out of the "ordinary" class. Style and color in materials does just that.

And, in the new Flintkote line, you've got plenty of style . . . a rainbow of color. Recommend it. Make sure clients and prospects learn that you can give them what they want, with Flintkote Building Materials.

THE FLINTKOTE COMPANY, Building Materials Division, 30 Rockefeller Plaza, New York 20, N.Y.

FLINTKOTE

.. the extra years of service cost no more!



Take a look Backward...

you'll see a BRIGHT FUTURE for you in Flintkote's 1950 Products







BOARD OF DESIGN N. D. BASSOV (U.S.S.R.) GASTON BRUNFAUT (Belgium) LE CORBUSIER (France) ERNEST CORMIER (Canada) SSU-CH'ENG LIANG (China) SVEN MARKELIUS (Sweden) OSCAR NIEMEYER (Brazil) HOWARD ROBERTSON (United Kingdom)

G. A. SOILLEUX (Australia) JULIO VILAMAJO (Uruguay)

ASSOCIATE ARCHITECTS GILMORE D. CLARKE LOUIS SKIDMORE RALPH WALKER

SPECIAL CONSULTANTS JOHN ANTONIADES (Greece) VLADIMIR BODIANSKY (France) HUGH FERRISS (U.S.A.) JOSEF HAVLICEK (Czechoslovakia) PETER NOSKOV (U.S.S.R.) MATTHEW NOWICKI (Poland) ERNEST WEISSMANN (Yugoslavia)

CONSTRUCTION, Coordinator

ENGINEERS

SYSKA & HENNESSY, INC., Consulting Engineers

EDWARDS & HJORTH, Structural Engineers MADIGAN-HYLAND, Structural Engineers

CONTRACTOR FULLER-TURNER-WALSH-SLATTERY, INC.

Photo: Bruce Elkus

.

11

THE SECRETARIAT A Campanile, a Cliff of Glass, a Great Debate

At 2 a.m. one Sunday late in August the moving vans started to pull away from New York's moon-lit East River. As they turned North on battered First Avenue, past boarded-up facades and piles of concrete pipe, the huge tower they had left behind loomed black and lonely at the edge of a bulldozed wilderness. Standing there next to the glistening river, the black tower looked taller than anything else on skyscraper-studded Manhattan Island.


A few hours later the picture changed. The sun began to come up over the low skyline of Queens, and the first rays struck the huge glass facade in a concentrated pinpoint of fire. The tower now rapidly turned a shining, greenish blue, its marble ends a warm gray. The mists cleared and the avenue slowly came to life. The Secretariat of the United Nations Headquarters was ready to face its first week of operations.

Not since Lord Carnarvon discovered King Tut's Tomb in 1922 had a building caused such a stir. Just as Carnarvon's discovery influenced everything from cigarettes to women's skirts, so the new Secretariat would change the face of every city in the Western World. The reasons were that the architects of the Secretariat had tried to answer more burning architectural questions than had been answered in any other large building constructed in the 20th Century. Some of them had been answered before; others would be answered againand, perhaps, very differently. But these questions had been asked time and again, and now, at mid-century and in a single building, it was possible to evaluate the answers. These were the questions: What is a 20th Century monument? How workable is the vertical city? Has modern architecture succeeded in fusing esthetics and technology? Is climate worth controlling? Is the "Skyscraper Style"

vertical, horizontal or what? Does architecture-by-committee work? And where do we go from here?

To discover how well these questions had been answered, BUILD-ING's editors asked some of the leading architects and critics in the U.S. and abroad for their comments. These comments are printed on pages 103-107-not as so many individual statements but as an open forum. For the Secretariat was, above all, everybody's business -its merits and its shortcomings-if any-were a matter for open discussion, a public issue, and BUILDING's editors decided to treat them as such.

The ensuing debate disclosed a number of things: a widespread pride that international modern architecture had been called upon to serve the modern, international community; a feeling that it had met the challenge nobly and with assurance; and scattered regrets that, here and there, it had not quite measured up to the task. For many, also, there was disappointment in the fact that the great architect from the prairies had not been called upon to do the job. When Frank Lloyd Wright was asked his views on the UN Headquarters in 1947, he told the New York Times: "Grass the ground where the proposed UN skyscraper would stand. Buy a befitting tract of land, say a thousand acres or more, not too easy to reach. . . . Sequester the UN. Why does it not itself ask for good ground where nature speaks and the beauty of organic order shows more clearly the true pattern of all peace whatsoever?" The fact was that, however, mistakenly, the UN peoples did not yet seem ready to "grass the ground." Perhaps architecture could not be judged by such majority vote alone; but if the Secretariat were so judged, its architects could be confident of the verdict.



THE NEW CAMPANILE


Its antecedents are in France, Brazil, England and the U.S.


There had been more than a dozen architects at work preparing the general scheme for the United Nations Headquarters (some of their discarded solutions are shown on page 99); there had been one Director of Planning selected to execute the scheme with the technical know-how, the finesse, the organizational genius which American skyscraper construction demands. Wallace K. Harrison, as Director, had filled the clay-model shapes with the intricate entrails demanded by modern American office standards. He had developed "Scheme 53" into a fullblooded building, a monument to the last best hope of its time.


Yet while the shining prism on the East River was now

primarily Architect Harrison's baby—a baby he had nursed over the years with loving care—Harrison himself would be the first to say that the baby had been adopted, that its true ideological fathers had been some of the pioneer "international" architects of the 20th Century: Mies van der Rohe, Gropius, and—above all others—Le Corbusier. While all of them had taken many a cue from such earlier American pioneers as Sullivan, Wright and Burnham, the tall, solid-edged slab, the cliff of glass, the vertical garden city that now stood on Manhattan's edge was born in Le Corbusier's mind almost 30 years ago.

Courtesy Museum of Modern Art







Plan Voisin by Le Corbusier, 1922

Pavillion Suisse, Le Corbusier, 1932

Second Scheme by Le Corbusier, Rio Ministry of Education & Health, August 1936

The plastic form . . .


Among the fantastic wealth of ideas contributed to architecture by Le Corbusier there are three that shaped the Secretariat: The concept of a vertical city in a park, made up of freestanding towers with plenty of greenery and light all around; this he demonstrated in his Plan Voisin, Ville Radieuse, and other projects.

▶ The concept of a *tall, rectangular slab*, with windows along its broad facades, solid planes along its narrow edges. Best Le Corbusier examples: The Pavillion Suisse and the Brazilian Ministry of Education Building. (But nowadays Le Corbusier is less orthodox than his followers, opens up the narrow edges of his buildings as well as the broad facades, as in the new Marseilles apartments.)

▶ The concept of a *Civic Center* consisting of 1) a tall slab like an Italian campanile; 2) a separate, low and somewhat freeshaped form (the General Assembly in this case); and 3) a series of horizontal buildings that "hyphenate" the group into a coherent whole. The finest of such groups were designed by Le Corbusier in his project for St. Dié after the war, and in his second scheme for the Rio Ministry of Education.

These three ideas — the vertical garden city, the solidedged slab, and the asymmetrically composed civic center—gave the United Nations group its plastic form. But if the form of the Secretariat was unquestionably Le Corbusier's, the technology that went into it—from curtain wall and modular planning to high-velocity air conditioning—was just as unquestionably American. The glassy veil suspended over a structural cage had been tried by Willis Polk in 1917 in the Hallidie Building in San Francisco. The glass facade (in a cast iron frame) had been the trademark of many an American post-Civil War loft structure. The modular planning that Le Corbusier likes to emphasize in his own work was fully developed in Burnham's "plan factory" in the 1890's, and even better crystallized in Frank Lloyd Wright's houses of the first decade of this century. And if one were to look for the antecedents of wholly air conditioned office buildings (which, after all, make Le Corbusier's glass walls possible), one would have to give credit to Wright's Larkin Building built in 1904.

So the Secretariat was plastically a work in the manner of Le Corbusier, and it was technologically, and as an organizational feat, an American product. In his justifiable fury against the Beaux-Arts mannerisms of American architects, Le Corbusier never acknowledged the degree to which an American architectural tradition underlay his own advance. Now, in the person of the Director of Planning, America had produced an architect in its own great tradition, capable of fusing the



Hallidie Building, San Francisco, by Willis Polk, 1917

Moulin Studios

esthetic accomplishments of international modern architecture with the technological accomplishments which made it livable.

... and U. S. technology


"What gives our dreams their daring," Le Corbusier once said "is that they can be realized." While he tended to deprecate American architecture, he was ever respectful of American engineering, always felt that, in the end, his dreams must be realized in the U.S. He had no illusions about the immense problems of vertical transportation implied in his vertical city, of climate control behind a sheet of glass, of bracing thin and tall slabs high in the wind. Now his esthetic ideas were given the acid test of American technology.

The acid test as administered by the Director of Planning proved the worth of the esthetic idea. On pages 108-111 will be found an analysis of the cost of the Radiant City in terms of air conditioning, lighting, vertical transportation and structural organization. But beyond solving the mechanical core of the Radiant City, Wallace Harrison tried to settle an ancient controversy in skyscraper esthetics that had stirred up American architects for several decades. The question: Should skyscraper facades be vertical, horizontal, or what?

Discounting the eclectic aberrations of the second and third decades of this century, the debate had swung back and forth from the exponents of the "Vertical Style" to those of horizontality piled upon horizontality. Raymond Hood had tried them both-the verticals in his Daily News Building, the horizontals at McGraw-Hill. A little later, Howe & Lescaze went both vertical and horizontal in the Philadelphia Savings Fund Society Building, and Rockefeller Center went vertical all the way. In the late Thirties and after World War II, set-back zoning began to defeat the "Vertical Style" except where owners were willing to sacrifice rents for the sake of good architecture, as in Mies van der Rohe's steel-fluted apartment buildings on Lake Michigan. Now, in the Secretariat, with the sky the limit, Architect Harrison had taken his stand in the old controversy.


Hedrich-Blessing Studio

110



Daily News Building. Raymond Hood

McGraw-Hill Building, Raymond Hood





RCA Building, Rockefeller Center


Lakeshore Apts., Chicago Mies van der Rohe


The Cellophane Style

He had taken his stand with Willis Polk's Hallidie Building, with Mies van der Rohe's 1920 Glass Skyscraper, with the advocates of sealed, packaged and controlled climate. The Secretariat tower executed by Harrison became a relatively orthodox structure of fireproofed steel, closed off (and braced) at the short ends with rigid and tall slabs of marble. Over the long sides of this regular frame Architect Harrison now slipped a kind of "cellophane" veil of heat-absorbing glass, a shimmering, mirror-like fabric interlaced with silvery threads of aluminum, quite frankly independent of the powerful structure which it was designed to seal off from the elements.

The resulting package was not only a demonstration of certain technological possibilities of climate control (see pp. 108-109); it was also a fascinating demonstration of the many architectural properties of glass. When BUILDING first discussed the Secretariat in June 1949, before it was completed. the editors called it a "vast marble frame for two enormous windows . . . a mosaic reflecting the sky from a thousand facets." Now that the Secretariat was finished, the "reflective mosaic" aspect of the facade had become so striking that the building might better be described as a vast marble frame for two enormous mirrors-544 ft. tall, 287 ft. wide, reflecting the clouds drifting in from over the Atlantic on one side and the spires of Manhattan on the other. The mirror-quality of the

Glass Skyscraper, Mies van der Rohe, 1920





A vast mirror.

A large window.

being a workshop, a collection of committee-rooms in addition to office cubicles, a self-contained community isolated from the

glass facade was, of course, nothing new. Mies had said about his 1920 Glass Skyscraper that "the important thing is the play of reflections." But since the Secretariat's glass veil was a brilliant blue-green (with masonry painted black behind wire-glass spandrels), the mirror qualities of the glass facade were demonstrated more strikingly than ever before. With fine regard for these effects, Architect Harrison had selected dark grey venetian blinds for all offices-a further aid to the reflective qualities of the facade.

The shimmering fabric did make a package; but unlike the clinging aluminum and glass package of Pietro Belluschi's Equitable Building in Portland, the Secretariat's glass facades were treated as independent, free-hanging screens with a texture and life entirely of their own. This texture was due largely to the projecting aluminum tracery with which the sheets of glass were tied together. These aluminum ribs avoided the slick, streamlined look of London's Daily Express Building, whose all-glass facade has about as much texture to it as an automobile fender; instead, the Secretariat's shimmering veil had depth as well as surface; its aluminum separators cast small shadows, reflected light in brilliant, glistening silver sparks, and were themselves mirrored in the surrounding glass. Moreover, the venetian blinds behind the glass, and the slanted soffits above each window, gave the facade an additional quality of lightness, like that of a semi-transparent backdrop on a gigantic stage. And, finally, the texture and depth of the glass screen made it subject to an infinite number of color changes in the course of each day; for not only did it reflect each change in the color and brilliance of the sky; it also changed its own texture and color as the depth of the many shadows of metalwork on glass changed with the position of the sun.

Inside the Package

Once the rectangular shape of the campanile was established, certain interior plan-forms began to jell also. While the original design panel was developing the plastic form, squads of assistant designers were busy roughing out floor plans, preparing alternative mechanical arrangements, studying space and equipment requirements. Some of these studies were based on earlier office-building work in the U.S., particularly on the extensive research undertaken by Harrison & Abramovitz when they were busy on the TIME & LIFE Building project after the war. But while such antecedents had been determined by the strict economies of American office-building, the Secretariat was to be more than that-and, at the same time, somewhat different in function. It was to be a monument in addition to many central services of midtown Manhattan. Because in a monument esthetic considerations are paramount, a number of fascinating solutions for the Secretariat were rejected. Most important of these was to treat the elevator tree as a separate entity, linked or attached to the rectangular office block. But to express the elevator shafts with brutal frankness would have meant to step back their silhouette as successive banks dropped out-and the result (see cut) would have been a somewhat dated "dynamism" not unlike that of the R.C.A. Building. Similar esthetic or practical objections defeated other proposals; and the unadorned rectangle became the unanimous choice of the Board of Design.

With the elevator-tree in the core of the building, the office plan was developed in logical order. Since the view toward the East River was preferred, VIPs' offices were strung along that side of the rectangle; and since VIPs need secretaries in anterooms, it was logical to arrange for an added slice of office space between the exterior offices and the main corridor. Consequently, the structural bays along the East facade became unusually deep (28 ft. 4 in.) to contain VIP-offices, secretarial anterooms and main corridor; the interior bays were built 18 ft. 2 in. deep to take the width of two elevators; and the bays along the West facade, where smaller VIPs will have their offices, were reduced to 20 ft. 8 in. in depth (a large chunk of which is taken up by filing space, secretarial pools, etc.). The only place where the unequal spacing shows (since the end walls are sheathed in marble) is in the main lobby.

The gross area of each Secretariat floor is about 19,000 sq. ft .- adequate if the operations of the Secretariat are highly departmentalized, but likely to tie up elevators where large departments overflow into other floors and require a great deal of inter-floor traffic. It will be interesting to see how much inter-floor bustle will occur in the slice between 11th and 20th floors (most of which is occupied by one large department and a three-story archives) and how seriously this will affect elevator-timing.

When the Secretariat's architects talk about a vertical city rather than an office building, they are referring to the innumerable and complex functions concealed within the rectangular glass and marble envelope. Reading from top to bottom, the envelope contains the usual, esthetically troublesome penthouse and mechanical equipment floors. Beneath them is an apartment for the building's No. 1 citizen, the Secretary General (he has his own fireplace-perhaps the highest

Daily Express Building, London, 1931.



in Manhattan). There follow some three dozen office floors, interspersed with pipe galleries every ten floors or so. There are special offices for each Assistant Secretary General (with panelled conference rooms); then there are the archives, more offices, an employees' lounge, a health clinic, local bank, press, radio and TV facilities, and lobbies. Total population: More than 3,500-from all corners of the globe.


How well is this vertical city going to function over the years? Within the limits of the UN site, the answer will probably be "very well." Rarely has an American skyscraper been so fully equipped mechanically; rarely have such extensive provisions been made for future improvements (including provisions for TV outlets in every office, telephones on every desk); and rarely has a metropolitan project paid so much attention to transportation, to parking facilities, to recreation in adjoining parks.

Where the UN project falls down-and each of its architects knew it-is in providing living space for those who work in it.


If the vertical city is to be judged by the success or failure of the UN, then the judges should remember that this is merely one half of Le Corbusier's concept, that to make it work in city-planning terms, the face of much of the surrounding area might have to be radically changed.

Fortunately, this has been perfectly understood by most architects. Already the UN concept is being extended in several parts of the country: Next month, BUILDING will preview the new administrative center for the Ford Motor Co., to be located near Dearborn, Mich., in a huge country estate with plenty of living space for all employees, and placed around a gigantic parking garage whose roof forms a kind of planted piazza between office skyscrapers. Here will be the ideal demonstration of a vertical city in the sun and in the landscape. This will be the kind of center against which Frank Lloyd Wright's horizontal "organic order . . . the true pattern of all peace" may some day be measured. But until that time, the glistening Secretariat tower would take on all comers.


Glass walls facing due East-West.



Glass walls facing due North-South. Ralph Walker javored this.




General plan proposed by Ssu-ch'eng Liang (China)




Exposed elevator tree attached to Secretariat.




Scheme 32: Proposal by Oscar Niemeyer (Brazil).




Renderings by Hugh Ferriss







Colonnade along 1st Avenue, proposed by Robertson (U.K.) and Antoniades (Greece).




Combination of schemes 23A and 32.






Scheme 23A: Proposal by Le Corbusier (France).




Typical Conference Room with panelled walls. Assistant Secretary General office behind glass screen.



TYPICAL UPPER FLOOR

Below: Office space along East wall. Exterior office at left, anteroom at right. Opposite: Typical fire stair.







FIFTH FLOOR

Interior stair between fourth and fifth floor leads up to employees' lounge. Meeting Halls now under construction in background.

View of main lobby showing secondary entrance at South end of building, special combination lighting/airconditioning fixtures in ceiling, Columns are sheathed in marble.














A GREAT DEBATE

Editor's Note: The following "round-table discussion" was manufactured from a series of detailed replies to a questionnaire submitted by The Magazine of BUILDING to a number of architects and critics in the U. S. and abroad. To dramatize different points of view in relation to the various questions, the "round-table" technique of presentation has been used. An effort has been made not to quote anyone out of context, and the words attributed to the "round-table" participants are strictly their own. Each phase of the discussion is preceded by a question posed by the editors.

1. MONUMENTALITY — Do you like the monumental character of the UN group?

HOWE: Yes. The Secretariat is a masterly example of the power of architecture to express monumentality by the use of the rectangle alone. It is a triumph of unadorned proportion. CARR: Monumentality and efficiency are not usually bed mates. Of the two, I vote for efficiency.

BELLUSCHI: I think the monumental character was needed to stir up the imagination of the people.

GOODWIN: Yes.

HITCHCOCK: It's not monumental enough.

McCALLUM: The successful contrast between the complex, sophisticated Assembly Building and the stark, slab-like Secretariat would appear, from many angles, to be vitiated by the startlingly prosaic Meeting Halls Building.


GOFF: If the "character" (?) of this group is monumental, it is of a hackneyed shop-worn sort, a collection of cliches from the dead past and the dead present.... Where is the *new* monumentality this problem calls for?

HILL: In the abstract, the utter simplicity of the geometric form has a breath-taking dignity and monumental character which is a magnificent expression of what the UN should be. WURSTER: Because it sums up many small divisions to give large unity.

NEUTRA: The Secretariat pleases me more than any other building in New York, I should say.

ALEXANDER: I like the monumental character of the UN group strictly as an abstract design solution . . . but I should have preferred a radically different site selection.

GOODMAN: Character, whether monumental or other, is derived from function, psychological and physical. . . . Any architect knows that a building 600 ft. high is not functional except in terms of land speculation. . . . Let us consider for an instant several other possibilities: 1) Build a single 55 ft. wide office building close up against the river drive and extending the full six blocks, 12 stories high, mounted on columns so that there are views of the river through the architecture. The remainder of the plot is a park in which the major assembly buildings are placed. Under the park, a great parking garage. Thus, the office buildings would face on one side the river, on the other a large park . . .; OR 2) Let us build the entire six blocks to a height of two or three stories in a gigantic rectangle . . . on top of this, amid landscaped gardens, we place three or GOFF: "The new monumentality." S. C. Johnson tower by Wright, 1950



PARTICIPANTS:

ROBERT E. ALEXANDER, Los Angeles, Cal.

JOHN A. ANTONIADES, Athens, Greece

HARRIS ARMSTRONG, St. Louis, Mo.

PAUL BEIDLER, Easton, Pa.

PIETRO BELLUSCHI, Portland, Ore.

RICHARD BENNETT, Chicago, Ill.

JOSEPH N. BOAZ, New York, N. Y.

V. BODIANSKY, Paris, France

J. GORDON CARR, New York, N. Y.

SERGE CHERMAYEFF, Chicago, Ill.

WINSTON ELTING, Boselle, Ill.

NORMAN BEL GEDDES, New York, N. Y.

PERCIVAL GOODMAN, New York, N. Y.

PHILIP L. GOODWIN,

New York, N. Y. BRUCE GOFF, Norman, Okla.

WALTER GROPIUS, Cambridge, Mass.

VICTOR GRUEN, Detroit, Mich.

TALBOT HAMLIN, New York, N. Y.

ALBERT HENRY HILL, San Francisco, Cal.

HENRY RUSSELL HITCHCOCK, Northampton, Mass.

CALEB HORNBOSTEL, New York, N. Y.

GEORGE HOWE, New Haven, Conn.

ROBERT ALLAN JACOBS, New York, N. Y.

GEORGE FRED KECK, Chicago, Ill.

ROBERT WOODS KENNEDY, Boston, Mass.

ROBERT A. LITTLE, Cleveland, O.

IAN McCALLUM, Architectural Review, London, Eng.

RICHARD J. NEUTRA, Los Angeles, Cal.

WILLIAM L. PEREIRA, Los Angeles, Cal.

RALPH RAPSON, Cambridge, Mass.

PAUL RUDOLPH, Sarasota, Fla.


WALTER SANDERS, Ann Arbor, Mich.

R. M. SCHINDLER, Los Angeles, Cal.

SIR OWEN WILLIAMS, London, England

WILLIAM W. WURSTER, San Francisco, Cal.

L. MORGAN YOST, Kenilworth, Ill.



five slender prisms of glass and steel to house the UN people; OR 3) Use the old League of Nations buildings. A new architecture (and I say this sadly, as an architect) does not necessarily create new ideas.

HAMLIN: I feel that the basic plan is not monumentally related to the rest of the city. Whether the treatment of the large open space to the North will succeed in making this integration is as yet uncertain.

WILLIAMS: I cannot regard the buildings as either monu-

mental or utilitarian; neither architectural nor engineering, in brief—without rhyme or reason, but that is not to say unsuited to their purpose....

SANDERS: "Monumental" is perhaps applicable to the UN Headquarters, but not in the historic sense that it implies sacrifice of performance for emphasis on form. . . . The UN group appears to me to be direct in its expression and therefore easily comprehended. . . . If this is "monumentality" the Headquarters are monumental—and I like it!

2. COLLABORATION—Do you think the project proves the success of this sort of architectural collaboration? Do you want to suggest alternatives?

ARMSTRONG: There were only two possible procedures: Either the collaborative effort which was used in the important preliminary work, or a competition which as we all know is fraught with many and formidable pitfalls.

RAPSON: No building group can achieve a dignity and strength worthy of the UN ideal without the fullest collaboration (our italics—ED.)—collaboration in every sense from inception to completion.

NEUTRA: I believe in architectural collaboration, but the selection of collaborators probably ought to be mutual and spontaneous, so that there is a minimum of hardship and disappointment while the job is seen through together.

HITCHCOCK: One architect should have been commissioned, probably Corbu....

GOFF: How could Frank Lloyd Wright have been denied this opportunity?


SANDERS: A single architect might easily have endowed the structure, consciously or unconsciously, with a degree of his own individuality. To be truly representative of the many peoples who seek and work for peace, anonymity of design was a requisite.

HILL: The Secretariat expresses one handwriting, notably that of Oscar Niemeyer and Le Corbusier. I believe it should have been in the hands of one man with the collaboration of the entire group; the "one" should have been Frank Lloyd Wright or Eric Mendelsohn.

ELTING: A single architect with some greatness in him might have been better assurance for a great building.

BOAZ: Le Corbusier, of course.

HAMLIN: One could have had a great international competition and from it chosen a board who would have been the actual architects right through from beginning to end.





NEUTRA: "Spontaneous collaboration."

BODIANSKY: "Objectivity and tact."

SCHINDLER: Ideas cannot be manufactured, and the mixing bowl will never replace the womb.

JACOBS: This was an amazing job of leading a symphony of prima donnas to a successful conclusion....

McCALLUM: Individualism, cooperation and competition all have their merits; the choice must rest on the circumstance. I understand . . . that the design of the UN buildings involved an unusual mixture of all three—as such the outcome is vastly more successful than an acquaintance with human nature would lead one to expect.

PEREIRA: Harrison and his associates have my deepest admiration.

BODIANSKY (Member of original design panel): I must express my admiration for Harrison for the objective and tactful manner with which he organized the cooperation of 15 architects and engineers from the different countries.

ANTONIADES (Member of original design panel): Harrison . . . is an *excellent* and skillful architect, and he handled all matters with great tact and ability; this is how a spirit of friendship and harmony reigned throughout the duration of our collaboration. This spirit should serve as an example to the other committees of the UN!

3. EXECUTION:—How well do you think the Director of Planning retained the spirit of the original design?

BELLUSCHI: I think the Director of Planning has done as well as expected.

HORNBOSTEL: I feel that Harrison has done a superb job. GEDDES: As far as I can gather, the principal credit should go to him.

BOAZ: Scarcely a single finish detail is in harmony with the thinking behind the space composition.

HITCHCOCK: I haven't at hand the relevant material to judge, but I should say the spirit had been gutted, if the metaphor can be forgiven.

RUDOLPH: Each cut in budget, each change in program and much of the detailing resulted in solutions which were inferior to the original designs.

KENNEDY: I am disappointed . . . I believe that to have retained the original character in the face of what must be an extremely complicated operational situation and in the particular context of current U. S. techniques and practice would have been a superhuman task.


ARMSTRONG: The Director of Planning retained the spirit of the original collaborative design very well.

WURSTER: Very well, indeed.

CHERMAYEFF: The geometry and texture of Le Corbusier's sketch are there and make their point, but—oh—the "executed" detail and the concept do not jell....

GOODWIN: The Director of Planning has improved on the original design.

SANDERS: He has added to it in definitive terms.



"Scheme 53" model at right

4. GENERAL IMPRESSION-How do you like the looks of the Secretariat Building?

GROPIUS: The first time I came across the building when it was half finished the impact and effect were positive and rather overwhelming.

HITCHCOCK · I like the looks....

BOAZ: I like its general aspect—but a loud NO for each and every detail.

SCHINDLER: The Secretariat is a geometrical shape covered with geometrical patterns, and its enlargement does not convey monumentality but size.

ELTING: The Secretariat impresses one with its size, certainly. How much it has substance and how impressive it is in form I cannot say....

HILL: I do like the Secretariat tremendously, but I feel that the kindergarten elements of common sense have been completely, arbitrarily thrown to the winds.... For example: If a glass wall is to face East, what justification is there to treat the West wall of glass in the identically same manner? RAPSON: A living symbol of a united world is not achieved by dropping a tower of marble and glass, with false glass spandrels in the midst of a thousand others.... A basic mistake in site selection was made.

ARMSTRONG: The Secretariat continues to look better and better each time I see it.

WURSTER: It's beautiful.

LITTLE: Yummy!

ALEXANDER: It sends me....

McCALLUM: In the state in which I saw it, and with the reservation that I consider many buildings look their best when only partially complete, I thought it the most beautiful building in New York.

NEUTRA. Better than almost any structure I could glance at from a taxicab.



"Rather overwhelming."

GROPIUS:



HAMLIN: "Visually expressive and effective."



HOWE: "A triumph of unadorned proportion."



KENNEDY: "I am disappointed."



GOFF: "Cliches from the dead past and the dead present."




McCALLUM: "Most beautiful in N.Y."

5. SPECIFIC DETAILS—Do you want to comment on any of the *exterior* features, such as the aluminum grilles, the glass spandrels, the marble facades or the equipment enclosure on the roof?

HITCHCOCK: The aluminum grilles are plausible enough in the middle perhaps, but a more plastic treatment would have been desirable at the top. The glass spandrels seem to promise a window wall not really present. The solid marble facade is extremely handsome—the best thing about the building; but did that not require excessive sacrifices? Some openings could have been introduced without disturbing the plane effect.

Fenno Jacobs



HITCHCOCK: "A more plastic treatment." Above, Marseilles apartments by Le Corbusier; below, UN Secretariat.

Bruce Elkus

NEUTRA: The marble somehow does not—from a distance look like marble, a material which one is not used to seeing in association with an industrial type of beauty, as this glazed shaft has. From far away, I find people guessing that it is mottled, galvanized steel, instead of appreciating the marble. HAMLIN: The enormous open grille . . . attempting to hide (but not succeeding in doing so) the elevator penthouses, etc., is a piece of facade architecture gone riot. There must be some real three-dimensional solution for this problem.

BOAZ: The whole thing is nothing better than embarrassing. Didn't anybody even care?

RUDOLPH: The visual change in texture expressing the mechanical equipment floors seems very successful. One is somewhat irked by the unequal spacing between these mechanical galleries: the proportions on the exterior face suffer from lack of preciseness because of this spacing.

ARMSTRONG: I think it is unfortunate that the expression of floors filled with pumps and pipes should be permitted to mar the total serene simplicity.

McCALLUM: I find the horizontal bands a disturbing element in the upward sweep of the eye. The effect is exhilarating now; it would be far more so without them.

RUDOLPH: The glass spandrels are most successful. Perhaps there is more lasting interest in the varied shapes and more subtle proportions found in the great glass wall of Le Corbusier's *Pavillion Suisse*. The equipment enclosure on the roof maintains the simple silhouette of the Secretariat, and thus acts as a beautiful foil to the more irregular silhouette of the Meeting Halls and General Assembly. It is therefore justifiable.

HORNBOSTEL: The grille type facing at the mechanical equipment floors does not bother me... but I raise the question whether ... the whole use of mechanical equipment floors could have been answered in another way. I am in perfect agreement with the glass spandrels on the East facade but definitely question it on the West. The solid marble facades were a striving for monumentality, but since they are so narrow and tall they look as though they will fall out....

RUDOLPH: The marble facades may be an oversimplification although certainly effective in juxtaposition with the East and West facades. The attempt at expression of the columns at the corners does not seem successful, primarily because they have been sheathed with the same marble that forms the curtain walls of the North and South ends—thereby robbing the marble walls of their expressiveness. I don't think that a slab-like material can ever successfully sheathe a structural member. GOFF: Shades of Washington, D. C.!

BELLUSCHI: The solid marble on the North and South is illogical, arbitrary, and therefore disturbing. . . . We become enamored with a stylistic form and torture the insides to fit. The marble is carried on the edge of the roof (East and West) as if the designers were dealing with a piece of furniture. . . . GOODWIN: The general effect is very distinguished, and these details do not detract from it.

NEUTRA: Certain devices to increase uniformity of appearance, and again to diversify it, or make more pleasing those utilitarian features on the top, than they would be by sheer neglect—can bother the conscience of the architect....

GRUEN: Criticism of details such as grille-type facing of pipe galleries, roof equipment enclosure, etc., seems to me to be insignificant in relation to the overall solution and impression.

How about *interior* details, such as the upswept soffits above windows, or the V-shaped ducts at outside columns?


BEIDLER: Concerning the upswept soffit—what better way is there to hang venetian blinds, or how else can you make a thick floor construction appear to be only several inches thin? As for the V-shaped ducts, these are an ingenious device for they not only provide an uninterrupted vertical chase, but also, coincidentally I am sure, make a heavy column appear to be only a few inches wide.

RUDOLPH: The upswept soffit seems to be the most awkward detail forced on the Secretariat Building. The whole relationship of column to curtain wall on the East and West side does not seem very well conceived, complicating as it does the interchanging of office partitions.

HORNBOSTEL: I have no objection to the V-shaped aircondition ducts, but, as I said earlier, I feel that the advancement

RUDOLPH: "More subtle proportions in the Pavilion Suisse."

Right: Exterior column plan and slanting window soffit.





Courtesy Museum of Modern Art

of technical knowledge today could have solved the whole problem of airconditioning through another means.

HAMLIN: My main comment on the interiors is that the sill height is much too low for double-hung windows in a building of this height. The feeling of insecurity is terrific.

HILL: To me it is against human nature to put a man in a glass-walled-box—with venetian blinds as the only solution for his comfort....

GRUEN: A short inspection tour of the interior convinces that it fulfills the needs of an office building in a simple, practical and efficient manner.



Typical office interior. Note flexible ceiling fixtures and partitions.

6. THE FUTURE—What influence will the UN Secretariat have upon modern architecture?

GOFF: I don't think it will have any constructive influence on architecture because architecture is growing and living and seeks roots in authentic soil. No doubt there will be many imitations of this imitation for office buildings that are just buildings, as this one is, but nothing so dead to start with can possibly inspire a living architecture. It can be no more than a crutch for the lame and the blind who, too, can only fake simplicity, who can never understand that true simplicity must be earned, who are powerless to earn it. If the UN can really stand for something, it will be in spite of, not because of this group of buildings. Architecture could have helped.

HOWE: The most significant influence may be (after hearing comments from business men, our masters, I can't say "will be") to justify architects, who now seem to be threatened by a romantic reaction, in the opinion that the possibilities of a reasoned expression of function through structure in unadorned proportional form, have not yet been exhausted.

YOST: Its influence on the world and on peace is the question. Architects are small stuff compared to that, and should not start their private war.

JACOBS: It is, of course, just another step forward as a fine contribution to the art of architecture. . . . In spite of all that may be argued, one cannot help but feel Le Corbusier's touch a small enough reward for his years of struggle.


KENNEDY: The idea of an office building such as this has been in architects' minds for over thirty years. It is intensely interesting finally to be able to see the reality with all its attendant technical and cultural modifications. . . . I would hope, now that it has been achieved, that it will not be repeated. HITCHCOCK: The most significant influence of the Secretariat will, I imagine, be the end of the use of glass walls in skyscrapers—certainly in those with western exposure, unless exterior elements are provided to keep the sun off the glass. In other words, the building seems to me an end, not a beginning, and roughly speaking some twenty years out of date in terms of its expression.

SCHINDLER: Let's hope that the UN buildings are the final apotheosis of the approach to architecture called the "International Style" and that we will finally realize that 1 plus 1 equals 2 is true only in mathematics, but that in nature and art 1 plus 1 must become 3.

ARMSTRONG: No comment. History will tell.

HORNBOSTEL: Since the building is one of the first attempts to find symbolic, emotional, and monumental character within the modern vernacular, it will just be copied all over the place, and in about 90 per cent of the cases the copies will make no sense whatsoever... The Secretariat is a superb answer to an office building. It should be explained in such a way that architects will not just copy but will utilize the thinking that has gone into answering the problem. McCALLUM: I hesitate to prophesy—except along Delphic lines—but suggest that good architects will be stimulated by it, and will learn from its faults, which will only be fully revealed when the building is in operation. Plagiarists will copy its slab-like form, and perhaps its large areas of glass (as in most such cases, success will result where requirements happen to demand such form and finish, failure where not). Others will dub it an "upturned egg box," or "human filing cabinet," and will not be influenced by it.

HAMLIN: The chief result of the Secretariat seems to me to be already felt in many quarters—it is not only the fact that a contemporary building can be as imaginative in its handling of materials, as elegant in its details, as any building in any past style, but also the feeling that the architect's job now is no longer the mere finding of adequate functional solutions but is even more the creation of visually expressive and effective experiences. . . . Whether Le Corbusier's "cliff of glass" itself was the ideal solution is another question, and to seek impressiveness of height in a city distinguished for its high buildings is perhaps a silly aim....





SCHINDLER: "Apotheosis of the 'International Style'."

KECK: The Secretariat's only present monumentality is its size . . . I doubt it will have much influence upon architecture except as a reminder that we need a new concept of monumentality which is now lacking in the UN group.

BENNETT: Beauty is a "promise of function." The UN buildings, by showing men can work together, promise us a world in which all men could function together in peace. That world would be a flexible world. That world would allow for variety and growth. That world would not succumb to elementary mathematics and judge 22, 22, 22 ft. bays somehow noble and 20, 18, 28 ones something bad-especially when the latter corresponds to use, and the former a possible, microscopic economy and drafting board convenience. That world would honor the architects who worked together and their Director of Planning, who not only retained their spirit, but nourished it. That world, taking for granted change and sometimes improvement in architectural details, would care little for the amount of effect the buildings had on architecture, be grateful for their inherent promise of faith to all men and women of good will. That world would have supplied the final meaning of the UN group as a symbol-let us, as architects now, be proud of what our fellows have so well wrought for that world to be.

THE SECRETARIAT'S ORIENTATION

-why architects sited the building as they did, and

how this affected its mechanical features

Of all architectural criticism directed against the UN Secretariat, most vehement is that opposed to a great glass wall facing the western sun. Out-of-towners who have lived through one of New York's really hot summers are torn with pity for unsuspecting foreigners who, in years to come, may roast behind a thin protection of glass and venetian blinds.

The cudgel against the present design was originally taken up by Le Corbusier who protested to Warren Austin: "My strong belief is that it is senseless to build in New York, where the climate is terrible in summer, large glass areas which are not equipped with a 'brise-soleil.' I say this is dangerous, very seriously dangerous."


A few American architects have been equally critical of the great glass facade and the building's orientation. "Air conditioning and venetian blinds are pitted against the powerful sun," said one. "Some other answer could have been found for the west wall and the terriffic sun," sums up many opinions. Critics point out that while the western sun is a summer fireball, simply turning the existing design 90° would put a blank wall to the west and glass walls to the north and south—an ideal combination.

The censors would have an unassailable position except for two points: 1) the efficiency of modern air conditioning which could make an inside office in hell quite comfortable, and 2) the little appreciated fact that Manhattan island does not lie due north and south. New York's so-called north-south avenues run 29° east of north. So the Secretariat's much-lamented west wall actually faces more nearly northwest than west—and receives much less sun heat than might be imagined.

The orientation study above, made for the UN Planning Office by Engineers Syska & Hennessy, clearly shows the difference between the orientation which exists (case No. 1) and what the air conditioning load might be if the building were turned 90° (as in case No. 3) or if its glass walls faced true east and west (as in case No. 2), or north and south (case No. 4).

If the glass walls were parallel with 42nd Street (rather than First Avenue), one wall would face approximately southwest and throughout the summer season would lap up almost as much sun as is now the case. By August 1, the present northwest wall has the following sun load (BTU'S per hour per square foot of unshaded glass) as compared with a theoretical southwest wall which the building would have if it were parallel with 42nd Street, according to the 1950 ASHVE Guide.


Time	Northwest Wall	Southwest Wall		
8 a.m.	14	14		
9 a.m.	15	15		
10 a.m.	16	16		
11 a.m.	16	22		
12 noon	16	62		
1 p.m.	16	110		
2 p.m.	30	144		
3 p.m.	76	156		
4 p.m.	122	147		
5 p.m.	141	118		
6 p.m.	106	62		
7 p.m.	18	6		



Above: Plan No. 1 is existing orientation. Curves show air conditioning load for each of four possible sitings.



Secretariat has four pipe galleries plus added equipment in basement, each supplying floors as shown at right. Building-wide rows of louvers at each mechanical floor are used for fresh and exhaust air. Photo above shows part of a mechanical floor, which permits concentration of most heating, air conditioning, electrical, telephone and other such equipment.



The two walls have approximately the same sun load until 11 a.m. when the existing orientation begins to show an advantage. From noon until 4 p.m. the present orientation is definitely cooler, as the sun strikes a southwest wall with considerable more force than a northwest wall. Hour by hour during the heat of the day a glass wall parallel with New York's cross-town streets would be building up heat.

By 5 p.m., however, the situation alters (as of August 1). The sun has moved into the northwest quadrant and the present orientation of the Secretariat gets more heat than if the building had been sited differently. From 5 to 7 p.m. the northwest wall is warmer.


As curve 4 shows, the best theoretical orientation for an office building with two glass walls is to put the glass on the true north and south. This was considered, but the long, narrow site would not esthetically accommodate a building set diagonally across it.

During experiments with models in several orientations, the planners found several good reasons for orienting the building as they did. From midtown New York and from Queens, the Secretariat looks better as it is now located. If it were parallel with 42nd Street a shadow would be cast across the site. If the building were moved to the north end of the plot (so the shadow would fall off the property), there would not be a suitable entrance.


What price orientation?

None of the critics has argued that the Secretariat is just another office building. That it should be a great monument to the United Nations is accepted. The argument has been concerned with the price that personnel working in the building must pay in comfort because of the sun load, and whether the cost of additional air conditioning is justified.

The above curves showing air condition tonnage are the "money curves" because tonnage means money. The maximum load for



AIR CONDITIONING & LIGHTING DIAGRAM 32nd TO 38th FLOORS



which an air conditioning system is designed is approximately the same for orientations No. 1 and No. 3. Engineers estimate that both initial and operating costs will probably be about $21/_2$ per cent higher for the present orientation.


As for comfort of personnel, the planners believe they have installed enough capacity to insure summer comfort for all workers. Sky glare is a separate problem. Since the typical office worker keeps his venetian blinds half way down even in conventional buildings, there is little doubt that UN workers will too.

The cost of air conditioning and heating was approximately \$3 million, or \$6 per sq. ft. This compares with \$4.50 to \$5 per sq. ft. for several other New York office buildings which average 22 per cent of their facades in light openings rather than 68 per cent as in the Secretariat.

Could the cost have been reduced?

But \$3 million is still a lot of money for air conditioning 36 floors. (The first basement is used for offices and is also conditioned). Could this figure have been cut? While Le Corbusier was not arguing for sunshades to lower air conditioning costs, it is on such economic grounds that external shades are being recommended for a number of other office buildings, especially in the south and southwest. The UN Planning Office made an exhaustive study of sunshade devices and dismissed them as uneconomical in the New York area and a snow and ice hazard. Double glazing was also studied and rejected on economic grounds. Light-colored venetian blinds, while reflecting more sun heat out of the building than the dark gray blinds selected, were not used because they would make an irregular pattern as seen from the street. An idea the Planning Office did buy, however, was heat absorbing glass. It cost 25 per cent more than plate glass but was justified on the grounds that it would cut down the sun load enough to pay for itself.

Arrangement and abundance of lights and grilles (left) gives great fllexibility. For each sevenwindow bay (photos right) there are six air-conditioning units, plus ceiling diffusers for interior zones, making possible several partition arrangements. Lower left: diffuser, with ducts exposed in dropped ceiling area which serves as return air chamber,







Secretariat's lobby has cove lighting that bounces fluorescent light from concealed tubes. Rectangular slots are air grilles.

Design of the air conditioning system

There is nothing revolutionary about the air conditioning system. Below the windows are air conditioning units as used in many other new buildings. Interior zones are cooled or warmed with conventional forced air. For winter heating, the windowless north and south walls have hot water wall panels. The first floor has hot water floor coils. Mechanical floors are heated by steam unit heaters, and typical floors by hot water circulated through the window units.

The air conditioning system has three features that make it slightly different from a typical office building. Because UN personnel come from all over the world and have such variations in ideas of comfort, the temperature range for private offices is wider than usual. The window units will provide a spread of over 12°. Temperature in interior zones, however, is set by building engineers.

The second unusual feature is the amount of flexibility that has been built into the design. There are six air conditioning units per seven window bay because the bays are used for offices of several different sizes. Space that is arranged in one pattern this year may be divided differently next year.

Another flexibility feature related both to air conditioning and lighting is that the standard fluorescent light with its integrated air diffusers can be shifted 1 ft. in any direction. This permits changes to existing partitions without losing control of supply and return air. Unusual flexibility was built into the electrical system.

Air diffusers above the ground floor were a new design made especially for this building. Requirements were that they be 1 ft. square, that their edges match the ceiling pan and the lighting fixture, that they be removable for cleaning and that they have a 360° air distribution pattern. The usual arrangement calls for a diffuser at each end of the fluorescent fixture, but some fixtures have a diffuser at only one end, and others two at each end. The same type of diffuser is used for supply and return air, the return air being drawn up into the space above the hung ceiling.


On the lobby floor conditioned air is supplied through two narrow slots on each side of the cove lighting fixtures.

The mechanical floors

The accompanying diagram shows the pleasant horizontal pattern of the mechanical floors and the areas they handle. Refrigeration and air conditioning equipment in the third basement provides chilled water for the entire UN Center and conditioned air for the first basement and the ground floor. Locations of the mechanical floors were influenced by the elevator transfer floors, the house tank requirements for plumbing and fire purposes, the transformer vault on the 28th floor, the size of the chilled water risers and the air conditioning and ventilating duct areas. Each of the mechanical floors is occupied by equipment which is not part of the air conditioning system. Approximately 26 per cent of the building's net area is used by mechanical and service space.

Lighting

Lighting in the Secretariat is sharply divided between the lobby and the up-stairs offices. For the lobby Lighting Consultant Abe Feder designed a series of square plastered coves (see photograph) which hide fluorescent tubes. He also designed a down light for



Lighting was especially designed for lobby to hide light source and to combine lighting and air conditioning outlets.

Upstairs lighting is inbuilt fluorescent troffers with louvers. At one or both ends of fixture are integral diffusers.



incandescent bulbs for use in the area near the elevators. (While the magnificence of the building's exterior leads the visitor to expect something equally fresh and grand in the lobby, he doesn't find it, and it may be that the lighting fixtures could have contributed a bit more drama.)

Above the ground floor the lighting is strictly utilitarian. Syska & Hennessy made a study of both incandescent and fluorescent fixtures as to original cost, maintenance, replacement and operating expense. Flush incandescent units utilizing prismatic lenses with 200 watt bulbs would have cost \$3,934 per bay over a ten-year period. Inbuilt fluorescent troffers with prismatic lenses and three 40-watt tubes would have cost \$2,481. Inbuilt fluorescent troffers with louvers and three 40-watt fluorescent tubes would have cost \$2,362. The contract went to the third type: troffers with louvers

As seen from the outside, the Secretariat will be one of the few buildings of its size in the country that presents a pleasant, uniform fluorescent light pattern. There will not be the hodgepodge of various kinds and arrangements of fixtures that most buildings present to the street. The Secretariat at five o'clock on a winter evening will be as attractive as in summer sunshine.

If the lobby lighting of the Secretariat is not quite as dramatic as one might expect, the lighting engineers are quick to point out that they are saving their strength for the other buildings. While the exterior mass of the Secretariat gets the visitor's attention as he approaches the group, undoubtedly the interiors of the Assembly and the Meeting Halls will command their attention once he enters. It is in these buildings, still unfinished, as well as in the outdoor lighting plan, that the real lighting drama will occur.

Bridge Co. CONCRETE WORK: Cement-Alpha Portland Cement Co., Atlas Portland Cement Co., and Lehigh Portland Cement Co. Hardener-Preservative Products Co.; Mesh-Fireproof Products Co. and American Steel & Wire Co.; Reinforcing Steel-Bethlehem Steel Corp.; Steel Accessories-Carroll-McCreary Co. STONE WORK: Marble-Vermont Marble Co.; Granite-John Swenson Granite Co. ALUMINUM: Aluminum Company of America. INSULATION: Fibrespray- L. H. Larkin, Inc.; Fibre Board-Celotex Corp.; Foam-glas-Pittsburgh Corning Corp.; Metal pan type-Johns-Manville Corp.; Acoustical plaster-Kelly Island Lime & Transport Co. CAULKING COMPOUND: Kuhls Co. DAMP-PROOFING: Flintkote Co.; Truscon Laboratories and Armstrong Cork Co. ROOFING: Tile-Ludowici-Celadon Co.; waterproofing-Barrett Divison, Allied Chemical & Dye Corp. SHEET METAL: Republic Steel Corp.; International Nickel Co. and Bethlehem steel Corp. CERAMIC TILE: American Olean Tile Co. and Mosaic Tile Co. ALUMINUM WINDOWS: General Bronze Corp. GLASS: Libbey-Owens-Ford Glass Co., Mississippi Glass Co., Pittsburgh Plate Glass Co. and Blue Ridge Glass Co. PLASTERING: Gypsum partition tile-U. S. Gypsum Co.; Finishing plaster-National Gypsum, U. S. Gypsum Co. and Newark Plaster Co.; Finishing lime and acoustic plaster-Kelley Island Lime & Transport Co.; Neat and bond plaster-National Gypsum Co. and U. S. Gypsum Co.; Finishing lime-Woodville Lime Products Co.; Keene's cement-Best Bros. Cement Co.; Portland cement-Atlas Portland Cement Co and Lehigh Portland Cement Co, ACOUSTICAL CEILINGS: Johns-Manville Corp. MILLWORK AND CABINET WORK: Fox Bros. Mfg. Co., U. S. Plywood Corp. and Roddis Plywood Corp.: Fireproofing-Protexall Co.: Veneers -Monteith & Co. METAL DOORS: Sheet metal-Bethlehem Steel Co.; Enameled hollow metal-Atlantic Metal Products Co.: Stainless steel-General Bronze Corp.; Tempered Glass-Herculite, Pittsburgh Plate Glass Co. DRY-BUILT PARTITIONS: Hollow metal-E. F. Hauserman Co. Sheet metal-Republic Steel Corp. and U. S. Steel Corp.; Sheetrock-U. S. Gypsum Co.; Glass-Pittsburgh Plate Glass Co.; Toilet partitions-Henry Weis Mfg. Co. PAINTING AND FINISHING: Devoe & Raynolds Co., U. S. Plywood Corp., U. S. Gypsum Co., Truscon Laboratories, Breinig Bros., Inc., Columbus Coated Fabrics Corp. and Cleveland Paint & Varnish Co. VENETIAN BLINDS: Slats-Flexalum, Hunter Douglas Corp.: Head and Rails-Levolor Lorentzen Inc.: Tape -M. Klahr, Inc. HARDWARE: Lockwood Hardware Mfg. Co. FLOOR FINISH: Asphalt Floor Tile-Johns-Manville Corp.; Ceramic tile-American-Olean Tile Co.; Chenille carpet-Mohawk Carpet Mills, Inc. ELECTRICAL: Panelboards, and Busway—Trumbull Electric Mfg. Co.; switchboards, underfloor duct, conduit, switches and receptacles-General Electric Co.; Wire and Cable-General Cable Co.; fire alarm system, watchmen's stations, misc. systems-Acme Fire Alarm Co.; Lighting Fixtures-Globe Lighting Products Co., Inc., E. F. Caldwell Co. and Holophane Co. ELEVATORS AND ESCALATORS: Otis Elevator Co.; Cabs, Doors, Frames-The W. S. Tyler Co.; Cable-American Steel & Wire Co.; Escalator enclosures-General Bronze Corp. SPRINKLERS: Pipe-Bethlehem Steel Co. and National Tube Co.; Valves-Kennedy Valve Mfg. Co.; Fittings, Hangers, Sprinkler Heads -The Grinnell Co., Inc. PLUMBING: Pipe-Chase Brass and Copper Co., National Tube Co., A. M. Byers Co., Central Foundry Co., Universal Concrete Pipe Co. and Halsey Taylor Co.; Fittings-Illinois Malleable Iron Co., Acheson Mfg. Co., Walworth Co., Central Foundry Co., Universal Concrete Pipe Co.; Valves-Fairbanks Co. and Chapman Valve Mfg. Co.; Plumbing Fixtures-American Radiator-Standard Sanitary Mfg. Corp. Speakman Co. and (drinking fountain) Halsey Taylor Co.; Lead Products-Glaser Lead Co.; House Tanks-Quaker City Iron Works; Hot Water Heaters-Patterson-Kelley Co.; Hot Water Regulators-Powers Regulator Co.; Fire Standpipe Equipment--Croker Fire Prevention Co. and Walter Kidde Co.; Drinking Water Units-Frigidaire Div., General Motors Corp.; Soap Dispensing Equipment-U. S. Sanitary Specialties Co. and American Dispenser Co.; Floor Drains-J. A. Zurn Mfg. Co.; Pumps-Peerless Pump Div., Dayton-Dowd Co.; Insulation-Robt. A. Keasbey Co. HEATING, VEN-TILATING AND AIR CONDITIONING: Weathermaster Window Units -Carrier Corp.; Fans, Blowers-American Blower Co.; Filters-American Air Filter Co.; Air diffusers-Anemostat Corp. of America; Pumps-Worthington Pump Co.; Steel Sheets-Bethlehem Steel Co.; Tanks-Buffalo Tank Co. CONVEYORS: Snead & Co. PNEUMATIC TUBES: Airmatic Systems, Inc. DUMBWAITERS: Elevator Supplies Co., Inc. MAIL CHUTES: Cutler Mail Chute Co.; Sheet Metal-American Brass Co. and U. S. Steel Corp.; Glass-Pittsburgh Plate Glass; Hardware-Yale & Towne Mfg. Co. ROLL-UP STEEL DOORS: The Kinnear Mfg. Co.

CONSTRUCTION OUTLINE: STRUCTURAL STEEL-American

WHERE DO WE GO FROM HERE?

For the Office Building, a New Look

The new glass building on the East River had done a great many things: it had supplied a monumental symbol for the UN; it had produced a fine example of the free-hanging glassand-metal curtain wall; it had given an impressive demonstration of the power of technology to control climate; it had proved that architectural collaboration (even among determined individualists) was not impossible. What had it done to point the way for the tall office skyscraper of the future?

The answer was already to be found in projects all over the world. In the U. S., just a dozen Manhattan blocks from the Secretariat, Lever Brothers were excavating for their new glass tower on Park Avenue (BUILDING, June '50); not far from Detroit, Ford was about to go to work on a similar office project; in Dallas, Chicago, Indianapolis and Pittsburgh, gleaming towers faced with metal and glass were either going up, or were in the works. The "UN Look" was beginning to sweep the country.

What was happening was not so much a new analysis of office space in the light of the Secretariat's lessons—for in that respect the building on the East River had made no attempt to contribute striking experiments; instead, the impact of the Secretariat was making the steel-and-glass prism more palatable, more acceptable to conservative investors' tastes. Just as the modern Secretariat had supplied a monumental symbol for the UN, so the UN had, in turn, given modern architecture an aura of respectability, an association with world-wide prestige. The problem now would not be how to persuade an owner to put up a modern building; it would be to prevent him from blindly cribbing the "UN Look" and UN details where they made no practical sense.

For the World, a New Point of View


But more than any of these architectural details, the collaborative job itself would exert a lasting influence upon the United Nations. In an organization hamstrung from the start by sabotage and conspiracy, the work of the design panel under the leadership of the Director of Planning was a rare and with all its shortcomings—an impressive demonstration of the possibilities of international cooperation. In the months that have passed since this collaborative effort was concluded, bitterness and recrimination have sometimes made more headline news than the more positive accomplishments of the design panel. But now these more positive accomplishments could no longer be denied; a magnificent monument to them stood, 544 ft. high, for all to see. It was true that the collaborators had argued and disagreed—and it would have been a shocking demonstration of cultural sterility if they had not. It was equally true, however, and infinitely more important that in the end they had all agreed on one scheme, on one solution.

Last month the tall, self-effacing man who had worked hard for this agreement sat in his unpretentious office in Rockefeller Center and tried to review what was important to him in this job. "It was a UN job—a collaborative job. The collaborative aspect is the most important, more important than any individuals and their special contribution. If I were to start giving credit to individuals, I'd be giving credit to Corbu, to Mies, to Ray Hood, to Markelius, to every single panel member, to Sullivan—to everyone who did pioneer work in the first half of the century. Just leave me out of it...."


But although Wallace Harrison might prefer to be left out of it, the world would judge differently. In an age that was desperately trying to catch up with technological progress and was finding present moral and political means inadequate, Wallace Harrison had set a magnificent example. Out of the job that he had helped to do, he emerged the unwilling hero. The sword would strengthen the UN in many parts of the world; but the patience and tact of diplomacy and cooperation might produce results more lasting. It was fitting and eminently satisfying that the new kind of architect—the coordinator, planner, artist, technician—should have given so convincing and stirring a proof that our last, best hope could, with good will, become reality.

Bruce Elkus





Front of the Ryan house in San Antonio faces south, makes effective use of louvred wooden fences to create privacy without stopping the important southerly breeze. Four-foot roof overhang is louvred to cut the sun's rays, also to deflect the golfball-sized hailstones which occasionally pelt San Antonio. Milton A. Ryan, Architect and Builder.



All photos: Ulric Meisel

FOUR SAN ANTONIO HOUSES

set new design and quality standards for merchant builders

House buyers in San Antonio this summer had the unique chance to choose high design houses from among no fewer than four wellplanned subdivisions. The usual city this size is lucky to have one, but San Antonio is no usual city. It knows how to live. Years ago, its alert citizens showed how a meandering river could be converted into a secluded old-world walk in the midst of busy downtown. The builder houses are in the same spirit of gracious good living.

One reason for the town's happy collection of good subdivision houses is that it is the home base for the Southwest Research Institute's famed Quality House Program. The four projects are among 36 which the Program has sponsored since it was conceived by Revere Copper & Brass Co. and THE MAGAZINE OF BUILDING. Today, under the co-sponsorship of Revere Copper & Brass Co. and Crane Co., the program is a potent force towards hastening the day when good design will be taken for granted in merchant builder projects.

Sponsoring good houses is only half the Institute's housing pro-

gram. The other half consists in doing research to improve building technology. Best known of the Institute's experiments is the Youtz-Slick concrete slab construction system. (BUILDING, June 1950). Other materials and methods now being developed in its laboratories include lightweight aggregate blocks, plastic wall finishes and a slab that eliminates the need for perimeter footings.

The Institute sets some stiff standards for builders who want its seal of approval. Houses must be designed by a registered architect. More important, they must be *well-designed*. The price tag limit for an approved house is limited to \$20,000, and the builder must plan to put up at least ten of them. Says C. W. Smith, director of the Program: "This is no model-house proposition. Our aim is to get a planned subdivision of well-designed houses, not just one or two units spotted around." How well the Institute is carrying out this aim may be seen in the four houses shown on these pages, all of which are located in San Autonio.

1. Louvered sunshades, stilt foundations and roof water combat heat

This house on stilts makes good sense. Architect Milton Ryan takes advantage of a sharply sloping lot and sets most of his redwood-plank house on graceful concrete cylinders. The results are twofold: 1) the house is set high to take full advantage of the breezes and 2) a spacious garage and sheltered rainy-day play area are provided underneath the living quarters.

Stilt houses are not new. Primitive men used them for protection against the elements—and other men. More recently, stilt houses were popular among the early modernists of the Thirties. The main criticism of these second-story houses is that many of them gained a trick but lost contact with the ground. Architect Ryan has logically confined his stilts to the rear of the house where the ground drops 10 ft., and left a snug ground-hugging front close to street level. In front it's a ground level house; behind it's a second-story house but the transition is unforced and natural.

Although he oriented his house to the breeze, Ryan knew that no amount of careful orientation is a match for San Antonio's wilting summertime heat. To lower indoor temperatures without resorting to the expensive alternative of air conditioning, Ryan provided a neat variation on the old idea of flooding the roof with water to cool the house. Most such systems provide merely for a still-water defense against the sun's rays; Ryan's system, however, provides for continually flowing water. The water is brought to the roof through a special flow valve during the summer with the aid of the pump which operates the radiant heating slab system during the winter. On warm days, water is continually pumped through a 11/2 in. pipe to the roof, which is pitched 8 in. from front to rear. To keep the water spread evenly across the roof, Ryan has installed six 11/2 in. galvanized iron baffles at threefoot intervals. (Picture, opposite.) As the water overflows each of the baffles, it moves to a drain on the low side of the roof where it is returned to the water circuit.

On a very hot day, the system will lose about 50 gallons through evaporation alone. This heavy use of water costs the owner of the house about \$4 extra a month during the summer but he feels that this is low-cost comfort. The roof-cooling system brings interior temperatures down an average of 15° . If the system is not running on a hot day, the roof will get as hot as 170° ; when it is running, the water will cut this down to under 120° .


An unexpected psychological advantage of the roof-cooling system, according to the owner of the house, is the low, gurgling noise that the water makes as it is pumped onto the roof. This is especially true at night, when other noises are stilled. Says the lady of the house: "It sounds just like a mountain stream and it makes you feel cooler just to hear it!"

The roof-cooling system cost about \$350 to install, over and above the cost of the radiant heating system. The house was sold for \$19,000.



CONSTRUCTION OUTLINE: Foundation: Reinforced concrete columns and footings, paper forms, Sonoco Products Co. Exterior walls-redwood, siding, 15 lb. saturated felt, studs. Ceiling-light weight insulating plaster, Perlite, Great Lakes Carbon Co. INSULA-TION: rock wool. SHEET METAL WORK: Flashing -copper, Revere Copper & Brass Co. WINDOWS: Sash-Metal Window Products Co.; Glass-double strength. FLOOR FINISH: Cork-Armstrong Cork Co. WALL COVERINGS: Plywood, Roddis Plywood Corp. PAINTS: Interior, Lowe Bros.; Exterior walls, Samuel Cabot Inc. HARDWARE: Sargent & Co. KITCHEN EQUIPMENT: Range and refrigerator-Hotpoint Inc.; Sink and cabinets-Youngstown Div., Mullins Mfg. Corp. BATHROOM EQUIPMENT: Crane Co. HEAT-ING: hot water radiant, copper tubing, Revere Copper & Brass Co.; Boiler-Bryant Heater Div., Affiliated Gas Equipment Inc.; Water heater-Crane & Co.





2. Roof of odd shape and big size protects a small rectangular plan

COCKE, BOWMAN & YORK, Architects GEORGE S. McCRELESS, Builder


Even in the best-designed houses, the roof is too often just a cover against the sun and rain. It is flat or pitched-and that's all there is to it. Not so in this San Antonio builder's house where the roof becomes the main design focus, a wonderful bit of overhead drama. It is twice the size of the house itself. It was erected on steel pipes, then the house was slipped in underneath. The result makes good sense not only for a Texas house but for any house located where summer heat is a problem. Primarily, of course the big roof, with its 7 ft. overhangs, creates a great pool of shade around the house itself. And it has another practical qualitythat of permitting windows and doors to be kept open during rainy spells when the average house has to be closed up tight.

Despite its size, this roof's most striking quality is not bigness but lightness. It seems to float a few inches above the house itself—detached, yet still carrying out its protective function. This illusion is the result of some carefully studied design by the architects. The roof is supported by $1\frac{1}{2}$ in. steel pipe columns which are independent of the walls. Structurally, the roof is $2 \ge 6$ in. t & g wood plank spanning compound beams, each comprised of a $2 \ge 8$ sandwiched between two $2 \ge 10^\circ$ s. All planks, beams and columns are exposed. Their unique roof framing scheme (see diagram opposite) has permitted the architects to run the roof beams at angles to the exterior walls, adding further interest.


The exterior walls are 2 x 6 in. vertical t & g redwood — and nothing else. Insulation is not a major factor in sub-tropical San Antonio. A 55,000 BTU wall heater takes the chill off the house during the short cold spell. By not furring out the exterior walls, almost 5 per cent extra floor area has been added to the house. Builder McCreless has been careful to make his one-plank wall as weathertight as possible. He used a deep ($\frac{1}{2}$ in.) groove and a long ($\frac{3}{8}$ in.) tongue, sealed each joint with mastic.

The interior of the house exhibits a sense of spaciousness through open planning seldom seen in subdivision houses. The living area—with an alcove that can be closed off to make a third bedroom takes up over 40 per cent of the floor space. Sliding glass doors opening up to the carport extend the room's open feeling to the outdoors. (They also lead to the criticism that when the family car is in the carport, it is practically in the living room.)


This house was sold recently for \$18,000. Builder McCreless plans to build 27 more. Since he thinks that the recently boosted down payments (\$6,700 on a \$18,000 house) are too stiff for most of his potential customers, he has asked the architects to design several smaller versions of their original house. McCreless' fee arrangement with the architects is \$800 on the original house and a \$300 royalty for each duplication.




Dotted lines on plan, above, show angled roof pattern. Seven-foot overhangs are continued around most of the house to create atmosphere of cool shade at all points. Triangular cutout on western overhang is to provide room for a tree trunk. Noteworthy feature of floor plan is the large amount of interior and exterior storage space.










The fixed glass in the gable ends, shown above, adds to the roof's illusion of lightness but has the practical disadvantage of being hard to clean. Apparently the architects felt the need of an additional light source, because the gable extends 8 ft. beyond the house at the ridge.





Picture above shows the possibilities of open-planning the living room, with the glass doors open to the outside and the hinged doors which form the third bedroom pushed against the wall. The hinged doors hang on a track built into a decorative light trough which crosses the living room, then runs down the hallway to the bedrooms. The steel pipe shown above is the only one of these roof supports which is located in a habitable area. It serves as a separation point between the living room and dining area, also as an irresistible shinny pole for kids.





CONSTRUCTION OUTLINE: FOUNDATION: concrete slab. STRUCTURE: Compound roof beams, 1¼ in. galvanized pipe columns. EXTERIOR WALLS: Natural redwood. ROOF: Douglas fir planking; roofing felt—Certain-Teed Products Corp.; crushed marble topping; flashing—copper Revere Copper & Brass, Inc. INSULATION: Fiberglas—Owens-Corning Fiberglas Corp. WINDOWS: Aluminum casements—Williams Bros. Corp. GLASS: Pittsburgh Plate Glass Co. PAR-TITIONS: Redwood and Fabricon cabinets, Fabricon, Inc. HARDWARE: Kennatrack sliding door hardware —Jay G. McKenna, Inc.; other, Yale & Towne Mfg. Co., Westwood Co. and Stanley Works. PAINTS: Exterior, Valentine & Co., Inc.; Interior, Martin-Senour Co. LIGHTING FIXTURES: General Lighting Co.; HEATING: Gas-fired wall heater—Royal Heaters Inc.; water heater—Rheem Mfg. Co. PLUMBING FIX-TURES: Kohler Co. KITCHEN: Wood Cabinets with tile counters—Aztec Tile Co.; waste disposer—Given Mfg. Co.; electric oven and range—Thermador Electrical Mfg. Co.; refrigerator and washing machine— Hotpoint, Inc.

3. Private patio, open-planned interior are design bonuses in this \$8,500 unit

DEHAVEN PITTS, Architect WALTER LOWERY, Builder


This modest house—the cheapest of the four sponsored by the Quality House Program in San Antonio —comes closer than any of the others in trying to square good design with the needs of low-priced subdivision housing. Architect DeHaven Pitts was commissioned to design an \$8,500 house. Not only did he keep well within his budget but he provided a number of living amenities which are usually lacking in houses this size.

The most important of these is the well-planned outdoor patio between the kitchen and the carport. It was created by placing the carport at an angle to the house, then connecting the two structures with a baffle-board fence (picture below). The result is a private outdoor living area at the cost of little more than the lumber to make the fence—plus some good planning by an architect. Also noteworthy is the provision of a goodly amount of outside storage space, a chronic lack in most small houses.


With an interior space allowance of less than 900 sq. ft., Architect Pitts decided to open up the living room and kitchen into one unit, separated only by a low storage cabinet. This, plus the fact that both these rooms open up to the large outdoor patio, helps modify the actual small size of the house's living area.

Production costs were kept low by simple framing and the use of stock parts throughout. To add interest to his otherwise plain facade, the architect wisely specified a large-sized fireplace wall on the north side of the house.

Since completing plans for this house, Builder Lowery has started work on 27 similar units. Although his house was originally priced at \$8,000, he has raised this \$500 because of post-Korean labor and material increases. His fee arrangement with Architect Pitts is 6 per cent for the first house and a \$50 royalty for others patterned after it.







4. Tight floor plan is made spacious by adding low cost "garden room"

NED COLE, Architect WALTER STEVES, Builder

The chief attraction in this house is the garden room which Architect Ned Cole has provided between the living room and the carport. It was obtained simply by extending the truss roof with regular roof framing members to get extra space at a cut rate with only the cheapest walls of glass and wood for enclosure. (The plastic partition along the carport side would have been needed to screen the view of the car in any case.)


This is a small house—only 733 sq. ft. without the garden room. But its whole character is changed by framing in an additional 110 sq. ft. of space. The floor-to-ceiling doors between the living room and the garden room can be opened to double the effective size of the living area except during San Antonio's short periods of inclement weather. (The garden room is unheated.)

Builder Walter Steves calls the garden room "the cheapest room in the house." Foundation and flooring costs were negligible since the floor is mostly grass. The carport side of the room is covered with green asbestos-impregnated plastic sheets nailed to the studs. The south wall is fixedglass panels. Although the rest of the house is trussroofed, Architect Cole provided conventional exposed framing for the garden room roof to increase the sense of openness. On the south side, the roof is of clear plastic panels to allow sunlight to flood the room.

By way of postscript, it should be noted that the garden room has been changed somewhat in the month since the pictures on these pages were taken. The retired Army major who bought the house (for \$10,875) had the floor cemented over, leaving only the planting area intact. He preferred the easy maintenance of a cement floor to the pleasant footing of a grass plot. With this change made, the owner is completely satisfied with his garden room where he intends to spend most of his leisure time until chilly weather forces him indoors.

Builder Steves and Architect Cole have been collaborating for almost a year on individually designed houses for Steves' Eastwood Village subdivision. The architectural fee, based on this continuing program, was \$420 for this house.

CONSTRUCTION OUTLINE: FOUNDATION: Concrete slab, 2 ply, 15 lb. felt membrane, hot mopped asphalt—Johns Manville Corp. STRUCTURE: Exterior walls—1 x 8 in. wood siding, 15 lb. asphalt felt— Johns Manville Corp.; ½ in. gypsum board—National Gypsum Co.; Ceiling finish—Gypsum board and Textone, National Gypsum Co. ROOF: 3-ply built-up asphalt and felt covered with marble aggregate— Johns-Manville Corp.; Deck: ¾ in. plywood—U. S. Plywood Corp. INSULATION: rock wool—Johns-Manville Corp. WINDOWS: Sash—double-hung wood, Carr, Adams & Collier; awning-type (wood), Hahn Sash & Door Co.; Glass—double strength. FLOOR COVERINGS: asphalt tile—Kentile, David E. Kennedy, Inc. PAINT: oil—Seidlitz Paint and Varnish







Co. WOODWORK: Cabinets—Fabricon, Inc., Frederic Blank & Co.; Garage doors—Rezo, Paine Lumber Co. Ltd. HARDWARE: Schlage Lock Co. KITCHEN EQUIPMENT: Sink—American Radiator Standard-Sanitary Corp.; Cabinets—Wood, Biltwell, Carr, Adams & Collier. BATHROOM EQUIPMENT: Lavatory, tub and toilet—Briggs Mfg. Co.; Cabinets—Biltwell, Carr, Adams & Collier; Tub enclosure—ceramic tile, Mosaic Tile Co. HEATING: Warm air, gravity flow Jet Flow, Royal Heater Co.; Water heater—Crane Co. UNUSUAL NEW MATERIALS: Sliding glass doors— Arcadia Mfg. Co.; Vanitory and kitchen counter tops— Consoweld, Consolidated Water & Power Paper Co.; Garden room wall—Corrulux Corp.; Garden room roof —Cel-o-glass, E. I. DuPont de Nemours & Co., Inc.





Inclusion of garden room and carport under one all-embracing roof gives the house a long, low-slung appearance not normally found in an 850 sq. ft. house. Picture directly above shows how sunlight streaming through plastic roof in garden room enhances illusion of bigness in the living area.






Storage wall unit between kitchen and living room (pictures, above and left) was designed by Architect Cole. Similar non-load-bearing storage partitions are used in the house's bedrooms. Trussed roof construction makes this possible.

MODEL HOUSE REMODELED

to include a dozen design improvements for better living and quicker sales. Multi-purpose room with disappearing bed and table makes seven rooms out of five

LOCATION: North Plainfield, N. J. NETHERWOOD ESTATES, INC., Builders JOSEPH C. HAZEN, JR., Designer (improvements)



COSTS OF DESIGN IMPROVEM	ENTS
Soffit entry light	\$ 2.00
Flush-type front door (saving)	(6.00
Bay window (less one side win-	
dow)	53,00
Built-in cabinets and bookcase	54.00
Television niche	17.00
Striated plywood wall finish	11.50
Built-in dresser & mirror	36.00
Flush ceiling fixtures (three)	6.00
Fluorescent kitchen and bath-	
room lights	6.00
One less kitchen window (sav-	
ing)	(6.00
Kitchen-"wunderoom" door	24.00
"Wunderoom" triple window	13.50
Built-in, disappearing dining	
table	37.50
Built-in, disappearing bed	79.50
Color styling service	4.00
	\$332.00

CONSTRUCTION OUTLINE: WALLS: wood frame; Exterior finish-asbestos shingles, Tilo Roofing Co.; Sheathing-Celotex Corp.; Inside finish-Sheetrock, U. S. Gypsum Co., Weldtex, U. S. Plywood Co. and (bathroom) plastic tile, Vikon Tile Co.; ROOF: Asphalt shingles, WINDOWS: Tilo Roofing Co. Sash-Aluminum awning type, A. B. C. Steel Co.; Glass — Libbey-Owens-Ford Glass Co. FLOOR FINISH: Kitchen-Linoleum, Armstrong Cork Co.; Bathroom-Kentile, Kennedy Inc. BATHROOM David E. EQUIPMENT: Briggs Mfg. Corp. and (medicine cabinet) Miami Division, Philip Carey Mfg. Corp. KITCHEN EQUIP-MENT: Cabinets and sink—Crescent; Faucet-Wunderflo, Ravenna Metal Products Co.; Range-Welbuilt Stove Co. and Hotpoint, Inc.; Refrigerator - Hotpoint, Inc.; Fan-Fasco Industries Inc. HEAT. ING-Hot air; Oil-fired furnace-York-Shipley Corp.; Grilles-A. & L. Engineering Co. HARDWARE: Russell & Erwin Mfg. Co.



These two houses were built by the same builder, on the same foundations, with the same materials and for the same purpose—each was designed to be the model house for Netherwood Estates' 134-house subdivision in North Plainfield, N. J. But the one on the left was recognized as a dud before it was completed and was never opened to the public. The one on the right, redesigned inside and out, was a quick success—3,000 people were attracted to its opening, and the project was sold out in four weeks at \$10,685 per house.

The difference between an ordinary and an extraordinary operation was a little design imagination plus the expenditure of an extra \$332 on each house for a long list of improvements, capped by a highly flexible multi-purpose room whose trade name "wunderoom" became overnight a new word in the language of New Jersey.

The first house suffered from lack-luster planning and design. Outside, the windows were poorly proportioned and unrelated, the door with its three staggered lights was more revolting than inviting, finish materials were few in kind and monotonous in texture, color was a sad gray, made even sadder with pink trim. Inside, the floor plan failed to make the most of the limited space (870 sq. ft., excluding full basement). In brief, the house and, in turn, its advertisements could boast nothing new or different. Worse yet, it was to be repeated 134 times without variation.

An experienced industrialist in the textile container and allied fields, Arthur S. Gittlin was a neophyte land developer relying on this project to launch a 500-house program on various central Jersey sites. But he was also a smart neophyte. Realizing that he was building a mistake, Gittlin supplemented the initial work of his architect with fresh design advice. Since many identical foundations were already started and since FHA and VA commitments based on the original house were already made, major design changes would have entailed heavy losses in time and money. However, without changing walls and partitions, considerable improvement was made in the appearance, livability and sales appeal of the house, and the copy writer was given plenty to talk about in his advertisements.

Outside, the remodeled fenestration, including a half dozen bay window variations, is comprised of different arrangements of one size sash. A flush-type front door was substituted—an improvement which saved money. The outof-scale entry lamp at the side of the door was replaced with a flush fixture in the soffit. Exterior texture and appearance were enlivened by various combinations of asbestos shingles, clapboards and vertical siding and by a thorough





Photos: Above and left, Ben Schnall; others, Richard Garrison

styling of the entire project by Color Expert Beatrice West.

Inside, improvements were made in every room. The living area was made bigger by the addition of the bay window (its additional cost was partially offset by the elimination of one window from the side wall) and more interesting and livable by 1) building cabinets and bookcases into the back of the too-deep bedroom closet, 2) projecting a television niche into the waste headroom over the basement stairs and 3) finishing the balance of the end wall with striated plywood.

The bedrooms were improved by replacing the pendent light fixtures with better looking flush fixtures at an added cost of \$2 each. (Fluorescent fixtures were substituted in the kitchen and bathroom.) To save floor space in the small corner bedroom, a dresser with a mirror was built into excess closet space. The minute bathroom was enlarged about 4 sq. ft. by simply moving the door partition 1 ft. toward the hall where the extra square feet were going to waste.

Moving the outside kitchen door from the side to the rear and completely glazing it improved the exterior appearance of the house, made it easier to add a carport to that side of the house, made the door handier for backyard living and dining, eliminated one of the two kitchen windows and left the long outside kitchen wall available for the sink (under the window) and an unbroken row of other kitchen equipment.

Most important of the improvements was conversion of the small (9 x 91/2 sq. ft.) third bedroom into a multipurpose room which could be used either as a bedroom, dining room, den (photos, right), guest room, nursery or playroom and could be changed quickly from one use to another. This was accomplished by cutting a door through to the kitchen, stealing some space from the kitchen to make room for a permanently installed disappearing closettype bed, recessing a disappearing dining table into the thick bathroom plumbing partition and replacing the two small high windows with a triple-decker floor-to-ceiling window. Including the flush ceiling light, the improvements in this room alone cost \$156. But the expenditure paid big dividends. Called the "wunderoom," this multi-purpose space proved to be the most popular feature of the house and gets most of the credit for Netherwood Estates' successful advertising and sales program and for the warm reception given Developer Gittlin's succeeding projects of similar houses in Plainfield (180 units), Hamilton Township, Trenton (145 units) and Eatontown (65 units).




Multi-purpose room, furnished as a "den" has floor-to-ceiling window overlooking backyard.

With built-in table unfolded from its wall recess, the multi-purpose room is quickly converted for dining.

Disappearing bed built into a shallow closet adds a third bedroom to the house. FHA, VA count it as such. Living room end wall contains cabinets, book shelves and television recess—furniture which would otherwise have crowded the room.

Kitchen breakfast corner is flanked by doors to multi-purpose room (at left, not shown) and to end of living room. There are thus three dining areas.








THE ENDLESS HOUSE FREDERICK KIESLER, Architect

The house embedded in its concrete foundation. Picture left shows stair entrance from below and ramp entrunce leading into main living area.





ARCHITECT KIESLER: "The Endless House is through its formation and construction more economical with regard to materials . . . , fuel consumption, space-coordination, management and

maintenance than post-and-lintel house concepts. The interior spacing equals a one-family house consisting of: five bedrooms, one studio and playroom for children, one oversized living room,

kitchen and dining space, a study and library, adequate bathing facilities and storage space. The entrance is through a center stairway or from a ramp outside the house . ..".

"No, no," said Professor Thrugg, "this object is distinctly not an egg. And it's not a pebble among ferns—it's 25 ft. high and 66 ft. long. —No sir, that does not make it a baby whale landed on the beach, nor Easter island money, nor a new Hollywood roadside bar, although your guess that it's a home for a primitive tribe comes close."

The professor leaned forward, took a firm grip, "I must ask your serious consideration of Architect Frederick Kiesler's idea of an 'endless' house."


"You see, every once in a while Art has to assert its rights. For some thousands of years mankind has lived in houses built square. Now Kiesler asks why not live in a house built in free space, a house with *no* straight lines and *no* sharp angles! "It must strike you, post-war carpentry being what it is, that this would have advantages. But practicality is not whereof I speak. It's this habit Kiesler has of asking, why not?

"Why not, after all those glass houses, let the family crawl up into a cave and pull the cave in after them, the way our ancestors took refuge in block-house forts? Why not build the house all in one piece like a piece of sculpture, instead of making careful joints between a wood roof and brick walls, between a brick wall and concrete slab foundation? Planetaria are built that crete sprayed over them! It's simple. Or again way-a spider web of reinforcing rods with conwhy not build a house with ribs the way 'shell concrete' hangars are built? . . . You say the Kiesler's house ribs would have to? Nothing to hangar ribs don't go around under, the way why not build 'em like a ship-a ship's ribs go it, my boy, don't bother me with mere details, round under and are heaviest at the bottom, too!" Professor Thrugg looked around him with an

air of having solved problems in a hurry. "The windows? Bend 'em in the way you do in Studebaker cars front and back! Ought to be easy to slip in some operating sash. And why not a fine free carelessness about window shapes, like the tower of the Chrysler Building? Then why not have a totally free-flow floor plan for a change, one where the vacuum cleaner has not a corner to contend with? The fixed parts of the house plan are in the middle of the floor and are set by the service tree: plumbing, heating, and


first mezzanine

scond mezzanin



cross section

ARCHITECT KIESLER: "The construction of the 'Endless House in continuous tension' can be safely carried through in a single material, such as concrete or reinforced plastics (including glass) through wet-construction over molds on location.



Laboratory studies showed that men and mice could be comfortable in air which varied in temperature as much as 60 degrees if reflective conditions were good. New house applies this principle.

EXPERIMENTAL COOLING - HEATING SYSTEM cuts fuel bills by use of heat reflective surfaces in rooms

On the edge of a bluff overlooking Cincinnati stands a new house which is also the laboratory for one of the most unique experiments in building today. This house makes use of a principle which has long teased scientists: If radiant heat put into a room were held there through use of heat-reflective surfaces, the heating problem could be considerably diminished, saving a great deal of fuel in cold climates. And with proper radiation conditions, the air circulating in the room might not have to be heated at all, but could be drawn directly from outside and used at outdoor temperature. Much the same would be true about air temperature in summer, scientists knew. Summer air temperature would not have to be lowered greatly for comfort if the human body's excess heat could be radiated away constantly.

Now Dr. Clarence A. Mills, Professor of Experimental Medicine at the University of Cincinnati, has indicated in his new house that this principle may be applicable to normal construction. By making all interior surfaces of his house reflective to heat and using a simple radiant coil circling each room, he has cut his winter heating requirement radically. Even more interestingly, he has designed a system to cool his house radiantly in summer: The same surfaces which reflect his winter heat are used in summer to direct the excess body heat of room occupants to a refrigerant coil which also circles each room. The coil pulls excess body heat from the people in the room without cooling the air radically, and since it is a very compact cooling surface, the problem of condensation can easily be met.

To the right is Dr. Mills' discussion of his experimental system, which may be the seed for a great change in today's heating and cooling methods. by CLARENCE A. MILLS, Ph.D., M.D.

Man's energy—his mental initiative and physical vitality—is in large measure dominated by the ease with which he can get rid of his body's waste heat. So long as he can dissipate this heat readily, he is an energetic and industrious individual; when his heat loss becomes difficult, he tends to slump into a relaxed vegetative existence.

Half of humankind over the earth faces year-round difficulty in such body heat loss and is held down to a sluggish pace of life. Another quarter needs cooling half of each year. Only in outer temperature regions does winter heating become of real importance and then only for a minor fraction of all the human race. Biologically speaking, therefore, hot weather cooling has far greater importance than cold weather heating to mankind as a whole. So it is natural that the conditioning system for my new house actually approaches the problem through cooling.

Twelve years ago our laboratory studies at Cincinnati General Hospital demonstrated the biologic feasibility of reflective radiant conditioning irrespective of air temperatures or humidity. (Further encouragement came from the conviction widely held among medical people that the sharp contrasts between inside and outside air in air conditioning tend to increase respiratory troubles.) Our studies also gave some hint of the structural and operative economies which might result.

These principles had to wait until this year for field-testing, however, when my new home, "Reflection Point" was completed, and I moved in.

In drawing up plans for the house, we purposely included no particular structural specifications bearing on the conditioning system. So far as the reflective radiant conditioning was con-



Cove in living room shows how heating and cooling coils are exposed through house. All ceiling, wall, and floor surfaces (under carpet) are reflective, including drapes.



South elevation of Mills house shows considerable expanse of glass which can be used to drink in sun heat in winter, and curtained in summer.

Ellsworth Photography

cerned, our interest centered only on the inner surfaces facing the room occupants. We therefore used a regular frame structure. It contains no conventional insulation and has a heat loss rate calculated at 133,000 b.t.u./hr. at 0° F. outside when the indoor temperature is held at 70° F.

Of its 1,600 sq. ft. of exterior wall surface, 600 sq. ft. are of single-pane glass (mostly $\frac{1}{4}$ in. plate). The house is "solar" in type only in being oriented on an east-west axis, with a 4-ft. roof overhang which keeps the summer sun off the south wall but lets the more slanting winter sun's rays flood freely into all rooms with southern exposure. It sits on an un-insulated concrete slab. Its roof is flat, without air-space or insulation.

Reflective interior finish

The difference between this and other good modern houses is inside. All side-walls and ceilings are papered with embossed and tinted foil wall-coverings. Vital to my plan is the fact that the lacquer used in applying the pigments to the foil surfaces was heat-transparent, and only those pigments were used which did not lower the foil surface reflectivity more than 10 per cent below the 97 per cent exhibited by uncovered foil. Application of the foil wall-coverings to the wallboard walls was the same as for conventional wallpapers, except for the addition of 2 per cent of sodium chromate to the gluten paste to minimize possible seepage damage to the foil. These foil wall-coverings function as effective heat "mirrors" with a reflectivity close to 90 per cent for radiant heat. At the same time they constitute an 80 per cent effective barrier to radiant heat emission into the room from exterior sources. All foil surfaces used were decorated by embossed patterns, so that heat rays striking them would be broken up into an even intensity throughout the room. Shadows or hot and cold spots were thus avoided.

Floor treatment consisted of placing ordinary foil insulation paper face-upward on the concrete slab, then covering this with waffle design foam-rubber carpet underlay with the waffle design downward to give point contact with the foil. Finally this was covered with nylon carpeting whose surface heat-reflectivity is almost twice that of wool.

Treatment of each large glassed area to control radiant heat flow either inward in summer or outward in winter was by one of three methods: 1) aluminum slat Venetian blinds, 2) aluminized draperies and 3) draperies woven with a heavy nylon warp and an inner facing of almost 80 per cent foil yarn exposure for heat reflectivity. Careful tests showed that either type of cloth drapery stopped roughly 80 per cent of radiant heat, while the aluminum Venetian blinds stopped slightly less.

Our structure thus functioned fairly well as a reflective box for inside radiant heat, with its interior radiant environment largely independent of that outside. All this was accomplished with no effort at conventional insulation to prevent kinetic flow into walls, floor, and ceilings from contiguous air on either side.

How to add or subtract heat


In this heat-reflective box was next installed a cove or trough around each room near the ceiling, in the bottom of which lay freon coils for radiant heat removal in summer and electrical resistance rods for radiant heat input in winter. These troughs were lined with sheet aluminum and equipped with drain pipes to carry away moisture condensing on the cold freon coils in summer. Radiant heat input in winter or its removal in summer was by reflection from the foil ceiling covering.

The only air cooled in summer was that lying in the trough; careful tests demonstrated no spillage of this chilled *air* over into the room. In winter heating, the resistance elements heated only the *air* layering upward against the ceiling. No heating rods were ever allowed to go above 250° F., so that there would be no emission of the skin-irritative shorter wave-lengths.


Controls

Just off the central hall are located five thermostats, one for cooling control and four for heating. When air temperatures are above 76° F., cooling is made available to any part of the house. It does not reach any room, however, until the individual room switch is thrown to open that room's solenoid valve. The four other thermostats make available four different degrees of voltage and heating capacity for the elements in any room whenever the room switch is thrown on.

(All this took considerable planning and electrical equipment but most future reflective radiant conditioning installations will presumably use hot and cold water circulating through cove elements, rather than using electrical resistance elements and freon coils. We chose direct electric resistance heating for study purposes only, because of its accuracy of metering, control, and maneuverability. In commercial installations one would use the cheapest fuel available.)



Coves run through house as shown in plan views below. Outdoor air is brought in, cleaned by electrostatic filter, and discharged through plenum ceiling in hall at outdoor temperature and outdoor humidity. House is pressurized so air leaks out, not in.



Heating is done by cove-within-cove, the two electric resistance elements at top. Refrigerant is circulated in lower pipes which may be varied in number to accommodate load. Reaction of system is so fast it can be switched off and on like the lights.



Courtesy Popular Mechanics

View into dining room, below. Acoustics trouble was anticipated because of wide use of metallic finish, but coves in ceiling help diminish reverberation.


ROBERT A. DESHON, Architect JOHN R. SCHOTT, Associate Architect JAMES E. ALLAN, Engineer ROBERT J. STEVENS, Decorator J. N. PORTER, Designer Control System MOSSMAN CONSTRUCTION CO., General Contractor

SPECIAL EQUIPMENT: Electric air filter unit, American Air Filter Co. Electric heating elements, Cincinnati Gas & Elec. Co. Frigidaire cooling system, General Motors Corp. Automatic controls, Minneapolis-Honeywell Regulator Co. Aluminum foil wall covering, Reynolds Metals Co. Sheet aluminum, Reynolds Metals Co. Aluminum venetian blinds: Columbia Mills, Inc. Nylon carpeting, Nye Wait Co. Under-rug cushion, U. S. Rubber Co., "Milium" reflective fabric for draperies by W. J. Rand Co., Deering-Milliken & Co., Inc. Other fabrics, Goodall Fabrics, Inc.





Foil on floor is placed under waffle carpet pad so carpet is not in contact with foil unless someone is standing on that spot.



Reflective principle has been tried in clothing too, with aluminum fabric coat lining.

Deering Milliken

The house has an air filtering electrostatic unit in the basement equipped with a fan of 300 and 1,000 c.f.m. calculated capacity for pumping the filtered outside air up into the house. This cleansed air enters the main floor through the entire central hall ceiling⁺ (of perforated aluminum sheet) without perceptible drafts anywhere even at a 1,000 c.f.m. volume. There is no heating, cooling, or humidity change in this air, nor is there any re-circulation. Its primary purpose is for ventilation and pressurization of the structure so that all crack or aperture seepage will be outward.


Operational results

In nine months of use, we have achieved indoor comfort through reflective radiant conditioning at roughly one-third of the calculated heating or cooling loads for conventional air conditioning.

We have had entirely satisfactory heating operation at 62 per cent below conventionally calculated loads during this period. Heating was required on 13 of the 19 days in one carefully noted test run. On these 13 days there was an average of 12.2° F. difference between inside and outside mean daily temperatures and an average electrical wattage consumption of 0.213 k.w./hr./F.° temperature differential. Considering a kilowatt of electrical energy as equivalent to 3,410 b.t.u., it took only an average of 726 b.t.u./hr. to produce needed comfort during these 13 days requiring heating, whereas conventional calculations of heat loss from the structure indicated a need of 1,900 b.t.u./hr. Heat load actually required *was thus only 38 per cent of the calculated load*. (See chart page 131.)

Preliminary cooling load observations during the past summer indicated equally great savings with the new system. Really accurate cooling studies must await another summer's heat, for there were no reflective curtains over the large glassed areas during the early summer's severe warmth, and other items of change and adaptation through the summer months made accurate quantitative studies impossible. However, we did observe a fairly comfortable cooling effect throughout the house with roughly $1\frac{1}{2}$ tons of refrigeration (18,000 b.t.u.+) whereas much more than this amount of refrigeration would have been required in this house for comfort by conventional air cooling. On the summer's hottest day (96° F. maximum, with 78° relative humidity), inside maximum temperature was 89° F. and a wet-bulb reading the same as outdoors. Even so, fair comfort for sedentary activity was achieved and a sweat-free siesta was possible.

In laying out the cooling system the engineers made radiant cooling provision for the removal of 500 b.t.u./hr./person, cal-



Reflective drapes, above, and embossed aluminum reflective wallpaper mirror more than 80 per cent of radiant heat.

culating for 12 people in the living room, eight in the dining room, five in the study, three in each bedroom, two on the porch, and three in the kitchen, or a total calculated cooling capacity of 18,000 b.t.u./hr. for the whole house. Toward the end of the summer, as we achieved more complete control of radiant heat leakage into the house, it became evident that adequate cooling could be attained regardless of air temperature or humidity. Power requirement for the compressor, with the cooling on in all rooms, was slightly over 2 kilowatts per hour of operation.

Condensation on the cold coils was heavy on humid days but produced no detectable reduction in indoor humidity, due to the large volume of outside air continually being pumped into the house through the electrostatic air filter in the basement.

The future

Applications of this new type of conditioning can be used in almost all types of human habitations, except those of heavy occupancy such as theaters, auditoriums and the like, where air conditioning seems likely to be more advantageous. Private residences (old or new), apartment houses, hotels, ships, planes, and a great variety of other enclosed spaces can thus be conditioned much more advantageously than by present conventional methods.

This new type of conditioning should not be considered as just another type of economical winter heating. It is year-round conditioning in a single package. Its winter fuel-saving advantages cannot be taken separately, for the foil wall-coverings will make summer heat unbearable if no cooling is provided. Only in far northern regions or tropical highlands without indoor heat problems could its fuel saving for heating purposes be used alone.


This new system should not be thought of as a luxury to be available only to the fortunate few. The foil wall-coverings will be priced in the same range as any good grade of conventional wallpaper. The installation of the radiant heating-cooling system should cost about the same as a good hot-water radiator system, but it should operate at about one-third the conventional fuel load.

Our next step will be to set up rooms with identical heat loss, cubage, and exposure values, to determine more exactly the conversion factor to be used in going over from conventional air conditioning calculations to those applicable to the new system. These rooms will be ready for operation by early November and should yield the desired information within the following two months. The system should therefore be ready for practical use by the early spring of 1951.



Conventional appearance of interior is achieved despite careful conservation of reflectivity and the open coves near ceiling which execute the whole conditioning job.

> Cooling pipes are powered by relatively small compressor (1½ ton). Right, Dr. Mills at his recording apparatus. Electric heat is used for precise collection of data.





HEATING DATA FOR 13 HEATING DAYS BETWEEN SEPT. 24 & OCT. 12 INCLUSIVE

							BTU Requirement For a Day's Heating		61 Jul 1
	N	Mean Temperature		Minimum Temperature		Day's Kilowatt	Reflective Radiant	Conventional Airconditioning	Calculated BTU Saving By Reflective
Date	Inside	Outside	Difference	Inside	Outside	Consumption	System	Calculated at 70°	Radiant System
9/27	70.3	62.5	7.8	65	57	15.9	CONTRACT OF		
10/7	70.9	63.8	7.1	63	52	30.8			
10/11	69.0	61.6	7.4	61	52	62.3			
Average	70.1	62.6	7.4	63	53.7	36.3	123,783	337,440	63%
10/8	68.1	57.4	10.7	66	54	60.8			
10/10	69.2	58.8	10.4	64	52	55.5			
10/12	69.0	57.2	11.8	63	50	37.7			
9/26	70.0	57.7	12.3	62	43	51.0			
10/6	70.3	57.2	13.1	63	44	71.3			
10/9	66.6	53.3	13.3	63	50	116.1			
Average	68.8	56.9	12.0	63.5	49,4	65.4	223,014	595,080	63%
9/25	67.7	52.1	15.6	60	40	88.2	INSU STOLL	and the states of	The string of the
10/4	67.3	51.8	15.5	59	42	56.5			
10/5	67.8	52.6	15.3	60	40	80.4			
Average	67.6	52.2	15.5	59.7	40.7	75.0	255,750	811,680	68%
9/24	66.3	47.0	19.3	57	39	102.8	350,548	1,048,800	67%
PREDICTED DATA FOR EXTR									
(calculated)	60	32	28	52	20	145.6	496,496	1,732,800	72%
(calculated)	52	0	52	25	-10	270.9	923,769	3,192,000	71%



DOCTOR'S HOUSE-AND-OFFICE combines medical efficiency with a lake view

LOCATION: Lake Placid, N. Y. PAUL BEIDLER, Architect


This residence and headquarters for a country doctor has a plan as all-round as its owner's life and practice are sure to be. It serves, too, as an example of the solid and unaffected building style which should be seen more often in our resort towns.


Its site presented almost every possible problem: a narrow lot; a steep slope; a view to the northeast; and a front on the main street, crowded in summer. The doctor's personal requirements were also demanding. Among the features Architect Beidler has achieved are: 1) direct access from garage to street for a quick getaway in all weathers; 2) complete separation of entrances and rooms in home and office; 3) fullest advantage of the lake view; 4) extra bedrooms arranged for a growing family and also suitable for renting during summer months. His straightforward design, which fitted these myriad requirements like a glove on a ten-toed mastodon, proved so baffling to the local building officials that approval was held up for many months. Its sheer logic, however (attested by other architects in the community), at last raised the go-ahead signal. Photos: Lionel Freedman, Pictor




Angled side walls of masonry (see plans right) allow this house to take full advantage of the view on a steep narrow lot. Central placement of garage and stairs gives privacy to both office and home areas. Placement of bedrooms on a lower level adds to privacy and allows them to be on the "view" side of the house.

A compact business-like front faces the street (below left), with the garage jutting forward to create a distinct separation between office and home entrances. The lake-side view of the house (below) gives a truer picture of its large size. Clerestory windows at the right side of the roof bring light and air to the central hall in the office section.





Outdoor as well as indoor living areas are provided on both levels. Upstairs, the library has a full length balcony; below, the master's bedroom opens on its own terrace. A rectangular cut in the masonry (see the side view of house on opposite page) lets in the southern sun to the inner protected half of the terrace.



Prot

M

KITCHEN

ING ROOM

GARAGE

MM

LOWER FLOOR scale : Vie" = r-o"


DOCTOR'S HOUSE AND OFFICE

Corner-stone of the plan is a central protruding garage, which neatly divides the private section from the office rooms. On both sides of this are set the entrances, each with separate, sheltered access from the street. Having set all necessary doors on the street side, Architect Beidler spread his house along the full width of the lot securing for all major rooms a view of the lake. Thick masonry walls at each end bear most of the roof weight and allow the interior framing to remain regular. The small window areas at each end are token of the fact that the ground on both sides may some day be fully built up.

Like so many California hillside houses (but very few in the East), Beidler's design places the entrances and living rooms on the top level; sets bedrooms and storage space beneath. Both floors allow for outdoor living: a generous balcony opens from the upstairs library; a terrace which is both protected and open is set next to the master's bedroom below. The central staircase is equally convenient for all house areas, has a door opening on the garden. It serves also as buffer between the office and residence upstairs; between owner's bedroom and those of paying guests below.


Fieldstone and natural wood are the materials used for walls both inside the house and out. They show themselves appropriate to the unpretentiously handsome living quarters as well as the medical sanctum. The masonry walls at each end allow fireplaces for both halves of the house — adding psychological as well as physical warmth to the long winter months. To further combat the rural winter, the windows are restricted to small aluminum casements, with large fixed panes of double glass for viewing.


While this house is hardly in the low-cost category, the many special amenities of its plan, together with a large provision for built-in furniture, make it a good investment for \$11.85 per sq. ft.



Interior of the residential area (shown above and on the opposite page) is open and cheerful in spite of necessary precautions against the harsh climate. Above is the fireplace on the open terrace next the master bedroom; opposite are dining and living areas. The view from the large living room windows is underlined by window seats.

The doctor's offices (below) show that fieldstone and fir can create a friendly and efficient work space. Photos trace the patient's progress from the recessed entrance (far left); through the central hall (left) lighted by a clerestory set above its ceiling of corrugated glass; and (below) into the doctor's consultation room.





CONSTRUCTION OUTLINE: FOUNDATION: Concrete; Waterproofing—Aquella, Prima Products, Inc. STRUCTURE: Exterior walls— 1 x 8 in. fir board and battens; celotex sheathing, The Celotex Corp.; 2 x 4 in. studs; 1 x 8 in. cedar board on plaster interior finish. ROOF: Asphalt shingles, Johns-Manville Co. FIRE-PLACE: Damper—H. W. Covert Co. WIN-DOWS: Sash—Aluminum casement, A. B. C. Equipment Co.; Glass—Double, Pittsburgh Plate Glass Co.; Screens—Aluminum, A. B. C. Equipment Co. FLOOR COVERINGS: Asphalt tile— David E. Kennedy, Inc. PAINTS: Interior— S. C. Johnson Co.; Exterior—Benjamin Moore & Co. WOODWORK: Doors — Rezo flush panel, Paine Lumber Co. Ltd.; Garage doors—Stanley Works. HARDWARE: Schlage Lock Co. KITCHEN EQUIPMENT: Range, Refrigerator, Sink, Dishwasher, Cabinets — General Electric Co.; Ventilating fan — Emerson Electric Co. LAUNDRY EQUIPMENT: Sink, Washing machine, Drier—American Radiator-Standard Sanitary Corp. BATHROOM EQUIPMENT: Lavatory, Tub, Toilet—American Radiator-Standard Sanitary Corp. Shower—Milwaukee Stamping Co.; Cabinets—Hoegger, Inc. HEATING: Hotwater baseboard—Warren Webster Co.; Boiler, burner—General Electric Co.; Radiators—Warren Webster Co.; Thermostat—Minneapolis-Honeywell Regulator Co.; Water heater—General Electric Co.



Photos: Lionel Freedman, Pictor







LOCATION: Rio de Janeiro, Brazil MARCELO MILTON AND MAURICIO ROBERTO, Architects

ARCHED INDUSTRIAL BUILDING integrates display, repair and office space

As light, tight and precise as a spider-web is this new multipurpose building for a tractor company in South America. The easy curves and neat tie-pieces of its showroom-workshop-warehouse-offices combine much of a web's visual appeal with its complex inner purpose. Fortunately for the many visitors already attracted by the building, its interior is as pleasant as its exterior is inviting.


Central in its design is a triple arch of wood, 148 ft. long, whose ends are set in reinforced concrete. Within this giant sweep, roofed with corrugated asbestos cement, are gathered all the company's public services. The mild climate of Brazil allows the ground level to remain unenclosed as an open-air exhibit space for farm machinery and equipment. A sales office overlooks the exhibit from the right, its presence rendered attractive and emphatic by an exterior wall of rich gold local stone. The illusion of lightness and great freedom is increased by a broad court which opens directly behind the sheltered showspace.


For the further benefit of visitors, an exterior stair and


gallery of reinforced concrete allow the exhibit to be viewed from above. These also serve as a pleasantly dramatic entrance to the visitors' lounge which occupies the large glassed-in upper level. Located here are a refreshment bar, a small lecture-projection hall and a conference room.


Three service wings (all of concrete) stretch out from the public areas. The workshop and warehouse are housed behind the central arch in two parallel buildings, each with a 60 ft. span, and separated from each other by an open court. The long office wing, 38 ft. wide, stretches forward from the entrance toward the road.

The sun-baffles of each of these wings rivals in interest the glass-and-gallery pattern of the main span. Heat and direct sunlight is kept from the vulnerable north side of the workshop by a tilted canopy, 21 ft. wide, with fixed louvers and diagonal bracing. Both the warehouse and office wings are equipped with movable vertical fins of corrugated asbestos. In addition to these structural sun-shields, the offices and enclosed visitors' areas can be air-conditioned.















1937-Day Nursery with asbestos sunshades (left) was Nie1937-43 - Ministry of Education (left) is Brazil's most famous structure.

1943-Weekend House at Pampulha (below) has three levels and a ramp integrating it with the garden by Burle-Marx.



meyer's first building.

1942-Church of St. Francis of Assisi, Pampuhla, shows Niemeyer's use of concrete vaults and a tile mural by Portinari.



REVIEWS

OSCAR NIEMEYER

THE WORK OF OSCAR NIEMEYER edited by Stamo Papadaki. Reinhold Publishing Corp., 330 W. 42d St., New York, N. Y. 230 pp. 9 x 9 in. Illus. \$9.

With the work of Oscar Niemeyer, South America takes her full place in world architecture. This young man, now only 43 years old, has in the past decade added an assured and distinctive flavor to modern design. As Lucio Costa, Brazilian architect and Niemeyer's erstwhile master, says, "his work . . . is clear evidence of the unlimited artistic possibilities of new construction techniques." It brings to the rather rigid outlines of earlier function structures, "an approach conditioned by . . . colonial baroque and the physical aspects of his country."


Photographs of Niemeyer's most famous buildings have appeared and reappeared in publications around the world. In this new book, however, they appear for the first time in their full chronological development. Plans, details and photographs portray the increasing skill of his famous sun-breaks, the increasingly subtle composition of his building groups.


The Foreword by Lucio Costa adds some interesting notes to the so-far scanty Niemeyer biography. This young Brazilian, whose swift rise to fame surprised architects around the world, surprised none more than his Brazilian fellow-workers. "When he came to see me for the first time," says Costa, "I tried to dissuade him from his intention of working with me in my office, because the turn-over of work was small and would not give him sufficient remuneration. He promptly turned the tables on me and suggested compensating me for the right to take any part . . . in my professional activities . . . Previous to his mere three months under the direct orientation of LeCorbusier there was not the slightest indication of his imminent trajectory."


(Continued on page 158)

1947-Tremaine House, California leaves the ground level entirely open except for small dressing rooms at each end.










1949—Publishing building in Rio (right). Since the plant is used for early morning work, the east face (on hillside) is equipped with sunbreaks as well as the north.





1949—Hotel Regente Gavea is a resort hotel with 170 apartments now under construction in Rio. The two upper floors provide duplex units; each one facing the sea side has its own balcony. At lower left in the photo is a large garage. A typical concrete swirl forms the entrance and roof of a large restaurant-casino.



SCHOOL IN SWEDEN


Technical high school features a top-lighted auditorium, shows Swedish mastery of detail and proportion

NILS AHRBOM AND HELGE ZIMDAHL, ARCHITECTS

Here is fresh evidence that the Swedes have not lost their special gift for crisp, fresh design. By crabbed U. S. city school standards, this technical high school for wintry Stockholm is lavish in its consumption of space. Yet the details shown here and on the following pages prove that the Swedes can also achieve beauty with an economy of means rarely surpassed by American designers. Fine proportions, expressive handling of materials, imaginative use of simple forms and advanced building techniques were the chief tools of the architects.

Newest part of a large complex of high school facilities, this three-building unit overlooks a spacious court which opens to the south at the summit of a rugged hill. For U. S. purposes the most stimulating building in the unit is a top-lighted 500-seat lecture theater, linked to a five-story physics and photo laboratory by a low coatroom-foyer (photo, right). Other buildings around the court are a low structure containing offices and two small lecture halls, and another five-story unit housing classrooms and drafting rooms around a handsome, but extravagantly proportioned stair and corridor well. (Details, pages 144 and 145.) The simple brick exteriors of all the buildings were closely related to existing structures on the north and south.

The large lecture theater is a pace-making example of school auditorium design. Sited next to the entrance drive for easy access by both students and public, it is a modified octagon, crowned with a sparkling clerestory dome of glass and copper which floods the auditorium with daylight (photo, above).







Within the hall, subtle integration of structure, lighting, ventilation and acoustical treatment achieves a rare degree of design harmony. The walls and roof are a membrane of reinforced concrete, tapered in section for maximum lightness and angled to prevent the sound reverberations produced by parallel wall surfaces (detail, right). Acoustically favorable shape of the room is augmented by sound-absorbing material behind slotted oak panels and on underside of seats which flip upright when unoccupied, thus balancing the acoustics when auditorium is half-full.

Fan rooms beneath the sloping floor of the auditorium force fresh, heated air into the hall through slots behind the stair rails on the side aisles (photo, above). Return grilles are in the steps under the seats.

Chief decorative accents are the graceful side-lights of brass, iron and opal glass and the dramatic light cluster suspended from the clerestory dome. With characteristic Swedish freedom, the architects have provided lighting fixtures which are both a playful recall of earlier forms and an effective modern device for emphasizing an unbroken area of space.









5;

A sharp change in exterior treatment (photo, left above) defines the combined coatroom and foyer which links the physics building with the large lecture hall.


Within the brick-walled foyer (photo, above) a striking special pattern is created by white posts supporting wooden coat racks and slender lighting fixtures which echo the lighting motif of the main hall.




Stresses determine the tapering and interlocking reinforcement of concrete walls and roof of the lecture hall. The concrete member at the base of the clerestory dome acts partially as a compression ring taking the thrust of walls and roof. Exterior facing is half-brick, backed with 10 cc. of light insulating concrete.




The core of the five-story western building is a spacious, skylighted well housing stairs and cantilevered corridor-balconies leading to classrooms on either side. Admittedly an extravagance by U. S. standards, this light-filled patio has the tonic effect of outdoor space, sheltered and warmed throughout Sweden's long, severe winters.



On the eastern side of the central well small mathematics classrooms and instructors' offices overlook the concentrically paved court through appropriately scaled awning-type windows (photo, left). Spacious drafting rooms on the opposite side of the building are lighted by similar windows of larger size. Partitions between the drafting rooms (photo, below) are made up of spruce plywood panels, soundproof windows at eye level and blackboards which may be raised or lowered over the windows in a changing, Mondrianesque pattern. Raised, they permit easy supervision of three drafting rooms by a single instructor; lowered, they provide writing space and complete seclusion from the other rooms. Panels above the door level are slotted and backed with sound absorbent material to aid acoustics.







North facade of this building is a direct expression of its three main elements—drafting rooms, skylighted stairwell, small classrooms.



Detail below is typical of sensitive Swedish handling of proportions and materials. Lightness of stair rail and lighting fixture contrasts with heavy forms of stone ash-receiver and structural column. Spruce door in a bright blue wall leads to classroom.



Eastern sunlight pours into the central well through a double glass skylight, warming the building's heart and accenting the airy structure of corridor balconies. (photo above) The steeply pitched ceiling of white acoustical tile absorbs sound and serves as a reflector for both natural and artificial light. Panels between indirect lighting fixtures on the east wall are new, flush-type radiators with welded vertical tubes. Boldly sculptured wall opposite has oak panelling, (slotted for acoustics) and recesses for coats set between closets for storage of teaching materials.



Wind velocity (mph)	Duration (sec)	Overpres-	Miles' Feet Damage
			Limit of light damage at 8 miles.
50	1. 25	1. 5	 12,000-Light damage to window frames and doors, moderate plaster damage, complete window damage. 2.25 -
60	1. 23	1.7	= 11,000 - Flash charring of telegraph poles. Roof and wall covering on steel frame building damaged.
70	1. 20	2.0	 2.0 - Partial damage to structures in area. - 10,000-Blast damage to majority of homes. Severe fire damage expected. Flash ignition of dry combustible materials.
80	1. 15	2. 4	1.75 - 9000 Heavy plaster damage
100	1. 12	2.9	Moderate damage to area. 8000Severe damage to homes, heavy damage to window frames and doors. 1 1. 50
125	1.06	3.6	- 7000 -Structural damage to multistory brick buildings.
160	0. 98	5. 2	1.25 - 5 Course damage to entire area. Severe structural damage to steel frame building. 9-inch brick walls moderately cracked.
200	0. 90	7.4	Electrical installations and trolley cars destroyed. Multistory brick building completely destroyed. 5000 12-inch brick walls severely cracked. Steel frame building destroyed (mass distortion of frame).
270	0. 77	10	 Light concrete buildings collapsed. 0.75 - 4000+ Reinforced concrete smoke stack with 8-inch walls overtuined. + Roof tiles bubbled (melted by heat).
380	0, 62	16	 Root files bubbled (includ by lical). 18-inch brick walls completely destroyed. 3000
300	0.02	10	0, 50 - Virtually complete destruction of all buildings, other than reinforced con-
550	0. 45	24	 2000+ Limit of severe structural damage to earthquake-resistant reinforced concrete buildings. Reinforced concrete building collapsed, 10-inch walls, 6-inch floor. Mass distortion of heavy steel frame buildings. Loss of roofs and panels.
\$00	0. 37	36	0. 25 - 1000 - Decks of steel plate girder bridge shift laterally.
			Air Burst of an Atomic Bomb.

A-BOMB-RESISTANT BUILDINGS

If cities of the U. S. should be struck with atomic bombs, here is the kind of building that will stand up best:*

It will be constructed along the lines of the Pacific Coast's earthquake-resistant buildings, with a heavily reinforced concrete frame or integrally poured reinforced concrete attached to a steel frame. It will have unusually strong connections between structural members to withstand great lateral force on its sides or a crushing vertical force on its roof. It will be designed to withstand pressure that first pushes and then pulls.

It will not have curtain walls, brick or concrete block weight-bearing walls, or walls or roof of corrugated iron. It will have a minimum of windows and they will be covered with plastic rather than glass. It will be standing far enough from other buildings so that fires started elsewhere will not jump the gap. Its water tank for firefighting measures will be inside the building.

Who is vulnerable?

One answer to the question of who may be vulnerable is provided by the National Security Resources Board which suggests a building owner draw a three-mile circle around his facilities and then list what lies inside. He may be in a target area if there are important industrial plants, oil storage or refineries, paint or chemical plants, public utilities, important transportation facilities, military establishments, dams and bridges, or any factories that help feed the military machine.

* According to the Atomic Energy Commission's recent 438-page book, The Effects of Atomic Weapons; \$1.25 from the Supt. of Documents, Washington, or \$3 in the trade edition from McGraw-Hill or Rinehart.





840 FT.: from "ground zero" (point beneath explosion) terrific blast moved bridge 3 ft., bending rails but leaving steel poles standing.



1300 FT.: reinforced concrete school suffered roof collapse when columns on blast side gave way. It was completely burned.

-design lessons from Hiroshima and Nagasaki

But the owners of establishments lying outside the three-mile range have little cause to relax. As any air force bombardier can testify, it is easy to miss a target. An enemy bombardier flying at 30,000 or more feet at night, bombing by radar through heavy clouds, might drop bombs many miles from his intended target. The moral: no building in or near an industrial area is completely safe.

How the bomb does its work

Architects and engineers can design bomb resistant buildings better if they understand the rudiments of how an atomic bomb causes damage. When an atomic bomb is exploded in the air a ball of fire about 900 ft. in diameter is created that has a temperature of 7,000° C. A shock wave forms around the fire ball that moves rapidly out like a solid wall. Behind this initial blast wave comes a great wind at a speed of 800 mph. A mile out the wind drops to 200 mph and at 11/2 miles to 100 mph. After the wind comes a partial vacuum which exerts a negative pressure, like a wind blowing in the opposite direction. Shock wave, wind and vacuum lose their force at around three miles. As the accompanying diagram shows, an area of complete destruction is caused within onehalf mile of ground zero (the point below the explosion), there is severe damage up to one mile, minor structural damage to two miles, and some damage beyond, as far as eight miles. Much of the damage is from fire sucked into the low pressure area in the center.

Authors of *The Effects of Atomic Weap*ons emphasize that there is an important difference between the effects of an atomic blast and from a conventional, high-explosive bomb. The great power of an atomic bomb sets up a unique destruction feature called mass distortion of buildings. While an ordinary bomb usually damages only part of a large structure, an atomic blast can engulf and flatten whole buildings. Because the shock wave of an atomic explosive is of relatively long duration, most structural failures occur during a small part of the positive phase while the pressure is constant.

In Japan the great blast from atomic bombing completely collapsed small masonry buildings. Light buildings and residences were demolished by blast and fire. Steel-framed factories were denuded of roofing and siding, and only twisted frames remained. At close range nearly everything was destroyed except reinforced-concrete smoke stacks. Many buildings that from a distance appeared sound were found to be damaged and gutted by fire.

Multi-story reinforced-concrete buildings

There were many multi-story, reinforcedconcrete frame buildings in the bombed areas. They varied in resistance according to design and construction but generally suffered remarkably little damage. Those designed to be resistant against earthquakes, with a height limited to 100 ft. and designed for a lateral load of 0.1 times gravity, suffered least.

Close to the explosion, the vertical component of blast was more important and there was heavy damage caused by downward force on the roof. Roofs were pushed down and left sagging or failed completely. The remainder of the structure was less damaged than similar buildings further from ground zero. At greater distances, the lateral force was greater, causing roof slab failure and buckling by lateral compression. In floor systems, failure occurred in the bay between the first row of interior columns and the affected wall. Buckling was upward.

The lateral force also caused cracking of concrete and overstressing of concrete and steel at haunches and connections. First floor columns were cracked diagonally, probably caused by the higher shearing force in the first story from lateral pressure. Exterior walls on the side toward the blast were dished inward. Floors were most affected by direct blast where pressure equalization was not possible, being worst over enclosed basements when higher floors were undamaged. There was heavy damage to false ceilings, plaster and partitions. Windows were broken up to 12,000 ft. Brick and other facings were blown off, even when the structures were not seriously damaged.

Multi-story steel-frame buildings

There was only one building of this type —in Nagasaki—4,500 ft. from the burst. The building was of heavy construction except for the roof which was of thin concrete supported by unusually light steel trusses. The downward failure of the roof, which was dished 3 ft., was the only structural damage. There were reinforced concrete buildings at the same distance which were undamaged but the bomb survey experts found insufficient evidence to make a comparison.

Industrial buildings and equipment

There were many steel buildings used for factories, of shed type and sawtooth de-

Acme



2000 FT.: weakness of load-bearing brick wall is proved in this church which had only front wall standing after blast swept through.



I MILE: while concrete walls collapsed (foreground), steel frame of some plants stood up, but most frame buildings were ruined.



4 MILES: due to skip effects of blast, some buildings were damaged as far out as eight miles. Wood had poorest resistance.

TECHNICAL NEWS

signs. Roofs and sidings were corrugated sheet metal or of asbestos cement comparable in construction to those in the U. S. First effect of the blast was to strip off the siding and roof material but this was not instantaneous and therefore a large, impulsive force was applied to the frame. Severe damage occurred up to 6,000 ft.

Close to the explosion, buildings were pushed over bodily and at greater distances many were left leaning away from the blast. The long, slender columns offered little resistance. Some columns failed by a combination of lateral force, causing flexure, at the same time that a heavy down load came from blast on the roof. This caused buckling and collapse. Roof trusses were buckled by compression from blast on the exposed side. Asbestos cement on roofs and siding broke up more readily than corrugated sheet iron and transferred less force to the steel frame with less structural damage. The combination of blast and fire badly distorted the steel frames.

Wood trusses, used to support some roofs, were more vulnerable to blast and fire than steel. Concrete columns were used in some cases with steel roof trusses. Such columns were more resistant to buckling than steel because of smaller length-todiameter ratio.

Buildings with load-bearing walls

Small buildings with load-bearing walls collapsed. Larger buildings with cross walls and of heavier construction were more resistant but failed at distances up to 6,200 ft. In buildings left standing, cracks were found at the junction of cross walls and side walls.

Timber-framed buildings and housing

Observers found that while the quality of workmanship in framed wood buildings was high, little attention had been paid to engineering principles. Mortise and tenon joints were weak points and connections generally were poor. Construction was poorly adapted to resist wracking action. In Nagasaki, housing collapsed up to 7,500 ft. and there was structural damage to 8,600 ft. Roofs, wall panels and partitions were damaged to 9,000 ft. and beyond.

Probable effects in the U.S.

Americans cannot assume that Japanese construction was inherently more flimsy than in this country, and that bomb damage here would necessarily be far less. Many Japanese buildings were designed to withstand earthquakes and were actually stronger than typical U. S. structures.

In Japan reinforced-concrete, earthquake resistant buildings were designed for a lateral force equal to 10 per cent of the vertical load. Multi-story buildings in this country are generally designed to withstand a wind load of 15 lbs. per sq. ft. For an average six-story, reinforced-concrete frame building this would be roughly equivalent to 2 per cent of the vertical load. However, most buildings have a lateral strength far in excess of this figure, so direct comparisons are unwise. Buildings in the U. S. that could best stand up to atomic blast are those in the 11 western states that have codes specifying earthquake resistant buildings. Such construction costs only 10 or 15 per cent more.

While buildings directly under an atomic blast have little chance for survival, those outside the "total destruction" area can be given a far greater chance if these "Do's and Don'ts" are heeded:

The Atomic Energy Commission says: DO THIS

Design for a horizontal wind component of 90 lbs. per sq. ft. and a vertical component of 70 lbs. per sq. ft.

Use earthquake-resistant construction methods with heavily reinforced concrete frame or integrally poured reinforced concrete attached to steel frames.

> Use sturdy connections between structural members.

Use a profusion of bracing.

Design so that any main structural member can be cut and still leave building standing.

To prevent rupture of column splices, join the column reinforcing rods at splices by butt or lap welds and by hooking the rods at roof level.

Design the roof so it will withstand a strong downward force.

In both roof and floor beams, reinforce the steel along the tops of the beams to withstand negative pressure in case a high-explosive bomb comes through roof and explodes inside. Reinforcing for shear loads should consist of vertical stirrups.

To protect personnel use glass windows only where essential. A partial measure of protection is to use wire glass plus half-inch wire mesh inside nailed securely to the frame.

Consider plastic materials as a substitute for glass in windows.

Build enclosed stair wells, interior tanks for fire sprinkler system, fire walls, fire doors.

Build a strong central control room from which fire-fighting and emergency measures can be directed.

Leave space around building so that fires in adjoining building will not jump the gap.

Build an inside shelter.

In old buildings to prevent total collapse, add bracing and shoring, or new transverse, reinforced concrete walls.

DON'T DO THIS

- Don't build a military or industrial building with curtain walls.
- Don't use load-bearing brick walls or concrete block walls.
- Don't use precast concrete slab roofs.

Don't use ordinary reinforced concrete construction. Bombs may rupture the column splices.

- Don't use saw-tooth roof construction.
- Don't use more windows than absolutely necessary.

Don't install false ceilings or fasten equipment to ceiling that will easily fall and injure personnel.

- Don't depend on shielding from nearby buildings.
- Don't forget that fire damage is often greater than blast damage.
- Don't use corrugated iron for sheathing a building.



POURING CONCRETE SLABS FROM THE TOP DOWN

Mexican system places seven floors in seventeen days

"Decimbrar-Cimbrando," engineer Manuel Gonzales' method of pouring concrete floor slabs from the top story down (literal translation, descend and re-erect) is going big in Mexico City. In the four years the system has been in use, Gonzales' construction firm, Constructiones y Representaciones, has completed 34 major buildings. The young company, which started in 1946 with six engineers and 20 workmen, now has a staff of 25 engineers and more than a thousand workmen, and work currently under construction includes a 14 story hotel and an 18 story office building.


In a reversal of the usual building custom which says to place concrete slabs first on the lowest floors, then work upward, Gonzales waits for completion of the frame before pouring the first slab, and then makes it the roof slab. One reason the system is particularly successful in Mexico City and would be in other similar climates, is that torrential rains are common daily occurrences part of the year, and it's a very good thing to have a roof to work under. But the biggest advantages are economy and speed. In an average 15-story building in Mexico City, the usual cost of placing 15 concrete slabs (each 3,230 sq. ft. and 4 in. thick) would be 8,500 pesos per slab. Using the DC system, Gonzales reduces his cost 22 per cent to 6,600 pesos per floor. He estimated the work-time saved on a recent job to be 31 days-when he placed seven concrete floors in 17 days.

The roof slab is poured on wood forms supported on wooden scaffolding, but after that the forms begin their descent on four $\frac{1}{2}$ in. steel rods per bay (see pictures) using no shoring. When the forms are dropped down a story and ready to take concrete, more supporting rods are added before the pour. The point of support for the slab being poured is generally not the slab immediately above, but the floor above that, in order to space out the application of load and give the concrete time to set and gain strength.

The method is covered by several patents, and has been licensed for use by several companies in Southwestern U. S. Metal forms, as well as wooden ones, have been used successfully.

Forms are being lowered after three days in place (photo above) in preparation for pouring of the next slab down. It takes only two men to do the job.

Reinforced concrete building frame (right) is about to be floored from top down, with roof already in place. Steel frame structure (top of page) is further along.



TECHNICAL NEWS

TILE MASTIC SAVES ONE-FIFTH of installation costs, permits tile use on dry-built walls

Builders who have been using mastic for tile installations report it has several advantages over mortar:

Tile can be laid against almost any kind of background including dry-wall construction.

▶ Tile laid in mastic is as much as 20 per cent cheaper to install than tile used with the traditional lath and plaster backing because the work goes easier and faster.

For remodeling jobs the use of mastic eliminates tearing out old plaster walls.

Mastic dries so fast that rooms can be used next day.





When a "floating" process is used, mastic is spread 1/16 in. thick.

Glued paper holds floor tiles together, speeds installation.

Greatest use of mastic in the past few years has been in drybuilt houses where tile would otherwise not have been used at all. The adhesive quality of mastic permits tile to be used against wall board or other dry-built panels at a minimum of cost and trouble.


The St. Louis area is representative of places where both builders and tile contractors have accepted the new adhesives. Thomas J. Dolan, head of a large tile installation firm there, began using mastic last year and now says he can bid from 15 to 20 per cent less on a job if he uses mastic.

"On many jobs it works better for everybody," he says. "It gives the householder more ceramic tile at no increase in cost, it leaves better profits for both the tile contractor and the general contractor, and it means easier and more continuous year-around work for the tile setters."

Dolan is installing tile with mastic in the 1,050 houses of Hathaway Hills where there are 270 sq. ft. of tile in bath and kitchen. Three tile setters and three helpers are doing 14 rooms (about 2,000 sq. ft. of tile) per week—a much faster rate than could be done with mortar.

At his 600-house Duchesne Village the first houses were tiled with mortar. Then Dolan switched to mastic and cut his cost \$15 per house. Using mortar, two men required from 3 to $3\frac{1}{2}$ days to cover 230 sq. ft. With mastic they cut this time to 2 days or less. Dolan also has the contract for tiling 1,392 bathrooms at the Audubon Park apartments. His schedule calls for finishing 17 bathrooms a day, which means his nine 2-man crews have to move at a remarkably fast clip.

"It would probably have been impossible to set tile at this rate in mortar at this particular time," says Dolan. "It would have taken twice as many men—and it would have been almost



A tile setter at Hathaway Hills in St. Louis applying mastic wall tiles by "buttering" each piece.

impossible to find that many, since tile setters are in extremely short supply."

Another advantage is that adhesives will not freeze. With mortar-set tile, rooms must be kept above freezing while tiles are applied. With adhesives, lower temperatures may be kept in the daytime and stoves at night can be eliminated.

From the tile setters' viewpoint, greatest advantage of mastic is the weight reduction. Every pound of sand and cement has to be carted to the room where it is used, often on the second floor. The foreman on the Duchesne job is 63-year-old Fred Karsten who not only directs four crews but does his share of tile laying. He explains that to set the 230 sq. ft. of tile in each house would involve 4,000 lbs. of sand, 600 lbs. of cement, a mixing box and 320 lbs. of reinforcing wire—all carried by the tile setters. The same job is now done by carrying in one 50-lb. can of adhesive. "With adhesives," Karsten comments, "a man is good for 10 or 15 more years of work than if he uses mortar."

Adhesives are applied by either a "buttering" process spreading adhesive on the back of each piece—or by "floating," in which adhesive is put on the wall and then the tile pressed into place with a slight twisting motion.

Cost of mastic is about the same as for mortar. One of the newer mastics, "3 M," made by Minnesota Mining & Mfg. Co., for example, has a list price of about \$4 per gallon. One gallon will cover up to 60 sq. ft. with the floating method and 10 ft. less if the buttering method is used.

A recent survey by the Tile Council of America showed that of 636 tile contractors who answered a questionnaire, nearly 70 per cent had used adhesives. Of those using the new method, 83 per cent had applied it in remodeling jobs and 71 per cent had used mastics on new work. While some contractors favor adhesives for all tile work, the vast majority still use the older method. No one knows what proportion of tile installations are made with adhesives. While they run a poor second to mortar now, their use is definitely on the way up.

Many architects have become acquainted with mastic when modernizing hotels, hospitals or restaurants. They specify an adhesive installation because it permits tile to be laid against existing walls without the need for costly ripping out of walls which must be rebuilt with new mortar. When the time element is critical, as in hotels, tile setters can do their work at night and the room can be rented the next morning.

STOPPING DRAFTS IN CLASSROOMS

New unit ventilator kills down-window drafts in schools before they can reach the pupils.


One good way to eliminate drafts is to intercept them. This is the basic idea behind a clever new system for schoolroom ventilation designed by the Herman Nelson Co. for classrooms to counteract the great draft producing effect of the new large windows.


For more than 30 years this company's unit ventilators have brought air into classrooms by a jet directed up toward the ceiling from the cabinet set under the window of the one exterior wall which is usual in classrooms. This part of the system has not been changed. Fresh air is mixed and warmed when necessary by steam or hot water coils in the cabinet, then propelled upward in a stream creating agitation over the entire ceiling surface. The slightly turbulent air sinks down among the students, becoming less agitated as it settles. In classrooms with conventional windows the air then was recirculated quietly into the base of the ventilator near the floor or exhausted through a vent in the other side of the classroom, usually the hall side. This circulation system was designed for and worked well in conventional classrooms before architects who were hungry for natural light began to enlarge windows.

But with the new large windows a flaw appeared. Glass will be cold in winter no matter how well the room is heated, and may sometimes be as much as 50° colder than the room itself. The bigger new windows, which contained as much as 240 sq. ft. of glass, caused a relentless downdraft of cold air. This draft spilled onto the floor after sinking down the window wall, and caused discomfort in several places, including the engineers' minds. Primarily, it was an annoyance to the row of students sitting nearest the window in winter, because the cold air which slid off the window would not mix with the warmer air which had sifted down from the ceiling. Not only did it form an unhealthy direct draft, but it also caused some bad secondary drafts: one into each exhaust location—the one on the hall side of the room as well as the one in the unit ventilator (see top diagram, right).

The new design solves the difficulty of the cold window downdraft by changing the location of the exhaust to intercept it before it hits the floor. There is only one exit point now, instead of two, and this one exhaust is a long slot placed at the base of the windows to draw off the cold current directly from the bottom edge of the cold glass. Normal room circulation also is drawn into this slot. The manufacturers have determined that the size of the exhaust and its placing keeps the air moving across the room toward the window at a slow, undisturbing rate.


The usual way to combat downdrafts from windows is to place a source of heat directly under the window, but engineers for this new system claim advantages to their method over the solution-by-heat. In the first place they point out that cold air






and hot air are reluctant to mix, that if they did mix, the window problem would not be severe. Their studies show that warm air rising from a source just under the window is forced inward toward the center of the room by the falling cold air, and eventually the cold air piles up heavily and breaks through the warm up-current, making cold drafts in the room. The other disadvantage of this old method is that it can be operated only when the classroom as a whole is in need of heating. This need for adding heating to a classroom is not constant, since the emission of heat by the pupils often carries the load, once the room has been heated up to comfort. But the cold downdraft from windows is constant, unlike the intermittent heating requirement, so it is difficult to calculate how to heat against it without overheating the room.

Outdoor air circulated by this new unit ventilator is pulled in through a wall inlet under the window. It is tempered by heating or by mixing with the room air before being shot up at the ceiling. Automatic controls determine how much room air should be recirculated, and how much new air should be taken in. Air to be exhausted from the room through this unit ventilator can be expelled to the outdoors through a shutter in the under-window wall, or through lockers or coatrooms as required in the particular application. In its most complete form the system comes with cabinets which run the length of the classroom under the window, but less expensive versions are available.



Old system (section above) and new system (below) both shoot conditioned air from sill unit to ceiling for circulation. But new system takes out air, including downdraft (A)through slot in sill and eliminates drafts (B) and (C).



INGERSOLL'S UTILITY UNIT:

its post mortem proves again that prefabrication usually has rough going

When a large, experienced corporation loses more than \$4 million trying to lower the cost of small house construction, a post mortem should be of value.

In 1946 the Ingersoll Steel Division of Borg-Warner began producing a prefabricated mechanical core with a complete bathroom, kitchen and furnace. Last year the Unit was quietly taken off the market after three years of hard work had failed to build up sales to a profitable basis. Reasons for the failure have now been studied and are a multi-million-dollar lesson to anyone who designs, makes or distributes building materials.

In all building history, never had prefabricated housing equipment been launched with more loving care than Borg-Warner gave its new bathroom-kitchen-furnace package in the Spring of 1946. In those early postwar months, when millions of people were crying for a mass-produced, cheap house, the new Utility Unit appeared at a psychological moment when everything seemed in its favor.

Much study and planning had gone into the creation of each part of the design. More than 200 building codes had been analyzed to make the Unit acceptable everywhere. To avoid labor trouble in the field—that common enemy to most prefabrication—the Company had been careful to employ full-scale union labor in the factory to do its final assembly and a former union official to guide its program over any rough spots that appeared. To show architects and builders exactly how the new Unit could be installed, a dozen houses were designed by such top-flight architects as Edward Stone, Hugh Stubbins and Harwell Harris and constructed in Kalamazoo, Mich. Behind the project were the experience and resources of an eminently successful manufacturing organization that planned to make most of the parts needed in the Unit.

Roy Ingersoll and his son Bob were generally applauded for their effort, for they were making a vigorous attempt to do what had long been recommended: Use America's production and assembly techniques to reduce the huge number of parts that have to be handassembled at the building site.


Despite the Ingersolls' careful planning, salesmen in the field always had tough sledding. During the brief three years of its life, one trouble after another dogged the Unit. Total sales added up to something over 5,000—or less than the figure hopefully announced as the goal for 1946 alone. Production was never high enough to bring the low cost benefits of mass production. With the Unit never out of the red, Borg-Warner finally decided that enough was enough. In the Spring of 1949 it stopped manufacturing and wrote off its losses.

What went wrong? Was it one thing or many things?

Sales resistance was due to no one easily described reason, but was as varied and complex as the building industry itself. First there was the resistance that greets any new and untried product. The Unit was certainly novel, as no package of its size had ever been marketed successfully. Neither architects nor builders were accustomed to having the design of their bathroom, kitchen and furnace frozen for them by a manufacturer.

A basic sales limitation was that the design was appropriate only to slab-on-ground houses. And in 1946 potential house buyers in many parts of the country were not yet used to basementless houses.





Some builders found the back-to-back design of the kitchen and bath too inflexible. They claimed this fixed pattern prevented them from shifting room arrangements in large developments. Other builders looked over the deluxe kitchen that Donald Desky had designed and decided it was either too fancy for cheap houses, or that a family that could afford such a kitchen would want more than one bath—and yet in the standard unit there was no provision in the mechanical core for two baths.

Another design criticism was that the kitchen sink was placed against an interior wall—a violation of the American housewife's traditional desire to look out a window as she washes her dishes.

The design of the warm air furnace bothered some builders. Those in the South felt it was too large for their mild winters. Some in the East objected to the pot-type design which was unfamiliar to their customers. An idea of how complex requirements can be in different areas can be gained from the combinations finally offered with the Unit: 1) gas furnace, gas water heater and gas cooking range; 2) oil furnace, electric water heater, electric range; 3) oil furnace, gas water heater, gas range. Water heaters were originally of 30- or 40-gallon size, but later an optional 50-gallon tank was offered.

In some areas of the South, builders criticized plumbing arrangements as being expensively complex. A simplified design was eventually offered that saved \$35. In fact, the basic mechanical core was redesigned to provide a less elaborate package which had simple plumbing and no heating unit at all. Other design changes had to be made before the Unit could overcome prejudices in some localities.

Was price too high?

Another fundamental factor in sales resistance was the price. Builders without prejudice against the design got out their scratch pads and by adding up what it would cost them for bathtubs, sinks, gas stoves, furnaces, cabinets and other parts discovered they could buy the parts cheaper themselves than through Borg-Warner. The \$1,500 installed price was often several hundred dollars out of line. This was notably true for operative builders who built several hundred houses a year. Yet this was the very market that B-W had aimed for; it originally announced that it would not take orders for less than 50 units at a time. To the little builder, however, whose purchasing power was small, higher prices were no objection and something to be passed on to the home buyer. It was to these builders that most sales were made.

Prices were high for two reasons. First, Borg-Warner never carried out its plan of manufacturing within its own organization most of the equipment going into the Unit. It made the core, furnace, plumbing (Continued on page 154)

Owner Satisfaction

... part of every Ro-Way Overhead Type Door

Yes... owner satisfaction. Built right into every Ro-Way Overhead Type Door. Whether for commercial, industrial or residential installation.


It's like this. Only carefully selected west coast lumber is used. Mortise and tenon joints are not only glued, but *steel* doweled as well. Muntins, rails and stiles are squared up with precision. Sections are rabbeted to assure weather-tight joints. Millwork is drum sanded for uniformity, with extra *hand* sanding for real smoothness of finish.

All Ro-Way hardware is heavy gauge steel—fabricated in Rowe's own plant with special Rowe-designed machines. And it's both Parkerized and painted, *after* fabrication, to assure freedom from rusting and discoloration.


And—outstanding features for smooth, easy operation. Like Ro-Way's exclusive friction-reducing track. Ball-bearing rollers with double-thick tread. Springs power-metered to the weight of each door.

Owner satisfaction? It's practically guaranteed! That's why you can't go wrong when you specify— Ro-Way Overhead Type Doors.

COMMERCIAL + INDUSTRIAL + RESIDENTIAL ROWE MANUFACTURING COMPANY



973 Holton Street



Galesburg, Illinois


See your classified telephone directory for name and address of the Ro-Way Distributor specially trained to give you expert installation service.

TO BE TWO PLACES AT ONCE USE MIRROPANE



CUSTOMER'S EYE

To the CUSTOMER **IT'S A MIRROR!**



IT'S A WINDOW!

In this drugstore, customers don't go unattended for long-(and neither do shoplifters!) Even if the pharmacist is in the back room compounding a prescription, he can see what's going on out in front. There's a Mirropane* transparent mirror in the partition. To the customer, it's a decorative mirror behind the shelf stock; but from the prescription room it's a window that shows the whole store.

The secret is in the lighting (see diagrams). When viewed from the side having the stronger illumination, Mirropane looks like an ordinary mirror. But from the dimly lit side, or when properly shielded from strong light, it's transparent.

This idea, affording sight unseen, is one you can use in many places. In stores, schools, clinics, banks, offices, funeral parlors, entrance doors-whenever you wish to provide a means for observing people without being seen, Mirropane can be highly useful as well as decorative. Write for full information.



TRANSPARENT MIRROR . PRODUCT OF LIBERTY MIRROR DIVISION LIBBEY · OWENS · FORD GLASS CO. 98115 NICHOLAS BLDG. TOLEDO 3, OHIO

INGERSOLL'S UTILITY UNIT

(Continued from page 152)

pipes, refrigerator, and late in the deal the bathtub. But the many other items were bought outside. Even on such products as the refrigerator, which the refrigerator division of B-W sold to the Ingersoll division, there was no family savings. Any large operative builder buying in quantity got the same price that Ingersoll did. The same was true of most purchased items. Thus, the primary reason for factory prefabrication-lower costs-was not fulfilled.

A basic reason for the original high price of the Unit, and for eventual failure, was that B-W never got out of the category of being an assembler of other firms' products. Eventually the Unit price to builders was less than \$1,000 (to which the installation charges had to be added), but by this time the supply market had eased and builders could look around more freely for what they wanted. And at the lower rate, there was no margin of profit for Borg-Warner.

Building trades unions-traditional delayers of prefabrication-didn't like the Unit but they were not a major handicap. In many areas labor's old guards put up their customary resistance that made for harder work for salesmen and built up distribution costs. A combination of union restrictions and building codes kept the Unit out of Chicago and San Francisco. In at least one area, the electricians' union insisted on rewiring the furnace controls. Borg-Warner's labor specialist was able to persuade most unions to handle the Unit but there is no doubt that the threat of labor problems kept many builders from using it.

Despite the fact that some 200 codes had been studied and theoretically overcome, B-W salesmen soon found that local interpretation of codes could seldom be predicted. Code administrators demanded dozens of changes in the basic design. Trouble with local codes was the greatest single problem. To achieve national distribution, B-W had to offer four different soil stack assemblies and five underground piping assemblies. In the waste lines, petty changes demanded by code officials required many expensive variations. In some areas lead pipe for a certain purpose was insisted upon, while elsewhere brass or cast iron had to be used.

Looking back to 1946, it is now clear that one of the most serious problems was distribution. Because B-W was supplying plumbing and heating equipment direct from manufacturer to builder and thus by-passing the usual channels, it handled the Unit through speciality distributors and dealers. The old-line jobber was left out of the picture. This was a basic error, as events proved because "the jobbers killed 'em" as one ex-B-W salesman has said.

Eventually the local plumber, hired to hook up the job, had to get pipe, fittings and other equipment he needed. He found the jobber in no mood to give out any of his much-sought-after supplies for a job on which someone else was making the profit on the stuff he usually sold. Nor did local plumbers like to short-circuit the jobber they had long bought from. A Washington architect who used one Unit had such trouble finding a plumber to connect the equipment that he decided it wasn't worth the effort.

It was also learned through bitter experience that in small communities the big jobber was often the only man with credit or who knew the credit rating of the builders. Some of the speciality distributions B-W used did not have enough capitalization to get credit, which on 50 Units ran to over \$50,000. Nor would they act as bankers for the little builder, as wellheeled jobbers habitually do. Eventually Borg-Warner distributed through recognized plumbing and heating jobbers and the master plumber. This greatly eased installation problems.

From Borg-Warner's unhappy lesson in prefabrication, should it be concluded that any similar attempt is bound to fail? A number of men who were intimately connected with the Utility Unit say no. They believe that a unit designed close to what the small builder wants, and at a price at least 10 per cent cheaper than the parts can be bought for separately, has a good chance for success. But they agree there must be flexibility in the parts, so that a builder can buy as much of the full unit as he wants, and flexibility in arrangement. They are almost unanimous in their emphasis on distribution through the well-used channels. But the price is the pay-off. A builder must get more for his money-otherwise there is no excuse for prefabrication.

In Earthquake and Tornado districts ...

HOME OWNERS INSIST ON DRY WALL CONSTRUCTION



"San Antonio is (a district) where dry wall is a must because of the earth heaval problem with which they are faced there. Up until about six years ago, they used wood boards, over which they stripped canvas and then papered, but when dry wall construction, as we know it today, became available on the market, they turned to that method of providing interior finish."

That is the statement of Mr. Carl G. Lans, Director of the Technical Service Department of the NAHB. This is supported by letters from many an owner of a home built with Homasote Dry Walls. These homes have survived tornados and even tidal waves. Once an owner knows this sensible construction method, he will accept no other.

For 32 years Homasote has been used for Dry Wall Construction—in millions of dollars of private homes. Since 1936 its use has been supported by intensive research costing more than \$500,000.

Dry Wall Construction – with Homasote Big Sheets – offers many major advantages . . . The average wall is covered with a single sheet; batten strips and unsightly wall joints are eliminated. Joints are made at doors and windows, as desired . . . Labor costs are minimized; many fewer handling operations; many fewer nails . . . In a single material you provide lasting insulation value and great structural strength . . . You build a quieter home, free from dampness — with dependable insurance against musty closets and mildewed walls.

Dry Wall Construction – with Homasote Big Sheets – means walls that are permanently crackproof, ideal for paper or paint, lending themselves to modern decorating effects, modern mouldings and trim.


Let us send you performance data and illustrated literature on Homasote and allied products.


Veatherproof	HOMASOTE COMPANY . DEPT. 64, Trenton 3, New Jersey
	Send me literature as checked:
IUWAJA	Standard Homasote " The Nova Roller Door () (Big Sheets) ()
A A	Striated Homasote (Tiles and Panels) () The Nova-Shingle and the Nova-Speed
in Big Sheets up to 8' x 14'	Wood-textured Homasote Shingling Clip ((Panels) ()
Oldest and strongest insulating	Name(Please print in pencil)
d building board on the market	Address
	City & Zone State

In These Homes: 22 Different Forms of ALUMINUM BUILDING MATERIALS

The swift rise of Aluminum in home building, as in all types of construction, goes farther than the eye can see. The soft grey of a roof may signal Aluminum immediately...on the house below...on farms and industrial buildings throughout the country. Aluminum gutters attract attention by their trim lines and neutral, harmonizing tone. Aluminum windows bespeak, at once, modernity in home building. Screens, storm doors and storm windows, louvres, flashing...all proclaim aluminum. Even the painted weatherboard corner pieces, in the house at the right, are distinctively aluminum by their straightness and neat fit.

Yet the versatility of aluminum goes still farther. Beneath the finish paint of carefully built homes is a primer coat of aluminum paint...wood's best protector. In the clapboards, and in all exposed uses, are aluminum nails...permanent protection against rust and stain streaks. Over floor crawl spaces, inside walls and over ceilings is aluminum reflective insulation. And all the duct work is easier-to-handle, heat-reflecting aluminum. Add aluminum thresholds, copings, railings, and you can see how the list grows. The modern rustproof metal that combines strength and beauty with a decided weight advantage is the better answer to more and more specification problems. For details in A.I.A. file form, write **REYNOLDS METALS COMPANY**, Building Products Section, Louisville 1, Kentucky. Offices in 32 principal cities.







EYNOLDS ALUMINUM WINDOWS re outstanding for beauty of design and for igh finish. Flash-welded corners. Residential asement, fixed and picture windows, regular ad western types. Reynolds Aluminum Screens t these and *all* metal casement windows.



REYNOLDS Lifetime ALUMINUM GUT-TERS AND DOWNSPOUTS in 5" Half-Round as well as in the Ogee style shown in profile here and as applied in the house below. Choice of smooth or stipple-embossed finish. Also 6" Half-Round Industrial Gutters, stippled.




FLASHING, ACCESSORIES, NAILS. Complete accessories, including Formed Valleys for use with all types of roofs. Flashing .019" thick in 50-ft. rolls, 14", 20" and 28" width; also flat sheets 28" by 6', 8', 10', 12'. .024" flashing same dimensions flat and in rolls 20" wide. Aluminum Nails in all standard types.



REYNOLDS ALUMINUM REFLECTIVE INSULATION.

Embossed aluminum foil on both sides of kraft paper (Type B) or one side only (Type C). Perfect vapor barrier as well as efficient insulation in compact form— 250 sq. ft. in each 15-lb. roll. 25", 33" and 36" widths. Also board types (foil on cardboard) for exposed applications.



this home, Reynolds Aluminum is used in 21 rms. These include windows, insulation, gutters d downspouts, thresholds, storm doors and winws, duct work, louvres, nails, weatherboard corner pieces, basement grills, flashing, trim molding, screens, aluminum paint for prime coating. Details of major building products are presented above.




For literature on all these products write to

Reynolds Metals Company, Building Products Section, 2000 S. Ninth St., Louisville 1, Kentucky.

FIAT GLASS SHOWER DOORS

... dress up the bathroom



A Fiat glass door greatly improves any shower. Tile, marble, structural glass, or metal showers are enhanced in appearance and practical usability when equipped with a Fiat door. Perhaps at no other place in a house can so little cost mean so much in desirability. I The solid extruded metal used in all Fiat doors is a much superior type of construction that permits a fine elite styled frame combined with strength. ¶ The Fiat Dolphin shower door is constructed of extruded solid brass, heavily chromium plated with continuous piano hinge forming a smooth-working, rigid door. Double friction bullet catches, offset handles and water channel to prevent dripping on floor are features that mark the Dolphin as the finest in shower bath doors. I The Zephyr is a medium priced door, styled

The Zephyr is a medium priced door, styled same as the Dolphin but made of extruded aluminum with satin aluminum finish.
Standard size of both the Dolphin and Zephyr shower doors is 72" high for opening 24" wide.
The Neptune is the lowest priced Fiat glass door. Made of one piece heavy extruded aluminum with satin finish. Size 24" x 64" and is reversible for left or right hinging.

¶ All Fiat doors are simple and easy to install on Fiat shower cabinets, tile, marble or structural glass showers.



Fiat shower doors have neat, modern styling combined with maximum strength.

FIAT METAL MANUFACTURING COMPANY

Three Manufacturing Plants 9301 W. Belmont Ave., Franklin Park, Ill. Long Island City 1, N. Y. Los Angeles 33, Calif.

In Canada—Fiat showers are made by the Porcelain and Metal Products, Ltd., Orillia, Ontario

REVIEWS


(Continued from page 139)

Niemeyer's "trajectory," which has been as steady as it was swift, appeared first in his Child Center (1937)—less than a year after LeCorbusier's visit. Today, 13 years later, his projects are vast and legion. Even better, they bear the promise of being only the start of many good things to come.—S.K.

THE FOUR ROUTES by LeCorbusier. The British Book Center, Inc., 122 E. 55th St., New York 22, N. Y., 206 pp. $5\frac{1}{2} \times 8\frac{1}{2}$. Illus. \$3.75.

Highways, railways, waterways and airways are the heroes of LeCorbusier's book most recently distributed in this country. (It was written between 1937 and 1941.) As an 'organic' thinker, LeCorbusier has here amplified his earlier ideas rather than added to those already expressed. His plea for the segregation of motor traffic on elevated 'highways' needs no repetition. In *The Four Routes* he elaborates his vision of rational coordination of all four means of travel. Motor traffic should be for shorter runs and smaller towns. Railways only for long hauls and restricted to express stops. His view on airways is less specific—a paean to its possibilities rather than an analysis of its needs.

Those who claim that LeCorbusier's solutions stir up more problems than they solve will not change their opinion by reading *The Four Routes*. He possesses, however, a verbal magic in presenting a subject vividly—a magic which no thousand-page report can equal.



To the discussion of better farm-planning, which in the U. S. has been left mainly to engineers and social workers, LeCorbusier adds his ideal of the "radiant farm." His farm (recalling his earlier house definition, "machine for living") is "an exact working implement . . . an arrangement of buildings designed to house a definite stock of implements and equipment, livestock and stocks of food and straw. Its first care is to house the peasant family—before anything else!" . . . (His sketch is reproduced above.)

"In the 'radiant farm' the home section is independent of stable, cattle-sheds, pigsties, hangars and barns; it is situated at the axis of these general services, a post of command. . . . All this is the result of standardized parts, applied to a metal framework easily mounted. . . . The scheme for the individual farm is as exact as that of any manufactured object or of any element of industrial administration."



TINNERMAN PRODUCTS, INC., CLEVELAND, OHIO McGEORGE, HARGETT and ASSOCIATES, Architects and Engineers • THE SAM W. EMERSON COMPANY, General Contractors • THE LONG PAINTING CO., Decorators — all of Cleveland.

(Above) Office of George A. Tinnerman, General Manager. The large, modern cafeteria seats 500 for meals; it can also be quickly converted into an auditorium seating 1000 persons. Many types of the Speed Nut Brand of Fasteners are produced on the Four-Slide Presses in the new plant of Tinnerman Products, Inc.

SYMBOLIC of the ingenious, modern products which they make, the new factory and office building of Tinnerman Products, Inc., Brooklyn Village, Ohio, represents the ultimate in production engineering, architectural styling and harmonious decoration.

Ultra-modern color styling has been achieved in the office-building portion through the use of carefully-selected Pratt & Lambert deluxe colors. These distinctive colors are not only functional but are rich in decorative value. They diffuse light and minimize eye-strain.

Similarly, the P&L Lyt-all Industrial Maintenance System was used in the manufacturing



areas, including sight-saving, machine-tool colors. Fatigue is lessened, safety measures are improved, spoilage is reduced, and production is increased through the adoption of this practically-proven painting system. Operating efficiency is thus combined with economical maintenance.

Authoritative color planning and practical painting specifications are available from the nearest Pratt & Lambert Architectural Service Department. Inquiries are welcomed.

PRATT & LAMBERT-INC., Paint & Varnish Makers NEW YORK · BUFFALO · CHICAGO · FORT ERIE, ONT.

Save the surface and you save all!





THE friendly informality of Cedric Adams' newspaper column and news broadcasts have long made his name a household word in Twin Cities homes. Today, a national TV and radio personality, Cedric's easy, comfortable manner and broad smile have won millions of new friends across America.

Recently he built himself a new home in Minneapolis. It was designed from stem to stern for pleasant living. The heating system received the special attention it required in a home of this typezone control of different living areas to maintain ideal temperature conditions in all rooms at all times.

The Adams home has four properly

Minneapeli

located Honeywell thermostats. While some homes require but 2, larger homes may require 5 or more thermostats, depending upon the number of rooms, area of ground covered, exposures to sun or storm. But most larger homes can't get along comfortably on one thermostat. The next home you are commissioned to design may be one of them.

In any event, we suggest that you consult your nearby Honeywell field engineer. His broad experience in zone control will serve as an important aid in determining the proper number of controls needed for best results. Meanwhile, write for the informative folder, "Residential Zone Control Applications and Specifications."

This Home Has FOUR Thermostats

- (1) In the Recreational Area
- (2) Also in Recreational Area
- (3) In the Living Area
- (4) In the Sleeping Area



ELECTRONIC CLOCK THERMOSTAT Automatically lowered night temperatures may be provided for each zone, for additional convenience and fuel economy.

roducer's Council Bulletin on

REGULATOR COMPANY Minneapolis 8, Minnesota

Ioneywell	MINNEAPOLIS-HONEYWELL REGULATOR 2601 Fourth Avenue South • Minneap
IRST IN CONTROLS	Please send reprint of Producer's Council Bulleti Residential Zone Control, A. I. A. File 30-E Name
Honeywell Regulator Co., Minneapolis 8, Minn., In Canada: Torento 17, Ont.	AddressZoneState



WINDOWALL illustrated, Andersen Casement Picture Window Unit

Mindowalls*

WINTER'S BEAUTY is captured by this window, but winter's sting never penetrates the insulating wall it presents to unpleasant weather. It's an Andersen WINDOWALL... it contributes to its owner's pleasant living both as window and as wall.

Here are pictured the two best reasons why Andersen WINDOWALLS are made of wood. Wood frames the view with depth and beauty; and wood insulates. Though it was 12 below zero when this picture was taken, there was no trace of condensation on wood members.

See Detail Catalog in Sweet's Architectural and Builders' Files, or write us for further information. The complete WINDOWALLS Tracing Detail File will be sent on request to architects and designers at no charge. Andersen WINDOWALLS are sold by lumber and millwork dealers.

*TRADEMARK OF ANDERSEN CORPORATION

Andersen Corporation BAYPORT · MINNESOTA







Exuberance and fast construction, typical 'northwest' qualities, are seen in the Mormon carving above and St. Mary's Church (left).

Get More (and Better) Storage With MENGEL WALL CLOSETS!

Prefabricated Mengel Wall Closets have five important advantages over conventional closets:

- Modern construction eliminates thick, expensive wood studs, lath and plaster . . . offers greater storage space for equal cost, or equal space at lower cost.
- 2 Efficient sliding doors (suspended on ball-bearing hangers from aluminum track) permit full access to *inside* full use of living space *outside*.
- 3 Interiors scientifically designed for maximum storage. Adjustable shelves and rods easily raised or lowered to give right proportion of shelf space and hanging space for individual requirements.
- Sliding drawers (optional) provide "bureau" storage — fit either above or below shelves, easily moved from one position to another.
- **5** Separate top compartments utilize space ordinarily wasted . . . ideal for semi-permanent storage.





Interior of Mengel Wall Closet (doors removed).

Available in a variety of sizes and models, in Birch or prime-coated for painting. Units may be combined to form complete partitions. Shipped K.D. with front frames and doors assembled, all hardware included. Easily installed. Comply with FHA requirements.

sliding doors and trac MENGEL TOPFLIGHT SL	TS fronts, including frames, cks, or
Cabinet Division — Dept, AF-10 THE MENGEL COMPANY 1122 Dumesnil St., Louisville 1,	ку.
Gentlemen: Please send me comp Closets, Closet Fronts, and Topf	olete information about Mengel Wall light Doors.
Name	
Firm	
Street	
City	State

N. N. J. N. S. P. P. P. S. S.

REVIEWS

ARCHITECTURE OF THE OLD NORTHWEST TERRITORY by Rexford Newcomb. University of Chicago Press, 5750 Ellis Ave., Chicago 37, III. 176 pp. 47 fullpage plates. 9 x 11½, \$20.

In a country as large and varied as the U. S., studies of sectional development in architecture have a special value. They allow a tracing of the individual elements which now play an important part in our national culture. The old Northwest Territory, which became a part of the U. S. in 1787, was a homogeneous section including the present states of Ohio, Indiana, Illinois, Michigan, Wisconsin and Minnesota. It was then composed of a few French and English outposts surrounded by untouched forestland, and lacked even the 5,000 males that were necessary to make it officially self-governing. This book traces its growth in the methods and materials of building down to the Civil War almost a century later.



The highest architectural heritage of the old Northwest Territory was the clay-and-timber house introduced by French settlers from Quebec. Its very elaborateness, however, together with a series of fires, reduced its possible scope of influence. First coherent local pattern was the now-classic log cabin which attained its widespread recognition in this area. It had been introduced to Pennsylvania by Sweedish settlers, but in the 1800's it became a midwest trademark. As Author Newcomb points out: "The log cabin ... could be constructed of material taken from the land in clearing and put together with the same tools as those used in felling the trees . . . a combination of economy and convenience admirably adapted to the American frontier."



The pioneer's rapid mastery of wood for light and swift construction led to his one vital contribution to modern building — "the balloon frame." In 1833 George Washington Snow produced in St. Mary's Catholic Church of Chicago, Ill. a structure whose lightweight members were held together by nails. The cost-saving and rapidity of this system was immediately noted by the farm journals and it soon became a widespread practice up and down the frontier. To this day it is almost universally used for small house construction in the U. S.

(Continued on page 168)

oak harmonizes anywhere

With any type of house . . . with any style of decorating . . . with any period of furnishings, oak provides the perfect complement of beautiful flooring. That's one of the reasons why 85% of home buyers make oak their first choice.

Of course, they also know that oak flooring is incomparable for easy upkeep, adding resale value, and a lifetime of service that needs no costly replacements. So it's sensible to include the proper grade of oak flooring for every house in any price range.

See our catalog in Sweet's.




Oak, the flooring that has everything everyone wants



oak_for apartments








oak-for luxury homes




oak-for medium-priced homes

NATIONAL OAK FLOORING MANUFACTURERS' ASSOCIATION . Dept. 7-11, Sterick Bldg. . Memphis 3, Tenn.



iller, makers of america's foremost collection of modern furniture . . . showrooms one park avenue, new york merchandise mart, chicago exhibitors' building, grand rapids 8810 beverly blvd., los angeles




REVIEWS

Author Newcomb, while not overlooking these actual "Northwestern" contributions to the nation's construction progress, seems more impressed by local skill in copying designs than inventing them. The great majority of his handsome photographs are devoted to more or less handsome imitations of Georgian, Roman, Greek and Gothic Revival houses and churches. Even the 'balloon-framed' St. Mary's is swallowed up in a chapter entitled "Greek Temples on the Illinois Prarie." A notable exception to this conventional design was the Mormon temple at Nauvoo, only one of whose pilasters has survived its destruction. This lively sun image (p. 166) now adorns-alas-the front of an Illinois duckpond.-S.K.

NORWEGIAN ARCHITECTURE throughout the Ages. With a historic survey by Georg Eliassen. H. Aschehoug & Co., Sehestedggt. 3, Oslo, Norway. Text in English. 424 pp. 91/4 x 111/4. Illus. 78 kroner.

This book is not only the first detailed and coherent account of Norwegian architecture—it has an interesting history of its own. Research for it was begun during the German occupation by a secret committee of architects who wished "to utilize the long blackout evenings." The group worked at its task, not knowing whether



the book would ever be finished or, if finished, be allowed publication. Its aim was "an easily absorbed survey, lacking heretofore, which would act as a source of inspiration for the present and coming generations of Norweigian architects." The editors' apology for the book's incompleteness seems unnecessary to an outsider, who can only be impressed by the originality and variety of its material. What does seem—very literally—a shame, is the poor quality of its photographic reproductions. Of the hundreds of excellent and interesting photographs included in the book, not one was clearly printed. (The contrast of the interior with the rich woodcut on the cover—shown above—is remarkable.)

In the text introduction, Editor Georg Eliassen demonstrates how firmly the roots of Norwegian architecture are set in geography. Two types of building predominate through the ages: the seagoer's dwelling and the sod-covered house in the mountains. The gradual development and (Continued on page 174)



Now you can "do things" with lighting, too!

Buy PLEXOLINE!—sensational new mass-produced lighting system with "flexibility." Simple combinations of Plexoline's linear and circular units produce any lighting patterns your imagination can invent. Graceful curves of light... circular contours... angular patterns... abstract designs... and more!


Best of all, Plexoline delivers this truly custom-tailored lighting at standard cost. It's modern lighting with all the traditional economies of Day-Brite QUALITY; Plexoline is carefully designed and produced to insure long years of trouble-free, efficient service at the *lowest* possible installation, maintenance and operating cost.

But you need the full PLEXOLINE story to properly judge its amazing advantages to you. Send for your free copy of "Plexoline — Imagination at Work." Day-Brite Lighting, Inc., 5471 Bulwer Ave., St. Louis 7, Mo. In Canada: Amalgamated Electric Corp., Ltd., Toronto 6, Ontario.

045




PREMIUM QUALITY WITHOUT PREMIUM COST



Plexoline is simple. No intricate wiring arrangements, no costly installation problems. All parts are uniform, fit accurately. Linear sections are available in a variety of lengths, 2- and 4-lamp, Slimline and standard Fluorescent. Circular units available as adjustable accent units.

Now you Can DESIGN LIGHTING to Fit your Floor Plan !







Hotpoint All-Electric Kitchen

oday's overwhelming demand by America's homemakers for complete, conveniently modern electric kitchens should be a cue to the planning of progressive home builders.

A recent survey made by one of the leading building publications proved conclusively that among all new features being offered in today's new homes, modern kitchens created more sales appeal than any other factor.

Whether you are remodeling or building a single dwelling, an apartment house or an entire subdivision, the use of Hotpoint Home Appliances in kitchens and home laundries means a faster sale or rental... and a big increase in the property value.

Write now for free literature on Hotpoint Home Appliances. Hotpoint will gladly give you helpful counsel in kitchen and home laundry planning for your particular project.

Close the Sale with Hotpoint!

RANGES • REFRIGERATORS • DISHWASHERS • DISPOSALLS® • WATER HEATERS • FOOD FREEZERS AUTOMATIC WASHERS • CLOTHES DRYERS • ROTARY IRONERS • CABINETS (A General Electric Affiliate) 5600 West Taylor St., Chicago 44, Illinois

totpoint EQUIPPED

All Masoury Needs Protection

38 years of performance has given national reputation to THORO System products which designates them as "Honest Materials", giving the maximum of protection to masonry.

Keep water out of the wall and satisfaction is assured. THORO-SEAL to fill and seal—QUICK-SEAL for beautiful finish. It may be the home, school, church, club, factory, cellar, garage, cistern or any of the hundreds of masonry structures which need protection. Specify THOROSEAL and be secure.



WATERPLUG To Stop Leaks THOROSEAL

QUICKSEAL For Beautiful Finish


To Seal Surface

Perfect satisfaction is assured when interior and exterior surface is THOROSEALED.

Standard Dry Wall Products BOX X, NEW EAGLE, PENNSYLVANIA Write today for our new 20 page brochure 17-A and designer's wall chart


U.N. building installs venetian blinds of Flexalum

It's a natural-Flexalum for the U.N. building! For blinds with Flexalum are superbly handsome-fit for the world's most looked-at building. And Flexalum slats back up their looks with performance that's equally handsome: they're spring-tempered, quick to clean, trouble-free. More and more architects are matching distinguished settings with distinguished blindswith Flexalum blinds. Stands to reason-Flexalum's a natural for your installations, too!



The United Nations Secretariat on the East River Drive, New York City

ONLY Flexalum gives you spring-tempered aluminum slats



Exclusive spring-tempered process means slats snap back to shape even when bent to 90° angle. Smooth, baked-on finish bounces dirt right off, won't chip, crack, peel, rust in any climate. Slats are light-weight, close-nesting, curved for maximum light and air control. From every professional standpoint, it pays to see Flexalum first, specify Flexalum always!



This "visible-invisible" trademark is "client-insurance" for you. It assures your client long and trouble-free service; it assures you a valuable reputation for choosing only the very best.






HUNTER DOUGLAS CORPORATION, RIVERSIDE, CALIFORNIA AND 150 BROADWAY, NEW YORK 7, N. Y.

United Nations Secretariat

AIR CONDITIONED BY CARRIER



Why did the architects select the Carrier Conduit Weathermaster system for the United Nations Secretariat?

Mainly because the Carrier Conduit Weathermaster system is the most successful system devised for large multi-room buildings. Because return ducts are eliminated, because primary air is supplied at high pressure through small diameter conduits, the Carrier Conduit Weathermaster system saved space equivalent to two floors of the Secretariat. Because the prefabricated fittings and conduits were easy to handle, store and install, the Carrier Conduit Weathermaster system reduced building costs.


But the architects had in mind, too, the 4000 men and women who will occupy the Secretariat. These representatives of 59 nations get constant ventilation without drafts; individual climate control in each office at the turn of a dial; silent operation because there are no moving parts in the Weathermaster units; privacy because without return ducts there is no transmission of sound.

Was the architects' choice the right one? The architects of the three other newest New York skyscrapers would agree. As would the architects who designed the newest buildings in Dallas, Buenos Aires, Pittsburgh, Houston, Rio de Janeiro, San Juan, Singapore and Washington. For many of these buildings have Carrier Conduit Weathermaster Air Conditioning. . . . Carrier Corporation, Syracuse 1, New York.

PLANNING DIRECTOR: W. K. HARRISON . CONSULTING ENGINEERS: SYSKA & HENNESSY, INC. GENERAL CONTRACTOR: FULLER-TURNER-WALSH-SLATTERY, INC.

AIR CONDITIONING . REFRIGERATION . INDUSTRIAL HEATING





Here's a new, illustrated bulletin giving complete design and installation data on Parkay. Tells you how this 3/16''-thick ready-finished flooring saves time and money on both new construction and remodeling work.

Facts

Whether your major interest is homes, apartments, offices or public buildings, this bulletin will show you where and why beautiful, yet practical, Parkay has a place in your flooring plans. Fill out and mail coupon below now! The new Parkay bulletin will be on its way to you by return mail.

	Please send me new bulletin describing Parkay ready-finished hardwood for floors and walls.
Name	
Company_	
Address_	
City	Zone State
PA	RKAY

REVIEWS

refinement of these types, in spite of lapses caused by war and sickness, makes up the main story of the book.

A decline set into Norwegian architecture when the once-invincible Viking ships were driven off the seas by German and Dutch doubledeckers, a decline intensified by the Black Plague and the Wars of Reformation. Subsequent domination by Denmark and alliance with Sweden further weakened the native arts. From the time of their revival in the 1840's, however, (when Ibsen and Grieg put Norway back on the map of world consciousness) the creative tide has become steadily stronger.

Norway's welcome for modern architecture after a LeCorbusier exhibit in 1930 was, the authors believe, "too easy and too quick." Its best products, however, as shown here, seem worthy to stand up with the top level of other more mechanically-advanced countries. The architectural partnership of Gudolf Blaksted and Herman Munthe-Kaas shows especially varied competence. Modern architects (like Ove Bang and Magnus Poulsson) reveal how well native traditions adapt themselves to modern use.


When such a valuable research document has been assembled, cannot some auxiliary group— UNESCO or the Norwegian Government perhaps —see that it gets fitting publication?—S.K.

THE URBAN PATTERN—City Planning and Design by Arthur B. Gallion and Simon Eisner. D. Van Nostrand Co., Inc., 250 Fourth Ave., New York, N. Y. 446 pp., $7\frac{1}{2} \times 10\frac{1}{4}$. Illus. Bibliography. \$12.

Although this critical analysis of the city pattern will find its biggest audience on the campus (its format of time past, present and future works well with classroom lectures) there is much meat here for the city councilman, the traffic engineer, the builder developer, the architect of two houses a year-anyone in fact who has a financial or spiritual stake in an urban community. Messrs. Gallion, Dean of University of Southern California's school of architecture, and Eisner, technical director of Los Angeles' community redevelopment agency, combine academic thought and practical knowledge in exceptionally readable text. With clarity and logic befitting city planners, they dig to the roots of urban problems and hack away with small axes.

In an introductory section, The City of the Past, the urban form is traced from man's first move out of a cave up to the boned-girdle grids that were pressed over American cities for purposes of business profit. The book notes that the distinction in the pattern of cities is marked by the transitions from a slave to a mercantile economy and from slingshot to gunpowder warfare, and that "neither the presence nor the absence of geometrical form has affixed itself upon a people or a period as a conclusive expression of society. It is rather the manner in which the forms have been manipulated and the purpose for which they have been devised that give significance to the physical patterns of cities."

The authors study the industrial city, its fac-(Continued on page 180)



"Gosh, with all of Ed's relatives dropping in for Thanksgiving Dinner, it's lucky he remembered that

EVERYTHING HINGES ON HAGER!"



HAGER No. 1147 EXTRA HEAVY FRICTION-TYPE BUTT HINGE Available also with "Hospital-Type" rounded top ends to prevent attaching ropes, wires, etc.

ELIMINATE NOISY, SLAMMING DOORS!

Exclusive flexible friction adjustor in the barrel of Hager Friction-Type Butts controls the friction exerted to just the desired degree. Proper adjustment of friction pressure prevents doors from slamming shut... holds them open to any desired ventilating position.


Removal of screw-type-plug at top end of butt provides quick access to the slotted pin. A few screw driver turns in one direction exert additional friction that retards the ease of door movement; several screw driver turns in the other direction eliminate friction , . . allow door to silently float back and forth.

Specify Hager Friction-Type Butts in hospitals or other buildings where quietness is either desirable or a necessity.

C. Hager & Sons Hinge Mfg. Co. • St. Louis, Mo. Founded 1849—Every Hager Hinge Swings on 100 Years of Experience







Use of the remarkable, versatile electron tube has proved to be an outstanding achievement in time control.

The new IBM Electric Time System with Electronic Self-regulation requires no special clock or signal wiring. All units in the system are coordinated perfectlycorrected automatically should they be fast or slow. Each clock in the system is merely connected to your building's regular AC wiring and is kept on the same, uniform time electronically. Each signal, connected in the same way, sounds automatically as scheduled.

IBM Time Recorders provide a convenient, accurate method of recording attendance and job time.

TIME ... TO MODERNIZE

In modernizing and in new construction, an IBM Electric Time System with Electronic Self-regulation will save on installation costs. Send the coupon below for full information.

IBM, Dept. AF

590 Madison Avenue, New York 22, N.Y. Please send brochure and technical information.

□ I'd like to see a demonstration.

Name. Company. Address_

INTERNATIONAL BUSINESS MACHINES CORPORATION

HOME OF THE UNITED NATIONS

Secretariat Building • General Assembly Building • Meeting Halls

To have been selected to install the electrical systems for the entire United Nations building project is a source of profound pride to all of us in the Fischbach and Moore organization. It is another milestone to mark this company's long established record and reputation for service and performance.


FISCHBACH AND MOORE INCORPORATED ELECTRICAL CONTRACTORS

From Coast to Coast An organization that has to its credit every conceivable type of electrical installation.

Complete organizations at: New York • Atlanta • Dallas • Houston Los Angeles • San Francisco • Detroit • Chicago • Pittsburgh

Director of Planning: Wallace K. Harrison Deputy Director of Planning: Max Abramovitz Consulting Engineer: Syska & Hennessy, Inc. General Contractors: Fuller-Turner-Walsh-Slattery, Inc.

Scale model photo courtesy United Nations Photo Department of Public Information



chosen for new Milwaukee Sports Arena

ESCHWEILER & ESCHWEILER, Milwaukee, Wis. ARCHITECT

HUNZINGER CONSTRUCTION CO., Milwaukee, Wis. GENERAL CONTRACTOR

WENZEL & HENOCH CO., Milwaukee, Wis. PLUMBING CONTRACTOR

CRANE

Foreground, Crane Norwich Lavatories, vitreous china. Features: rectangular basin, splash lip, *Dial-ese* controls with interchangeable cartridge.


Background, Crane Sanitor Urinals. Slope front design assures high sanitation, minimum upkeep.

Not shown: Crane Santon Closets with new Triumph flush valves. New valve has replaceable plunger and seat for easy maintenance.


> Crane offers a complete choice of plumbing fixtures for any commercial installation -consult your Crane Branch or Crane Wholesaler.

> > CRANE CO., GENERAL OFFICES: 836 S. MICHIGAN AVE., CHICAGO 5 PLUMBING AND HEATING • VALVES • FITTINGS • PIPE

1444 5



he permanent home of the United Nations stands as a guiding beacon for world peace. We take great pride in having been selected to manufacture lighting fixtures for every room in the project. Included in this group of luminaries is the functionally designed, custom engineered UNL 503-40, illustrated below. Our many years of intensive research in recessed lighting has produced this unit which features low brightness, high efficiency, and is designed for simple installation and maintenance. The last word in modern troffer lighting, the UNL 503-40 is recommended for every commercial need — for all planned lighting programs.



UNL fixtures are available in 2, 3, and 4-light fluorescent and 2, 3, and 4-light four and eight foot slimlines in all MA ratings. These fixtures are adaptable for use with louvres, Albalite glass, and all types of flat and curved Holophane Controlenses* Highlighting is achieved with recessed spotlights in either continuous runs or individual mounts. *BHolophane Company Inc.

GLOBE LIGHTING PRODUCTS COMPANY, INC.






LOS ANGELES, CALIFORNIA

For complete information see your leading electrical distributor

BROOKLYN, NEW YORK





REVIEWS

tory core and slum environs. Here in the vicious cycle of spiralling land values and unchecked population are seen the immediate origins of evils rampant in today's cities. In a comprehensive treatment of current housing, zoning, integrated land use and circulation, Gallion and Eisner suggest controlling obsolescence through democratic processes. The law of eminent domain they believe should be interpreted more vigorously for condemnation of buildings-even thriving businesses-and land that hinders community welfare. Population densities could be regulated and new buildings required to provide within their plans adequate parking space for occupants. Most howl-raising of all, the authors would have the tax scheme inverted so that renovation or complete removal of an old building for a new one would be induced after 35 years. "It would be practicable to establish a tax base for new buildings and thereafter increase the tax rate from year to year" gradually for about 20 years and then rapidly. "A major improvement would cause a building to revert to a proportionately lower tax bracket rather than be penalized by an increased assessment according to current policy. Improved construction standards would be encouraged because they would benefit by lower tax brackets rather than be discouraged by the present ad valorem system."-M.N.G.



THE PHYSICAL PLANNING OF ISRAEL, the Legal and Technical Basis by K. H. Baruth. Shindler & Golumb, 41 Great Russell St., London, W. C. I., England. 115 pp. 51/2 x 9. IIIIus. 15/.

The townplanner for one of Israel's largest cities, Haifa, presents here a coherent scheme for the development of his newly independent country. He brings to the task not only experience but great enthusiasm for its possibilities.

Unfortunately, Mr. Baruth makes little attempt to fit his suggestions into the framework of building now going on in Israel. The book tells what "should" be done without a sufficient background of actual movements or popular thinking. These are vital since Mr. Baruth's plans demand wide power for a National Planning Ministry to control all land use. Speculation would be outlawed —all increase in land value resulting from permitted use would be paid to the Ministry if the land were subsequently sold. (The photo above shows Nahalal, Israel's first cooperative settlement.)

(Continued on page 186)

When you want more impact in storefront identification *without* changing basic design—use PLEXIGLAS. The traditional storefront sign of this Loft Candy Shop in Philadelphia, for example, became three-dimensional and completely luminous when reproduced in this acrylic plastic.

New Lift for

LOFT

PLEXIGLAS answers other design problems, too. Because it's so easily fabricated, it can be adapted to a wide variety of structural plans. PLEXIGLAS is shatter-resistant and light in weight (only half as heavy as glass), two mighty important properties in assuring low installation and maintenance costs. And too, its good weathering characteristics are important for long outdoor service.

PLEXIGLAS is a trade-mark, Reg. U. S. Pat. Off. and in principal foreign countries. Canadian Distributor: Crystal Glass & Plastics, Ltd. 54 Duke Street, Toronto, Ont., Canada


Daytime GLEAM . . . Nighttime GLOW

with PLEXIGLA

Interior lighting gives this translucent, 3-dimensional PLEXIGLAS display complete luminosity at night—so that shape, design and colors are the same as in daylight. The giant PLEXIGLAS candy box is $11 \frac{1}{2}$ long, $6 \frac{1}{2}$ high, $10\frac{1}{2}$ " deep, built of white translucent material with red and blue decorations and letters solvent-welded to background panels. Interior lighting consists of 20 mm cold cathode hairpins. Signs float in stainless steel frames and can be opened or removed for easy maintenance. Design: Van Sciver Associates, Philadelphia. Fabrication: Amplex Manufacturing Co., Philadelphia. Lighting and Erection: Modern Sign Advertising Co., Philadelphia.



\$8,000 SPECIAL AWARDS COMPETITION FOR PLYWOOD BUILT-IN FEATURES



Background

TO IMPROVE the design of builders' houses-and to interest more architects in the average American home-the National Association of Home Builders and Architectural Forum, the Magazine of Building, are jointly sponsoring the small house design competition outlined on the opposite page. Awards total upwards of \$100,000, including national, regional, local and special awards, such as described here.

Within this over-all competition is a special awards competition to stimulate the practical and imaginative use of all types of built-in features.

Small homes, wherein space is at an absolute minimum, present a storage problem which is a disagreeable factor to the owner, a sales disadvantage to the builder, and a distinct challenge to the architect. The most obvious solution to the twin problems of storage space and furniture arrangement in cramped rooms is the proper use of "equivalent space" in the form of storage partitions, cabinets, fixed furniture and other built-in conveniences.



Sponsorship; Entries

DOUGLAS FIR Plywood Association believes the solutions to the problems of "equivalent space"-in the form of builtin conveniences affecting design, livability and salability of small homes-are worthy of more complete investigation. Therefore-and because plywood is the logical material for such built-in conveniences-the Douglas fir plywood industry is sponsoring special awards for plywood built-in features within the NAHB-FORUM House Design Competition.


The NAHB-FORUM competition program covers conditions governing over-all competition and awards; section 21 of the program gives information about the Plywood Built-In Features Competition. A copy of the over-all competition program may be obtained by sending coupon on next page to Carl G. Lans, Professional Advisor, NAHB-FORUM Competition, 9 Rockefeller Plaza, New York 20, N. Y. Timing of the Plywood Built-In Features Competition is concurrent with that of the NAHB-FORUM Competition; closing date is December 15, 1950.



Entry Requirements


IN ADDITION to the basic drawings required of entrants in the NAHB-FORUM House Design Competition, only the following are required to render an entry eligible for the Plywood Built-In Features Competition Special Awards:

- 1. A floor plan of the house and appropriate letter or symbols to indicate the location of the various built-in conveniences and the recommended use of plywood in their construction.
- 2. Pertinent construction details evidencing design feasibility and suitability to construction with Douglas fir plywood.
- 3. Delineation sufficient to portray the appearance, function



AMERICA'S

In Connection with the NAHB-FORUM House Design Competition



Awards

FIRST PRIZE	2,500
SECOND PRIZE	1,500
THIRD PRIZE	1,000
FOURTH PRIZE	500
10 HONORABLE MENTIONS (\$250 EACH)	2,500
Тотаl	8,000

Correspondence and Information

FOR INFORMATION on Douglas fir plywood types, grades and sizes, competitors are referred to the 1950 Sweet's File Architectural, Section 5b2. Those competitors not having easy access to Sweet's may obtain the reprint of the plywood insert by writing the Association at the address below. Requests for this reprint will be filled by return mail. It is emphasized, however, that this booklet will be sent without letter of transmittal and accompanied only by an announcement folder on the Plywood Built-In Features Competition.

Competition regulations expressly forbid correspondence relevant to the competition. No information concerning the over-all Regional and National House Design Competition, other than presented in the NAHB-FORUM program, will be supplied either by the various sponsors or by the Professional Advisor.



Large, Light, Strong Real Wood Panels

Douglas Fir Plywood Association Tacoma Building Tacoma 2, Washington

The NAHB-FORUM Design Competition

Sponsored jointly by the National Association of Home Builders and Architectural Forum, The Magazine of BUILDING, a house design competition is being conducted to stimulate improvement of small house design by bringing about a closer liaison between architect and merchant builder.

The sponsors hope the competition will not only improve American small home design but will prove mutually beneficial to both architect and builder: to the architect by opening up financial and social possibilities of a largely untouched field of design; to the builder by demonstrating the dollars and cents practicability of good design.

Briefly, the NAHB-FORUM House Design Competition is for a detached, three-bedroom home. No more than 1,000 sq. ft. excluding garage, breezeways, etc; no basement. The house shall be such that it can be sold at a reasonable profit for \$8,000 to \$11,000 excluding cost of built-in furniture and storage facilities which would replace regular furniture. Both national and regional awards will be made based upon sales appeal and functional and esthetic effectiveness.

The competition is being conducted in accordance with rules of American Institute of Architects; it is open to all architects, including A.I.A. members, and to designers, draftsmen and students of architecture who are residents of continental United States.

The competition is being conducted by Architectural Forum, The Magazine of BUILDING, as authorized by the sponsors. Complete data on the NAHB-FORUM House Design Competition, including registration, awards, eligibility, method of entry and presentation, are covered in the competition program available from Carl G. Lans, Professional Adviser, NAHB-FORUM House Design Competition. Use coupon below to obtain program.

CARL G. LANS, PROFESSIONAL ADVISOR, c/o Architectural Forum, The Magazine of BUILDING, 9 Rockefeller Plaza, New York 20, N. Y.

I intend to enter the NAHB-FORUM House Design Competition. Please send me the program, including the conditions governing the competition and the awards.

Firm (if any)	
Address	
	•••
CityState	
Check one: Architect Designer Draftsman Studen	• 🗆

BUSIEST BUILDING MATERIAL




In ventilation-"THE BLADE'S THE THING"

(with apologies to Will Shakespeare)

*Trade Mark Reg.

Blo-Fon

REALLY MOVES AIR The Blo-Fan blade is designed so that the fan element literally scoops up the air, keeping the blower element supercharged at all times. This patented design combines the volume of a breeze fan and the power of a blower to expel more air quickly, quietly and with greater efficiency.



Blo-Fan

Blo-Fan

BLOWER

FAN

VOLUME

IS EASY TO REGULATE This NINE-speed switch is an exclusive feature on Blo-Fan Model 210...At low to medium speeds, Blo-Fan will easily handle the normal volume of steam and fumes, but in emergencies (like burning the toast) a higher speed will clear the room immediately.



Blo-Fan

IS EASY TO CLEAN No TOOLS ARE EVER REQUIRED. Both grille and motor assembly are removed easily in less than a minute for cleaning and washing. Just unscrew the center cap.



Savings on soap, detergents and cleaning compounds will pay for Blo-Fan in a short time—not to mention the savings on redecorating costs, elimination of backbreaking work, housemaid's knee and calloused hands!



The entire unit fits flush with the finished ceiling or wall.



The motor is rubber mounted to insure quiet operation.




Only the attractive, chromefinished grille is visible.


PRYNE & CO., INC., BOX A-11, POMONA, CALIFORNIA Eastern Factory: Newart, New Jorsey. Warehouses: Los Angoles, San Francisco, Chicago, Atlanta.

AMERICA'S MOST IMITATED HOME VENTILATOR

PLANNED FOR PLAY – BUILT TO STAY. Architect's drawing of bath house entrance at St. Clair Metropolitan Beach, new Michigan play spot constructed by the Huron Clinton Metropolitan Authority. The two supporting beams are of steel, covered with long-lasting, corrosion-resisting Monel. All fasciae and gravel stops are also Monel. Architects: O'Dell, Hewlett and Luckenbach, Detroit 26, Mich. Fabricator: W. P. Hickman Co., Birmingham, Mich.



Where clients seek economy-Careful planners put MONEL on top



DETAIL OF MONEL GRAVEL STOP DESIGN above beach entrance to bath house, from plans of O'Dell, Hewlett and Luckenbach. Specifications call for use of Monel "Anchorfast" nails—"The nails with the holding power of screws."



WORKMEN INSTALL MONEL FASCIAE on beach canopy which connects the cafeteria and bath house buildings.

FOR HELP WHEN YOU NEED IT

Call on *INCO's* Technical Service any time you want specific information on contemplated uses of Monel Roofing Sheet And remember that samples, booklets for clients, working instructions for contractors and fabricators, and other helpful literature are always available to you without cost or obligation. **Come along** to St. Clair Metropolitan Beach-Michigan's newest play spot!

The voters of five counties approved a special levy enabling the Huron Clinton Metropolitan Authority to finance this multimillion dollar recreational area, located just 22 miles from Detroit's City Hall.

For a good many roofing parts and for a good many reasons, too the architects, O'DELL, HEWLETT AND LUCKENBACH, specified MONEL[®] Roofing Sheet,

With its low expansion rate, its high strength and toughness, its resistance to fatigue, corrosion and erosion, Monel assures "life-of-thebuilding" protection for structures at the playground.

Structures, for example, like the flat concrete canopies above the promenade walks. (See illustration at left.) These canopies have Monel fasciae and gravel stops. And the canopy supports at the bath house entrance (shown above) are sheathed with Monel.

As we move around the 550-acre tract that was reclaimed from the low, swampy ground of the Lake St. Clair shore, we find that every building has Monel fasciae, Monel gravel stops. That all exposed flashings are Monel. That leaders and gutters on the administration building and cafeteria have been fabricated from the same rugged Nickel Alloy.

For all these applications, the excellent mechanical properties and high corrosion-resistance of Monel are important. They bring dependable protection from heat, sun and dampness – from wind, rain and swirling sand. They mean long life and low maintenance expense.


And here's another advantage! They make it possible to use reduced sheet thicknesses, which are more economical and lighter in weight.

Do your clients a lasting servicerecommend Monel for roofs and roofing parts on their buildings!

THE INTERNATIONAL NICKEL COMPANY, INC. 67 Wall Street, New York 5, N. Y.

ENDLEN OF SERVICE

MONEL ... for the life of the building



The bold simple mural above brightens Attleboro High. Its placement is seen in the model.

Grawford

announces the publication of a new tool for Architects and Engineers

THE CRAWFORD 60-Second DOOR SELECTOR

This new type of reference book is dedicated to the idea that you should be able to find any door you want in 60 seconds, together with all the information you need for specifications. Covers doors for warehouses, loading docks, factories, service stations, boat wells, residence garages, etc., and all auxiliary equipment such as operators, controls, etc. This book should save you much time and effort. A copy is yours for the asking.

Call your local Crawford Door Sales Company, listed in your Yellow Pages, or write us on your letterhead.


CRAWFORD DOOR COMPANY Main Plant: 8-401 St. Jean Ave., Detroit 14, Michigan

Main Flanc. 8-401 St. Jean Ave., Detroit 14, Michigan

FABRICATING PLANTS in Portland • Tacoma • Los Angeles • San Francisco • Dallas Kansas City • Chattanooga • Milwaukee • Hudson, Mass. • Cadillac • Ottawa, Canada. DISTRIBUTING WAREHOUSES in 67 major cities.

SALES AND SERVICE companies everywhere.

REVIEWS




THE MODERN ARCHITECT AND MURALIST


"Too frequently," says the Kootz Gallery of New York, in its catalog for an exhibit entitled *The Muralist & the Modern Architect*, "we see a magnificent concept in architecture levelled down in taste through the use of academic murals. The creative thrust of the architect requires an equally imaginative treatment by the muralist." Its exhibit presents the work of four well-known modern muralists as each might be placed in a project by a modern architect.

Hans Hoffman has designed a mosaic in primary colors for the 50 x 24 ft. surface of a bell tower (see below). The lounge of Attleboro High School (Architects' Collaborative) has been fitted with Robert Motherwell's series of forms in yellow, white and dark green. Adolf Gottlieb's painting for the living room of Marcel Breuer's dormitory at Vassar blends with the color and horizontal sense of the stone in the building itself. The glass-cage living area in a private house by Philip Johnson is enlivened by the vivid colors of a William Baziotes' painting.


These four modern murals (in spite of differences in design, color and purpose) stand together in basic contrast to the picture murals of other days. Where the classic mural aimed at being a window—an ideal extension of the room's outlook—these modern murals boldly accept being part of a wall. Surrounded by the lavish window areas of modern building, they make the most of their solidity in the use of firm designs and broad flat color areas.—S.K.



The town plaza of Chimbote, Peru (lose Sert & Paul Lester Weiner) is dominated by a mosaic belltower.



New beauty for school and college installations at lower cost-with **KENTILE**



6 Reasons Why Leading Architects Specify KENTILE

footsteps.

gleaming.

SAFETY Provides a confident footing for all. Virtually fire-resistant.

QUIET Kentile is a resilient material

that cuts down noise and clatter of

EASY TO CLEAN Mild soap and

water keeps Kentile clean...occasional no-rub waxings keep it

LOW COST Inexpensive to buy...to install...to maintain.


BEAUTY Colorful Kentile floors can be designed in a wide variety of rich colors.

DURABILITY Colors can't wear off. They go clear through to the back of each tile.

• For institutions, and for private homes, Kentile offers unique advantages that are quickly appreciated by your clients.

Kentile can be installed on concrete in direct contact with the ground. It can be laid over double T&G floors, or directly over plywood...and is also ideally suited for installation on radiant heated concrete slabs.

Kentile is laid tile by tile — meaning installation and labor costs are cut to a minimum. And you're sure of enthusiastic public acceptance when you specify Kentile, because of the large-scale advertising, with big color ads in leading magazines.



More and more architects are specifying Kentile for school corridor walls, as well as floors.



DAVID E. KENNEDY, INC., 58 2nd Avenue, Brooklyn 15, N.Y.

"We specified Satinlac exclusively in Mr. Trygve Lie's suite at the United Nations Headquarters."-Willard H.Barrows.

WILLARD H. BARROWS

ARCHITECTURAL SPECIFICATION WRITER AND CONSULTANT 104 EAST 401% STREET, NEW YORK 17. N. Y., MUrray Hill 3.1530

Mr. W. Robert Goepel United States Plywood Corporation 55 West 44th Street New York 18, N. Y.

Dear Mr. Goepel:

So much of our beautiful woodwork utilized for finished cabinet and wall surface treatment in years gone by has been ruined by the use of "built-up" varnish veneers.

In Mr. Trygve Lie's suite at the United Nations Headquarters we sought a finish treatment that would both preserve the natural beauty of selected woods and protect it from airborne dust, dirt and finger mark stains. We wished to avoid the use of any kind of treatment that produces a "built-up" varnish veneer appearance.

We found that "Satinlac" met this requirement in every particular, and that in reality it actually emphasizes the natural beauty of any wood surface. For this reason I specified "Satinlac" exclusively for this project.

Most sincerely yours, W.A. Darrows Willard H. Barrows

IL NOT TURN YELLOW


DRIES QUICKLY

UNITED NATIONS HEADQUARTERS Planning Office New York City, N. Y Wallace K. Harrison, F. A. I. A., Director of Planning

Marrie I

For suggested Specifications on Satinlac, write UNITED STATES PLYWOOD CORPORATION

55 West 44th Street, Dept. 240, New York 18, N. Y.



Sea Fort, River Humber; an installation of Hope's Hot-Dip Galvanized Windows

NO RUST ON HOPE'S HOT-DIP GALVANIZED WINDOWS after seven years at sea

These windows, which were unpainted during seven years' exposure to salt spray and sea air, are still in excellent condition. Specify HOPE'S steel windows RUSTPROOFED BY HOT-DIP GALVANIZING and save more than its cost in decreased maintenance expense.

HOPE'S WINDOWS, INC., Jamestown, N. Y.

THE FINEST BUILDINGS THROUGHOUT THE WORLD ARE FITTED WITH HOPE'S WINDOWS



From one neighbor to another...NEW YORK'S OLDEST BUSINESS* welcomes the magnificent new home of the U.N.

These Devoe Finishes cover over a million square feet of surface in the building:

Plaster Walls and/or Ceilings: DEVOE Pigmented Primer Sealer 8010 DEVOE Special Stipple Flat DEVOE Special Brushing Flat DEVOE Wallustre Medium Gloss 42601

Enamel Undercoat DEVOE Super Enamel Undercoat 8030

Iron & Metal DEVOE House Paint 400

Galvanized Metal Surfaces DEVOE Zinc Dust Primer 14000


Cement Bases DEVOE Floor and Deck Enamel Wood Seats DEVOE 87 Spar Varnish

Dark Room & X-Ray Room: DEVOE Metropolitan Flat

Concrete Floor Hardener: Truscon Ferricon Metallic Floor Hardener

Brushes DEVOE Superkleen

PAINTING CONTRACTOR: Barker Brothers Painting Corp., N. Y. C.




*

DEVOE & RAYNOLDS COMPANY, Inc.

44th Street & First Ave., New York 17, N. Y.

PAINTS · VARNISHES · ARTISTS' MATERIALS WALLPAPER · DEVOE SUPERKLEEN BRUSHES

United Nations





USES OVER 250,000 POUNDS OF CHASE COPPER TUBE AND BRASS PIPE

Again the choice is Chase! 99% of the copper tube and red brass pipe in the heating, plumbing and air conditioning installations of the new United Nations Secretariat Building is Chase made.

160,000 pounds of types B, K and L Chase Copper Water Tube were used in the air conditioning system for cooling in summer, and for hot water heating in winter.

94,000 pounds of type B Chase

Copper Water Tube and Red Brass Pipe, up to 5 inches in diameter, were used for water supply in the plumbing lines and risers.

In addition, 40,000 pounds of sheet copper went into the heating and ventilating installations for the fresh air intakes and the cases and pans for gravity release.

When you need copper or brass products for plumbing, heating or air conditioning-specify Chase!

Architects: U. N. Boord of Design Consultants, Wallace K. Harrison, Director of Planning, Max Abramovitz, Deputy Director of Planning, James A. Dawson, Chief Construction Engineer; Consulting Mechanical and Electrical Engineers: Syska & Hennessy, Inc.; General Contractor: Fuller-Turner-Walsb-Slattery, Inc.; Heating & Ventilating: Almirall & Company, Inc.; Plumbing Contractor: Eugene Duklauer, Inc.; Distributors: Asco Supply Co., Inc. and Gar Supply Corp.

BRASS & COPPER

THIS IS THE CHASE NETWORK ... handiest way to buy brass Albanyt Atlanta Baltimore Boston Chicago Cincinnati Cleveland Dallas Denvert Detroit Houstont Indianapolis kansas City, MD. Los Angeles Milwaukee Minneapolis Newark New Orleans New York Philadelphia Pittsburgh Providence Rochestert St. Louis San Francisco Seattle Waterbury (†Sales Office Only)

WATERBURY 20 CONNECTICUT

Draffless Comfort for diplomats too

THE U.N. SECRETARIAT BUILDING USES NEW ANEMOSTAT SQUARE AIR DIFFUSERS

In conference rooms, offices, corridors . . . in fact, throughout the United Nations Secretariat Building the new square Anemostat Type E Air Diffusers provide stimulating, draftless comfort.

These new square Anemostat Air Diffusers offer for the first time . . . uniform circular air diffusion from a square outlet plus effective aspiration. This aspiration effect, the drawing of room air *into* the diffuser and mixing this room air with supply air *within* the outlet, is the important reason why Anemostats do a completely satisfactory job of eliminating annoying drafts and stale air pockets, equalizing temperature and humidity throughout the entire conditioned area.



DRAFTLESS Aspirating AIR DIFFUSERS ANEMOSTAT CORPORATION OF AMERICA 10 East 39th Street, New York 16, N. Y. REPRESENTATIVES IN PRINCIPAL CITIES

"No Air Conditioning System Is Better Than Its Air Distribution"

Anemostat Type E Air Diffusers fit without modification into the framework that holds standard size acoustic tile. At a "twist of the wrist," the inner assembly can be quickly removed for cleaning.

SECRETARIAT BUILDING OF THE UNITED NATIONS

Wallace K. Harrison, Director of Planning • Max Abramovitz, Deputy Director of Planning • James A. Dawson, Chief Constructing Engineer • Syska & Hennessy, Inc., Consulting Engineers • Fuller-Turner-Walsh-Slattery, Inc., General Contractor • Almirall & Co., Inc., Sub-contractors for Heating, Ventilating and Air Conditioning.

BULLETIN 29A

Gives the complete story on the new Anemostat Types E and E-1 Air Diffusers. Write for your copy. **Only this Carey Rock Wool Batt features**

FIRE-RESISTANT VAPOR BARRIER

to provide comfort and savings with greater fire safety!

Folded Strip Blanket with Continuous Vapor Barrier

Sizes: Full-or Semi-Thick; 15" by 48"

A practical, low-cost solution to the vapor condensation problem. Tough, asphalt-saturated vapor-barrier provides a continuous, unbroken surface to protect construction and insulation from moisture damage. New "folded" method of packaging eliminates distortion found in tightly rolled blankets, prevents twisting, breakage of bond between vapor barrier and insulation. Easy to handle and apply.

(Sizes: Full-Thick 15 in. x 24 ft., 30 sq. ft. to package. Semi-Thick 15 in. x 40 ft., 50 sq. ft. in package.)



THE PHILIP CAREY MFG. CO. LOCKLAND, CINCINNATI 15, OHIO No other rock wool batt teams top quality rock wool with a fire-resistant vapor barrier approved by the Underwriters' Laboratories, Inc.!

That's why this new Carey batt stands first among safetyminded architects, builders and owners. It is non-combustible, the vapor barrier *retards* flame-spread . . . doesn't encourage it like conventional types.

This extra life-and-property-saving protection is low in cost. And with its exclusive, *extra* protection, this new Carey batt gives you high thermal efficiency, resistance to moisture, vermin and decay. Installation is A-B-C simple.

You can't afford to overlook this new, safer insulation in your plans. It's one of many stars in Carey's complete line of rock wool insulation products. Mail coupon below for full information. Or ask your Carey dealer.

The Philip Carey Manufacturi Lockland, Cincinnati 15, Ohio	
Gentlemen: Please send me fr New Carey Rock Woo New Carey Folded Stri Other Carey Rock Woo	I Batt with Fire-Resistant Vapor Barrier p Blanket
Name	
Address	
City	Zone State


PRODUCT NEWS

LAMINATED FIBER TUBING is economical formwork for concrete columns.


Forms for platform supports, underpinning and concrete piers are quickly erected with Sonotubes. These lightweight plastic treated fiber tubes are easy to handle and to saw. Cut on the job to desired height, the tubes are braced over the footings, and filled with concrete directly from the mixer. Where needed, steel beams or reinforcing bars may be set inside the column



Simple lumber bracing devices will keep the fiber forms aligned as the concrete is poured into them.



before the pouring. After 24 hours the tubing can be removed from the column surface. For this step the manufacturer suggests an old impression modeling trick. Two lengths of .032 wire are taped inside the Sonotubes before the concrete is poured. When the column is ready for stripping, the wires are pulled down and the two halves of the plastic coated forms fall cleanly away. Pourings can be made at angles, and the tubes also may be utilized to create ducts in slab construction for wiring, piping or radiant heating. Sonotubes are fabricated in lengths up



to 24 ft. with diameters of 3 to 24 in. Prices east of the Mississippi for the forms in carload lots (f.o.b. shipping point) range from \$67 per 1,000 ft. for the smallest to \$1,002 for the 24 in. Costs are somewhat lower in the West and in Canada. *Manufacturer:* Sonoco Products Co., Hartsville, S. C.

PORTABLE CONVEYOR cuts danger and expense of carrying materials manually.

A workman scaling a ladder with a hod full of bricks is following not only a primitive building practice but a costly one. Field elevators are a luxury for small construction jobs and in large projects are not constantly accessible. The Briktoter may be one solution to both the backbreaking task in the first problem and to the expense in the second. This 20 ft. long portable conveyor raises materials 10 ft. from ground level (or more, if a platform is built beneath its base-a pile of materials can serve this purpose). It handles cinder block, brick, short lengths of lumber, sand, lime and even glazed tile safely. Although it has a load capacity of over half a ton, the Brik-toter itself weighs 385 lbs. Two men can move it into position. Its bridge type trussed construction and torque frame are said to eliminate twist and sag. Fixed speed of the 12 in. wide vulcanized rubber belt is 60 ft, per min. Tension is adjusted by means of take-up screws and self aligning ball-bearings mounted in the slide. A totally enclosed 1/2 h.p. gear motor furnishes the drive for the Brik-toter and a water-

(Continued on page 200)



Bilt-Well Products used: SUPERIOR WINDOWS, CARR-DOR GARAGE DOORS, BILT-WELL CORNER CABINETS, BILT-WELL COMBINATION DOORS





SUPERIOR Unit Windows



BILT-WELL Corner Cabinets

CARR-DOR Garage Doors

Bilt-Well Woodwork ... known for over 84 years for its finer quality ... manufactured of that fine wood, kiln-dried Ponderosa Pine which is scientifically treated to give a lifetime of satisfactory service ... the choice of discriminating Architects, Dealers, Builders and Homeowners ... enhancing the value, comfort and convenience of America's Homes. The product of master craftsmen devoting their skill and modern scientific methods to the old art of woodworking.



Join the thousands of users of Bilt-Well Woodwork today. Distributed by leading Woodwork Jobbers in the 37 Eastern States.

Center: Mr. Norman Schuermann, Builder Left: Mr. John D. Adams, Sec. Gen. Mgr., Carr-Adams Mfg. Co. Right: Mr. Harry M. Murray, Sales Rep., Carr-Adams Mfg. Co.

CARR, ADAMS & COLLIER CO. Dubuque, Iowa

The Bilt-Well Line: Superior Unit Wood Windows • Exterior & Interior Doors • Entrances & Shutters • Clos-tite Casements • Carr-dor Garage Doors • Basement Unit Windows • Louvers & Gable Sash • Breakfast Nooks • Combination Doors • Screens & Storm Sash • Corner (China) Cabinets • Gli-dor Cabinets • Ironing Board Cabinets Mantels & Telephone Cabinets • Multiple-Use & Linen Cabinets • Stair Parts.

Ready for a Lifetime of Weather... WITH BERGER ROOF DRAINAGE PRODUCTS OF Enduro * STAINLESS STEEL

North, south, east or west... no home escapes the ravages of weather. Roof drainage systems particularly are exposed. But, when made up of weather-resistant Berger Roof Drainage Products of ENDURO Stainless Steel, they can escape the damaging effects of ice, snow, sleet, rain, freezing cold and blistering heat.

Republic ENDURO Stainless Steel "gets along well" with weather . . . and with corrosive industrial atmospheres, too. It does not rust or tarnish . . . retains a soft, natural beauty through the years. Its high strength enables it to stand up under heavy loads of ice and snow. It withstands severe temperature changes without expansion cracking or buckling. It resists abrasion and denting . . . does not bleed or discolor paint . . . requires little or no maintenance . . . lasts for the life of the building . . . costs your client less in the long run.

Service-wise or price-wise, there's no need today for specifying less satisfactory materials. Build for a lifetime of weather with light, weathertight Berger Roof Drainage Products made of Republic ENDURO Stainless Steel.





This illustration shows how this new AllianceWare lavatory complements an AllianceWare porcelain-on-steel bathtub.

... IN GLEAMING WHITE OR COLOR

YOU'LL agree the moment you see it, this new AllianceWare lavatory is the finest porcelain-onsteel wall hung lavatory ever produced.

LAVATORY


WALL-HUNG

Now...A Smart New


The bowl of this attractively designed shelf-back lavatory is deep and generous in size. The deep apron at sides and front creates a smartness of style in keeping with modern bathroom design. The shelf-back provides convenient space for holding toilet articles. Overall size of lavatory $20'' \ge 18''$.


ALLIANCEWARE, INC. • Alliance, Ohio Bathtubs • Lavatories • Sinks This lavatory is sturdily formed from 14-gauge steel, finished with AllianceWare superior wet-process porcelain enamel (in white or colors) noted for its smooth, chip-resisting, stainproof surface. Wall brackets furnished with each lavatory simplify installation.

Write today for catalog sheet giving complete details and dimensions.









The modern heater that fits in the wall between studs. It extends out only 3% inches so takes no living space. Smart, modern style with a smooth, bright, luxurious finish that won't discolor, chip, flake or peel. And won't discolor wall or crack plaster. No ugly pipes show.

Saves on installation because it needs no excavation, no special construction, no basement. Ideal for slab-floor homes as there's no ripping floors. A dandy for heating 2nd-floor areas where space is scarce. Makes and moves the heat for an abundance of fresh flowing warmth. Safe for children — the casing they can reach heats to only 53° above room temperature.

eman FAS HALL HEATEK

TWO MODELS—Single and Dual Wall, for Gas and LP-gas. Use anywhere.

Single Wall Model heats 2 average rooms with 25,000 BTU per hour input rating. Dual Wall Model, set in wall or partition, heats adjoining rooms. BTU per hour input rating 45,000. Separate controls to regulate temperature individually. Send coupon to find out why Coleman Gas Wall Heaters do such a dependable job of heating thoroughly — yet keep costs low.

THE COLEMAN COMPANY, Inc., Wichita 1, Kansas

COLEMAN HIGH-PERFORMANCE Gas WATER HEATER

B.R.

Fully automatic-for natural, manufactured and LP-gas. Amazingly fast recovery rate keeps plenty of hot water always on tap. 20-, 30-, 45gallon capacities. Beautiful gleaming finish. Automatic temperature control and 100% Automatic Safety Shut-off Valve. Send coupon.



	Comfort costs so little with a Coleman America's leader in home heating
	AN COMPANY, INC. 4-A, Witchita 1, Kansas
	d Information on: Coleman Gas Wall Heaters Coleman Gas Water Heaters
Name	
Street	
City	ZoneState





for the UN Secretariat

Chosen for the UN Secretariat as for many neighboring structures — and for fine office buildings, hotels, hospitals, schools, apartments and homes nationwide — Wall-Tex has served architects and their clients for over 25 years. Its sturdy fabric base and safely washable finishes make it a wonderful value — a sound investment in wall decoration for every type of building.




Photo by J. Alex Langley


New Wall-Tex File Folder contains technical information and essential data on Wall-Tex fabric wall coverings. Describes the many types, and includes sample swatches. Free to architects, builders and investment men.

Wall-Tex for plaster crack control and enduring beauty

	MAIL TODAY
Columbus Co Dept. AF-	ated Fabrics Corporation 110, Columbus, Ohio
Send you Wall-Tex	r new File Folder on and Sample Swatches.
Name	
Street	
City	State

PRODUCT NEWS

proof switch puts the conveyor in operation. The manufacturer has test figures showing that



the price of \$595 is more than paid for after 50 hours' use.

Manufacturer: Mar-Rail Conveyor Co., Pawtucket, R. I.

LIGHTWEIGHT ELECTRIC SANDER-POLISHER makes dry wall joints almost invisible.

Shaped for a comfortable grip and weighing just 5 lbs., Dreml's new aluminum housed sanderpolisher handles easily, even on long stretches of ceiling finishing. It can be used to prepare surfaces for paint or varnish, to work off rough spots on woodwork and to give a smooth finish to joints in dry wall construction. Because its sanding surface is wider than the taped seams, the Model 2,000 produces a uniform nearly invisible joint. It delivers 14,400 strokes (each about 3/16 in. long) per min. in a reciprocal action which simulates craftsman hand sanding. Abrasive paper is held by cam type clamps and




may be changed quickly. The sander will operate from any 110-120 v. 60 cycle AC outlet. Its \$24.50 price includes steel carrying case, 25 sheets of abrasive paper and a sheepskin polishing pad.

Manufacturer: Dreml Mfg. Co., Racine, Wis.

PREHUNG DOOR has jamb which adjusts to any wall thickness.

Assembled on the job in less than 20 minutes, the Redi-Dor jamb-door combination costs little more than a good flush door alone. Its jamb is divided in two sections: one grooved on three sides of the buck, the other tongued. The part of the jamb with door attached is set into one side of the finished wall and the other section in the opposite side. The two sections are then moved together until they hug the wall. An unskilled workman can set up and nail the Redi-Dor in *(Continued on page 206)*



A New Book for Architects

The increasing use of electricity throughout the home emphasizes the importance of electrical planning.

To help with your planning, those electrical features that have won wide public approval have been incorporated in this "Design Details" book.

It fills a real need for construction details on valance, cornice, cove, soffit, pinhole spot, under-cabinet and other unusual lighting effects. Kitchen and laundry plans are also shown, as well as essentials of modern wiring. Photographs of actual installations illustrate these planning ideas. Architectural details are accurate and complete. A copy of this book will be sent to you on request to the Better Homes Bureau, Westinghouse Electric Corp., P. O. Box 868, Pittsburgh 30, Penna.

YOU	CAN BE SURE IF IT	rs
W	Vestinghouse	
FR	EE	
Better Homes B	ureau	
Westinghouse E	lectric Corporation	
P. O. Box 868	Dept. AF-11	
Pittsburgh 30, F		
Please send me Details for Ele	e a copy of your new boo ectrical Living Homes, I	ok, Design 3-4671.
Name		
Street		
City	State	
		G-10113-A



COLORED

COATS OF PORCELAIN

ETCHED SURFACE


BASE COAT OF PORCELAIN

The development of highly corrosion-resistant steels presented Sanymetal engineers with the basic metal for fabricating Two Full Purpose Materials especially for the construction of toilet compartments. These Two Full Purpose Materials are known as Sanymetal "Tenac" (Baked-On Paint Enamel over Galvanized, Bonderized* Steel) and Sanymetal "Porcena" (Porcelain on Steel). Both of these Two Full Purpose Materials are utilized by Sanymetal in manufacturing these three types of Sanymetal Toilet Compartments (see Catalog $\frac{10}{5}$ in Sweet's Architectural File for 1950): ACADEMY TYPE (Overhead Braced); NORMANDIE TYPE (Floor Supported); CENTURY TYPE (Ceiling Hung) illustrated.

Ask the Sanymetal representative in your vicinity (see "Partitions" in your phone book for local representative) for samples of these Two Full Purpose Materials. They will help you to simplify toilet compartment specification.

This is Sany motal "PORCENA"

Sanymetal "Porcena" (Porcelain on Steel) is impervious to moisture, odors, cleaning and uric acids, oils and grease. It is rust proof. The flint-hard, glass-smooth surface is resistant to scratching, scouring, scrubbing and scribbling or defacement. It is an ageless and fadeless material that greatly reduces the cost of cleaning and maintenance. It has no equal for strength and durability. This Full Purpose Material presents a correct combination of the desirable qualities of the hardness of glass and the natural structural strength of steel. Sanymetal "Porcena" (Porcelain on Steel) is incomparable with any other finish or metal base material. It is available in 21 different colors.



FINISH COLOR COATS

ONDERIZED COATING

ALVANIZED COATING

PRIMER COAT

This Full Purpose Material is notable for the positive adhesion of the baked-on paint enamel to the metal and its resistance to corrosion. The basic metal or sheet of steel is first given the protection of a galvanized coating. Then it is treated with Bonderite[®] which provides a protective coating that grips the paint enamel finish. Then this galvanized, Bonderized[®] steel is given a primer coat of paint enamel which helps to assure smooth finish and adds more protection. The final finishing coat of baked-on paint enamel gives a perfectly smooth, lustrous, protective finish. Available in 21 different colors. This material offers colorful attractiveness, combined with low maintenance cost and long-lasting newness.

(Baked-On Paint Enamel over Galvanized, Bonderized® Steel)

STEEL BASE

TOILET COMPARTMENTS, SHOWER STALLS AND DRESSING ROOMS BY



*Treated with "Bonderite", a product of Parker Rust Proof Co.



Sanymetal CENTURY Type Ceiling Hung Toilet Compariments offer the utmost in sanitation and provide modern, distinctive toilet room environments for schools, institutions, terminals and all other public buildings.

Address

This booklet on "2 Full Purpose Materials for Tailet Compartments by Sanymetal" illustrates and describes completely these materials and their exclusive advantages. Attach coupon to your letterhead.

THE SANYMETAL PRODUCTS COMPANY, INC. 1687 URBANA ROAD · CLEVELAND 12, OHIO Please send copy of booklet entitled "2 Full Purpose Materials for Toilet Compartment by Sanymetal".

Name Position

Company

TRADITIONALLY THE BEST IN BRASS

> No Hammer... No Roar... No Rumble...

Stop Water-Waste... Cut Maintenance Costs with


Only

ONE

Part

Moving

SPEAKMAN SELF-CLOSING METERING FIXTURES




5-4170 — Combination Push-Button Metering Lavatory Fixture. Permits washing in running tempered water.

s-4320 – Push-Button Metering Basin Faucet –for single or separate faucet installations.

These fixtures can be regulated to meter water volume from a "dash" to 1½ gals. per valve non-hammering, nondripping, non-clogging renewable unit.





IN SPEAKMAN Si-760 FLUSH VALVES

SI-FLO—the original quiet operating flush valve—the valve that has made architects, engineers, plumbers and owners quiet-conscious in bathroom construction today. Three big advantages recommend Si-Flo for economical installation and long-service life in hotels, hospitals, schools, institutions, apartment houses and homes.

1. SI-FLO whispers, never shouts. Freedom from annoyance and embarrassment is assured when you specify Speakman *Si-Flo*. Even under supply pressures as high as 100 lbs. per square inch, it eliminates hammering, knocking, line throttling and closing noises. Si-Flo stays quiet.

- 2. SI-FLO is easily installed. Adjustable threaded connection between valve body and stop allows $\frac{3}{8}''$ plus or minus ($\frac{3}{4}''$ overall adjustment) thus compensating for slight variations in regular roughing-in of $4\frac{3}{4}$ inches.
- 3. SI-FLO is easy to service. The compact, longwearing piston unit—the trouble-free heart of the valve—contains *all* working parts. Replaceable in five minutes, it constitutes a complete repair of the valve.

There's a *Si-Flo* for every type of installation. For complete information send for our booklet S-4 or consult our general Catalog S-46. It will now you to install Speelman, traditionally the best in bronz

It will pay you to install Speakman—traditionally the best in brass —built for strenuous use and long service life.







These Schools Heat with Anthracite because Anthracite Heat is—

More dependable Cleaner Safer More economical

Check these case histories of actual performance:

SCHOOL No. 1

School contains sixteen (16) rooms and a gymnasium and houses three hundred and twenty (320) pupils. One stoker using one hundred and ten (110) tons of rice coal per year requires twenty two (22) man hours for a complete heating season. The building is cared for by a single custodian who performs all other janitorial duties as well.

SCHOOL No. 2

This is a seventeen (17) room and gymnasium unit housing two hundred and ninety two (292) pupils. One stoker using one hundred and fifty (150) tons of #1 Buckwheat per year requires $\frac{1}{2}$ man hour of labor every two and one half (2¹/₂) days during the heating season. A single custodian performs all other janitorial duties.

SCHOOL No. 3

Three (3) stokers using five hundred (500) tons of rice per year requires two and one half (2½) man hours of labor per day for boiler room attention. A single custodian performs this and all other duties in the school.

Ask us for proof that Anthracite is more dependable, cleaner, safer and more economical for schools, apartments, hotels and similar buildings. Just write Anthracite Institute, 101 Park Avenue, New York 17, New York, or phone MUrray Hill 9-6890.



ANTHRACITE INSTITUTE


New York I7, N.Y.

PRODUCT NEWS

place easily without refitting, plaster scraping, etc. All miters in the unit's construction are glued and doweled. Hinges on jamb are metal screw fastened to metal plates on back of jamb. Concealed shoes on bottom ends of the jamb hold it in position. Jamb and trim (smooth or Colonial style) are furnished in pine or whitewood, kiln dried to 8 to 10 per cent moisture. Paint grade flush doors are made of cativa, gum or whitewood, and stain grade of selected birch or cativa. One or two panel fir and hemlock doors



PARTITIONS GLAZED with PLURALITE GLASS BRIGHTEN and BEAUTIFY INTERIOR of UN SECRETARIAT BUILDING



Architect, Harrison & Abramovitz Contr. Fuller-Turner-Walsh & Slattery, Inc. Steel Partitions by E. F. Hauserman Co.




For details see Sweet's Architectural File Samples on request Flooding offices in the UN Secretariat with mellow illumination and at the same time assuring strict privacy is the twofold function of Pluralite Glass throughout the interior of this impressive new structure.

Over 30,000 square feet of Pluralite Glass provide the practical separation of working areas without sacrificing valuable light.


Glazed horizontally in Hauserman steel partitions, the attractively fluted, straightline effect achieved by Pluralite also helps to create the perfect medium for attaining interiors that combine distinction with functional simplicity.

Figured glass by Mississippi is available in a wide variety of patterns and surface finishes to meet any requirement. Available at leading distributors of quality glass everywhere.



SAINT LOUIS 7, MO. NEW YORK + CHICAGO + FULLERTON, CAL.






A tongued section of the door jamb slips into the grooved portion as the two are fitted together.

are also available. Standard widths range from 18 to 32 in. in 2 in. multiples. All are 6 ft. 8 in. high and 13% in. thick. Prices—which include hardware suitable for bedroom, bathroom or closet—range from \$25.94 for the 18 in. width in quantities of 50 or more to \$29.96 for the 32 in. *Manufacturer*: Wm. R. Lutze Co., 18 Bergen St., Brooklyn, N. Y.

ALUMINUM SUSPENSION SYSTEM creates airtight tile ceiling without special backing.

Kerfed acoustical tile—fiber board, mineral, glass fiber or cork—are easily attached to Alumi-Lock, a direct-to-metal suspension system.



Providing for airtight ceiling construction without use of special backing materials, this corrosion resistant aluminum system consists of five components—I runner, I runner-splicer, T reinforcement, flat spline and L molding. The basic part is the 12 ft. I runner which is perforated at 1 in. intervals to facilitate tying or clipping to carrying members 24 in. on center. Application of 12 x 12 in. tile consists of placing the tile kerf shoulder on the lower flange of the I runner and, as adjoining tile are attached to adjacent runners, sliding a flat spline into the center kerf grooves. A reinforcement T spline is then placed in the exposed tile kerfs extending runner to



runner. Each tile is thus rigidly supported by an I runner flange and two reinforcement T spline flanges, yet may be removed easily at any time for access to area above. Tiles 12×24 in. are applied with the long dimension parallel to the runner. Erection costs are about 10 cents per sq. ft. for labor, $9\frac{1}{2}$ cents per sq. ft. for materials exclusive of tile.

Manufacturer: Midwest Acoustical & Supply Co., 1151 W. 69th St., Cleveland 2, Ohio. (Continued on page 214)



A healthy "heart" for homes of today

Contemporary design in homes does not change the fact that heating must be a first consideration! And, whether radiant baseboards, wall, floor or ceiling panels or conventional radiators are employed; a good heating system

starts with the boiler. If the boiler isn't right the heating system can't be.



KEWANEE Round "R" Steel BOILER Unjacketed as above; or in trim round insulating jacket; or with complete enclosure shown at right above floor plan. Kewanee Type "R" provides a healthy heart for every home...assuring that extra long life, dependability and fuel economy which have made Kewanee Boilers outstanding for more than 80 years.

Princeton, N. J. home designed by KENNETH KASSLER ASSOCIATES. Heated with an oil-fired KEWANEE Type "R" steel boiler for hot water; with a heating capacity of 1120 s.q. fh., producing 168,000 Btu per hour. ZIMMERMAN & LUKS, Heating Engineers.

题

DINING ARE

HALL

NITCHEN.

scale: 16+1-0

1




10 ture Bath

Mure BEDROOM

BEDROS

Auto-lok The tightest closing window ever made!



Whatever the season, the temperature or the locale--AUTO-LOK, the performance-proven awning window, will thoroughly justify your specification.

Performance -- Proven in All Climates

A successful window such as AUTO-LOK Aluminum Awning Window invariably is followed by a number of "look-alikes." Yet, architects and builders throughout America have been fast to recognize that AUTO-LOK is the first and only window to successfully combine the best features of all window types. It is AUTO-LOK's patented locking action that makes its weatherstripping

effective. No other awning window can provide such positive protection against all climatic extremes.

A Practical "Working Service" for Architects

Ludman Corporation's engineering staff -- specializing in matters of fenestration -- stands ready to assist architects at all times. These men solve intricate window problems daily; their fund of knowledge is yours to draw upon -- anytime.

it's sealed like a refrigerator Write for FREE pamphlet, "What is Important in a Window?" For full details, consult SWEETS, your nearby AUTO-LOK distributor (name on request) or write Dept. F-11.

Residences -- Schools Hospitals -- Institutions literally

"on COTTAGE or SKYSCRAPER"


AUTO-LOK lends itself readily to various architectural styles. It has exceptional "eye appeal." Its adaptability -- its assurance of draftfree ventilation at all times -- its wide range of standard sizes and combinations -- the fact that this window can be readily cleaned from the inside -- all these are factors that have met with hearty architect approval.

PHOTOGRAPHS

Left -- Jacksonville, Fla., Junior College -- Arch. Kemp, Bunch & Jackson, Jacksonville; General Contractors-A. D. Newkirk & Son Construction Co., Jacksonville. Right -- Residence of Mr. & Mrs. Ralph Smith, Toledo, Ohio -- R. B. Johns Co., Toledo, Designer and Builder.

ALL-CLIMATE LUDMAN JALOUSIE WINDOWS & DOORS ENGINEERED FOR LEADERSHIP BY THE MAKERS OF AUTO-LOK WRITE FOR A. I. A. FILE 35-P-3

P. O. Box 4541 • Miami, Florida





MODERN KITCHEN PLANNING NEEDS MORE HELP FROM AMERICAN ARCHITECTS

THAT'S WHY THESE MEN ARE ANXIOUS TO HELP YOU WIN A SHARE OF THE \$8,000

IN NAHB-FORUM SPECIAL KITCHEN AWARDS

Because kitchen planning needs your skill, our builder specialists will be glad to help you in any way they can . . . technical information, specifications, or general assistance in working with steel units.

And even apart from the special award, you'll appreciate the easy planning, the enduring quality, the cost savings, and the sparkling practicality that Youngstown Steel Kitchens offer.

IF NO YOUNGSTOWN BUILDER SPECIALIST CAN BE REACHED IN YOUR AREA, WRITE US DIRECT

ASK YOUR NEAREST YOUNGSTOWN BUILDER SPECIALIST FOR TECHNICAL DATA AND HELPFUL INFORMATION ABOUT YOUNGSTOWN KITCHENS

NEW ENGLAND: Boston, Mass.—Lou White Allied Appliance Company 111 Berkeley Street Hartford, Conn.—Larry Adams Roskin Distributors, Inc. 48-50 Winthrop Street Providence, R. I.—J. L. Sullivan Tri-State Wholesalers, Inc. 17 Lyman Street Rutland, Vt.—C. E. Oakman Oakman Appliance Company 14 Wales Street

MIDDLE ATLANTIC:

Albany, N. Y.—T. M. Harris Interstate Plumbing Supply Co. 733 Broadway Binghamton, N. Y.—B. Morris Distributing Co. 195-199 Water Street B. K. Wratten Buffalo, N. Y.—Sid Lund R. C. A. Victor Distr. Co. 1209 Broadway New York, N. Y.—J. M. Hirsch Weiss & Besserman, Inc. 41 East 42nd Street Rochester, N. Y.—Jack Vallely R. C. A. Victor Distr. Co. 208 St. Paul Street Erie, Pa.—Frank Upson J. A. Williams Co. Harrisburg, Pa.—R. H. Douglas Peirce-Phelps, Inc. 25 S. Tenth St. Pittsburgh, Pa.—Frank Upson J. A. Williams Co. 401-433 Amberson Ave. Philadelphia, Pa.—George Hewitt Peirce-Phelps, Inc. 437 N. Fifth St.

SOUTH ATLANTIC:

Baltimore, Md.—R. M. Horsey, Jr. Jos. M. Zamoiski Co. 110 S. Paca Street Hagerstown, Md.—C. R. Dean Bohman-Warne, Inc. 35 W. Franklin Street Norfolk, Va.—C. H. Powers Bowers Wholesale Corporation 1605 Branby Street Richmond, Va.—Larry Prince A. R. Tiller Corporation 959 Myers Street Roanoke, Va.—H. M. Fay Roanoke Wholesalers 819 7th Street, N. E. Huntington, W. Va.—J. M. Tiernan Tri-State Appliance Co. 200 Ninth Street

Washington, D. C.—Alex Piasecky Jos. A. Zamoiski Co. 2122—24th Place, N. E. Charlotte, N. C.—A. E. Hutchinson, Jr. Allison-Erwin Co. 209 E. Fifth Street Charleston, S. C.—Frank Rhodes Cannon Distributing Co. 198 E. Bay Street

Atlanta, Ga.—W. W. Timmis, Jr. Chas. S. Martin Distributing Co. 250 Peachtree, N. W. Jacksonville, Fla.—D. L. McClure Fla. Radio & Appl. Corp. 2320 Liberty St. Miami, Fla.-Warren Schaffer Florida Radio & Appl. Corp. 2101-2111 N. Miami Ave. Tampa, Fla.—M. L. Foreman Fla. Radio & Appl. Corp. Platt St. at Florida Ave.

EAST NORTH CENTRAL: WEST SOUTH CENTRAL:

Milwaukee, Wis.—Wm. Holland Shadbolt & Boyd Co. 413 N. Second Street Detroit, Mich.—Frank Flentye Buhl Sons Company Ft. of Adair St.

Grand Rapids, Mich .- Philip Montgomery Radio Equipment Co., Inc. 134 Grandville, S. W.

Lansing, Mich.—Hugh Lee Major Appliance Co. 728-736 E. Shiawassee St. Chicago, III.—Alfred Dieterich The Sampson Company 2244 S. Western Ave. Indianapolis, Ind.—Lloyd Rice Radio Equipment Co., Inc.

Radio Equipmen 1010 N. Central South Bend, Ind.—M. L. McCracken Radio Equipment Co., Inc. 1202 S. Lafayette Blvd.

Cincinnati, O.—A. G. Schuckman Griffith Distributing Corp. 2410 Gilbert Ave. Cleveland, O.—C. J. Filson Duge Distributing Co. 1204 Carnegie Ave.

Columbus, O.—Glenn Krieckhaus Thompson & Hamilton, Inc. 211 N. Fourth Street Toledo, O.—C. M. Elliott V. J. McGranahan Dist. Co. 1920-30 N. 13th Street

EAST SOUTH CENTRAL:

Louisville, Ky.—E. H. Lanning Electric Appl. Distr. of Ky. 1601 S. First Street Knoxville, Tenn.—W. J. Crosley House-Hasson Hdwe. Co. 757 Western Ave. Memphis, Tenn.—Henry C. Stuart McGregor's, Inc. 1071 Union Avenue Nashville, Tenn.—E. F. Sutherland McWhorter, Weaver & Co. 178-80 Second Ave. Birmingham, Ala.—L. S. Hart, Jr. Hart-Greer, Inc. 1625 Second Ave., So.

WEST NORTH CENTRAL: St. Paul, Minn.—Roger Pankonie Marshall-Wells Co.

Des Moines, Iowa—D. D. Molsberry Schneiderhahn's Inc. 319 S. W. 5th St.

Kansas City, Mo.-W. W. Townley Townley Metal & Hdwe. Co. 200 Walnut St.

St. Louis, Mo.—Lev. Putman Schwander Company 3914-20 Olive Street

Omaha, Neb.—D. G. Hall Wright & Wilhelmy Co. 101 Jackson Street

Oklahoma City, Okla.—Joe Norvell Townley Metal & Hdwe. Co. 3111 N. Santa Fe Ave. New Orleans, La.—Fred Gilbert Interstate Electric Company 1001 S. Peters St. Dallas, Tex.—R. L. Brown Schoellkopf Company 806 Jackson Street

El Paso, Tex.—Carl Chambers Crouch Appliance Company 1301 Texas Street

Ft. Worth, Tex.—O. J. Fuller Morrison Supply Co. 1601 Throckmorten

Houston, Tex.—H. T. Fenderbosch Straus-Frank Company 4000 Leeland Street

San Antonio, Tex.—H. C. Chancellor South Texas Appl. Co. 641 S. Flores Street

MOUNTAIN:

Billings, Mont.—R. O. Thykeson Marshall-Wells Co. Denver, Colo.—Bing Law Auto Equipment Company 14th at Lawrence Phoenix, Ariz.—Bob Armstrong Gough Industries, Inc. 917 W. Madison Reno, Nev.—Claude Saviers Saviers Elec. Products Corp. 640 Sierra St. Salt Lake City, Ut.—C. H. Guyman W. H. Bintz Company 433 W. Third South Street


PACIFIC:

Seattle, Wash.—Leonard Manning Marshall-Wells Co. Spokane, Wash.—Galan Wygant Marshall-Wells Co. Portland, Ore.—Herb Steinkamp Marshall-Wells Co. Fresno, Cal.—A. F. Kramer Devlin-Drew Co. 165 Broadway Los Angeles, Cal.—Forrest Paxon Gough Industries, Inc. 819-827 East First St. San Francisco, Cal.—Arthur Driskell Pioneer Appliance Co. 1355 Market Street

MULLINS MANUFACTURING CORPORATION WARREN, OHIO World's Largest Makers of Steel Kitchens

Joungstown Kitchens

YOU WILL WANT TO READ THIS BOOKLET before you specify the ventilating system for your school



$oldsymbol{g}_{\mathsf{F}}$ you are an architect, engineer or school official


confronted with the problem of deciding on the ventilation for a new school—and if you are not fully acquainted with the NESBITT system—you will find it profitable to study this free publication. Your choice of unit ventilators will affect inevitably the comfort, health, success and happiness of teacher and pupils—and the prosperity of the schoolhouse budget for years to come.

This interesting, 16-page illustrated booklet will acquaint you with the many major NESBITT developments in classroom ventilation during the past thirty years. It will tell you about the Air Volume Stabilizer which prevents more than the design percentage of outdoor air from entering the unit, thus economizing on fuel . . . the Motor and Fan Assembly which is a model of simplicity, quietness and trouble-free performance . . . the One-Piece Roll Damper which has economically no counterpart in the entire industry . . . the Uniform Air Discharge accomplished by the Nesbitt Radiator with dual steam-distributing tubes . . . the ingenious new Comfort Control which imposes a thermal blanket against the window wall of ice . . . and the Directed-Flow Adjustable Outlet which permits the air-discharge direction to be varied for the particular requirements of every classroom. This booklet also describes the useful and decorative storage cabinets which may be integrated with the unit ventilator to form "The Nesbitt Package"—another Nesbitt development. However, it is not necessary to purchase the storage cabinets in order to secure the new standard of classroom comfort which is entirely inherent to the Nesbitt Series 500 Syncretizer.

The reading of Publication 261 will readily explain why more Nesbitt units are being specified than any other make ... and it will show you that no other unit ventilator is equipped to operate with the comfort and economy of the Nesbitt Syncretizer. Send for your copy today, or contact the nearest Nesbitt or American Blower Corporation sales office.

Philadelphia 36, Pe	sc., State Road & Rhawn St. nnsylvania
Please send me a free	e copy of Publication 261.
Name	
Address	
City	Zone State

MADE AND SOLD BY JOHN J. NESBITT, INC., PHILADELPHIA 36, PA. SOLD ALSO BY AMERICAN BLOWER CORPORATION



by specifying NORTON non-slip STAIRS and FLOORS?

... For positive, permanent non-slip protection plus exceptional wear-resistance, thoughtful architects are cooperating with practical-minded school boards in specifying Norton non-slip stairs and floors where slipping hazards and resistance to heavy foot traffic are both important. Many falls occur on stairs, but slipping accidents frequently occur on many walking surfaces when they become wet. Norton stairs and floors provide permanent

non-slip protection, even when wet, and extreme resistance to heavy foot traffic. They are non-resonant and comfortable under foot. A wide selection of colors is available.

Small and large schools across the country have combined safety, economy and attractiveness by taking advantage of the non-slip qualities of long-wearing Norton stairs and floors. See our catalog in Sweet's, or write for free catalog No. 1935.

WORCESTER 6, MASS.

4 CHOICES-ALL NON-SLIP AND WEAR-RESISTANT !



TERRAZZO AGGREGATE Specially prepared for monolithic or precast terrazzo. Applications: lobbies, foyers, corridors, auditoriums and as precast treads for stairways.

NORTON



STAIR AND FLOOR TILE Available in nine colors and eight sizes for stairs, walkways and ramps; recommended as step nosing for marble, tile, terrazzo, concrete, or steel stairs.

COMPANY





CEMENT FLOOR AGGREGATE Incorporated in cement or asphalt floor in proper proportion, it reinforces the cement and increases durability several times. Used in cafeterias and washrooms.



CERAMIC MOSAIC TILE Provides non-slip protection for attractive mosaic floors around swimming pools, in shower and washrooms, and around the counters in cafeterias.



South Chicago Library, So. Chicago, Illinois; Paul Gerbardt, Jr., Architect Charles B. Johnson & Sons. Contractor

Deerfield School, Deerfield, Illinois; Perkin & Will, Architect & Engineer Chell & Anderson, Contractor

free air ... low maintenance

Generous glass areas admit a flood of nature's free sunlight, and permit economical, controlled room lighting. Outward projecting, rain deflecting ventilators may be kept open during inclement weather. Inward projecting ventilators prevent drafts by directing air currents toward ceiling. Exterior glass surfaces can be washed from room-side. Rigidity in even the largest ventilators is assured by a heavy one-piece casement-type vent frame section; electrically welded at the four corners. A wide range of types and sizes available, to achieve any architectural effect desired. Screens and shades easily attached. Illustrated literature giving complete details on request.



FREE Book on Truscon Steel Windows. Write for it. The Truscon Steel Company Manufactures a Complete Line of Steel Windows and Mechanical Operators...Steel Joists...Metal Lath...Steeldeck Roofs ...Reinforcing Steel ...Industrial Steel Doors ...Coal Chute Doors ...Steel Lintels...Concrete Reinforcing Bars...Welded Steel Fabric. TRUSCON STEEL COMPANY Subsidiary of Republic Steel Corporation YOUNGSTOWN 1, OHIO Warehouses and sales offices in principal cities



We are proud to have supplied

Gold Bond Building Materials

for The United Nations Building


NATIONAL GYPSUM COMPANY . BUFFALO 2, N. Y.

Lath, Plaster, Lime, Sheathing, Wall Paint, Rock Wool Insulation, Metal Lath, Sound Control Products, Fireproof Wallboards and Decorative Insulation Boards. You'll build or remodel better with Gold Bond

PRODUCT NEWS

ALUMINUM WINDOWS AND DOORS slide open sideways.

Trim corrosion-resistant aluminum extrusions are used in the frame and sash of these handsome horizontally-operating windows and doors. Packaged complete with stainless steel weather stripping, standard hardware which locks automatically, neoprene stripping and aluminum glazing beads, the Glide units are available for single glazing, ½ in. and 1 in. double glazing. They are



Tailor sized to individual design requirements, these horizontal sliding windows are adaptable to many types of residences.





Architects, builders, development owners everywhere recognize that the new "200" Series steel boiler in basement or utility room is a powerful sales aid for the small home. Here's what it offers:

- Moderate price, without sacrifice of Fitzgibbons quality —
- A.S.M.E. Code stamped construction, backed up by "Hartford" inspection after hydrostatic test. S.B.I. rating, too.
- Beautifully enameled silver and green jacket, with full blanket insulation.

Get the full story - mail the coupon.


)))	Fitzgibbons Boiler Company.Inc.	AF-11-50
1880 Edit	101 Park Avenue, New York 17, N. Y.	
U.S. Pat. Off.	Send me the "200" Series Catalog.	
MEMBER	Name: Position:	
SBI	Address:	
Reg. U. S. Pat. Off.	City: Zone: State:	

made in any combination of fixed and vent sections and are built to the architect's required size up to maximum heights of 6 ft. 4 in, for windows and 10 ft. for doors, (providing the sliding sash is not less than 1/3 the height for proper balance). Moving panels, which operate on sealed ball-bearing rollers, can be designed to slide behind fixed panels of glass or into wall pockets. These sliding panels lift out easily from the inside for cleaning. A 6 x 4 ft. window sells for \$74 (not including glass) and an 8 x 5 ft. for \$98. Price for a 6 x 6 ft. 10 in. door is \$153 and for a 10 x 8 ft., \$227. The units' satin finish is protected with a wax coating and, if desired, anodizing is also provided. Screens of 16 mesh aluminum are made with simple clip attachments.

Manufacturer: Glide Windows, Inc., 228 N. Front St., Burbank, Calif.


SELF-CONTAINED AIR CONDITIONER is adaptable to commercial and home use.

To be placed in service, Unitaire air conditioners require only drain, water and electrical connections. These factory packaged units are made in three sizes: 2, 3 and 5 h.p. with respective cooling capacities of 24,000, 36,000 and 60,000 Btu per hr. They may be utilized for conditioning air in homes, stores or offices during winter as well as summer by addition of either steam or water heating coils and an outside air duct connection for ventilation air supply. Where attachment to ducts is desired, a return air connection is provided in place of the center rear panel. Each conditioner has a hermetically




sealed Freon 12 compressor, water cooled condenser, direct expansion coil with copper tubes staggered for maximum rate of heat transfer, and large capacity centrifugal fan. A welded steel frame supports all components of the (Continued on page 222)

CONOMICAL IN




Architect-engineer WYATT C. HEDRICK General Contractor ROBERT E. McKEE Plumbing Distributor SOUTHLAND SUPPLY CO., DALLAS

Plumbing Contractor FARWELL COMPANY, INC., DALLAS



Washrooms showing Kohler Chesapeake vitreous china lavatories, K-1745-C, with Centra chromium-plated brass fittings.



KOHLER PLUMBING FIXTURES IN BIG SPRING, TEXAS VETERANS' HOSPITAL

Like numerous other hospitals throughout the nation, the new U. S. Veterans' Hospital, Big Spring, Texas, which has 7 auxiliary buildings, 250 beds, is equipped with Kohler plumbing fixtures.

Baths, surgeons' lavatories, patients' lavatories, closets, urinals, service sinks, drinking fountains, laundry trays—all are of durable materials. Surfaces are glasshard, non-absorbent, easy to clean. Fittings are engineered for efficient service, safety and economical maintenance. Fixtures and fittings conform to plumbing codes of all states. Send for full information.


Kohler Co., Kohler, Wisconsin. Established 1873.

KOHLER OF KOHLER


PLUMBING FIXTURES . HEATING EQUIPMENT . ELECTRIC PLANTS . AIR-COOLED ENGINES

Make sure your plastering specifications call for...


USG Products and Systems



For space saving and economy, specify 2" solid partitions of COLOR-RITE metal lath and plaster, or Solid ROCKLATH* plaster base and plaster. Each saves up to 5% total floor areal Furthermore, these partition systems offer similar economies in cost, are lightweight and fire resistant.




For sound reduction between rooms, specify from a wide variety of USG sound reduction systems — including ROCKLATH or COLOR-RITE metal lath suspended on USG* Resilient Clips over wood studs, over USG TRUSSTEEL* Studs or over masonry (PYROBAR* tile, clay tile, cinder block).



For greater fire protection, consider PYROBAR and plaster for non-load-bearing partitions. Fire test rating is 4 hrs. when $4" \ge 12" \ge 30"$ Hollow PYROBAR is plastered on two sides. 30% to 50% lighter weight than other masonry partitions of like thickness. Provides excellent gypsum plaster bond. Low material cost. Large units lay quickly into wall. Fewer joints save mortar. Ease of cutting reduces waste.

For technical details on these USG products and systems and other USG building materials, consult Sweet's Catalogs or your A.I.A. files. For further information, contact your U.S.G. representative, or write . . .



A.I.A. your



King Akhenaton and the miraculous floor

Once upon a very ancient time,

lived King Akhenaton of Egypt...a king most difficult to please. Akhenaton, however, delighted in the large plaster panels that formed the palace walls. Delighted in the Nilotic plants and birds that brought the smooth plaster surfaces to life.

One day, someone bethought, "The plaster walls delight the King. Why not plaster also the floors of his Tell el-Amarna palace?" And it was done. Miraculous, their beauty...

Miraculous, too, how they withstood the ravage of time! And, no less miraculous,

the vast improvements in plastered walls and ceilings wrought by 20th Century

research. For example, from United States Gypsum have come new flexibility,

fire protection, beauty and long life to meet modern requirements for partitions --in RED TOP* plaster and U.S.G. plastering systems to be sure!



Chicago 6, Illinois

Specify: USG Plastering Products and Systems ... To Be Sure *T. M. Reg. U.S. Pat. Off.

Manufactured under U. S. Patents Nos. 2182877, 2237531, 2271710

• The Revere-Simplex Reglet System is an economical and efficient method of flashing spandrel beams and column faces with enduring copper. This system offers the following advantages:

Affords greater moisture protection for the building. Eliminates the necessity of flashing the entire face of each spandrel beam. In that way, it not only avoids interference with wall ties, stone anchors, angle bolts, etc., but also insures substantial economies through a large saving in flashing material.

Diverts all seepage to the exterior wall face, and prevents rusting of the steel work.

Is based upon the use of the Revere-Simplex Reglet, which is a simple, practical, easily installed receiving device for securing metal flashings in concrete. This patented reglet provides a permanent watertight connection between concrete and copper flashing, for all concrete surfaces.

The Revere-Simplex Reglet not only overcomes installation difficulties experienced with ordinary "open slot" metal reglets, but provides a substantial saving in cost as well. This is due to its many exclusive features, all of which cut down installation time and insure a superior flashing installation.

NEW JOBS FOR YOU-Waterproofing Spandrel Beams by REVERE-SIMPLEX REGLET SYSTEM

Write today for your copy of the new 6-page folder which describes the Revere-Simplex Reglet System for flashing spandrel beams. You can line up *new* jobs—make *new* profits—through the use of this new Revere product that enables you to bid competitively against mopped-on waterproofing!

Revere products now available through your Revere Distributor include: Sheet and Roll Copper for roofing, gutters, flashing, etc.; Lead-Coated Copper; Revere-Keystone Thru-Wall Flashing; Revere-Simplex Reglet and Reglet Insert Flashing; Revere-Keystone Vertical Ribbed Siding. A Revere Technical Advisor will always be glad to consult with you without obligation.



COPPER AND BRASS INCORPORATED Founded by Paul Revere in 1801

230 Park Avenue, New York 17, New York Mills: Baltimore, Md.; Chicago, Ill.; Detroit, Mich.; Los Angeles and

Riverside, Calif.; New Bedford, Mass.; Rome, N. Y. Sales Offices in Principal Cities, Distributors Everywhere.

Copper Makes Common Sense

How you can build *Thermopane* for EXTRA VALUE at LOW COST

Read how it is being done by Russell Benjamin and other building developers

Builder Russell Benjamin and Architect Herman York recognized the appeal of big window areas when they planned the homes for Lyle Forest, Tenafly, New Jersey. They recognized the need for *insulating* those big windows for comfort and full use of floor space in winter. They recognized, too, that *Thermopane*^{*} is the insulating glass that people *know* and *want*.


And so they worked out a method of *Thermopane* window wall construction which is comparable in cost to standard wall construction with conventional windows. The secret lies in working with standard *Thermopane* sizes and in the way the 2 x 6's are routed and joined for framing. They used DSA *Thermopane* $\frac{1}{2}''$ thick with $\frac{1}{4}''$ air space between the two panes.

This adds a *lot* of extra value—the appeal of window walls that bring in the outdoors—plus attractive design, extra comfort and fuel saving. We thought you'd want to know about it. The pictures shown here give the basic steps. By mailing the coupon you can get the whole story including detail drawings that will enable you to duplicate this low-cost method of building extra sales appeal into houses.

Thermopane is made in plate glass and in DSA in more than 80 standard sizes, as well as special sizes, so you can use it in all kinds of windows.



1. Window wall header and uprights in position to receive the window wall frame of specially rabbeted 2 x 6's. (Framing details available—mail coupon.)




2. Window wall frame nailed into place, ready for insertion of either standard $45\frac{1}{2}$ "x25 $\frac{1}{2}$ " Thermopane units or aluminum projected-type windows of like size.




3. Thermopane unit in place. Frame has received a bed of glazing compound before insertion of the unit. Workman is filling voids prior to installation of wood stops.





MADE ONLY BY LIBBEY.OWENS.FORD GLASS COMPANY 37115 Nicholas Building, Toledo 3, Ohio



window walls


ALL WINDOWS in the Lyle Forest homes at Tenafly, N. J., are selfinsulating—all *Thermopane*. The low-cost installation method described here permitted the use of *Thermopane* all around in these houses ranging from \$13,990 to \$17,990. Other building developers are using similar methods in homes ranging from \$7,990 up.



4. Aluminum ventilators of projected type are inserted into openings of wood frame in a bed of glazing compound. Wood screws hold them in place.



5. Thermopane (standard $42\frac{1}{2}^{\prime\prime} \times 22\frac{1}{2}^{\prime\prime}$ unit) is installed in aluminum ventilators as in any other face-glazed metal sash. Aluminum screen is installed from inside.



6. Final result, a sales-appealing window wall that makes the living room seem larger by being opened to the outdoors. *Thermopane's* insulation assures comfort in winter.

SEND FOR FULL INFORMATION ...

Mail the Coupon ... FREE DETAIL SHEETS

We will be glad to provide full details on framing and glazing of the window wall described here. Also, information on the ways other builders have built Thermopane window walls at low cost. Get the information now—it's a smart way to provide more house for the money.


Libbey Owens Ford Glass Company 37115 Nicholas Bldg., Toledo 3, Ohio Please give me complete information on installation methods for low-cost window walls of Thermopane.

Name_____

I am planning to build_____houses in next 12 months


in \$_____class,

ntilators as wall that makes sh. Alumi- by being opene de. pane's insulatio



Ţ

Rising high above the East River in New York City is this unusual structure with the two narrow sides of marble, the two wide sides a myriad of glass windows. To retain condensate and leakage, to divert it into window weep holes and thus prevent drainage down the mullions, ENDURO was pre-formed and soldered into continuous strips on every floor. The sketch below shows details of installation. The photo at the left demonstrates soldering of four-foot sections into continuous spandrel flashing. Holes shown accommodate vitreous ferrules of Nelson studwelds used to anchor windows. . 2.1



effect. It cleans easily. It is sanitary. Its striking beauty lasts indefinitely.

Functionally, it is tough and strong – with a high strength-to-weight ratio that permits safe use in thin sections. It resists rust and corrosion. It is equally strong at elevated or sub-zero temperatures. It cuts maintenance and replacement costs to lowest levels. ENDURO is easily obtainable – readily workable. Distributors carry stocks and competent fabricators are located in principal cities.

Now, wouldn't you like to know more about this "magic metal" and the ideas it may bring to you? See Sweet's-or write us.



construction material.

There seemingly is no limit to the useful applications for Republic ENDURO Stainless Steel in architectural

Here you see it used for flashing between floors of a famous building. You probably have seen it used, too, for mullions and spandrels, windows, curtain wall panels, entrance doors, stair railing, elevators,

roof drainage materials, spires, marquees and count-

That's because ENDURO is so versatile . . . because

it gives the designer a vast medium for expressing

his ideas . . . because it gives the engineer a sound

ENDURO ranges in finish all the way from a soft, satiny lustre to the brightness of a polished mirror.

It may be used both for harmonizing and contrasting


less other component parts of a building.

design, in building construction.



RUST-RESISTANT + CORROSION-RESISTANT + HEAT-RESISTANT + ATTRACTIVE + SANITARY + EASY TO CLEAN EASY TO FABRICATE + STRONG + LONG-LASTING + LOW IN END COST + What more can be desired in a material?

REPUBLIC STEEL CORPORATION • Alloy Steel Division, Massillon, Ohio • GENERAL OFFICES, CLEVELAND 1, OHIO Export Department: Chrysler Building, New York 17, N. Y.



IE & BELGUAD





Design for QUIET and BEAUTY

Fire safety and unusually high acoustical efficiency . . . soft, uniform light diffusion from the rich, attractive finish . . . all designed to add smart, decorative beauty to the modern office . . . all yours in one package with a Fiberglas* Textured Acoustical Tile Ceiling.

For complete specification information on Fiberglas Acoustical Tile—the lowest cost mineral-type *incombustible* acoustical material available—call your Fiberglas acoustical contractor, listed in the yellow pages of the phone book. Or, write to Owens-Corning Fiberglas Corporation, Dept. 67K, Toledo 1, Ohio.



*FIBERGLAS is the trade-mark (Reg. U.S. Pat. Off.) of Owens-Corning Fiberglas Corporation for a variety of products made of or with glass fibers.

BUILDING INSULATION
 ACOUSTICAL TILE

ROOF INSULATION
 FORM BOARD

SAVE SPACE + ADD FLEXIBILITY + ADD BEAUTY



"Swing" is old fashioned in doors! FOLDOOR's the thing!

America's NEW folding-type door closure with the cornice that gives it a "finished look."

FOLDOOR is the answer to SPACE SAV-ING, to an unheard of FLEXIBILITY of room-arrangements, to new, up-to-theminute BEAUTY.

FOLDOOR is the best looking door closure you ever saw. Folds into beautiful pleats into an unbelievably small space, can be operated by a child . . . and open or closed, retains its beautiful pleated lines to add charm to any room.

Built on a rugged, rust-resistant steel frame, FOLDOOR comes in a wide choice of beautiful, colored plastic fabrics to harmonize with any color scheme and is topped off with an attractive, formed cornice that gives it a "finished look."

FOLDOOR is the IDEAL closure for CLOSETS, ROOMS, ALCOVES, and can be used to excellent advantage as a PAR-TITION . . . fits into all homes, modern as well as period . . . just the thing for stores, schools, offices and institutions. Available in STOCK and MADE TO

ORDER sizes. Write for descriptive literature and specifications.

Excellent Installing Distributor Territory Still Open. Write for Information.



1549 Van Buren Street, Indianapolis, Indiana

PRODUCT NEWS


Unitaire. Its cabinet, constructed of 18 gauge steel, is finished in semigloss two toned gray baked enamel. The smallest model covers a floor area 36 in, x $22\frac{1}{2}$ in, and stands $68\frac{3}{4}$ in, high. It sells for approximately \$750, installed. The largest covers an area $44 \times 22\frac{1}{2}$ in, and is 77 1/16 in. tall. Installed price for this unit is about \$1,500. The units may be connected for one, two or three phase operation on 50 or 60 cycle sources.

Manufacturer: Westinghouse Electric Corp., Sturtevant Div., 200 Readville St., Hyde Park, Boston, Mass.

BOILER BURNER UNITS have tankless water heater coil.

York-Shipley's new line of boiler burners are being made in three sizes for either steam, hot

water or vapor type heating. Featuring an interchangeable burner mounting, the PBOE models may be installed for oil firing and converted easily to gas at a later date. The oval jacket covers the complete burner and control section, and is designed so that controls are easily




accessible. A tankless water heating coil is an additional feature. Boilers are made for 300, 400, 550 sq. ft. of steam radiation and equivalent for hot water. Prices range from \$575 to \$700, plus installation.

Manufacturer: York-Shipley, Inc., York, Pa.

FORCED AIR FURNACE may be installed in closet.

Factory assembled and wired, the SFA Hi-Lo furnace may be placed in a closet or, with filter and return air duct connections at the rear, utilized as a conventional basement unit. It features a built-in draft diverter, and raised port blue flame burners. Circulation by the electrically



driven blower is said to be complete and quiet. All controls are completely enclosed for compact appearance but, located in a single compartment, are easily accessible for inspection or repair (Continued on page 228)



GENERAL BRONZE BUILDS "THE WORLD'S LARGEST WINDOW" (280 ft. wide x 500 ft. high)

The new UN Secretariat Building has been described as "two great windows, framed in marble."

Light, strong, beautiful, this magnificent new skyscraper has been planned for the future-both in spirit and structure.

Not surprising then, that the 5400 individual windows, the spandrel frames, the louvers and the architectural metalwork selected to brighten the outlook for the UN Secretariat were all supplied by General Bronze Corporation.

General Bronze-the world's largest fabricator of aluminum and other non-ferrous metals-has been making fine windows and architectural metalwork for more than 40 years.

Because of our unequalled facilities and experience, we are uniquely qualified to serve you when your requirements are great, difficult or unusual. We will be glad to discuss them with you at any time.

> Architects: United Nations Board of Design Consultants Wallace K. Harrison, Director of Planning Contractor: Fuller-Turner-Walsh-Slattery, Inc.

GENERAL BRONZE CORPORATION Stewart Avenue • Garden City, New York



WHAT'S THIS FRESH, NEW AIR IN "ALLEN'S ALLEY"?

Televising Allen's Alley (and Fred Allen) on Sunday's "Comedy Hour" sets up a host of heat problems, due to high-powered lights. Which is why Trane air-conditioning equipment was called upon to do the tough on-stage cooling job needed in NBC-TV's glamorous New York International Theatre.

There are thousands of Trane installations all over America. Radio and TV studios, big buildings, plants, stores, and homes – all are provided with the air conditions required for the greatest comfort, efficiency and health by Trane-engineered products. Trane representatives are engineers—ready to work with architects, engineers or contractors in solving heating and air-conditioning problems.

BETTER WAY TO HEAT. Quick-heating, spacesaving Trane Convectors team up with any steam or hot water system to provide better heat distribution and more comfort at low cost.

FREE BOOKLET! "Choose Your Own Weather." A 16-page picture story showing how Trane equipment heats and air-conditions a wide variety of buildings. Write for your copy.



THE TRANE COMPANY, LA CROSSE, WISCONSIN EASTERN MFG. DIVISION * SCRANTON, PA TRANE COMPANY OF CANADA, LTD., TORONTO

MANUFACTURING ENGINEERS OF HEATING AND AIR CONDITIONING EQUIPMENT . OFFICES IN 80 CITIES

IT'S TIME TO TAKE A FRESH LOOK AT DECORATIVE SURFACING

4

Here's the biggest news in decorative surfacing! It's **Panelyte**...St. Regis' new, beautiful, high-pressure laminated plastic for all working surfaces. See Panelyte's glowing, true-as-life colors . . . striking patterns . . . visualize their countless decorative possibilities in the design and creation of beautiful necessities. Then look below the surface, at the technical advantages Panelyte offers. . . . Panelyte is hard, dense, strong and tough. It is harder to mar ... withstands heavy impacts ... resists abrasion as no other plastic surface does. (We've tested ... we know.) Panelyte won't swell or shrink . . . is easy to work. Its big sheet size (up to 48" x 120") makes for easier, more economical installation with fewer seams.

Whether you're specifying surfacing materials for interior use . . . manufacturing a product that calls for such materials... using plastic surfacing in any way... it will pay you to find out all about new, beautiful Panelyte. Just use the coupon below.

See what **PANELYTE** can do

5

1. WHERE THINGS GET TOUGH Panelyte stands up . takes boiling water, fruit acids, alcohol, soap alkali, cleaners and detergents in stride. (Does the same with cosmetics and astringents, too, in bathrooms and powder rooms.)

0

2. CLEAN AS A WHISTLE-Panelyte cleans easily. instantly... just a damp cloth keeps it gleaming. Maintenance? At a minimum!

3. CIGARETTE-PROOF Panelyte offers extra protection against forgetful smokers . . . may be specified in any installation.

4. VERTICAL SURFACES Versatile Panelyte brings new beauty to walls, cabinet facings, interiors, all "up and down" surfaces. Panelyte won't scuff, chip, crack, dent or discolor . . . is non-absorbent, won't pick up stains or odors.

5. BIG SHEET SIZE (48" x 120") means easy, economical installation . . . fewer "joints" . . . greater beauty.

5 1 4

See Sweet's Architectural File Number 14a

PANELYTE

The Decorative Surface

DISTRIBUTORSHIPS STILL OPEN A few Panelyte distributorships are still available in certain territories

---- MAIL THIS COUPON TODAY ----PANELYTE DIVISION, St. Regis Sales Corporation 230 Park Avenue, New York 17, N. Y. Please send me Panelyte sample, color chart, specifications and full information. □ I am interested in a Panelyte Distributorship in_ (City, State) Please send complete details. NAME_ STREET AND NUMBER_

CITY_ A.F. - STATE_

Readers by the million will

be seeing the Panelyte story in striking, full page, full color ads in such far-reaching magazines as GOOD HOUSEKEEPING and BETTER HOMES & GARDENS. You'll be using a known and accepted product, backed by the St. Regis name.





A PRODUCT OF ST. REGIS PAPER COMPANY

Hydraulic Lift lowers soldier patient into "Hubbard Tub"...equipment typical of the modern therapy methods used at the Army's massive new Tripler General Hospital, on Oahu, Hawaii.



new army game


TODAY'S Army plays it differently. Today's Army knows the tremendous value of *modern* medical responsibility toward its sick and disabled.

Witness, at the huge 1500-bed New Tripler General Hospital outside Honolulu, the use of every *modern* therapeutic aid available for patient welfare.

Witness the EDWARDS name on such vital services in this hospital as the equipment used to summon nurses to bedsides...to locate and page doctors...to warn unfailingly of fire...

... all EDWARDS equipment... all selected in further testimony to EDWARDS world leadership in signalling, communication and protection systems... all products of the greatest advance-design and precision engineering experience in the field.





Problem: To replace the *unsafe* safety pin used for keeping a nurse's call button within patient's reach...replace it with a modern, surer means.

Answer: THIS INGENIOUS CLAMP that grips like a bulldog, yet never rips the bedding! A modest achievement reflecting the same Edwards devotion to design improvement now responsible for the world's most accurate clock systems...loudest bells...most fool-proof fire-alarm stations.

Tell it to Edwards... whatever your problem in time, communication or protection equipment, we can solve it to your advantage.

Edwards Company, Inc., Norwalk, Conn. In Canada: Edwards of Canada, Ltd.



World's most reliable time, communication and protection products

SERVING SCHOOL, HOSPITAL, INDUSTRIAL AND RESIDENTIAL BUILDINGS

4-Square Pressure Treated Lumber OFFERS FROM THREE TO FIVE TIMES LONGER SERVICE LIFE

WHEN a special lumber item offers from three to five times longer service life, it is bound to attract your attention and command your interest. Weyerhaeuser 4-Square Pressure Treated Lumber is such a product.

The pressure treatment of lumber, with Wolman salts, assures protection to wood endangered by rot or termites. Wherever wood contacts the ground, concrete or masonry... or is exposed to moisture traps, excessive humidity or condensation... 4-Square Treated Lumber should be used for real economy. The extra value of this pressure treated

The extra value of this pressure treated lumber for durability under adverse conditions is definitely established by its long record of service in residential application and farm construction, as well as varied industrial uses.

4-Square Lumber, pressure treated with Wolman salts, is clean, odorless, paintable, non-corrosive and non-leaching. It is as easy to handle and work as ordinary lumber. It is treated in accordance with the processes prescribed by the American Lumber and Treating Company and the American Wood Preservers Association.

Designers will find that 4-Square Pressure Treated Lumber serves a special need in modern construction. It adds longer life and greater utility to structures. Weyerhaeuser Pressure Treated Lumber is available through 4-Square Lumber Dealers in the regular items in retail stocks.


Other SPECIAL 4-SQUARE LUMBER PRODUCTS

DRIFTWOOD, KNOTTY PINE, RIDGEWOOD AND KNOTTY CEDAR PANELING • END-MATCHED SHEATHING, SUB-FLOORING, HEMLOCK FLOORING (Hardwood Pattern). FIR AND HEMLOCK CEILING, DROP SIDING, FLOORING • FABRICATED PARTS • TREATED LUMBER • NU-LOC STUDS • CLEAR-TYPE DIMENSION • HEART DIMENSION • GLUED-UP LUMBER • WOOD GUTTER • LOG CABIN SIDING • S2E JOISTS • PICTURE WINDOW FRAMING • FIR CORNER MOLDING.

Design for COMFORT, BEAUTY and ECONOMY with SPECIAL 4-SQUARE LUMBER PRODUCTS

Veyerhaeuser 4-Square LUMBER AND SERVICES

WEYERHAEUSER SALES COMPANY ST. PAUL 1, MINNESOTA



PRODUCT NEWS


without disturbing other wiring. The return air duct for basement installations, shipped knocked down, may be attached to either side or the back. Filters and automatic controls are supplied with each furnace. A Hi-Lo with a Btu input of 62,500 lists at \$226.56; the 125,000 Btu model sells for \$331.25. Others have inputs of 80,000 and 100,000 Btu. All are available for natural, manufactured, or LP gas.

Manufacturer: Security Mfg. Co., 1630-48 Oakland Ave., Kansas City 3, Mo.

GARBAGE INCINERATOR is cool, odorless; can be installed in kitchen.

Using low heat to dehydrate garbage and burnable trash, the Calcinator remains cool enough during operation to be installed in the kitchen or utility room. The new models have a sturdy self

leveling base, and automatic draft and stack temperature controls which are said to improve the efficiency of the calcination process. The gas fired unit has a visual inspection and lighting port. Its Hi-Lo burner gives the user a choice of two rates of disposal. Price for the deluxe model with white




porcelain cabinet is \$114, and \$99.50 for the standard, finished in gray crackle. Standard and deluxe electric Calcinators sell for \$119.50 and \$134.50. Prices do not include installation.

Manufacturer: Calcinator Div. Valley Welding & Boiler Co., Bay City, Mich.

GARBAGE DISPOSER works quietly on low power.

Every element in General Electric's garbage disposer has been redesigned so that the new units consume less electrical power and operate 50 per cent quieter than the manufacturer's earlier models. A shredding mechanism which macerates bones and fruit pits to tiny particles has been incorporated into the machine to speed up the disposal process. For the user's complete safety, the appliance will not work after the control has been locked in position until the cold water is turned on. The water throws an electric switch which starts the machine. Grease is congealed by the cold water and drain lines are kept clear, making it impossible for the impact of food waste bulk to break the water seal and allow dangerous gasses to escape from sewage lines into the kitchen. The new disposer is made in two models, the FA-4 and FA-41, which will fit almost any sink having a drain outlet 31/2 to 4 in. in diameter. Although the new disposers are smaller and about 15 lbs. lighter than previous ones, they have the same food waste capacity. Both carry \$124.95 price tags.

Manufacturer: General Electric, Appliance & Merchandise Dept., Bridgeport 2, Conn. (Continued on page 234)






FOR WASHROOMS MODERN IN EVERY WAY ...

It's Scott designed Recessed Towel Dispensers and Waste Receptacles

in the new Smith, Kline & French Laboratories Bldg.

Seeking the best combination of utility and eye-interest in their new research laboratories and manufacturing plant, Smith, Kline & French insisted on modern fixtures throughout...and modern Scott fixtures in every washroom.


For maximum efficiency... over-all attractiveness... and all-important cleanliness... Scott No. 945 recessed towel dispensers and waste receptacles were specified for the installation. Like many other Scott fixtures, they harmonize well with latest architectural trends.



Modern . . . Inside and Out!

New building of Smith, Kline & French Laboratories, nationally known manufacturers of ethical pharmaceuticals in Philadelphia, Pa.

> Architects: The Ballinger Company Builders: Barclay White & Co.



Scott No. 945 towel dispensers and waste receptacles—recessed flush with the wall as shown—make attractive, efficient washroom units. (Left: panel doors open. Right: closed and ready for service.)


Next time you're planning washrooms for a client, consider the advantages of ScotTissue Towels and fixtures: attractiveness *plus* efficiency.

And for valuable suggestions in planning modern washrooms, make use of the services of Scott trained consultants. Their know-how-gained from servicing over 300,000 washrooms-is yours for the asking! Contact Washroom Advisory Service, Scott Paper Company, Chester, Pennsylvania.


--Send for FREE dimension and installation drawing!--

WASHROOM ADVI Scott Paper Company, Please send me free dr	Chester, Pennsylvan	
Name		
Company	and the second states	
Address	化一时间 医生生的病	
City	Zone	State






WINTERWAY: This brand-new, efficient, basement type winter air conditioner is made in two sizes—100,000 and 120,000 Btu capacity at register—to meet the oil heating requirements of small and medium size homes. The Winterway has a sturdy steel heating element with wrap-around type radiator that completely encircles the shell. Flue can be located on either side. New products to choose from when you're selecting quality heating equipment and plumbing fixtures



ARCOLINER: The famous Arcoliner Wet Base Boiler (for steam and hot water systems) is now also available in this new model for hot water only. This limitation has made possible important cost savings while still retaining full American-Standard quality. This economical boiler offers all the advantages of completely automatic heat plus the convenience of year 'round hot water. Jacket extension optional. NAVAHO: This new gas floor furnace is only 271/2" deep, takes up very little floor space. It can be installed easily in small buildings with or without a basement, and requires no excavation. Factoryassembled, it is available in three sizes with Btu input per hour of 25,000 to 50,000 and can be supplied with flat floor grille or dual wall register. It burns manufactured, natural, mixed, butane, propane or butane-air gas.






STANFLAME: Wide modernization activity and the rapid increase in gas heating facilities give special interest to this new conversion burner. Of a vertical, upshot type, the Stanflame operates efficiently with boiler, furnace, or winter air conditioner . . . burns manufactured, natural, mixed, liquefied petroleum, or LP-air gas. Available in two sizes, with easily adjustable input feature.



SINK CABINETS: These handsome-looking, smooth-front, steel cabinets, designed for the famous Hostess Sinks, provide lots of storage room and are fitted with just about every modern convenience. They harmonize with base and wall cabinets of any design.


HE NINE products shown here are representative of the many new additions during 1950 to the American-Standard line of heating and plumbing products—the most complete in the industry. These new additions give you still wider flexibility in designing and styling . . . afford even greater choice of units to fit today's varied needs. Their engineering and construction advantages assure long, efficient service.

With the new American-Standard Catalogue it is amazingly simple to choose quickly and accurately just the right plumbing fixtures and fittings for every job. Your Heating and Plumbing Contractor will be glad to give you full information on the *complete* American-Standard line. **American Radiator & Standard Sanitary Corporation**, P. O. Box 1226, Pittsburgh 30, Pennsylvania.



TRIWELL SINK: A double-compartment sink with handsome new fitting, the Triwell Sink is both good-looking and practical. It has a covered third well between the regular compartments containing a hidden, removable garbage basket of non-tarnishing chromium-plated brass. Easy to clean, easy to keep clean.





NEW MULTIFIN CONVECTORS: The New Multifin line of convectors, designed for installation in all hot water or steam systems, includes sizes ranging from a small 18-inch high, 4-inch deep unit to a large 38-inch high, 10-inch deep unit. There are 63 stock model sizes for either free standing or recessed installations, plus special service models to meet special building requirements.



DRESSLYN: The new Dresslyn is both a lovely lavatory and a distinctive dressing table combined in a single unit. Available in two styles, two sizes, and in 31 color combinations, it features a deepbowl lavatory of genuine vitreous china . . . has plenty of storage space and ample counter top area.



LOOK FOR THIS MARK OF MERIT

SANISTAND FIXTURE: The Sanisstand Fixture offers women the same convenience and sanitation the standing urinal does for men . . . makes washrooms cleaner, neater . . . reduces rest room maintenance. Enthusiastic approval by thousands of women in extensive test installations has led to hundreds of permanent installations.

AMERICAN STANDARD · AMERICAN BLOWER · CHURCH SEATS · DETROIT LUBRICATOR · KEWANEE BOILERS · ROSS HEATER · TONAWANDA IRON

VERSATILE ZONOLITE* AGGREGATES Proved Indispensable in TODAY'S LIGHTWEIGHT BUILDING

Unique Characteristics Provide Manifold Usefulness

FOR MODERN CURTAIN WALLS, Zonolite* Vermicalite concrete can be employed as a back-up with all types of facing materials, providing extreme reductions of weight and bulk. Three inches of Zonolite concrete permitting fire-safety equivalent to 8'' of brick, yet weighs only $\frac{1}{3}$ as much. Its thermal insulation value far exceeds that of brick or regular concrete.


WALLS — CEILINGS — FIREPROOFING: Up to 66% of dead weight in a building can be eliminated when Zonolite plaster is used for walls and ceilings and for fireproofing structural members. Zonolite Plaster Aggregate used in lieu of sand for suspended ceilings or partition walls and in place of conventional fireproofing for columns and beams permits the use of much lighter steel members at correspondingly lower costs. Furthermore, Zonolite vermiculite aggregate is substantially cheaper to handle and store than the sand it replaces.

A sledge hammer blow merely dents Zonolite plaster and it won't chip when nails are driven into it. Plasterers prefer it, too, because of its lighter weight, easier spreading and fewer droppings.


FIRE-SAFE FLOORS & ROOFS: In short span roof decks, and in various types of floor construction, Zonolite vermiculite concrete unites superior insulation and fire safety with structural material—all applied in one operation. This same concrete only 1/5 the weight of "ordinary" concrete can be poured as permanent insulation fill over any existing roof.



Illustrated above (upper) the use of Zonolite concrete for the roof deck and (lower) of Zonolite plaster for walls and suspended ceilings. Combinations of 2" vermiculite concrete topping with a 1" vermiculite suspended ceiling over face of metal lath have received a 4-hr. fire-rating from Underwriters' Laboratories.







An estimated 5,000,000 lbs. of dead weight were eliminated in the construction of a 35-story bank building by the use of Zonolite concrete floors, suspended Zonolite plaster ceilings and the use of Zonolite plaster for fireproofing structural steel members as shown above. Savings effected by weight reduction more than paid for the extra firesafety and thermal insulation which Zonolite aggregates made possible.

In recent Underwriters' Laboratories tests, columns fireproofed with Zonolite Plaster as pictured above were awarded a 4-hour rating for $1\frac{1}{2}$ ' of plaster and 3 hours for 1" thickness. The saving in weight (see inset) as compared with solid concrete fireproofing is obvious.

FULL COOPERATION OFFERED

The uses of Zonolite concrete and plaster shown herewith will undoubtedly suggest many other possible applications such as their use in the new curtain wall construction. Mail the coupon today for a special file of useful reference material, or write us for information on your specific problems.

ZONOLITE	COMPANY	Dept. AF-100, 135 Chicago 3,	
	OMPANY–Dept. A St., Chicago 3, Ill.	AF-100	
Please mail m	e special file of re- culite aggregates in	eference material plaster and conc	on use of rete.
Name			
Address			
City & Zone		Sta	te

*Zonolite is a registered trademark of Zonolite Co.

FROM EAST COAST TO WEST COAST ... When Quality Counts...it's QUALITY CONTROLLED

PARKLABREA, LOS ANGELES

ASPHALT TIL FLOORING

Builder: Metropolitan Life Insurance Company Architect: Leonard Schultze & Associates Associate Architect: Kaufmann & Stanton General Contractor: Starrett Brothers and Eken, Inc. Flooring Contractor: Turner Resilient Floors, Inc. Structural Engineer: Bowen, Rule & Bowen Mechanical and Flexibility Floors, Inc. Mechanical and Electrical Engineer: Lester R. Kelly

Selected for LITAN'S IMPRESSIVE RO COAST COMMUNIT EST

Because of the outstanding performance delivered by-MA-TI-CO Asphalt Tile Flooring in Metropolitan's Peter Cooper Village, Stuyvesant Town, and Riverton in New York, MA-TI-CO is selected for Metropolitan's West Coast communities-Parklabrea (above) and Parkmerced, San Francisco.

These modern West Coast communities are the latest in an impressive list of MA-TI-CO installations that include apartment houses, public and private institutions, industrial plants, stores and private homes.

Wherever MA-TI-CO is used it provides enduring beauty, resilience and economy—qualities that make MA-TI-CO ideal for every type of installation. Remember, MA-TI-CO's precision-cut square edges assure easier, faster installation-save you time and money on every job. When next you specify asphalt tile flooring, be sure it's MA-TI-CO. It's today's best all-around flooring.

GET TO KNOW MA-TI-CO

See our insert in Sweet's File Architectural, section 13. Or send us a letter on your business stationery, and we will mail you samples. Dept. 611

MASTIC TILE CORPORATION OF AMERICA Member: Asphalt Tile Institute

Factories: Newburgh, N. Y. • Long Beach, California



the magazine of BUILDING 233

PRECISION TESTED

Ery offen he

1947-48-49

MA-TI-CO

Quality-Proved in Metropolitan

Life's East Coast Developments

to conform to Federal specifications for


> Flexure Indentation


Curling Impact



INEXPENSIVE BEAUTY and PROTECTION

FOR SCHOOL





INSIST ON CABOT'S CREOSOTE STAINS

You can achieve striking exterior effects and at the same time assure long-lasting protection when you specify Cabot's Creosote Stains. Cabot's Stains cost $\frac{1}{3}$ as much as good paint. Contain 60-90% of refined creosote oil — best wood preservative known. Cabot's Stains penetrate deeply . . . bring out all the natural beauty of grain and texture . . . add years of protection against termites and decay. Available in a wide variety of non-fading colors clear, brilliant hues to weathering browns and grays.



WRITE TODAY for Cabot's Creosote Stain Color Card and complete information. Many Cabot's Creosote Stain colors are unique and available from no other source. Samuel Cabot, Inc., 1150 Oliver Bldg., Boston 9, Mass.

PRODUCT NEWS



AUTOMATIC DISHWASHER cleans tableware in less than 10 minutes.

Handling dishes, silverware and glassware for six people, the Jet Tower dishwasher has a cleaning and double rinsing cycle of less than 10 minutes. At the end of that time the lid opens so that the dishes may dry quickly in their own heat. In operation, an electrically heated booster tank raises the water temperature to 180°. The water is then forced through perforations in a rapidly revolving square metal tube in the center of the tub. Before it is recirculated, the water is filtered by a strainer. The tub is treated with a sound deadening material which also helps retain the heat. Measuring 27 in. front to back at widest point, the Jet Tower is 36 in. high. Two models are being manufactured: a unit 27 in. wide, and a 48 in. electric sink-dishwasher combination. Both have tops of acid resistant porcelain enamel and a glass observation port on the lid, set flush with the work surface. The freestanding model sells for \$249.95 and the combination for \$359.95. A 40 per cent discount is available to builders on quantity orders.

Manufacturer: Mullins Mfg. Corp., Warren, Ohio.

PLASTIC TAPE forms continuous elastic skin a few minutes after wrapping.

Layers of a new insulating tape formulated on polyethylene resins weld into a homogenous mass shortly after being wrapped around a cable splice or tool handle. The plastic base keeps this self-

bonding tape flexible despite severe weather conditions. It is not affected by temperatures ranging from 120° F. above zero to as low as 30° below zero, nor by corrosive fumes, sunlight or oxy-

gen. Its positive seal is moisture and airtight. Price for a 30 ft, roll of clear tape 1 in. wide is \$1.48; \$1.56 for black.

Manufacturer: Bishop Mfg. Corp., 254 W. 31st St., New York 1, N. Y.

(Technical Literature, page 242)

"Who Says ... REGULAR PHONES can handle intercom needs?"



Sure she's mad!

And you'd be too if you were trying to handle pesky (to her!) intercom messages in addition to important outside calls. Stop wasting *her* time and *your* money. Get real efficiency by installing a Couch Private Phone system . . . free outside lines . . . replace regular phones used only for intercom calls . . . reduce unnecessary

calls. From 2 to 50 phones, Couch has the system right for your needs. Write for information today.



Type 52 Four Button Model



Dept. 311 No. Quincy 71, Mass. Private Telephones for Home and Office . . . Hospital Signaling Systems . . . Apartment House Telephones and Mailboxes . . . Fire Alarm Systems for Industrial Plants and Public Buildings.

234 architectural FORUM november 1950







"Our Ballin '50 homes include the very newest and finest developments in building products, methods and appliances," says Mr. Ballin, "and for that reason they are equipped with modern, automatic Electric Ranges."

Home buyers are constantly demanding more and more built-in equipment. One way to satisfy these demands, as leading builders the country over have discovered, is to provide for electric cooking.

ELECTRIC RANGE SECTION, National Electrical Manufacturers Association, 155 E. 44 St., New York 17, N. Y. ADMIRAL • COOLERATOR • CROSLEY • DEEPFREEZE • FRIGIDAIRE • GENERAL ELECTRIC • GIBSON HOTPOINT • KELVINATOR • LEDO • MONARCH • NORGE • PHILCO • UNIVERSAL • WESTINGHOUSE



VETERANS GENERAL MEDICAL



Auxiliary buildings provide living and executive quarters

ANOTHER large-scale veterans hospital designed for maximum service efficiency and economical operation. The Veterans Administration and the U. S. Engineers have been widely commended for their successful efforts in achieving, through standardization, lower costs for consistently improved construction.

For John A. Johnson & Sons, Inc., this new hospital marks the fifth project under way for the Veterans Administration. These include 500-bed hospitals at Syracuse, N. Y. and Cincinnati, Ohio, two large projects embracing approximately thirty structures at Lebanon, Pa., and the Pittsburgh hospital, shown above, for the Corps of Engineers, U. S. Army, Pittsburgh District.



HOSPITAL, PITTSBURGH, PENNA.

These five projects, of which the Pittsburgh hospital, illustrated, has been initially designed for 19 stories, will represent a total investment in veterans care and welfare of between fifty-five and sixty million dollars, depending upon the decision as to ultimate capacity for the Pittsburgh structure.

> Built for the Corps of Engineers, U. S. Army, Pittsburgh District.

Altenhof and Bown Ingham, Boyd and Pratt • York and Sawyer

Mitchell and Ritchey Associated Architects



A new brochure is now available which you will find interesting and of value if you have a construction problem.





Here's "what you should look for" elevator information for all architects.

DO YOU YOU HAVE.... "Shepard RAM LIFTS"—low-first cost, low operating cost oil hydraulic lifts for four floors or less. WRITE FOR YOUR COPIES TODAY SHEPARD ELEVATOR COMPANY

CINCINNATI 14, OHIO

Approx. G-O

PORETE PLANK

For Roofs and Floors

2" and 2¾" thick, T & G is made of lightweight nailable concrete and is reinforced with a galvanized welded wire mesh near the top and bottom.

The Porete Plank makes the most economical roof deck for sloped roofs, where the steel purlins or rafters are on about 6' centers and where slate or tile has to be nailed to it.

PORETE MFG. CO. North Arlington, N. J.

2440 K COLERAIN AVENUE





out baffles . Absolutely no gas spillage . Annoying

noises eliminated by unique method of mounting element • Panel fits snugly to either dry or plastered

wall • Negative pressure maintained on panel avoids

Zone___State

Please send me complete information on the new Holly NarroWall with Secondary Heat Exchanger.

streaked walls.

Name

Address City

HOLLY MANUFACTURING COMPANY

869 S. Arroyo Parkway, Pasadena 2, California

A.G.A. approved under latest rigid 1950 central heating requirements for use with natural, manufactured or L.P. Gas.

a lot can happen in 8 minutes!




Tables and benches for 200 can be rolled down from the wall in 8 minutes.

Complete conversion activities room to lunchroom without interrupting schedule

Modern thinking in school design dictates multiple use of space. IN-WALL units eliminate the need of separate lunchrooms, seat more students in less space, contribute to better lunch hour discipline.

Already 85% of all leading school architects specify IN-WALL equipment. n-wa Schieber Manufacturing Co. 12738 Burt Road Detroit 23, Michigan Against-the-wall units for existing structures, with pockets that pro-Gentlemen: Please forward your new catalog 50-A. trude only 7" from the wall, can be in-stalled without build-ing alteration. Name Title Address City and State




Looking for a window shade that's washable, fire-resistant and practically impervious to sun and wear? Fyrban has all three important qualities. This tough muslin or canvas shade impregnated with vinyl plastic is approved by two national testing laboratories . . . the

American Hotel Association . . . federal, state and city housing authorities. So where sturdiness and safety count, specify Eyrban fabric on Hartshorn metal rollers. Remember, too, Hartshorn can supply

all your shade needs, including every type of shade cloth, bracket, light shield and roller. Folder on request.

STEWART HARTSHORN CO.


EMPIRE STATE BUILDING, NEW YORK I, N. Y. . STEWART HARTSHORN LTD., TORONTO, CANADA



Flextures, unlike an assortment of hardware fittings involving costly detailing and hand labor, are complete free-standing, self-supporting structures, easily moveable as needed for rearrangement. No structural partitions needed to obtain the "off-the-back" effect demanded by contemporary design.

For literature write Dept. F-11

anid EQUIPMENT COMPANY GRAND RAPIDS 2, MICHIGAN



to spot TOUGHNESS in panelboards

Take a long look *inside*—behind the breakers before you specify panelboards. Check means of reinforcing and bus assembly. Check and compare them with these Westinghouse Panelboard strong points.

1. Bus bar supports—all buses are securely fastened to insulating bases and are not dependent on branch circuit breakers for support.

2. "Die-dentical" parts—parts that are toolmade to assure accurate fits, proper clearance ... adequate mechanical and electrical strength.

3. A reinforced back pan provides a rigid foundation for bus and breaker mounting . . . protects against distortion, shock or vibration.

These hidden construction values—which lend important rigidity to panelboards—are further evidence of the way Westinghouse designs and builds to the highest quality level. And remember, too, that *Westinghouse Panelboards are Westinghouse throughout!* You get the wellknown, reliable Nofuze "De-ion" breakers in a panelboard designed specifically to assure their finest performance.

Descriptive Bulletin 30-930 contains complete information plus typical specifications. For your copy write Westinghouse Electric Corporation, P. O. Box 868, Pittsburgh 30, Penna. J-40383



TECHNICAL LITERATURE

TIMBER CONSTRUCTION. Timber for Military, Commercial and Industrial Buildings. Timber Engineering Co., 1319 Eighteenth St., N.W., Washington 6, D. C. 18 pp. 81/2 x 11 in.

Timber construction, given a hardy boost in World War II, is now receiving fresh impetus because of imminent shortages of critical defense materials. This booklet is a pictorial record of big timber structures—factories, warehouses, hangars, railway structures, etc.—built in this

the UNITED NATIONS promenade above Manhattan





Roofing Contractor: The New York Roofing Co. Architect: U. N. Board of Design Consul Wallace K. Harrison Director of Planning

Upon request we will gladly submit samples. Also, see our catalog in Sweet's File $8\frac{b}{11}$ for information on Ludowici tile roofs...roofs that are not only distinctive, but economical for contemporary architecture.

ON the roof of the already famous United Nations Secretariat Building, delegates of the world may stroll or pace on a terrace in the sky . . . a promenade of tile in warm, friendly shades . . . shale from the good earth made permanent by Ludowici. Let us show you how the satisfying beauty and utility of this shale tile can serve you well in many places in your future plans.

country. Photographs include examples of the

three major timber construction systems: the

Teco connector which fastens joints so that 80

to 100 per cent of the timber's strength may be

utilized; glued laminations; and the graceful

lamella arches. Advantages itemized (in addi-

tion to assured availability) are sturdiness, dura-

bility, and economy in construction time and in

labor and material costs. The publication also

lists roof truss and timber fabricators through-

out the country and other literature on lumber.

LUDOWICI-CELADON CO. 104 So. Michigan Ave., Chicago 3, III. New York 17, New York 565 Fifth Avenue Washington 5, D. C. 740 ISth Street, N. W. ALUMINUM EXTRUSIONS. Drafting Standards. The Aluminum Extruded Products Div., The Aluminum Assn., 420 Lexington Ave., New York 17, N.Y. 52 pp. 6 x 9 in.

Anyone concerned with preparing extrusion section drawings of aluminum products—producer or consumer—should benefit from using the manual of drafting standards. Prepared by a group of leading aluminum product manufacturers, the publication outlines basic practices, standardizing them "as far as at this time seems practical." After an introductory chapter on definitions and identifications of the extruded products, the well illustrated booklet then covers tolerances, proper dimensioning and standard abbreviations. The information presented should facilitate the interchange of drawings between user and maker.

ADHESIVES AND COATINGS. 3M Adhesives, Coatings and Sealers. Minnesota Mining & Mfg. Co., 900 Fauquier St., St. Paul 6, Minn. 32 pp. 81/2 x 11 in.

Giving properties of more than 100 industrial adhesives, coatings and sealers, this new publication describes ten products formulated specifically for the building industry. These construction items include adhesives for installing ceramic tile, glass tile, cove molding, linoleum, acoustical tile, rubber tile and plastic tile. Most of the adhesives have "a high rubber content to insure long continued plasticity and resiliency." A caulking compound that "will not dry out, crack or shrink" for bedding double glazed windows is detailed, along with two spray coatings: one a sound deadener for metal stairs, ventilator shafts, and fan and motor housings, the other a translucent coating for windows which reduces glare and heat of the sun.

HEATING. National Unit Heaters. Catalogue No. 575 The National Radiator Co., Johnstown, Pa., 16 pp. 81/2 x 11 in.

Describing installation and operational features of a new line of unit heaters for commercial, institutional and factory space heating, this two color catalogue is well written and illustrated. Especially useful is the application data concerning heat loss, air requirements, mounting height, and selection of size and type heater. Both the horizontal and vertical (down flow) models are said to be adaptable to either steam or hot water heating systems. Complete roughing-in dimensions and typical piping diagrams are shown, and instructions for installation and maintenance given.

CONCRETE MIXERS. Rex Moto-Mixers. Bulletin No. 50-10. Chain Belt Co., 1600 W. Bruce St., Milwaukee 4, Wis. 16 pp., 8½ x 11 in.

Cutaway views, job photographs and dimensional drawings illustrate features of the manufacturer's Adjusta-Hite and horizontal concrete mixers. Also presented is a complete table of specifications and mounting dimensions for all sizes. (Continued on page 250)

Stop and Prevent Rust with RUST-OLEUM









RUST can be stopped

... stopped easily, surely, economically!

RUST-OLEUM is the answer. For 25 years it has proved its capacity to stop and prevent rust at sea, in fume-choked industrial areas, on railroad rolling stock, bridges and signaling equipment.

RUST-OLEUM ... an exclusive formula ... protects metal with a tough, long-lasting pliable film that dries to a hard, firm finish that defies rain, snow, salt air, fumes and weathering. It adds years of extra use to metal roofs, tanks, sash, fences, stacks, gutters, downspouts, machinery and other metal surfaces.

RUST-OLEUM decorates as well as protects. It is available in all colors, aluminum and white. It can be applied to metal where rust has already started. You don't have to remove all the rust.

RUST-OLEUM is stocked and sold by Industrial Distributors in most principal cities. See our complete catalog in Sweets, or write for full information.

RUST-OLEUM CORPORATION 2501 Oakton Street, Evanston, Illinois



See the <u>difference</u> in MENGEL Stabilized SOLID-CORE Jush DOORS!

Mengel Stabilized Solid-Core Flush Doors employ an entirely unique and exclusive principle to give you a new standard of stability and dependability — and at strictly competitive prices.

Instead of attempting the impossible task of *preventing* expansion and contraction in wood, Mengel has developed a construction design which *absorbs* expansion and contraction within the core itself. All Mengel core members are deeply slotted at frequent intervals, both with and across the grain. The result is that the *slots* expand or contract in width, but the *door* remains stable!


Get all the facts, and see a cutaway sample. When you see the difference, you'll greatly prefer Mengel Stabilized Solid-Core Doors!

> MENGEL HOLLOW-CORE FLUSH DOORS the finest products of their type on the market.



FOR FULL DETAILS, PLEASE JUST WRITE YOUR NAME AND ADDRESS IN MARGIN, AND MAIL TO --

Plywood Division . THE MENGEL CO. . Louisville 1. Kentucky





AMERICAN

New Britain,

THE

HARDWARE CORPORATION

Connecticut

ON'T WORRY...IT'S LI

GEMUINE CLAY Tile

When the family "nurse" develops "fumble-fingers" it's comforting to rely on Genuine Clay Tile.

Even iodine can be whisked cleanly from Clay Tile's smooth beauty. Hot grease won't burn Clay Tile—abrasive materials cannot scratch it. Could you say the same about old-fashioned floor and wall coverings? Clay Tile is surprisingly economical in the long run . . . your clients never have to "baby" it. It's in for good! Best of all, there are limitless decorative combinations in color, size and patterns.

HE MODERN STYLE IS CLAY TILE

The Tile Council of America, Room 3401: 10 East 40th Street, New York 16, New York, Room 433: 727 West Seventh Street, Los Angeles, California.

PARTICIPATING COMPANIES:

COMPANIES: American Encaustic Tiling Co. Architectural Tiling Company, Inc. Atlantic Tile Manufacturing Co. B. Miffin Hood Co. Cambridge Tile Manufacturing Co. Carlyle Tile Company General Tile Company General Tile Company Murray Tile Company Murray Tile Company, Inc. National Tile & Manufacturing Co. Olean Tile Company Pacific Clay Products Pacific Clay Products Pacific Tile and Porcelain Co. Pomona Tile Manufacturing Co. Robertson Manufacturing Co. Robertson Manufacturing Co. Summitville Face Brick Co. United States Quarry Tile Co.



For detailed information and test data write for catalog. The 100 per cent clear vinyl surface is nonporous—does not collect dirt or grit. A Dodge floor never requires waxing or polishing. The only beauty care it needs is ordinary soap and water.


DODGE CORK CO., INC. . LANCASTER, PA.





tom chord to support mezzanines, balconies, etc. For information, write for booklet, "Timber Members".





B&G Hydro-Flo Heating

A MARVELOUS COMBINATION FOR WINTER COMFORT AND HOME BEAUTY

B & G Hydro-Flo Heating equipment can be


B & G Hydro-Flo Heating equipment can be installed on any hot water heating boiler

ARDS

B & G Hydro-Flo products are completely dependable-tested and proved during years of actual operation. Hundreds of thousands of B & G Hydro-Flo Systems are in operation today.

> B& G Ho-Controi Vaive Helps kees home tempera ture constantly at the comfor level and per mits yeas tion of the Water Heater

B& G Booster This electrically operated pump circulates hot water through the baseboards. The Booster is automatically controlled to deliverheat instantly when required and to shur off the supply when the need for heat is satisfied.



BAG

B & G Hydro-Flo Forced Hot Water Heating with radiant baseboards offers three great advantages:

First, amazingly smooth and accurate control of indoor temperature. You don't open windows to regulate the temperature in a home with B & G Hydro-Flo Heating... the system automatically adjusts the heat supply to meet every change in the weather. No overheating, hence, no fuel wasted.

Second, radiant sunny warmth from heating units which look like conventional wooden baseboards and are just as unobtrusive! Radiant baseboards distribute heat so evenly that from floor to ceiling, the temperature hardly varies. Always uniform, draftless heating!

And finally, an all-year supply of hot water for kitchen, laundry and bath, heated by the same boiler that heats the house. Plenty for automatic washers ... and so low in cost it can be used unsparingly.

Dept. BU-10, Morton Grove, Illinois Canadian Licensee: S. A. Armstrons, Ltd., 1400 O'Connor Road, Toronto, Canada

BELL & GOSS

*Reg. U. S. Pat. Off.



TECHNICAL LITERATURE

ELECTRIC APPLIANCES AND WIRING. Design Details for Electrical Living Homes. Booklet B-4671. Westinghouse Electric Corp., Box 2099, Pittsburgh 30, Pa. 24 pp. 8½ x 11 in.

Many phases of "electrical living"-from kitchen ranges to special purpose outlets-and ways to plan for them-are discussed here. Photographs, plan views and wiring diagrams illustrate means of best utilizing floor space in kitchens and laundries. Several lighting schemes, designed for appearance as well as utility, are considered. Cornice, cove, recessed ceiling, and cabinet lighting plans are accompanied by construction drawings. The final section deals with minimum requirements for providing complete electric service in the contemporary home: outlets located to give service where desired; circuits having the capacity to serve the outlets; and service entrance which can carry present loads plus future additions.

FLOORING MAINTENANCE. Asphalt Tile Floors. Asphalt Tile Institute, 101 Park Ave., New York 17, N. Y. 8 pp. 3 x 5 in.

How to care for asphalt floors properly is the subject of this folder. Simple rules for cleaning and waxing are given, and proper protective fittings are recommended for use on furniture to prevent marring the surface of asphalt and other resilient floor materials. The instructions specifically caution against use of alkaline cleaning compounds or strong detergents; varnish, lacquers, shellac or plastic finishes. Neutral soap or cleaners are suggested for cleaning and water emulsion waxes for polishing asphalt tile.


HARDWARE. Pittco Checking Floor Hinge. Pittsburgh Plate Glass Co., 632 Duquesne Way, Pittsburgh 22, Pa. 16 pp. 51/2 x 81/2 in.

Various types of Pittco checking floor hinges are listed and their performance characteristics described in this pamphlet. A chapter is devoted to information on setting hinges and adjusting speed of operation. Directions for selecting the proper hinge to cope with abnormal opening factors are also given.

HARDWARE. Hardware Finishes & Comparative Symbols. AJax Hardware Mfg. Corp., 4351 Valley Bivd., Los Angeles 32, Calif. 1 page. 11 x 16 in. This handy chart lists all the common builders' hardware finishes and indicates which of 29 manufacturers do and do not supply them. It also gives the companies' respective symbols corresponding to those of the U.S. Bureau of Standards. The guide should be a valuable aid to specification writers.


AIR CONDITIONING. Young Air Conditioning Units, Catalogue No. 7550, Young Radiator Co., Racine, Wis., 6 pp. 81/2 x 11 in.

Giving full details on the manufacturer's new air conditioning line, the catalogue outlines advantages of the units' sectional design and lists complete roughing-in dimensions and capacity data on the eight horizontal and vertical models.



KITCHEN-TYPE OIL BOILERS — the most revolutionary development in modern home heating — automatically heat the home, also supply ample domestic hot water.





COMPACT OIL AND GAS HI-

FURNACES (below), specifically designed for small homes, bring

to every owner the full benefits of winter air conditioning without a cost premium. Oil model shown.

OIL AND GAS LO-BOILERS (db

OIL AND GAS LO-BOILERS (above), "Duty-Designed" for radiant and radiator systems in all sizes of homes, have unusually high heat output for unit size. Gas model shown.

WRITE TODAY FOR FULL DETAILS AND PERFORMANCE DATA!

UIET The exceptional quietness of the famous wall-flame burner has proved its value in thousands of nextto-living-quarters installations.

COMPACT Close attention to engineering every detail of design has held required floor area to a minimum-saving space, saving cost.

For many years Timken Silent Auto

EFFICIENT For many years Timken Silent Automatic heating equipment has been "The Accepted Standard" for economy of operation.

COMPETITIVE Timken Silent Automatic heating equipment is priced to compete with other makes of comparable quality -or lesser quality in many instances.

PRE-ASSEMBLED Every feasible assembly operation, including all essential interior wiring and piping, is completed on most models before shipment. BUILD MORE HOUSE for the SAME MONEY-Specify FINKEN Silent Automatic

HEATY

There is no sounder way to upgrade dwelling values than to install Timken Silent Automatic Heat. Homes sell faster, and custom jobs earn greater satisfaction from their owners, when your specifications call for this advance-designed heating equipment. Exceptional compactness, plus simplified unit installation, offer important advantages in house design and major construction savings. Here's the *complete* line, with units priced to fit your construction budget!


93 HEATING EQUIPMENT FOR OIL, GAS AND COAL



PLANTS AT: DETROIT AND JACKSON, MICH. . OSHKOSH, WIS. . UTICA, N. Y. . ASHTABULA AND KENTON, OHIO . NEW CASTLE, PA.



GOOD BRICKWORK = GOOD DESIGN + GOOD WORKMANSHIP + GOOD MATERIALS



When placed flat in $\frac{1}{4}$ -inch of water for one minute, a brick should gain not more than 20 grams (7/10 oz.)



A good bond was not secured here because the brick on which the mortar was spread had sucked the mortar dry, before the brick was laid.



A good bond was secured here because the mortar was not sucked dry too fast.

WET THE BRICK TO SECURE A WATERTIGHT BOND

WE SUGGEST THAT-

Brick taken from the scaffold should be tested for rate of absorption, as illustrated at top left. If the tested brick gains more than 1 ounce in weight, all brick should be thoroughly wet just before they are used.

A good initial bond between brick and mortar depends (1) upon the suction rate of the brick, and (2) the water-retaining capacity of the mortar.

If the absorption rate of the brick is too high at the time they are laid, they will suck the water out of the mortar too fast, even though the mortar has high water-retaining capacity. A thorough wetting of the brick just before they are laid is the only way to be *sure* they will have a low enough rate of absorption.



Brixment mortar has higher water-retaining capacity and stays soft and plastic longer when spread on porous brick. This helps secure a good, watertight bond.

LOUISVILLE CEMENT COMPANY, Incorporated, LOUISVILLE, KENTUCKY



CHRISTMAS SUGGESTION

for your friends and clients in the BUILDING INDUSTRY

Not every one of your friends and clients in the building business expects you to give him a Christmas subscription to The Magazine of BUILDING. And truthfully, not everyone deserves it.

But architects, engineers, building owners and managers, builders, realty management men, mortgage lenders, bankers, building supply dealers-men who pioneer new building ideas-have always turned to BUILDING for stimulation and factual reporting.

For them you will look far before you will find a Christmas gift to match BUILDING. And long after other Christmas gifts are forgotten yours will be remembered and read.

Despite higher costs, the following low Christmas gift rates are still in effect for annual domestic, professional subscriptions-

YOUR FIRST SUBSCRIPTION-\$5.50

EACH ADDITIONAL SUBSCRIPTION only \$4.50

(ordered at the same time)

Actually you can take advantage of the 20% saving for every gift subscription by sending your renewal, no matter when your subscription expires, as your first subscription. Of course, we will send gift cards if you wish and you need not pay until January.

But to make sure your subscriptions receive the expert handling they deserve,-before the year-end rush begins-please mail your order at the earliest possible moment.

ARCHITECTURAL FORUM

TURAL FORUM THE MAGAZINE OF **Building** PUBLISHED BY TIME INC. • 540 NORTH MICHIGAN AVENUE, CHICAGO, ILL.

WASCOLITE Plexiglas DOME SKYLIGHT UNITS







PATENT PENDING



TENT HORD IN HODERN EFFICIENT SKYLIGHTS clear beauty inside and out

NEW BEAUTY of skylight design for all types of buildings . . . a clear Plexiglas dome attached to a trim copper frame. Outside simple and neat - inside only the sky is visible.

MORE LIGHT... Tests show that WASCOLITES admit almost the same amount of light as an open hole of the same size in the roof. One WASCOLITE does the job of at least two of the old type of skylight.


Resilient and resistant to breakage - no maintenance and glazing costs. Practically self-cleaning outside, the inside is easily wiped clean with a damp cloth.


PREFABRICATED READY TO DROP IN PLACE !

EASY TO INSTALL ... WASCOLITES are completely prefabricated — fit exactly on the curbs for which they have been specified without adjustments. They are light in weight, easy to handle.

Available in ten standard sizes and with three types of Plexiglas to meet individual requirements.

SHATTERPROOF ... EASY TO CLEAN.






MANUFACTURERS OF WOSCO COPPER-FABRIC FLASHING . COPPERSEAL COPPERSEAL

Contraction of the second second

HOW DOES THE ARCHITECT ACTUALLY

FIGURE COST OF



Esso Standard Oil Co., Baton Rouge, La.

The cost of Q-Floor becomes less as the building nears completion, because Q-Floor construction saves time—a factor that influences the cost of the whole building. Therefore, to quote the actual, final, installed *cost*, an architect first must figure out how much Q-Floors will *save*.

Q-Floor construction being lightweight, saves other materials in foundation and frame; it also eliminates much material (such as formwork), necessary to wet construction methods . . . but which does not become part of the building.

Q-Floor, being quick-in, cuts building time 15 to 20%. This saves time, financing, and produces revenue sooner.

Q-Floors and the steel frame are erected together. Therefore, they become immediately a dry, uncluttered platform for subcontractors. Materials


are stored right on the floor near where they will be used. All trades move ahead at full speed, independent of each other. The cost of Q-Floor per square foot, as quoted, is less than the price of carpet. And when you subtract the savings in ARCHITECT: LATHROP DOUGLASS, New York

> Associated—Carson and Lundin, New York Contractor—John W. Harris Associates, New York

- FLOORS?

other materials and in time, you find Q-Floors are less expensive than other forms of floor construction. Then too, Q-Floors protect a building from ever becoming electrically obsolete. They also spare prospective tenants the usual overwhelming initial cost of electrical alterations. The fact that

tenants can establish new electrical outlets on every exposed six-inch area of floor—in a matter of minutes, without digging trenches, gives a ≥ Q-Floor building an edge in the competitive rental market.



Write for latest Q-Floor literature

H. H. ROBERTSON CO.



2403 Farmers Bank Building, Pittsburgh 22, Pennsylvania Offices in 50 Principal Cities. World-Wide Building Services

INSULITE


Complements any Modern Interior

INSULITE has given the above interior added beauty and comfort. See how the Tileboard ceiling enhances the over-all decorative scheme. And its surface and lustrous color insures the high light reflection which you desire in a ceiling material. But INSULITE adds more than beauty and high light reflection to this contemporary setting. INSULITE Tileboard insulates as it decorates-cuts heat passage through ceilings as much as 30%. Another advantage of this type of ceiling

10-50

construction is its exceptionally low cost.


INSULITE offers a new and complete line of insulating interior finishes in tileboard, plank and large interior board sizes. Variable in adaption to give the architect ample range of imagination in design and treatment. Words and pictures can't do justice to their beautiful new colors and surface textures. They must be seen to be appreciated. May we show them to you? Just drop a card to INSULITE, Minneapolis 2, Minnesota.



INSULITE INTERIOR FINISHES: Durolite Plank and Interior Board . . . Lusterlite Tileboard and Interior Board . . . Wevelite and Smoothlite Interior Boards . . . Acoustilite and Fiberlite Acoustical Tileboards.

MINNESOTA AND ONTARIO PAPER COMPANY MINNEAPOLIS 2, MINNESOTA

Refer to Sweet's File, Architectural Section 10a/8 *Reg. T. M. U. S. Pat. Off.



The UN Secretariat is a TRULY MODERN building

....SILBRAZ[®] joints made with Walseal[®] Valves and Fittings are installed


Architects and builders know that it takes modern building components to make a modern building. That's why the first skyscraper erected on the site of the United Nations' buildings has brass and copper pipe runs joined with Silbraz joints — the modern way of joining brass or copper pipe or Type B copper tubing. Silbraz joints are silver brazed — not soldered or threaded — and are stronger than the pipe itself. They are leakproof, permanent, and will not creep or pull apart under any condition which the pipe or tubing can withstand. They literally form "one-piece pipelines" that save money by eliminating leaky connections, costly maintenance, and repairs.

Walseal Valves and Fittings for making Silbraz Joints

The Walworth Company manufactures a complete line of Walseal Valves, Fittings, and Flanges having factory-inserted rings of silver brazing alloy, for making Silbraz joints. The Walseal material used in the United Nations building was furnished by Glauber, Inc., and Asco Supply Company, Inc., both of New York City.

For further information regarding Walseal Valves, Fittings, and Flanges for making Silbraz joints, see your nearest Walworth distributor, or write for Circular 84.

Making a Silbraz joint with a Walseal Gate Valve at UN, work being done at bench.




Installing a Walseal fitting at UN, on location; note operator progressively heats small section of the fitting.



Cut-away view of a Walseal Tee, showing sectional view of Silbraz joint; factory inserted ring of silver brazing alloy; and completed Silbraz joint.

WALWORTH valves and fittings 60 EAST 42nd STREET, NEW YORK 17, N. Y.



Tomorrow's teachers preparing at Cortland State Teachers College, Cortland, New York, will occupy three Georgian style buildings now being constructed of the most modern materials to insure permanence as well as architectural beauty.

An important example of this upto-date building technique is the installation of 130 tons of J&L Junior Beam floor joists. Architect Carl W. Clark, selected Junior beams as the result of a continuous study which he conducts on the cost of materials and the relative economy of design.

Cortland State Teachers College clearly demonstrates the practical advantages of Junior Beam construction. Syracuse Engineering Company

cuts Junior Beams to length-delivers them to the job with clip angles welded to the ends: Workmen are able to speedily position the lightweight Junior Beams by hand, enabling brick laying and wall construction to proceed without delay.

To quote one of the foremen, "This job works together better than any job I've been on." The result—lower costs through faster, easier construction.

Junior Beams, produced exclusively by J&L, require less maintenanceare vibration and shrink proof-rigid -termite and fire proof-adaptable to any finished floor-assure lower fire insurance rates. These advantages add up to dollars saved now and in the future.

JONES & LAUGHLIN STEEL CORPORATION

From its own raw materials, J&L manufactures a full line of carbon steel products, as well as certain products in OTISCOLOY and JALLOY (hi-tensile steels).

PRINCIPAL PRODUCTS: HOT ROLLED AND COLD FINISHED BARS AND SHAPES . STRUCTURAL SHAPES . HOT AND COLD ROLLED STRIP AND SHEETS . TUBULAR, WIRE AND TIN MILL PRODUCTS . "PRECISIONBILT" WIRE ROPE . COAL CHEMICALS Workmen installing Junior Beam floor joists. Their lightness make faster, easier construction possible.

Left-Sketch of the new buildings now under construction by Carl W. Clark, A.I.A.

ARCHITECTS · BUILDERS · CONTRACTORS

If you are planning or building schools, dormitories, apartments, warehouses, or any other structure where economical, permanent construction is important, let us send you the booklet "Skyscraper Construction for Every Building." It gives information and engineering data on J&L Junior Beams-the modern, versatile, lightweight structural member.


Jones & Laughlin Steel Corporation 401 Jones & Laughlin Building Pittsburgh 30, Pa.

Please send me a free copy of your Junior Beam booklet, "Skyscraper Construction for Every Building."

NAME_ COMPANY

ADDRESS

ARCHITECTS & BUILDERS, DISTRIBUTORS & DEALERS HAIL NEW ROLY-DOORS



FOUR-SECTION ALL-STEEL OVERHEAD GARAGE ROLY-DOOR GIVES HOME OWNERS EVERYTHING



BUFFALO, Nov. 1 — Introduced this year, the MORRISON *Roly-Door*, the new four-sectional, all-steel overhead garage door, has caused a furore in the building industry. Because the four-sectional *Roly-Door* costs less to buy, costs less and takes less time to install, and is the *only* overhead door in the world with *all* wanted features, it is fast becoming the number one door in the nation for new homes and for modernization.



Precision engineering and mass production methods in one of the country's most scientific modern steel stamping plants — plus new design principles make possible the industry's lowest cost for the world's only foursectional all-steel overhead garage door.

IT'S MADE IN TWO SIZES — FOR 8' WIDE 7' HIGH, AND 9' WIDE 7' HIGH OPENINGS !

It also fits a 6'6" high opening where ample headroom is available. The MORRISON *Roly-Door* operates completely within the garage. There is no danger from doors weighted by snow, leaves or rubbish — no stepping aside, no worry about sudden drops. It cannot rattle in the wind. There is no protruding hardware or obstruction to catch clothes or auto bumpers.



Everything that can be predetermined is fixed to the door at the factory ! There are no holes to drill, no hinges to apply. No skilled workmen or special tools are necessary. Because of the simple installation, the MORRISON *Roly-Door* is installed in a fraction of the time required for other overhead doors.

FREE . . . write for a guide to the selection of garage doors — Bulletin D 50-1-B

MORRISON STEEL PRODUCTS, INC. 645 AMHERST ST. • Roly-Door Division • Buffalo 7, N. Y.

SPECIFICATION AND

The advertising pages of The Magazine of BUILDING are the recognized market place for those engaged in building. A house or any building could be built completely of products advertised here. While it is not possible to certify building products, it is possible to open these pages only to those manufacturers whose reputation merits confidence.

Allianceware, Inc	197
Allied Chemical & Dye Corporation (The Barrett Division)	25
Aluminum Company of America (Alcoa)	, 63
Aluminum Window Manufacturers Association	87
American Air Filter Co., Inc. (Herman Nelson Division) 44	, 45
American Brass Company, The	84
American Floor Surfacing Machine Co	76
American Hardware Corporation, The (P. & F. Corbin Div.)	246
American Iron & Steel Institute (Committee on Steel Pipe	
Research)	66
	162
American Radiator & Standard Sanitary Corporation230,	10000
American Structural Products Company (Subsidiary of Owens-	201
	55
Illinois Glass Company)	78
American Telephone & Telegraph Company	
American Welding & Manufacturing Co., The	199
Andersen Corporation	165
Anemostat Corp. of America	192
Anthracite Institute	205
Architectural Forum, The Magazine of BUILDING	254
Auto-Lok Aluminum Awning Windows (Ludman Corporation)	208
Auto-rok multimum maning a muons (baaman corporation)	

Barrett Division, The (Allied Chemical & Dye Corporation).25Bell & Gossett Company.249Berger Manufacturing Division (Republic Steel Corporation)196Blank, Frederic & Co., Inc.42Bruce, E. L., Co.2BullDog Electric Products Company.39

Cabot, Samuel, Inc
Cambridge Tile Manufacturing Company, The Cover II
Carey, Philip, Company, The
Carr, Adams & Collier Company
Carrier Corporation
Carrier Corporation
Ceco Steel Floduets corporation
Celotex Corporation, The
Chase Brass & Copper Co., Inc 191
Chicopee Manufacturing Corporation 180
Coleman Company, Inc., The
Columbus Coated Fabrics Corp 200
Committee On Steel Pipe Research (American Iron & Steel
Institute) 66
Concrete Reinforcing Steel Institute 24
Connor, W. B., Engineering Corporation 89
Corbin Division, P. & F. (The American Hardware Corp.) 246
Couch, S. H., Company, Inc 234
Crane Co 178
Crawford Company 186
Croft Steel Products, Inc
Curtis Companies
Guille Companie Internet Companie
Guilis Lighting, monthere in the second
Cyclotherm Corporation 244
Dav-Brite Lighting, Inc
Dales Appliance Division (Ceneral Mators Corp.) 48

Delco Appliance Division (General Motors Corp.)	48
Detroit Steel Products Company	51
Devoe & Raynolds Company, Inc	190
	26
Dodge Cork Co., Inc	248
Douglas Fir Plywood Association	
Edwards Co., Inc	226
Eljer CompanyCover	
Facing Tile Institute	40
Fedders-Quigan Corporation	77
	158
	177
	214
Flintkote Co., The	92
	00

Follansbee Steel Corp.....

Frigidaire Division (General Motors Corporation)...... 53

38

BUYING INDEX

General Bronze Corp 223	
General Electric Company	
General Motors Corp. (Delco Appliance Division)	
General Motors Corporation (Frigidaire Division) 53	
General Plywood Corporation 19	
General Portland Cement Co. (Trinity Division) 248	
Georgia-Pacific Plywood & Lumber Co28, 29	
Getty, H. S. & Co., Inc	
Globe Lighting Products Company, Inc	
Grand Rapids Store Equipment Co	
Graybar Electric Co	
Grinnell Company, Inc	
Hager, C., & Sons Hinge Mfg. Co 175	
Hauserman, E. F. Company, The	
Higgins, Inc	
Hoffman Specialty Company, Inc	
Holcomb & Hoke Mfg. Co., Inc 222	
Holly Manufacturing Company 239	
Homasote Company 155	
Hope's Windows, Inc 189	
Hotpoint, Inc	
Hunter Douglas Corporation	
numer Douglas Corporation 112	
Independent Lock Co. (Lockwood Hardware Mfg. Co. Div.) 32, 33	
Inland Steel Products Company	
Insulite Division (Minnesota and Ontario Paper Company) 257	
International Business Machines Corporation	
International Nickel Company, The	
1	
Jamestown Metal Corporation	
Johnson, John, A., & Sons, Inc	
Johnson Service Company	
Jones & Laughlin Steel Corporation	
souce a magnin cross desperation internet intern	
Kaunitz & O'Brien	
Kaylo Division (Owens-Illinois Glass Co.)	
Kennedy, David E., Inc	
Kewanee Boiler Corporation	
Kinnear Manufacturing Company, The 34	
Kohler Company 215	
Kwikset Locks, Inc 17	
Lau Blower Company. The	
Lau Blower Company, The	
Libbey-Owens-Ford Glass Company	
Lockwood Hardware Mfg. Co. Div. (Independent Lock Co.)32, 33	
Lorentzen Hardware Mfg. Corp	
Louisville Cement Company, Inc 253	
Ludman Corporation (Auto-Lok Aluminum Awning Windows) 208	
Ludowici-Celadon Company 242	
Mastic Tile Corporation of America	
Mengel Company, The	
Miller, Herman, Furniture Company 168	
Minneapolis-Honeywell Regulator Company 164	
Minnesota and Ontario Paper Company (Insulite Division) 257	
Mississippi Glass Company 206	
Modine Manufacturing Company	
Morrison Steel Products, Inc	
mumns manufacturing corporation 209	
Nash-Kelvinator Corp. (Kelvinator Division)	
National Electrical Manufacturers Association 235	
National Electric Products Corporation 27	
National Gypsum Company 213	
National Oak Flooring Manufacturers' Association	
Nelson, Herman, Division (American Air Filter Co., Inc.)44, 45	
Nesbitt, John J., Inc	
INTERNET DOWER LO	
Norma Pencil Corporation	

Norton Co. 211



"The Finishing Touch

... Locks by SARGENT

INTEGRALOCK

The only lock of its kind! Sealed for lifetime service. Finished for lasting beauty.*

Bored-in 4500 line locks

Easy to install - always reliable. Designed for architects and particular builders who recognize beauty and quality at a budget price.*


Protected by the new "Talk-of-the-Trade" finish.

Write us for the name of your nearest Sargent builders hardware dealer.



SPECIFICATION AND BUYING INDEX

Overhead Door CorporationCover 1	91 IV 21
Subsidiary)	55 22
Patterson-Kelley Co. 2 Pittsburgh Corning Corporation. 160, 1 Pittsburgh Plate Glass Company. 58, Pittsburgh Reflector Company. 2 Porete Mfg. Co. 2 Pratt & Lambert, Inc. 1	61 52 61 59 88 38 63 84
Republic Steel Corporation (Berger Manufacturing Div.)1 Revere Copper and Brass, Inc	28 256 41
Sargent & Company. Schieber Mfg. Co. Schiage Lock Company. Scott Paper Company. Security Mfg. Co. Sedgwick Machine Works, Inc. Servicised Products Corp. Shepard Elevator Co. Sloan Valve Company. Smith, Alexander-Masland, C. H. Smith, A., O., Corporation. Sonseborn, L., Sons, Inc. Soss Mfg. Co. Speakman Company Standard Dry Wall Products, Inc. Stewart Hartshorn Co.	171 240 225
Taylor, Halsey W., Company, The	252 247 . 48 248 251 20 224 248 4, 5 212
United States Gypsum Co United States Plywood Corporation	216 188 68 194
Walworth Company Wasco Flashing Company. Weirton Steel Co Weis, Henry, Mfg. Co., Inc Westinghouse Electric Corporation	227 174 30
Yale & Towne Manufacturing Company, TheOp	p. 49
Zonolite Company Zurn, J. A., Mfg. Co	232 31





Business is on the carpet

and carpet is our business

A carpet specialist can help you in many ways. He can help you select the weave your client needs, for luxury and durability. He can show you scores of colors and patterns, to meet your own decorating specifications. He can help you effect economies, through expert installation. Your local Alexander Smith-Masland contractor is a carpet specialist. Consult him. Let him save your time, and your client's money.

Alexander Smith and C. H. Masland

CONTRACT CARPETS 295 Fifth Avenue, New York 16, New York Grilled Window Stool installation over recessed radiators, installed by Dillaby Fireproofing Co., in Emmanuel College Science Bidg., Boston. Maginnis & Walsh, Architects, Boston, Massachusetts.

First choice for looks that last

Mizcor Steel Window Stools

FU

Milcor Window Stools are available in curved, flat or splay types, plain or moulded, solid or grilled to meet any requirement. A must for modern, fireproof construction. They are permanent, fire-safe, and wear-resistant . . . sanitary and economical . . . easy to install and easy to clean and maintain.

Attractive too. Available in a complete range of styles, types, and sizes to suit the exact interior you have in mind: curved, splay, or flat — solid or grill top, moulded or plain. May be used separately or together with Milcor Metal Window Trim, corner fittings, and other accessories. Look for full details in Sweets, or write for a copy of the the new Milcor Manual. No obligation.

F-336C

INLAND> STEEL PRODUCTS COMPANY

Formerly Milcor Steel Company 4035 WEST BURNHAM STREET * MILWAUKEE 1, WISCONSIN

Baltimore 24, Md., Buffalo 11, N. Y., Chicogo 9, Ill., Cincinnati 25, Ohio, Cleveland 14, Ohio, Detroit 2, Mich., Kansas City 8, Mo., Los Angeles 23, Calif., New York 22, N. Y., Rochester 9, N. Y., St. Lovis 10, Mag

THROUGH AND THROUGH

No Wonder the Public Likes It!

Look at the extra features and you'll see why Eljer's Martha Washington Vitreous China Lavatory is so popular. The unmarred back surface is made possible by the Eljer concealed front overflow . . . the generous shelf back provides extra room for bathroom odds and ends . . . an anti-splash rim prevents water from "slopping" over . . . Eljer Brass is distinctly styled and quality made for extra-long service . . . and for extra-beauty in the bathroom the Martha Washington, in color or in white, can't be topped.

But most important of all ... the Martha Washington, like all other Eljer Fixtures, represents quality through and through ... quality that means customer satisfaction for you. For complete information on the complete Eljer Line of fixtures and fittings, see your Eljer Distributor or write Eljer Co., Ford City, Pa. Real Vitreous China Concealed Front Overflow Spacious Shelf Back Anti-Splash Rim Renewable Brass Outstanding Beauty

It pays you, it pays us - because we specialize in Plumbing Fixtures and Brass



OVERHEAD DOOR CORPORATION and its eight manufacturing divisions make . . .

TRADE MARK

Residential, Commercial and Industrial Use

*Miracle Wedge * * Salt Spray Steel *

Manual OR Electric OPERATION

* TRADE MARK

July

COPYRIGHT 1950 - OVERHEAD DOOR CORPORATION



Hartford City, Indiana, U.S.A.

- MANUFACTURING DIVISIONS -

GLENDALE, CALIFORNIA OKLAHOMA CITY, OKLAHOMA DETROIT, MICHIGAN PORTLAND, OREGON HILLSIDE, NEW JERSEY LEWISTOWN, PENNSYLVANIA

CORTLAND, NEW YORK DALLAS, TEXAS